



ELSEVIER

Journal of Chromatography B, 772 (2002) 379–382

JOURNAL OF  
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

## Author Index Vol. 772

- Abouelfath, A., see Titier, K. 772(2002)373
- Aguilar, C., see Hernández, M. 772(2002)163
- Ahrens, B., Blankenhorn, D. and Spangenberg, B.  
Advanced fibre optical scanning in thin-layer chromatography for drug identification 772(2002)11
- Alton, K.B., see Zhong, R. 772(2002)191
- Amini, A., Chakraborty, A. and Regnier, F.E.  
Simplification of complex tryptic digests for capillary electrophoresis by affinity selection of histidine-containing peptides with immobilised metal ion affinity chromatography 772(2002)35
- Araujo, L., see Navalón, A. 772(2002)65
- Ashley, D.L., see Wooten, J.V. 772(2002)147
- Auriola, S., see Ranta, V.-P. 772(2002)81
- Awada, D., see Higashi, T. 772(2002)229
- Bai, F., Kirstein, M.N., Hanna, S.K. and Stewart, C.F.  
New liquid chromatographic assay with electrochemical detection for the measurement of amifostine and WR1065 772(2002)257
- Bareggi, S.R., see Pirola, R. 772(2002)205
- Bartlett, M.G., see Brown, S.D. 772(2002)327
- Basci, N.E., see Dulger, B. 772(2002)179
- Bayham, M.T., Patel, S., Moaddel, R. and Wainer, I.W.  
Multidimensional on-line screening for ligands to the  $\alpha\beta 4$  neuronal nicotinic acetylcholine receptor using an immobilized nicotinic receptor liquid chromatographic stationary phase 772(2002)155
- Bellodi, L., see Pirola, R. 772(2002)205
- Blankenhorn, D., see Ahrens, B. 772(2002)11
- Bolden, R.D., Hoke II, S.H., Eichhold, T.H., McCauley-Myers, D.L. and Wehmeyer, K.R.  
Semi-automated liquid–liquid back-extraction in a 96-well format to decrease sample preparation time for the determination of dextromethorphan and dextrorphan in human plasma 772(2002)1
- Borrull, F., see Hernández, M. 772(2002)163
- Bregel, D., see Steinmeyer, S. 772(2002)239
- Brown, S.D., White, C.A., Chu, C.K. and Bartlett, M.G.  
Determination of acyclovir in maternal plasma, amniotic fluid, fetal and placental tissues by high-performance liquid chromatography 772(2002)327
- Calafat, A.M. and Stanfill, S.B.  
Rapid quantitation of cyanide in whole blood by automated headspace gas chromatography 772(2002)131
- Calafat, A.M., see Wooten, J.V. 772(2002)147
- Calull, M., see Hernández, M. 772(2002)163
- Cardone, E., see Titier, K. 772(2002)373
- Chakraborty, A., see Amini, A. 772(2002)35
- Chasseaud, L.F., see Redrup, M.J. 772(2002)317
- Cheng, K.N., see Redrup, M.J. 772(2002)317
- Chiarotti, M., Marsili, R. and Moreda-Piñeiro, A.  
Gas chromatographic–mass spectrometric analysis of residual solvent trapped into illicit cocaine exhibits using head-space solid-phase microextraction 772(2002)249
- Chimalakonda, A.P., Shah, R.B. and Mehvar, R.  
High-performance liquid chromatographic analysis of cyclosporin A in rat blood and liver using a commercially available internal standard 772(2002)107
- Chu, C.K., see Brown, S.D. 772(2002)327
- Chu, D., see Dong, Q. 772(2002)369
- Čolić, M., see Žunić, G. 772(2002)19
- Colwell Jr., L.F., Tamvakopoulos, C.S., Wang, P.R., Pivnichny, J.V. and Shih, T.L.  
Rapid pharmacokinetic screening for the selection of new drug discovery candidates using a generic isocratic liquid chromatography–atmospheric pressure ionization tandem mass spectrometry method 772(2002)89
- Cregor, M., see Tian, F. 772(2002)173
- DeMontigny, P., see Pollmeier, M. 772(2002)99
- Denizli, A.  
Preparation of immuno-affinity membranes for cholesterol removal from human plasma 772(2002)357
- Déridet, E., see Titier, K. 772(2002)373
- Dong, Q., Gu, J., Zhong, D., Paul Fawcett, J. and Chu, D.  
Isolation and identification of the glucuronide of 4-(3H-1,2-dihydro-1-pyrrolizinone-2-methylamino)benzoic acid from rabbit urine 772(2002)369
- Dulger, B., Basci, N.E., Sagdic-Yalvac, I. and Temizer, A.  
Determination of betaxolol in human aqueous humour by high-performance liquid chromatography with fluorescence detection 772(2002)179
- Eichhold, T.H., see Bolden, R.D. 772(2002)1
- Ellul-Micallef, R., see Sghendo, L. 772(2002)307
- Engewald, W., see Teske, J. 772(2002)299
- Era, S., see Hayashi, T. 772(2002)139
- Fröhlich, J.C., see Tsikas, D. 772(2002)335
- Fuentes-Noriega, I., Ruiz-Ramírez, L., Tovar Tovar, A., Rico-Morales, H. and Gracia-Mora, I.  
Development and validation of a liquid chromatographic method for Casiopeina III® in rat plasma 772(2002)115

- Gan, S.H., Ismail, R., Wan Adnan, W.A. and Wan, Z.  
Method development and validation of a high-performance liquid chromatographic method for tramadol in human plasma using liquid–liquid extraction 772(2002)123
- Gracia-Mora, I., see Fuentes-Noriega, I. 772(2002)115
- Gu, J., see Dong, Q. 772(2002)369
- Hanna, S.K., see Bai, F. 772(2002)257
- Hayashi, T., Suda, K., Imai, H. and Era, S.  
Simple and sensitive high-performance liquid chromatographic method for the investigation of dynamic changes in the redox state of rat serum albumin 772(2002)139
- Henning, P.A., see Vo, H.C. 772(2002)291
- Hernandez, A., see Zhong, R. 772(2002)191
- Hernández, M., Aguilar, C., Borrull, F. and Calull, M.  
Determination of ciprofloxacin, enrofloxacin and flumequine in pig plasma samples by capillary isotachophoresis–capillary zone electrophoresis 772(2002)163
- Higashi, T., Awada, D. and Shimada, K.  
Liquid chromatography–mass spectrometric method combined with derivatization for determination of 1 $\alpha$ -hydroxyvitamin D<sub>3</sub> in human plasma 772(2002)229
- Higuchi, S., see Redrup, M.J. 772(2002)317
- Hoke II, S.H., see Bolden, R.D. 772(2002)1
- Hsieh, S. and Selinger, K.  
High-throughput bioanalytical method using automated sample preparation and liquid chromatography–atmospheric pressure ionspray mass spectrometry for quantitative determination of glybenclamide in human serum 772(2002)347
- Hübner, S., see Sporkert, F. 772(2002)45
- Hull, C.K., Penman, A.D., Smith, C.K. and Martin, P.D.  
Quantification of rosuvastatin in human plasma by automated solid-phase extraction using tandem mass spectrometric detection 772(2002)219
- Imai, H., see Hayashi, T. 772(2002)139
- Ismail, R., see Gan, S.H. 772(2002)123
- Jelić-Ivanović, Z., see Žunić, G. 772(2002)19
- Jia, Z.-P., see Ma, J. 772(2002)197
- Kays, M.B., see Liang, H. 772(2002)53
- Kirstein, M.N., see Bai, F. 772(2002)257
- Kishnani, N.S., see Zhong, R. 772(2002)191
- Kissinger, C.B., see Tian, F. 772(2002)173
- Kissinger, P.T., see Tian, F. 772(2002)173
- Kraemer, T., see Steinmeyer, S. 772(2002)239
- Leaf, F.C., see Redrup, M.J. 772(2002)317
- Leung, D.T., see Vo, H.C. 772(2002)291
- Liang, H., Kays, M.B. and Sowinski, K.M.  
Separation of levofloxacin, ciprofloxacin, gatifloxacin, moxifloxacin, trovafloxacin and cinoxacin by high-performance liquid chromatography: application to levofloxacin determination in human plasma 772(2002)53
- Lim, J., Park, B. and Yun, H.  
Sensitive liquid chromatographic–mass spectrometric assay for norfloxacin in poultry tissue 772(2002)185
- Liu, C.-L., see Ma, J. 772(2002)197
- Long, H., see Tian, F. 772(2002)173
- Lynch, S.V., see Salm, P. 772(2002)283
- Ma, J., Liu, C.-L., Zhu, P.-L., Jia, Z.-P., Xu, L.-T. and Wang, R.  
Simultaneous determination of the carboxylate and lactone forms of 10-hydroxycamptothecin in human serum by restricted-access media high-performance liquid chromatography 772(2002)197
- Maier, S., see Pollmeier, M. 772(2002)99
- Marsili, R., see Chiarotti, M. 772(2002)249
- Martin, P.D., see Hull, C.K. 772(2002)219
- McCauley-Myers, D.L., see Bolden, R.D. 772(2002)1
- Mehvar, R., see Chimalakonda, A.P. 772(2002)107
- Mifsud, J., see Sghendo, L. 772(2002)307
- Millership, J.S., see Sghendo, L. 772(2002)307
- Mills, G., see Sporkert, F. 772(2002)45
- Miyashita, A., see Redrup, M.J. 772(2002)317
- Moaddel, R., see Baynham, M.T. 772(2002)155
- Moeller, M.R., see Steinmeyer, S. 772(2002)239
- Moore, N., see Titier, K. 772(2002)373
- Moreda-Piñeiro, A., see Chiarotti, M. 772(2002)249
- Moriarty, K., see Pollmeier, M. 772(2002)99
- Müller, R.K., see Teske, J. 772(2002)299
- Mundo, E., see Pirola, R. 772(2002)205
- Navalón, A., Araujo, L., Prieto, A. and Vilchez, J.L.  
Determination of grepafloxacin and clinafloxacin by capillary zone electrophoresis 772(2002)65
- Park, B., see Lim, J. 772(2002)185
- Patel, S., see Baynham, M.T. 772(2002)155
- Patrick, J.E., see Zhong, R. 772(2002)191
- Paul Fawcett, J., see Dong, Q. 772(2002)369
- Penman, A.D., see Hull, C.K. 772(2002)219
- Pillans, P.I., see Salm, P. 772(2002)283
- Pirola, R., Mundo, E., Bellodi, L. and Bareggi, S.R.  
Simultaneous determination of clomipramine and its desmethyl and hydroxy metabolites in plasma of patients by high-performance liquid chromatography after solid-phase extraction 772(2002)205
- Pivnichny, J.V., see Colwell Jr., L.F. 772(2002)89
- Pollmeier, M., Maier, S., Moriarty, K. and DeMontigny, P.  
High-performance liquid chromatographic assay for the determination of a semisynthetic avermectin analog (eprinomectin) in bovine milk at parts per billion levels—method development and validation 772(2002)99
- Portelli, J., see Sghendo, L. 772(2002)307
- Pragst, F., see Sporkert, F. 772(2002)45
- Prieto, A., see Navalón, A. 772(2002)65
- Putzbach, K., see Teske, J. 772(2002)299
- Ranta, V.-P., Toropainen, E., Talvitie, A., Auriola, S. and Urtti, A.  
Simultaneous determination of eight  $\beta$ -blockers by gradient high-performance liquid chromatography with combined ultraviolet and fluorescence detection in corneal permeability studies in vitro 772(2002)81
- Redrup, M.J., Leaf, F.C., Miyashita, A., Watanabe, T., Higuchi, S., Chasseaud, L.F. and Cheng, K.N.  
Validation of a liquid chromatographic–tandem mass spectrometric method for the measurement of (R)-1-[2,3-dihydro-2-oxo-1-pivaloylmethyl-5-(2-pyridyl)-1H-1,4-benzodiazepin-3-yl]-3-(3-methylaminophenyl)urea (YF476) in human plasma 772(2002)317
- Regnier, F.E., see Amini, A. 772(2002)35

- Rico-Morales, H., see Fuentes-Noriega, I. 772(2002)115
- Rossi, S. and Yaksh, T.  
Rapid quantification of the  $\delta$ -opioid receptor selective enkephalin DPDPE in canine cerebrospinal fluid by liquid chromatography–mass spectrometry 772(2002)73
- Ruiz-Ramírez, L., see Fuentes-Noriega, I. 772(2002)115
- Sacks, S.L., see Vo, H.C. 772(2002)291
- Sagdic-Yalvac, I., see Dulger, B. 772(2002)179
- Salm, P., Taylor, P.J., Lynch, S.V. and Pillans, P.I.  
Quantification and stability of everolimus (SDZ RAD) in human blood by high-performance liquid chromatography–electrospray tandem mass spectrometry 772(2002)283
- Sandmann, J., see Tsikas, D. 772(2002)335
- Selinger, K., see Hsieh, S. 772(2002)347
- Sghendo, L., Mifsud, J., Ellul-Micallef, R., Portelli, J. and Millership, J.S.  
A sensitive gas chromatographic/mass spectrometric method for the resolution and quantification of ethosuximide enantiomers in biological fluids 772(2002)307
- Shah, R.B., see Chimalakonda, A.P. 772(2002)107
- Shih, T.L., see Colwell Jr., L.F. 772(2002)89
- Shimada, K., see Higashi, T. 772(2002)229
- Smith, C.K., see Hull, C.K. 772(2002)219
- Sowinski, K.M., see Liang, H. 772(2002)53
- Spangenberg, B., see Ahrens, B. 772(2002)11
- Spasić, S., see Žunić, G. 772(2002)19
- Sporkert, F., Pragst, F., Hübner, S. and Mills, G.  
Headspace solid-phase microextraction with 1-pyrenyldiazomethane on-fibre derivatisation for analysis of fluoroacetic acid in biological samples 772(2002)45
- Stanfill, S.B., see Calafat, A.M. 772(2002)131
- Steinmeyer, S., Bregel, D., Warth, S., Kraemer, T. and Moeller, M.R.  
Improved and validated method for the determination of  $\Delta^9$ -tetrahydrocannabinol (THC), 11-hydroxy-THC and 11-nor-9-carboxy-THC in serum, and in human liver microsomal preparations using gas chromatography–mass spectrometry 772(2002)239
- Stewart, C.F., see Bai, F. 772(2002)257
- Suda, K., see Hayashi, T. 772(2002)139
- Talvitie, A., see Ranta, V.-P. 772(2002)81
- Tamvakopoulos, C.S., see Colwell Jr., L.F. 772(2002)89
- Taylor, P.J., see Salm, P. 772(2002)283
- Temizer, A., see Dulger, B. 772(2002)179
- Teske, J., Putzbach, K., Engewald, W. and Müller, R.K.  
Determination of cannabinoids by gas chromatography–mass spectrometry and large-volume programmed-temperature vaporiser injection using 25  $\mu$ l of biological fluid 772(2002)299
- Tian, F., Zhu, Y., Long, H., Gregor, M., Xie, F., Kissinger, C.B. and Kissinger, P.T.  
Liquid chromatography coupled with multi-channel electrochemical detection for the determination of daidzin in rat blood sampled by an automated blood sampling system 772(2002)173
- Titier, K., Déridet, E., Cardone, E., Abouelfath, A. and Moore, N.  
Simplified high-performance liquid chromatographic method for determination of risperidone and 9-hydroxyrisperidone in plasma after overdose 772(2002)373
- Toropainen, E., see Ranta, V.-P. 772(2002)81
- Tovar Tovar, A., see Fuentes-Noriega, I. 772(2002)115
- Tsikas, D., Sandmann, J. and Fröhlich, J.C.  
Measurement of *S*-nitrosoalbumin by gas chromatography–mass spectrometry. III. Quantitative determination in human plasma after specific conversion of the *S*-nitroso group to nitrite by cysteine and Cu<sup>2+</sup> via intermediate formation of *S*-nitrosocysteine and nitric oxide 772(2002)335
- Urtti, A., see Ranta, V.-P. 772(2002)81
- Van der Born, K., see Verschraagen, M. 772(2002)273
- Van der Vijgh, W.J.F., see Verschraagen, M. 772(2002)273
- Van Peteghem, C., see Van Poucke, C. 772(2002)211
- Van Poucke, C. and Van Peteghem, C.  
Development and validation of a multi-analyte method for the detection of anabolic steroids in bovine urine with liquid chromatography–tandem mass spectrometry 772(2002)211
- Verschraagen, M., van der Born, K., Zwiers, T.H.U. and van der Vijgh, W.J.F.  
Simultaneous determination of intact cisplatin and its metabolite monohydrated cisplatin in human plasma 772(2002)273
- Vilchez, J.L., see Navalón, A. 772(2002)65
- Virág, L. and Whittington, R.A.  
Highly sensitive chromatographic assay for dopamine determination during in vivo cerebral microdialysis in the rat 772(2002)267
- Vo, H.C., Henning, P.A., Leung, D.T. and Sacks, S.L.  
Development and validation of a plasma assay for acyclovir using high-performance capillary electrophoresis with sample stacking 772(2002)291
- Wainer, I.W., see Baynham, M.T. 772(2002)155
- Wan Adnan, W.A., see Gan, S.H. 772(2002)123
- Wan, Z., see Gan, S.H. 772(2002)123
- Wang, P.R., see Colwell Jr., L.F. 772(2002)89
- Wang, R., see Ma, J. 772(2002)197
- Warth, S., see Steinmeyer, S. 772(2002)239
- Watanabe, T., see Redrup, M.J. 772(2002)317
- Wehmeyer, K.R., see Bolden, R.D. 772(2002)1
- White, C.A., see Brown, S.D. 772(2002)327
- Whittington, R.A., see Virág, L. 772(2002)267
- Wooten, J.V., Ashley, D.L. and Calafat, A.M.  
Quantitation of 2-chlorovinylarsonous acid in human urine by automated solid-phase microextraction–gas chromatography–mass spectrometry 772(2002)147
- Xie, F., see Tian, F. 772(2002)173
- Xu, L.-T., see Ma, J. 772(2002)197
- Yaksh, T., see Rossi, S. 772(2002)73
- Yun, H., see Lim, J. 772(2002)185
- Zhong, D., see Dong, Q. 772(2002)369

Zhong, R., Hernandez, A., Alton, K.B., Kishnani, N.S. and Patrick, J.E.  
High-performance liquid chromatographic method for the quantification of unbound evernimicin in human plasma ultrafiltrate 772(2002)191

Zhu, P.-L., see Ma, J. 772(2002)197

Zhu, Y., see Tian, F. 772(2002)173

Žunić, G., Jelić-Ivanović, Z., Čolić, M. and Spasić, S.  
Optimization of a free separation of 30 free amino acids and peptides by capillary zone electrophoresis with indirect absorbance detection: a potential for quantification in physiological fluids 772(2002)19

Zwiers, T.H.U., see Verschraagen, M. 772(2002)273