



ELSEVIER

Journal of Chromatography B, 772 (2002) 383–386

JOURNAL OF
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Compound Index Vol. 772

Acyclovir

Development and validation of a plasma assay for acyclovir using high-performance capillary electrophoresis with sample stacking 772(2002)291

Determination of acyclovir in maternal plasma, amniotic fluid, fetal and placental tissues by high-performance liquid chromatography 772(2002)327

D-Ala

Rapid quantification of the δ -opioid receptor selective enkephalin DPDPE in canine cerebrospinal fluid by liquid chromatography–mass spectrometry 772(2002)73

Amifostine

New liquid chromatographic assay with electrochemical detection for the measurement of amifostine and WR1065 772(2002)257

Amino acids

Optimization of a free separation of 30 free amino acids and peptides by capillary zone electrophoresis with indirect absorbance detection: a potential for quantification in physiological fluids 772(2002)19

Avermectin analogue

High-performance liquid chromatographic assay for the determination of a semisynthetic avermectin analog (epinomectin) in bovine milk at parts per billion levels—method development and validation 772(2002)99

Benzodiazepines

Validation of a liquid chromatographic–tandem mass spectrometric method for the measurement of (*R*)-1-[2,3-dihydro-2-oxo-1-pivaloylmethyl-5-(2-pyridyl)-1H-1,4-benzodiazepin-3-yl]-3-(3-methylaminophenyl)urea (YF476) in human plasma 772(2002)317

Betaxolol

Determination of betaxolol in human aqueous humour by high-performance liquid chromatography with fluorescence detection 772(2002)179

β -Blockers

Simultaneous determination of eight β -blockers by gradient high-performance liquid chromatography with combined ultraviolet and fluorescence detection in corneal permeability studies in vitro 772(2002)81

Determination of betaxolol in human aqueous humour by high-performance liquid chromatography with fluorescence detection 772(2002)179

Cannabinoids

Determination of cannabinoids by gas chromatography–mass spectrometry and large-volume programmed-temperature vaporiser injection using 25 μ l of biological fluid 772(2002)299

Casiopaina IIIi

Development and validation of a liquid chromatographic method for Casiopaina IIIi[®] in rat plasma 772(2002)115

2-Chlorovinylarsonous acid

Quantitation of 2-chlorovinylarsonous acid in human urine by automated solid-phase microextraction–gas chromatography–mass spectrometry 772(2002)147

Cholesterol

Preparation of immuno-affinity membranes for cholesterol removal from human plasma 772(2002)357

Cinoxacin

Separation of levofloxacin, ciprofloxacin, gatifloxacin, moxifloxacin, trovafloxacin and cinoxacin by high-performance liquid chromatography: application to levofloxacin determination in human plasma 772(2002)53

Ciprofloxacin

Separation of levofloxacin, ciprofloxacin, gatifloxacin, moxifloxacin, trovafloxacin and cinoxacin by high-performance liquid chromatography: application to levofloxacin determination in human plasma 772(2002)53

Determination of ciprofloxacin, enrofloxacin and flumequine in pig plasma samples by capillary isotachopheresis–capillary zone electrophoresis 772(2002)163

Cisplatin

Simultaneous determination of intact cisplatin and its metabolite monohydrated cisplatin in human plasma 772(2002)273

Clinafloxacin

Determination of grepafloxacin and clinafloxacin by capillary zone electrophoresis 772(2002)65

Clomipramine

Simultaneous determination of clomipramine and its desmethyl and hydroxy metabolites in plasma of patients by high-performance liquid chromatography after solid-phase extraction 772(2002)205

Cocaine

Gas chromatographic–mass spectrometric analysis of residual solvent trapped into illicit cocaine exhibits using head-space solid-phase microextraction 772(2002)249

Copper

Measurement of *S*-nitrosoalbumin by gas chromatography–mass spectrometry. III. Quantitative determination in human plasma after specific conversion of the *S*-nitroso group to nitrite by cysteine and Cu²⁺ via intermediate formation of *S*-nitrosocysteine and nitric oxide 772(2002)335

Cyanide

Rapid quantitation of cyanide in whole blood by automated headspace gas chromatography 772(2002)131

Cyclosporin A

High-performance liquid chromatographic analysis of cyclosporin A in rat blood and liver using a commercially available internal standard 772(2002)107

Cysteine

Measurement of *S*-nitrosoalbumin by gas chromatography–mass spectrometry. III. Quantitative determination in human plasma after specific conversion of the *S*-nitroso group to nitrite by cysteine and Cu²⁺ via intermediate formation of *S*-nitrosocysteine and nitric oxide 772(2002)335

Daidzin

Liquid chromatography coupled with multi-channel electrochemical detection for the determination of daidzin in rat blood sampled by an automated blood sampling system 772(2002)173

Desmethylclomipramine

Simultaneous determination of clomipramine and its desmethyl and hydroxy metabolites in plasma of patients by high-performance liquid chromatography after solid-phase extraction 772(2002)205

Dextromethorphan

Semi-automated liquid–liquid back-extraction in a 96-well format to decrease sample preparation time for the determination of dextromethorphan and dextrorphan in human plasma 772(2002)1

Dextrorphan

Semi-automated liquid–liquid back-extraction in a 96-well format to decrease sample preparation time for the determination of dextromethorphan and dextrorphan in human plasma 772(2002)1

4-(3*H*-1,2-Dihydro-1-pyrrolizinone-2-methylamino)benzoic acid glucuronide

Isolation and identification of the glucuronide of 4-(3*H*-1,2-dihydro-1-pyrrolizinone-2-methylamino)benzoic acid from rabbit urine 772(2002)369

Dopamine

Highly sensitive chromatographic assay for dopamine determination during *in vivo* cerebral microdialysis in the rat 772(2002)267

Drug discovery candidates

Rapid pharmacokinetic screening for the selection of new drug discovery candidates using a generic isocratic liquid chromatography–atmospheric pressure ionization tandem mass spectrometry method 772(2002)89

Enrofloxacin

Determination of ciprofloxacin, enrofloxacin and flumequine in pig plasma samples by capillary isotachopheresis–capillary zone electrophoresis 772(2002)163

Eprinomectin

High-performance liquid chromatographic assay for the determination of a semisynthetic avermectin analog (eprinomectin) in bovine milk at parts per billion levels—method development and validation 772(2002)99

Ethosuximide

A sensitive gas chromatographic/mass spectrometric method for the resolution and quantification of ethosuximide enantiomers in biological fluids 772(2002)307

Evernimicin

High-performance liquid chromatographic method for the quantification of unbound evernimicin in human plasma ultrafiltrate 772(2002)191

Everolimus

Quantification and stability of everolimus (SDZ RAD) in human blood by high-performance liquid chromatography–electrospray tandem mass spectrometry 772(2002)283

Flumequine

Determination of ciprofloxacin, enrofloxacin and flumequine in pig plasma samples by capillary isotachopheresis–capillary zone electrophoresis 772(2002)163

Fluoroacetic acid

Headspace solid-phase microextraction with 1-pyrenyldiazomethane on-fibre derivatisation for analysis of fluoroacetic acid in biological samples 772(2002)45

Gatifloxacin

Separation of levofloxacin, ciprofloxacin, gatifloxacin, moxifloxacin, trovafloxacin and cinoxacin by high-performance liquid chromatography: application to levofloxacin determination in human plasma 772(2002)53

Glybenclamide

High-throughput bioanalytical method using automated sample preparation and liquid chromatography–atmospheric pressure ionspray mass spectrometry for quantitative determination of glybenclamide in human serum 772(2002)347

Grepafloxacin

Determination of grepafloxacin and clinafloxacin by capillary zone electrophoresis 772(2002)65

Herpes simplex virus

Development and validation of a plasma assay for acyclovir using high-performance capillary electrophoresis with sample stacking 772(2002)291

Histidine

Simplification of complex tryptic digests for capillary electrophoresis by affinity selection of histidine-containing peptides with immobilised metal ion affinity chromatography 772(2002)35

HMG-CoA reductase inhibitor

Quantification of rosuvastatin in human plasma by automated solid-phase extraction using tandem mass spectrometric detection 772(2002)219

10-Hydroxycamptothecin

Simultaneous determination of the carboxylate and lactone forms of 10-hydroxycamptothecin in human serum by restricted-access media high-performance liquid chromatography 772(2002)197

Hydroxyclo mipramine

Simultaneous determination of clomipramine and its desmethyl and hydroxy metabolites in plasma of patients by high-performance liquid chromatography after solid-phase extraction 772(2002)205

11-Hydroxy- Δ^9 -tetrahydrocannabinol

Improved and validated method for the determination of Δ^9 -tetrahydrocannabinol (THC), 11-hydroxy-THC and 11-nor-9-carboxy-THC in serum, and in human liver microsomal preparations using gas chromatography–mass spectrometry 772(2002)239

9-Hydroxyrisperidone

Simplified high-performance liquid chromatographic method for determination of risperidone and 9-hydroxyrisperidone in plasma after overdose 772(2002)373

1 α -Hydroxyvitamin D₃

Liquid chromatography–mass spectrometric method combined with derivatization for determination of 1 α -hydroxyvitamin D₃ in human plasma 772(2002)229

D-Leu-enkephalin (DADLE)

Rapid quantification of the δ -opioid receptor selective enkephalin DPDPE in canine cerebrospinal fluid by liquid chromatography–mass spectrometry 772(2002)73

Levofloxacin

Separation of levofloxacin, ciprofloxacin, gatifloxacin, moxifloxacin, trovafloxacin and cinoxacin by high-performance liquid chromatography: application to levofloxacin determination in human plasma 772(2002)53

Monohydrated cisplatin

Simultaneous determination of intact cisplatin and its metabolite monohydrated cisplatin in human plasma 772(2002)273

Moxifloxacin

Separation of levofloxacin, ciprofloxacin, gatifloxacin, moxifloxacin, trovafloxacin and cinoxacin by high-performance liquid chromatography: application to levofloxacin determination in human plasma 772(2002)53

Nicotinic receptor ligands

Multidimensional on-line screening for ligands to the $\alpha 3\beta 4$ neuronal nicotinic acetylcholine receptor using an immobilized nicotinic receptor liquid chromatographic stationary phase 772(2002)155

S-Nitrosoalbumin

Measurement of S-nitrosoalbumin by gas chromatography–mass spectrometry. III. Quantitative determination in human plasma after specific conversion of the S-nitroso group to nitrite by cysteine and Cu²⁺ via intermediate formation of S-nitrosocysteine and nitric oxide 772(2002)335

11-Nor-9-carboxy- Δ^9 -tetrahydrocannabinol

Improved and validated method for the determination of Δ^9 -tetrahydrocannabinol (THC), 11-hydroxy-THC and 11-nor-9-carboxy-THC in serum, and in human liver microsomal preparations using gas chromatography–mass spectrometry 772(2002)239

Norfloxacin

Sensitive liquid chromatographic–mass spectrometric assay for norfloxacin in poultry tissue 772(2002)185

D-Penicillamine-enkephalin (DPDPE)

Rapid quantification of the δ -opioid receptor selective enkephalin DPDPE in canine cerebrospinal fluid by liquid chromatography–mass spectrometry 772(2002)73

Peptides

Optimization of a free separation of 30 free amino acids and peptides by capillary zone electrophoresis with indirect absorbance detection: a potential for quantification in physiological fluids 772(2002)19

Simplification of complex tryptic digests for capillary electrophoresis by affinity selection of histidine-containing peptides with immobilised metal ion affinity chromatography 772(2002)35

1-Pyrenyldiazomethane

Headspace solid-phase microextraction with 1-pyrenyldiazomethane on-fibre derivatisation for analysis of fluoroacetic acid in biological samples 772(2002)45

Rat serum albumin

Simple and sensitive high-performance liquid chromatographic method for the investigation of dynamic changes in the redox state of rat serum albumin 772(2002)139

Risperidone

Simplified high-performance liquid chromatographic method for determination of risperidone and 9-hydroxyrisperidone in plasma after overdose 772(2002)373

Rosuvastatin

Quantification of rosuvastatin in human plasma by automated solid-phase extraction using tandem mass spectrometric detection 772(2002)219

SDZ RAD

Quantification and stability of everolimus (SDZ RAD) in human blood by high-performance liquid chromatography–electrospray tandem mass spectrometry 772(2002)283

Steroids, anabolic

Development and validation of a multi-analyte method for the detection of anabolic steroids in bovine urine with liquid chromatography–tandem mass spectrometry 772(2002)211

 Δ^9 -Tetrahydrocannabinol

Improved and validated method for the determination of Δ^9 -tetrahydrocannabinol (THC), 11-hydroxy-THC and 11-nor-9-carboxy-THC in serum, and in human liver microsomal preparations using gas chromatography–mass spectrometry 772(2002)239

Tramadol

Method development and validation of a high-performance liquid chromatographic method for tramadol in human plasma using liquid–liquid extraction 772(2002)123

Trovafoxacin

Separation of levofloxacin, ciprofloxacin, gatifloxacin, moxifloxacin, trovafoxacin and cinoxacin by high-performance liquid chromatography: application to levofloxacin determination in human plasma 772(2002)53

WR1065

New liquid chromatographic assay with electrochemical detection for the measurement of amifostine and WR1065 772(2002)257

YF476

Validation of a liquid chromatographic–tandem mass spectrometric method for the measurement of (*R*)-1-[2,3-dihydro-2-oxo-1-pivaloylmethyl-5-(2-pyridyl)-1H-1,4-benzodiazepin-3-yl]-3-(3-methylaminophenyl)urea (YF476) in human plasma 772(2002)317