

Journal of Chromatography B, 775 (2002) 260-262

JOURNAL OF CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Compound Index Vol. 775

Acetylcholine

Internal standard method for the measurement of choline and acetylcholine by capillary electrophoresis with electrochemical detection 775(2002)49

Amino acids

Rapid diagnosis of phenylketonuria and other aminoacidemias by quantitative analysis of amino acids in neonatal blood spots by gas chromatography—mass spectrometry 775(2002)115

9-Aminocamptothecin

Determination of 9-nitrocamptothecin and its metabolite 9-aminocamptothecin in human plasma using high-performance liquid chromatography with ultraviolet and fluorescence detection 775(2002)231

Apolipoprotein E

Capillary electrophoresis with laser-induced fluorescence detection for fast and reliable apolipoprotein E genotyping 775(2002)17

Bexarotene

Validated liquid chromatographic method for the determination of bexarotene in human plasma 775(2002)189

Bile acids

Simultaneous quantitation of fatty acids, sterols and bile acids in human stool by capillary gas-liquid chromatography 775(2002)153

Bryophytes

Determination of oxolinic acid in the bryophyte *Fontinalis* antipyretica by liquid chromatography with fluorescence detection 775(2002)89

Butorphanol

Validation and application of a sensitive assay for butorphanol in human plasma by high-performance liquid chromatography with tandem mass spectrometry detection 775(2002)57

Calcitonin

Simple liquid chromatography-electrospray ionization mass spectrometry method for the routine determination of salmon calcitonin in serum 775(2002)247

Cephalosporins

Application of capillary zone electrophoresis to the analysis and to a stability study of cephalosporins 775(2002)239

Choline

Internal standard method for the measurement of choline and acetylcholine by capillary electrophoresis with electrochemical detection 775(2002)49

Demethylmirtazapine

Determination of mirtazapine and its demethyl metabolite in plasma by high-performance liquid chromatography with ultraviolet detection. Application to management of acute intoxication 775(2002)163

Estradiol

Sensitive determination method of estradiol in plasma using high-performance liquid chromatography with electrochemical detection 775(2002)209

Fatty acids

Simultaneous quantitation of fatty acids, sterols and bile acids in human stool by capillary gas-liquid chromatography 775(2002)153

Fontinalis antipyretica

Determination of oxolinic acid in the bryophyte *Fontinalis* antipyretica by liquid chromatography with fluorescence detection 775(2002)89

Indinavir

Simultaneous determination of indinavir, ritonavir and lopinavir (ABT 378) in human plasma by high-performance liquid chromatography 775(2002)225

PII: S1570-0232(02)00423-3

Lopinavir

Simultaneous determination of indinavir, ritonavir and lopinavir (ABT 378) in human plasma by high-performance liquid chromatography 775(2002)225

Lysergic acid diethylamide

Optimization of the separation of lysergic acid diethylamide in urine by a sweeping technique using micellar electrokinetic chromatography 775(2002)37

Malondialdehyde

Rapid, fluorimetric-liquid chromatographic determination of malondialdehyde in biological samples 775(2002)121

Melatonin

Isolation of melatonin by immunoaffinity chromatography 775(2002)9

2-Methylcitric acid

Validated capillary gas chromatographic—mass spectrometric assay to determine 2-methylcitric acid I and II levels in human serum by using a pulsed splitless injection procedure 775(2002)215

7,8-Methylenedioxy-4H-2,3-benzodiazepin-4-ones

Chromatographic determination of 7,8-methylenedioxy-4*H*-2,3-benzodiazepin-4-ones in rat plasma: relationship to their anticonvulsant activity 775(2002)71

Mirtazapine

Determination of mirtazapine and its demethyl metabolite in plasma by high-performance liquid chromatography with ultraviolet detection. Application to management of acute intoxication 775(2002)163

Monoclonal proteins

Determination of poorly separated monoclonal serum proteins by capillary zone electrophoresis 775(2002)63

Nicarbazin

High-performance liquid chromatography-based determination of nicarbazin excretion in waterfowl 775(2002)103

9-Nitrocamptothecin

Determination of 9-nitrocamptothecin and its metabolite 9-aminocamptothecin in human plasma using high-performance liquid chromatography with ultraviolet and fluorescence detection 775(2002)231

Oxolinic acid

Determination of oxolinic acid in the bryophyte *Fontinalis* antipyretica by liquid chromatography with fluorescence detection 775(2002)89

Oxymetholone

Validation of the determination of oxymetholone in human plasma analysis using gas chromatography—mass spectrometry. Application to pharmacokinetic studies 775(2002)1

Paraquat

Simple method for determination of paraquat in plasma and serum of human patients by high-performance liquid chromatography 775(2002)109

Phosphorus

Application of size-exclusion chromatography-inductively coupled plasma mass spectrometry for fractionation of element species in seeds of legumes 775(2002)179

Piperacillin

New and rapid fully automated method for determination of tazobactam and piperacillin in fatty tissue and serum by column-switching liquid chromatography 775(2002)127

Quinclones

Determination of oxolinic acid in the bryophyte *Fontinalis* antipyretica by liquid chromatography with fluorescence detection 775(2002)89

$\alpha_{1\alpha}$ -Receptor antagonist

Quantitative determination of a selective alpha-1a receptor antagonist in human plasma by high-performance liquid chromatography with tandem mass spectrometric detection 775(2002)133

Recombinant protein drugs

Hyphenation of multi-dimensional chromatography and mass spectrometry for the at-line-analysis of the integrity of recombinant protein drugs 775(2002)27

Remifentanil

Determination of remifentanil in human blood by capillary gas chromatography with nitrogen-selective detection 775(2002)97

Ritonavir

Simultaneous determination of indinavir, ritonavir and lopinavir (ABT 378) in human plasma by high-performance liquid chromatography 775(2002)225

Ropivacaine

On-line coupling of microdialysis to packed capillary column liquid chromatography-tandem mass spectrometry demonstrated by measurement of free concentrations of ropivacaine and metabolite from spiked plasma samples 775(2002)79

Sotalol

Enantioselective determination of (R)- and (S)-sotalol in human plasma by on-line coupling of a restricted-access material precolumn to a cellobiohydrolase I-based chiral stationary phase 775(2002)197

Sterols

Simultaneous quantitation of fatty acids, sterols and bile acids in human stool by capillary gas-liquid chromatography 775(2002)153

Tazobactam

New and rapid fully automated method for determination of tazobactam and piperacillin in fatty tissue and serum by column-switching liquid chromatography 775(2002)127

Trace elements

Application of size-exclusion chromatography-inductively coupled plasma mass spectrometry for fractionation of element species in seeds of legum 775(2002)179

Vanadate

Behaviour of vanadate and vanadium-transferrin complex on different anion-exchange columns. Application to in vivo ⁴⁸V-labelled rat serum 775(2002)143

Vanadium-transferrin complex

Behaviour of vanadate and vanadium-transferrin complex on different anion-exchange columns. Application to in vivo ⁴⁸V-labelled rat serum 775(2002)143

Wogonin

Quantitation of the flavonoid wogonin and its major metabolite wogonin- 7β -p-glucuronide in rat plasma by liquid chromatography-tandem mass spectrometry 775(2002)169

Wogonin-7 β -D-glucuronide

Quantitation of the flavonoid wogonin and its major metabolite wogonin- 7β -p-glucuronide in rat plasma by liquid chromatography—tandem mass spectrometry 775(2002)169