



ELSEVIER

Journal of Chromatography B, 778 (2002) 429–431

JOURNAL OF
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Author Index Vol. 778

Akrill, P. and Cocker, J.

Determination of nitroglycerin and its dinitrate metabolites in urine by gas chromatography–mass spectrometry as potential biomarkers for occupational exposure
778(2002)193

Angerer, J., see Schaller, K.H. 778(2002)403

Angerer, J., see Schettgen, T. 778(2002)121

Angerer, J., see Weiss, T. 778(2002)179

Apostoli, P.

Elements in environmental and occupational medicine (Review) 778(2002)63

Aprea, C., Centi, L., Lunghini, L., Banchi, B., Forti, M.A. and Sciarra, G.

Evaluation of respiratory and cutaneous doses of chlorothalonil during re-entry in greenhouses
778(2002)131

Banchi, B., see Aprea, C. 778(2002)131

Barr, D.B., Barr, J.R., Maggio, V.L., Whitehead, R.D., Sadowski, M.A., Whyatt, R.M. and Needham, L.L.

A multi-analyte method for the quantification of contemporary pesticides in human serum and plasma using high-resolution mass spectrometry 778(2002)99

Barr, D.B. and Needham, L.L.

Analytical methods for biological monitoring of exposure to pesticides: a review (Review) 778(2002)5

Barr, J.R., see Barr, D.B. 778(2002)99

Blais, C., see Viau, C. 778(2002)165

Boogaard, P.J.

Use of haemoglobin adducts in exposure monitoring and risk assessment (Review) 778(2002)309

Bouchard, M., see Viau, C. 778(2002)165

Branner, B., see Richter, E. 778(2002)49

Brugnone, F., see Perbellini, L. 778(2002)199

Centi, L., see Aprea, C. 778(2002)131

Chan, S.C., see Dmitrovic, J. 778(2002)147

Chen, L., see Melikian, A.A. 778(2002)211

Cocker, J., see Akrill, P. 778(2002)193

Cohen, B., see Melikian, A.A. 778(2002)211

de Kok, T.M.C.M., Moonen, H.J.J., van Delft, J. and van Schooten, F.J.

Methodologies for bulky DNA adduct analysis and biomonitoring of environmental and occupational exposures (Review) 778(2002)345

de Souza Nascimento, E., see dos Santos, C.R. 778(2002)237

Diakité, A., see Viau, C. 778(2002)165

Dmitrovic, J. and Chan, S.C.

Determination of polychlorinated biphenyl congeners in human milk by gas chromatography–negative chemical ionization mass spectrometry after sample clean-up by solid-phase extraction 778(2002)147

dos Santos, C.R., Meyer Passarelli, M. and de Souza Nascimento, E.

Evaluation of 2,5-hexanedione in urine of workers exposed to *n*-hexane in Brazilian shoe factories 778(2002)237

Dosemeci, M., see Rappaport, S.M. 778(2002)367

Drexler, H., see Schaller, K.H. 778(2002)403

Drexler, H., see Schettgen, T. 778(2002)121

Dušková, Š., see Mráz, J. 778(2002)357

Edwards, J.W., see Smith, P.A. 778(2002)113

Filsier, J.G., see Ríos-Blanco, M.N. 778(2002)383

Forti, M.A., see Aprea, C. 778(2002)131

Fred, C., see Törnqvist, M. 778(2002)279

Gállová, E., see Mráz, J. 778(2002)357

Germadnik, D., see Pilger, A. 778(2002)393

Ghittori, S., see Imbriani, M. 778(2002)231

Grainger, J., see Smith, C.J. 778(2002)157

Haglund, J., see Törnqvist, M. 778(2002)279

Haufroid, V., see Ligocka, D. 778(2002)223

Hayes, R.B., see Rappaport, S.M. 778(2002)367

Heinrich-Ramm, R., Mindt-Prüfert, S. and Szadkowski, D. Arsenic species excretion after controlled seafood consumption 778(2002)263

Helleberg, H., see Törnqvist, M. 778(2002)279

Huang, W., see Smith, C.J. 778(2002)157

Imbriani, M., Negri, S., Ghittori, S. and Maestri, L.

Measurement of urinary *N*-acetyl-*S*-(*N*-methylcarbamoyl)cysteine by high-performance liquid chromatography with direct ultraviolet detection
778(2002)231

Ivancsits, S., see Pilger, A. 778(2002)393

Jacob, J. and Seidel, A.

Biomonitoring of polycyclic aromatic hydrocarbons in human urine (Review) 778(2002)31

Janjet, D., see Meger, M. 778(2002)251

Jin, X., see Melikian, A.A. 778(2002)211

Kallio, A., see Valkonen, S. 778(2002)419

Koc, H. and Swenberg, J.A.

Applications of mass spectrometry for quantitation of DNA adducts (Review) 778(2002)323

Koch, H.M., see Schettgen, T. 778(2002)121

- Krausová, P., see Mráz, J. 778(2002)357
- Lee, M.S., see Ríos-Blanco, M.N. 778(2002)383
- Li, G., see Melikian, A.A. 778(2002)211
- Li, G., see Rappaport, S.M. 778(2002)367
- Li, H., see Melikian, A.A. 778(2002)211
- Li, Y., see Melikian, A.A. 778(2002)211
- Ligocka, D., Lison, D. and Haufroid, V.
Quantitative determination of 5-hydroxy-*N*-methylpyrrolidone in urine for biological monitoring of *N*-methylpyrrolidone exposure 778(2002)223
- Linhart, I., see Mráz, J. 778(2002)357
- Lison, D., see Ligocka, D. 778(2002)223
- Lunghini, L., see Aprea, C. 778(2002)131
- Maestri, L., see Imbriani, M. 778(2002)231
- Maggio, V., see Smith, C.J. 778(2002)157
- Maggio, V.L., see Barr, D.B. 778(2002)99
- Meger, M., Meger-Kossien, I., Schuler-Metz, A., Janket, D. and Scherer, G.
Simultaneous determination of nicotine and eight nicotine metabolites in urine of smokers using liquid chromatography-tandem mass spectrometry 778(2002)251
- Meger-Kossien, I., see Meger, M. 778(2002)251
- Melikian, A.A., Qu, Q., Shore, R., Li, G., Li, H., Jin, X., Cohen, B., Chen, L., Li, Y., Yin, S., Mu, R., Zhang, X. and Wang, Y.
Personal exposure to different levels of benzene and its relationships to the urinary metabolites *S*-phenylmercapturic acid and *trans,trans*-muconic acid 778(2002)211
- Meyer Passarelli, M., see dos Santos, C.R. 778(2002)237
- Mindt-Prüfert, S., see Heinrich-Ramm, R. 778(2002)263
- Moonen, H.J.J., see de Kok, T.M.C.M. 778(2002)345
- Morita, Y., see Sakai, T. 778(2002)245
- Mráz, J., Dušková, Š., Gálová, E., Nohová, H., Krausová, P., Linhart, I. and Šimek, P.
Improved gas chromatographic-mass spectrometric determination of the *N*-methylcarbamoyl adduct at the N-terminal valine of globin, a metabolic product of the solvent *N,N*-dimethylformamide 778(2002)357
- Mu, R., see Melikian, A.A. 778(2002)211
- Needham, L.L., see Barr, D.B. 778(2002)5
- Needham, L.L., see Barr, D.B. 778(2002)99
- Negri, S., see Imbriani, M. 778(2002)231
- Nohová, H., see Mráz, J. 778(2002)357
- Pasini, F., see Perbellini, L. 778(2002)199
- Patterson Jr, D.G., see Smith, C.J. 778(2002)157
- Paulsson, B., see Törnqvist, M. 778(2002)279
- Perbellini, L., Pasini, F., Romani, S., Princivalle, A. and Brugnone, F.
Analysis of benzene, toluene, ethylbenzene and *m*-xylene in biological samples from the general population 778(2002)199
- Pilger, A., Ivancsits, S., Germadnik, D. and Rüdiger, H.W.
Urinary excretion of 8-hydroxy-2'-deoxyguanosine measured by high-performance liquid chromatography with electrochemical detection 778(2002)393
- Princivalle, A., see Perbellini, L. 778(2002)199
- Qu, Q., see Melikian, A.A. 778(2002)211
- Ranasinghe, A., see Ríos-Blanco, M.N. 778(2002)383
- Rappaport, S.M., Yeowell-O'Connell, K., Smith, M.T., Dosemeci, M., Hayes, R.B., Zhang, L., Li, G., Yin, S. and Rothman, N.
Non-linear production of benzene oxide-albumin adducts with human exposure to benzene 778(2002)367
- Richter, E. and Branner, B.
Biomonitoring of exposure to aromatic amines: haemoglobin adducts in humans (Review) 778(2002)49
- Ríos-Blanco, M.N., Ranasinghe, A., Upton, P., Lee, M.S., Filser, J.G. and Swenberg, J.A.
Exposure-dependent accumulation of *N*-(2-hydroxypropyl)valine in hemoglobin of F344 rats exposed to propylene oxide by the inhalation route 778(2002)383
- Romani, S., see Perbellini, L. 778(2002)199
- Rothman, N., see Rappaport, S.M. 778(2002)367
- Rüdiger, H.W., see Pilger, A. 778(2002)393
- Ruzgyté, A., see Viau, C. 778(2002)165
- Rydberg, P., see Törnqvist, M. 778(2002)279
- Sadowski, M.A., see Barr, D.B. 778(2002)99
- Sakai, T., Morita, Y. and Wakui, C.
Biological monitoring of workers exposed to dichloromethane, using head-space gas chromatography 778(2002)245
- Schaller, K.H., Angerer, J. and Drexler, H.
Quality assurance of biological monitoring in occupational and environmental medicine 778(2002)403
- Scherer, G., see Meger, M. 778(2002)251
- Schettgen, T., Koch, H.M., Drexler, H. and Angerer, J.
New gas chromatographic-mass spectrometric method for the determination of urinary pyrethroid metabolites in environmental medicine 778(2002)121
- Schramel, P.
Determination of ^{235}U and ^{238}U in urine samples using sector field inductively coupled plasma mass spectrometry 778(2002)275
- Schuler-Metz, A., see Meger, M. 778(2002)251
- Sciarrà, G., see Aprea, C. 778(2002)131
- Seidel, A., see Jacob, J. 778(2002)31
- Shore, R., see Melikian, A.A. 778(2002)211
- Šimek, P., see Mráz, J. 778(2002)357
- Skipper, P.L.
Precision and sensitivity of aminobiphenyl hemoglobin adduct assays in a long-term population study 778(2002)375
- Smith, C.J., Walcott, C.J., Huang, W., Maggio, V., Grainger, J. and Patterson Jr, D.G.
Determination of selected monohydroxy metabolites of 2-, 3- and 4-ring polycyclic aromatic hydrocarbons in urine by solid-phase microextraction and isotope dilution gas chromatography-mass spectrometry 778(2002)157
- Smith, M.T., see Rappaport, S.M. 778(2002)367
- Smith, P.A., Thompson, M.J. and Edwards, J.W.
Estimating occupational exposure to the pyrethroid termiticide bifenthrin by measuring metabolites in urine 778(2002)113
- Swenberg, J.A., see Koc, H. 778(2002)323
- Swenberg, J.A., see Ríos-Blanco, M.N. 778(2002)383
- Szadkowski, D., see Heinrich-Ramm, R. 778(2002)263
- Thompson, M.J., see Smith, P.A. 778(2002)113

- Törnqvist, M., Fred, C., Haglund, J., Helleberg, H., Paulsson, B. and Rydberg, P.
Protein adducts: quantitative and qualitative aspects of their formation, analysis and applications (Review)
778(2002)279
- Tuchweber, B., see Viau, C. 778(2002)165
- Upton, P., see Ríos-Blanco, M.N. 778(2002)383
- Valkonen, S. and Kallio, A.
Finnish quality assurance programme for biological monitoring of organic solvents 778(2002)419
- van Delft, J., see de Kok, T.M.C.M. 778(2002)345
- van Schooten, F.J., see de Kok, T.M.C.M. 778(2002)345
- Viau, C., Diakité, A., Ruzgysté, A., Tuchweber, B., Blais, C., Bouchard, M. and Vyskocil, A.
Is 1-hydroxypyrene a reliable bioindicator of measured dietary polycyclic aromatic hydrocarbon under normal conditions? 778(2002)165
- Vyskocil, A., see Viau, C. 778(2002)165
- Wakui, C., see Sakai, T. 778(2002)245
- Walcott, C.J., see Smith, C.J. 778(2002)157
- Wang, Y., see Melikian, A.A. 778(2002)211
- Weiss, T. and Angerer, J.
Simultaneous determination of various aromatic amines and metabolites of aromatic nitro compounds in urine for low level exposure using gas chromatography-mass spectrometry 778(2002)179
- Whitehead, R.D., see Barr, D.B. 778(2002)99
- Whyatt, R.M., see Barr, D.B. 778(2002)99
- Yeowell-O'Connell, K., see Rappaport, S.M. 778(2002)367
- Yin, S., see Melikian, A.A. 778(2002)211
- Yin, S., see Rappaport, S.M. 778(2002)367
- Zhang, L., see Rappaport, S.M. 778(2002)367
- Zhang, X., see Melikian, A.A. 778(2002)211