



ELSEVIER

Journal of Chromatography B, 779 (2002) 63–87

JOURNAL OF
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

CUMULATIVE SUBJECT INDEX

J. CHROMATOGR. B VOLS. 751–775

A

Accelerated solvent extraction

Accelerated solvent extraction and liquid chromatography–tandem mass spectrometry quantitation of corticosteroid residues in bovine liver 753(2001)217

Adsorption–desorption behaviour

Nucleotide adsorption–desorption behaviour of boronic acid functionalized uniform-porous particles 769(2002)283

Adverse reactions

Adverse reactions to foods (Review) 756(2001)3

Affinity adsorption

High-performance affinity capture-removal of bacterial pyrogen from solutions 759(2001)237

Affinity beads

Polyhydroxyethylmethacrylate-based magnetic DNA-affinity beads for anti-DNA antibody removal from systemic lupus erythematosus patient plasma 760(2001)137

Affinity capillary electrophoresis

Determination of the affinity constants of recombinant human galectin-1 and -3 for simple saccharides by capillary affinity electrophoresis 768(2002)199

Study on the multiple sites binding of human serum albumin and porphyrin by affinity capillary electrophoresis 768(2002)211

Affinity ligands

Rational combinatorial chemistry-based selection, synthesis and evaluation of an affinity adsorbent for recombinant human clotting factor VII 774(2002)1

Affinity purification

Purification of anti-MUC1 antibodies by peptide mimotope affinity chromatography using peptides derived from a polyvalent phage display library 766(2002)13

Airborne dust

Evaluation of the efficiency of extraction of ultraviolet-absorbing pollen allergens and organic pollutants from airborne dust samples by capillary electromigration methods 770(2002)303

Almond

Detection of trace amounts of hidden allergens: hazelnut and almond proteins in chocolate 756(2001)229

Amide-based stationary phase

Comparison of ion-pair and amide-based column reversed-phase liquid chromatography for the separation of thiamine-related compounds 757(2001)301

D-Amino-acid oxidase activity

Determination of free D-aspartic acid, D-serine and D-alanine in the brain of mutant mice lacking D-amino-acid oxidase activity 757(2001)119

Anaerobic fermentation

A simple, optimized method for the determination of sulphide in whole blood by GC–MS as a marker of bowel fermentation processes 770(2002)255

Anaphylaxis

Adverse reactions to foods (Review) 756(2001)3

Incidence of anaphylaxis in the emergency department of a general hospital in Milan 756(2001)11

Animal reduction

Reduction of animal usage by serial bleeding of mice for pharmacokinetic studies: application of robotic sample preparation and fast liquid chromatography–mass spectrometry 754(2001)245

Antibody purification

New antibody purification procedure using a thermally responsive poly(*N*-isopropylacrylamide)–dextran derivative conjugate 761(2001)247

Anticonvulsant

Chromatographic determination of 7,8-methylenedioxy-4*H*-2,3-benzodiazepin-4-ones in rat plasma: relationship to their anticonvulsant activity 775(2002)71

Antidoping control

Validation of qualitative chromatographic methods: strategy in antidoping control laboratories 767(2002)341

Determination of clenbuterol in human urine by GC–MS–MS–MS: confirmation analysis in antidoping control 773(2002)7

Antineoplastic

Development and validation of a liquid chromatographic method for Casiopeina III[®] in rat plasma 772(2002)115

Antitumour agent

Validation of an analytical method for a potent antitumor agent, TZT-1027, in plasma using liquid chromatography–mass spectrometry 762(2001)155

Apples

Seasonal variation in food allergy to apple 756(2001)19

Molecular basis of allergic cross-reactivity between group 1 major allergens from birch and apple 756(2001)307

Apricot

Determination of the primary structure of two lipid transfer proteins from apricot (*Prunus armeniaca*) 756(2001)123

Aqueous humour

Chromatographic identification of a biochemical alteration in the aqueous humour of megalophthalmic Black Moor goldfish 751(2001)349

Aqueous two-phase extraction

Rapid process for purification of an extracellular β -xylosidase by aqueous two-phase extraction 754(2001)179

Aqueous two-phase systems

Enhancement of phase separation using a drop coalescer in an aqueous two-phase system 760(2001)65

Seasonal differences in ram seminal plasma revealed by partition in an aqueous two-phase system 760(2001)113

Physical and rheological characterisation of polyethylene glycol–cashew-nut tree gum aqueous two-phase systems 766(2002)27

Arachis hypogaea

Patient-tailored cloning of allergens by phage display: Peanut (*Arachis hypogaea*) profilin, a food allergen derived from a rare mRNA 756(2001)295

Artemia

High-performance liquid chromatographic determination of oxolinic acid and flumequine in the live fish feed *Artemia* 751(2001)247

Artificial neural networks

High-performance liquid chromatographic determination of deoxycytidine monophosphate and methyldeoxycytidine monophosphate for DNA demethylation monitoring: experimental design and artificial neural networks optimisation 755(2001)185

B***Bacillus***

Bioinformatics, functional genomics, and proteomics study of *Bacillus* sp. (Review) 771(2002)261

***Bacillus* sp. X-b**

Lytic enzyme complex of an antagonistic *Bacillus* sp. X-b: isolation and purification of components 758(2001)197

Basophil histamine release

In vivo and in vitro techniques to determine the biological activity of food allergens (Review) 756(2001)41

Binding constant

Estimation of binding constants by capillary electrophoresis (Review) 768(2002)81

Bioanalytical methods

Linear regression for calibration lines revisited: weighting schemes for bioanalytical methods 774(2002)215

Bioavailability

Determination of thymol in human plasma by automated headspace solid-phase microextraction–gas chromatographic analysis 767(2002)11

Bioavailability study

High-performance liquid chromatographic–tandem mass spectrometric evaluation and determination of stable isotope labeled analogs of rofecoxib in human plasma samples from oral bioavailability studies 767(2002)117

Biocomplementary pairing

Effect of experimental conditions on strong biocomplementary pairing in high-performance monolithic disk affinity chromatography 770(2002)35

Bioequivalence

Development of a high-performance liquid chromatographic method for bioanalytical applications with sulphiride 763(2001)157

Bioequivalence study

Development of a high-performance liquid chromatographic method for bioequivalence study of flavoxate tablets 751(2001)79

Determination of minocycline in human plasma by high-performance liquid chromatography coupled to tandem mass spectrometry: application to bioequivalence study 755(2001)1

Quantification of methyl dopa in human plasma by high-performance liquid chromatography–electrospray tandem mass spectrometry. Application to a bioequivalence study 768(2002)341

Bioinformatics

Bioinformatics, functional genomics, and proteomics study of *Bacillus* sp. (Review) 771(2002)261

Biological monitoring

Determination of palladium in human urine by high-performance liquid chromatography and ultraviolet detection after ultraviolet photolysis and selective solid-phase extraction 760(2001)237

Biological monitoring of pesticide exposure: a review of analytical methods 769(2002)191

Biomedicine

Proteomic tools for biomedicine (Review) 771(2002)33

Biomembranes

Immobilized-biomembrane affinity chromatography for binding studies of membrane proteins (Review) 768(2002)31

Biopartitioning micellar chromatography

Biopartitioning micellar chromatography: an in vitro technique for predicting human drug absorption 753(2001)225

Retention–property relationships of anticonvulsant drugs by biopartitioning micellar chromatography 757(2001)89

Opioid analgetics retention–pharmacologic activity models using biopartitioning micellar chromatography 766(2002)265

Bio-solids

Development of comparative methods using gas chromatography–mass spectrometry and capillary electrophoresis for determination of endocrine disrupting chemicals in bio-solids 770(2002)243

Birch

Molecular basis of allergic cross-reactivity between group 1 major allergens from birch and apple 756(2001)307

Bjerrum plot

Estimation of drug–protein binding parameters on assuming the validity of thermodynamic equilibrium (Review) 768(2002)113

Blood retransfusion

Adenosine nucleotides in rat bone measured by ion-pair reversed-phase high-performance liquid chromatography: effect of hemorrhagic shock, with and without retransfusion of blood 761(2001)159

Book review

Analyses of hazardous substances in biological materials 766(2002)371

Botrytis cinerea

Metabolism of cymoxanil and analogs in strains of the fungus *Botrytis cinerea* using high-performance liquid chromatography and ion-pair high-performance thin-layer chromatography 769(2002)35

Bronchial secretion

Rapid antibiotic drug monitoring: Meropenem and ceftazidime determination in serum and bronchial secretions by high-performance liquid chromatography–integrated sample preparation 751(2001)357

Bronchoalveolar lavage

Database of bronchoalveolar lavage fluid proteins (Review) 771(2002)221

C***Caenorhabditis elegans***

Protein analysis of an individual *Caenorhabditis elegans* single-cell embryo by capillary electrophoresis 752(2001)307

Callilepis laureola

Gas chromatographic–mass spectrometric confirmation of atracyloside in a patient poisoned with *Callilepis laureola* 765(2001)127

Cancer

Investigations into the interaction between tumor-inhibiting ruthenium(III) complexes and nucleotides by capillary electrophoresis 759(2001)81

Cancer chemotherapy

Simple gas chromatographic–mass spectrometric procedure for diagnosing pyrimidine degradation defects for prevention of severe anticancer side effects 758(2001)61

Canister sampling

Analysis of volatile sulphur compounds in breath by gas chromatography–mass spectrometry using a three-stage cryogenic trapping preconcentration system 762(2001)67

Capillary coating

Capillary electrochromatographic separation of aromatic amino acids possessing peptides using porphyrin derivatives as the inner wall modifiers 770(2002)155

Capillary electrochromatography, open-tubular

Capillary electrochromatographic separation of aromatic amino acids possessing peptides using porphyrin derivatives as the inner wall modifiers 770(2002)155

Capillary electrochromatographic study of the interactions of porphyrin derivatives with amino acids and oligopeptides 770(2002)165

Capillary electrophoresis

Modified method for the determination of capillary electrophoresis nitric oxide-correlated nitrate in tissue homogenates 751(2001)257

Methyl malondialdehyde as an internal standard for the determination of malondialdehyde 751(2001)315

Utilization of the non-covalent fluorescent dye, NanoOrange, as a potential clinical diagnostic tool. Nanomolar human serum albumin quantitation 754(2001)345

Capillary modification

Capillary electrochromatographic study of the interactions of porphyrin derivatives with amino acids and oligopeptides 770(2002)165

Carbon fiber bundle microdisk electrode

Direct amperometric determination of lactate at a carbon fiber bundle microdisk electrode by capillary zone electrophoresis 774(2002)121

Cassette probe-dosing

High-throughput cytochrome P450 (CYP) inhibition screening via cassette probe-dosing strategy. II. Validation of a direct injection/on-line guard cartridge extraction–tandem mass spectrometry method for CYP2D6 inhibition assessment 753(2001)321

Cellular analysis

Sedimentation field-flow fractionation device cleaning, decontamination and sterilization procedures for cellular analysis 751(2001)131

Cerebrospinal fluid

Towards a high resolution separation of human cerebrospinal fluid 771(2002)167

Channel dimensions

Experimental design methodology applied to the study of channel dimensions on the elution of red blood cells in gravitational field flow fractionation 754(2001)11

Charge heterogeneity

Identification of multiple sources of charge heterogeneity in a recombinant antibody 752(2001)233

Chemical derivatization

Simultaneous supercritical fluid extraction and chemical derivatization for the gas chromatographic–isotope dilution mass spectrometric determination of amphetamine and methamphetamine in urine 759(2001)17

Chiral stationary phases, LC

Properties of a stationary phase based on immobilised chicken liver basic fatty acid-binding protein 751(2001)117

Enantiomeric separation of metoprolol and α -hydroxymetoprolol by liquid chromatography and fluorescence detection using a chiral stationary phase 758(2001)153

Enantioselective analysis of atenolol in biologic fluids: comparison of liquid–liquid and solid-phase extraction methods 767(2002)1

Stereoselective binding of 2-(4-biphenyl)-3-substituted-3-hydroxy-propionic acids on an immobilised human serum albumin chiral stationary phase 768(2002)137

Binding of human serum albumin to silica particles by means of polymers: a liquid chromatographic study of the selectivity of resulting chiral stationary phases 768(2002)157

Study of the stability of promethazine enantiomers by liquid chromatography using a vancomycin-bonded chiral stationary phase 770(2002)63

Enantioselective determination of (*R*)- and (*S*)-sotalol in human plasma by on-line coupling of a restricted-access material precolumn to a cellobiohydrolase I-based chiral stationary phase 775(2002)197

Chiral stationary phases, SFC

Supercritical fluid chromatography coupled to electrospray mass spectrometry: a powerful tool for the analysis of chiral mixtures 770(2002)53

Cleaning

Sedimentation field-flow fractionation device cleaning, decontamination and sterilization procedures for cellular analysis 751(2001)131

Clinical settings

Measurement of 4-hydroxynonenal in small volume blood plasma samples: modification of a gas chromatographic–mass spectrometric method for clinical settings 774(2002)231

Collision-induced dissociation

Methodology for the development of a drug library based upon collision-induced fragmentation for the identification of toxicologically relevant drugs in plasma samples 759(2001)191

Column liquid chromatography

Determination of inhibitors' potency (IC_{50}) by a direct high-performance liquid chromatographic method on an immobilised acetylcholinesterase column 753(2001)375

Column-switching

Column-switching high-performance liquid chromatography–electrospray ionization mass spectrometry for identification of heroin metabolites in human urine 751(2001)177

Assay of omeprazole and omeprazole sulfone by semi-microcolumn liquid chromatography with mixed-function precolumn 754(2001)487

Determination of D- and L-aspartate in cell culturing medium, within cells of MPT1 cell line and in rat blood by a column-switching high-performance liquid chromatographic method 761(2001)99

Quantitation of promethazine and metabolites in urine samples using on-line solid-phase extraction and column-switching 763(2001)9

Direct analysis of indomethacin in rat plasma using a column-switching high-performance liquid chromatographic system 767(2002)53

Application of column-switching liquid chromatography–tandem mass spectrometry for the determination of pharmaceutical compounds in tissue samples 769(2002)9

Column temperature

Effect of column temperature on the behaviour of some angiotensin converting enzyme inhibitors during high-performance liquid chromatographic analysis 755(2001)229

Combinatorial chemistry

Rational combinatorial chemistry-based selection, synthesis and evaluation of an affinity adsorbent for recombinant human clotting factor VII 774(2002)1

Complexation degree

Solute complexation degree with human serum albumin: biochromatographic approach 768(2002)121

Coulometric array detection

Analysis of lycopene geometrical isomers in biological microsamples by liquid chromatography with coulometric array detection 760(2001)289

Coupled column

Improved coupled column liquid chromatographic method for high-speed direct analysis of urinary *trans,trans*-muconic acid, as a biomarker of exposure to benzene 751(2001)331

Cozart Rapiscan system

Cozart Rapiscan System: our experience with saliva tests 773(2002)1

Cross-reactivity

Molecular basis of allergic cross-reactivity between group 1 major allergens from birch and apple 756(2001)307

Cross-reactivity within the profilin panallergen family investigated by comparison of recombinant profilins from pear (Pyr c 4), cherry (Pru av 4) and celery (Api g 4) with birch pollen profilin Bet v 2 756(2001)315

Cryogenic oven trapping

Sensitive determination of four general anaesthetics in human whole blood by capillary gas chromatography with cryogenic oven trapping 762(2001)103

Cryogenic trapping preconcentration

Analysis of volatile sulphur compounds in breath by gas chromatography–mass spectrometry using a three-stage cryogenic trapping preconcentration system 762(2001)67

 β -Cyclodextrin polymeric support

Study of the retention properties of warfarin enantiomers on a β -cyclodextrin polymeric support 753(2001)131

D

Decomposition rate

Influence of storage conditions on the stability of monomeric anthocyanins studied by reversed-phase high-performance liquid chromatography 770(2002)297

Decontamination

External contamination of bovine hair with β_2 -agonist compounds: evaluation of decontamination strategies 767(2002)235

Dental tissues

Proteomic analysis of dental tissues (Review) 771(2002)211

Derivatization, GC

Screening of β_2 agonists and confirmation of fenoterol, orciprenaline, reproterol and terbutaline with gas chromatography–mass spectrometry as tetrahydroisoquinoline derivatives 751(2001)93

Headspace solid-phase microextraction with 1-pyrenyldiazomethane on-fibre derivatization for analysis of fluoroacetic acid in biological samples 772(2002)45

Derivatization

Gas chromatographic–mass spectrometric determination of α -ketoisocaproic acid and [$^2\text{H}_7$] α -ketoisocaproic acid in plasma after derivatization with *N*-phenyl-1,2-phenylenediamine 751(2001)213

Effect of molecular parameters on the binding of phenoxyacetic acid derivatives to albumins 753(2001)87

Aggregation of amphiphilic pullulan derivatives evidenced by on-line flow field flow fractionation/multi-angle laser light scattering 753(2001)115

Derivatization, GC

New method of derivatization and headspace solid-phase microextraction for gas chromatographic–mass spectrometric analysis of amphetamines in hair 758(2001)95

Determination of ephedrine in urine by gas chromatography–mass spectrometry 758(2001)311

Identification of various urinary metabolites of fluorene using derivatization solid-phase microextraction 766(2002)209

Confirmation of cocaine exposure by gas chromatography–mass spectrometry of urine extracts after methylation of benzoylecgonine 773(2002)83

Rapid diagnosis of phenylketonuria and other aminoacidemias by quantitative analysis of amino acids in neonatal blood spots by gas chromatography–mass spectrometry 775(2002)115

Derivatization, LC

Development of liquid chromatographic method for the analysis of kanamycin residues in varicella vaccine using phenylisocyanate as a derivatization reagent 752(2001)173

Improved method for the measurement of large neutral amino acids in biological matrices 754(2001)369

Rapid and sensitive step gradient assays of glutamate, glycine, taurine and γ -aminobutyric acid by high-performance liquid chromatography–fluorescence detection with *o*-phthalaldehyde–mercaptoethanol derivatization with an emphasis on microdialysis samples 757(2001)277

Fluorometric determination of *N*-terminal prolyl dipeptides, proline and hydroxyproline in human serum by pre-column high-performance liquid chromatography using 4-(5,6-dimethoxy-2-phthalimidinyl)-2-methoxyphenylsulfonfyl chloride 757(2001)369

o-Phthalaldehyde–*N*-acetylcysteine polyamine derivatives: formation and stability in solution and in C_{18} supports 759(2001)285

Determination of cycloserine in human plasma by high-performance liquid chromatography with fluorescence detection, using derivatization with *p*-benzoquinone 761(2001)27

A simple method for the assay of colistin in human plasma, using pre-column derivatization with 9-fluorenylmethyl chloroformate in solid-phase extraction cartridges and reversed-phase high-performance liquid chromatography 761(2001)167

Determination of alendronate in human urine as 9-fluorenylmethyl derivative by high-performance liquid chromatography 767(2002)111

Quantitative determination of glufosinate in biological samples by liquid chromatography with ultraviolet detection after *p*-nitrobenzoyl derivatization 767(2002)255

Determination of gentamicin in urine samples after inhalation by reversed-phase high-performance liquid chromatography using pre-column derivatization with *o*-phthalaldehyde 769(2002)89

Determination of the retention behavior of barbituric acid derivatives in reversed-phase high-performance liquid chromatography by using quantitative structure–retention relationships 770(2002)227

Highly sensitive time-resolved fluorometric determination of estrogens by high-performance liquid chromatography using a β -diketonate europium chelate 773(2002)135

7,7,8,8-Tetracyanoquinodimethane as a new derivatization reagent for high-performance liquid chromatography and thin-layer chromatography: rapid screening of plasma for some antidepressants 774(2002)149

Liquid chromatographic determination of triethylenetetramine in human and rabbit sera based on intramolecular excimer-forming fluorescence derivatization 774(2002)165

Derivatization, LC–MS

Liquid chromatography–mass spectrometric method combined with derivatization for determination of 1α -hydroxyvitamin D_3 in human plasma 772(2002)229

Detection

Detection technologies in proteome analysis (Review)
771(2002)3

Determination

Determination of celecoxib in human plasma and rat microdialysis samples by liquid chromatography tandem mass spectrometry 761(2001)203

Dihydropyrimidinase deficiency

Simple gas chromatographic–mass spectrometric procedure for diagnosing pyrimidine degradation defects for prevention of severe anticancer side effects 758(2001)61

Dihydropyrimidine dehydrogenase deficiency

Simple gas chromatographic–mass spectrometric procedure for diagnosing pyrimidine degradation defects for prevention of severe anticancer side effects 758(2001)61

Dilated cardiomyopathy

Separation and identification of human heart proteins (Review)
771(2002)131

Diphasic dialysis

Development of a diphasic dialysis method for the extraction/purification of residues of ethinylestradiol in hair of cattle, and determination by gas chromatography–tandem mass spectrometry 766(2002)251

Direct cocktail analysis

Direct cocktail analysis of drug discovery compounds in pooled plasma samples using liquid chromatography–tandem mass spectrometry 767(2002)353

Direct injection

Direct injection of human plasma samples after ultrafiltration into programmed temperature vapouriser–gas chromatography–mass spectrometry with packed liner 755(2001)253

Dissociation constant

Determination of the affinity constants of recombinant human galectin-1 and -3 for simple saccharides by capillary affinity electrophoresis 768(2002)199

Determination of dissociation constant of phosphinate group in phosphinic pseudo-peptides by capillary zone electrophoresis 770(2002)145

DNA damage

Discontinuous electrophoretic stacking system for cholate-based electrokinetic chromatographic separation of 8-hydroxy-2'-deoxyguanosine from unmodified deoxynucleosides 763(2001)71

Doping control

Screening, confirmation and quantitation of diuretics in urine for doping control analysis by high-performance liquid chromatography–atmospheric pressure ionisation tandem mass spectrometry 757(2001)49

Simultaneous quantitation of ephedrine in urine by gas chromatography–nitrogen–phosphorus detection for doping control purposes 760(2001)255

Doping control for methenolone using hair analysis by gas chromatography–tandem mass spectrometry 766(2002)161

Double-blind placebo-controlled food challenge

Seasonal variation in food allergy to apple 756(2001)19

In vivo and in vitro techniques to determine the biological activity of food allergens (Review) 756(2001)41

Standardization of food allergen extracts for skin prick test 756(2001)57

Drop coalescer

Enhancement of phase separation using a drop coalescer in an aqueous two-phase system 760(2001)65

Drug allergy

Incidence of anaphylaxis in the emergency department of a general hospital in Milan 756(2001)11

Drug identification

Advanced fibre optical scanning in thin-layer chromatography for drug identification 772(2002)11

Drug treatment effects monitoring

Monitoring the effects of drug treatment in rat models of disease by serum protein analysis (Review) 771(2002)107

Drugs screening

Methodology for the development of a drug library based upon collision-induced fragmentation for the identification of toxicologically relevant drugs in plasma samples 759(2001)191

Drug–protein binding

Estimation of drug–protein binding parameters on assuming the validity of thermodynamic equilibrium (Review) 768(2002)113

Use of an immobilised human serum albumin HPLC column as a probe of drug–protein interactions: the reversible binding of valproate 768(2002)147

Drug-binding

Applications of affinity chromatography to the study of drug–melanin binding interactions (Review) 768(2002)67

DryLab

Validated method for the determination of hydroquinone in human urine by high-performance liquid chromatography–coulometric-array detection 761(2001)125

E

Electrochemical detection

Validated method for the determination of hydroquinone in human urine by high-performance liquid chromatography–coulometric-array detection 761(2001)125

Electroosmotic mobility

Electroosmotic properties of microfluidic channels composed of poly(dimethylsiloxane) 762(2001)117

Electrophoresis chips

Versatile tool for the manipulation of electrophoresis chips 770(2002)19

Electrophoretic mobility

Role of electrophoretic mobility of protein on its retention by an ultrafiltration membrane. Comparison to chromatography mechanisms 753(2001)3

Elongation factor EF-Tu

Isolation of chimaeric forms of elongation factor EF-Tu by affinity chromatography 770(2002)129

Enantiomer separation

Determination of terbutaline enantiomers in human urine by coupled achiral–chiral high-performance liquid chromatography with fluorescence detection 751(2001)69

Study of the retention properties of warfarin enantiomers on a β -cyclodextrin polymeric support 753(2001)131

Separation of carvedilol enantiomers in very small volumes of human plasma by capillary electrophoresis with laser-induced fluorescence 755(2001)111

Enantioselective determination of metoprolol and major metabolites in human urine by capillary electrophoresis 755(2001)259

Determination of free D-aspartic acid, D-serine and D-alanine in the brain of mutant mice lacking D-amino-acid oxidase activity 757(2001)119

High-performance liquid chromatographic assay for the simultaneous determination of lansoprazole enantiomers and metabolites in human liver microsomes 757(2001)127

Enantiomeric separation of metoprolol and α -hydroxymetoprolol by liquid chromatography and fluorescence detection using a chiral stationary phase 758(2001)153

Chiral analysis of methylphenidate and dextromoramide by capillary electrophoresis 761(2001)61

Determination of D- and L-aspartate in cell culturing medium, within cells of MPT1 cell line and in rat blood by a column-switching high-performance liquid chromatographic method 761(2001)99

Enantioselective assay of nisoldipine in human plasma by chiral high-performance liquid chromatography combined with gas chromatography–mass spectrometry: applications to pharmacokinetics 762(2001)87

Determination of free aspartic acid enantiomers in rat brain by capillary electrophoresis with laser-induced fluorescence detection 762(2001)97

Simultaneous determination of enantiomers of structurally related anticholinergic analogs in human serum by liquid chromatography–electrospray ionization mass spectrometry with on-line sample cleanup 762(2001)181

Fluorometric determination of DL-fenfluramine, DL-norfenfluramine and phentermine in plasma by achiral and chiral high-performance liquid chromatography 763(2001)79

Chromatographic resolution of the enantiomers of phenylpropanolamine by using molecularly imprinted polymer as the stationary phase 765(2001)45

Stereoselective analysis of fluvastatin in human plasma for pharmacokinetic studies 765(2001)81

Enantiomeric determination of pantoprazole in human plasma by multidimensional high-performance liquid chromatography 766(2002)153

Optimization of the separation lactic acid enantiomers in body fluids by capillary electrophoresis 766(2002)235

Enantioselective analysis of atenolol in biologic fluids: comparison of liquid–liquid and solid-phase extraction methods 767(2002)1

Fast and sensitive capillary electrophoresis method to quantitatively monitor ibuprofen enantiomers released from polymeric drug delivery systems 767(2002)35

Stereoselective binding of 2-(4-biphenyl)-3-substituted-3-hydroxy-propionic acids on an immobilised human serum albumin chiral stationary phase 768(2002)137

Use of an immobilised human serum albumin HPLC column as a probe of drug–protein interactions: the reversible binding of valproate 768(2002)147

Plasma protein binding study of oxybutynin by high-performance frontal analysis 768(2002)177

Binding study of desethyloxybutynin using high-performance frontal analysis method 768(2002)189

Supercritical fluid chromatography coupled to electrospray mass spectrometry: a powerful tool for the analysis of chiral mixtures 770(2002)53

Study of the stability of promethazine enantiomers by liquid chromatography using a vancomycin-bonded chiral stationary phase 770(2002)63

A sensitive gas chromatographic/mass spectrometric method for the resolution and quantification of ethosuximide enantiomers in biological fluids 772(2002)307

Enantioselective determination of (*R*)- and (*S*)-sotalol in human plasma by on-line coupling of a restricted-access material precolumn to a cellobiohydrolase I-based chiral stationary phase 775(2002)197

Endocrine disrupting chemicals

Development of comparative methods using gas chromatography–mass spectrometry and capillary electrophoresis for determination of endocrine disrupting chemicals in bio-solids 770(2002)243

Energy-dispersive X-ray spectrometry

Determination of plasma bromvalerylurea and its main metabolite by a simple high-performance liquid chromatographic method and quantitation of bromide by energy dispersive X-ray spectrometry in carbon tetrachloride-intoxicated rats 759(2001)361

Enthalpy–entropy compensation

Solute complexation degree with human serum albumin: biochromatographic approach 768(2002)121

Enzymatic conversion

Monoliths as stationary phases for separation of proteins and polynucleotides and enzymatic conversion 752(2001)191

Enzyme allergosorbent test

Determination of the allergenicity of various hazelnut products by immunoblotting and enzyme allergosorbent test inhibition 756(2001)239

Determination of the IgE-binding activity of soy lecithin and refined and non-refined soybean oils 756(2001)249

Enzyme kinetics

Sensitive fluorescent quantitation of *myo*-inositol 1,2-cyclic phosphate and *myo*-inositol 1-phosphate by high-performance thin-layer chromatography 757(2001)317

Enzyme–enzyme interaction

Interaction between phosphofructokinase and aldolase from *Saccharomyces cerevisiae* studied by aqueous two-phase partitioning 751(2001)341

Equilibrium adsorption studies

Purification of hepatocyte growth factor using polyvinylidene fluoride-based immobilized metal affinity membranes: equilibrium adsorption study 766(2002)133

Error pattern

Simple and rapid determination of carboplatin in plasma by high-performance liquid chromatography. Error pattern and application to clinical pharmacokinetic studies 764(2001)457

Escherichia coli

Two-step chromatographic purification of recombinant *Plasmodium falciparum* circumsporozoite protein from *Escherichia coli* 762(2001)77

Evaporative light scattering detection

Major human plasma lipid classes determined by quantitative high-performance liquid chromatography, their variation and associations with phospholipid fatty acids 754(2001)437

Separation and identification of phosphatidylserine molecular species using reversed-phase high-performance liquid chromatography with evaporative light scattering and mass spectrometric detection 774(2002)115

Exclusion–adsorption transition point

Fractionation of functional polystyrenes, poly(ethylene oxide) and poly(styrene)-*b*-poly(ethylene oxide) by liquid chromatography at the exclusion–adsorption transition point 753(2001)139

Exposure biomarker

Determination of monobromobimane derivatives of phenylmercapturic and benzylmercapturic acids in urine by high-performance liquid chromatography and fluorimetry 751(2001)305

Improved coupled column liquid chromatographic method for high-speed direct analysis of urinary *trans,trans*-muconic acid, as a biomarker of exposure to benzene 751(2001)331

Extraction times

Reduction of extraction times in liquid-phase microextraction 760(2001)219

F

Fibre optical scanning

Advanced fibre optical scanning in thin-layer chromatography for drug identification 772(2002)11

Flow cytometry

Hyphenation of sedimentation field flow fractionation with flow cytometry 768(2002)285

Flow-injection analysis

High-throughput fluorescence flow-injection topoisomerase II inhibition assay 760(2001)263

3-(3-{{3-¹⁸F}Fluoropropyl}thio)-1,2,5-thiadiazol-4-yl)-1,2,5,6-tetrahydro-1-methylpyridine

Identification of metabolites of fluorine-18-labeled M2 muscarinic receptor agonist, 3-(3-[(3-fluoropropyl)thio]-1,2,5-thiadiazol-4-yl)-1,2,5,6-tetrahydro-1-methylpyridine, produced by human and rat hepatocytes 766(2002)319

5-Fluorouracil

Simple gas chromatographic–mass spectrometric procedure for diagnosing pyrimidine degradation defects for prevention of severe anticancer side effects 758(2001)61

Fluorescence detection

Determination of betaxolol in human aqueous humour by high-performance liquid chromatography with fluorescence detection 772(2002)179

Food allergens

The major allergen of sesame seeds (*Sesamum indicum*) is a 2S albumin 756(2001)85

Characterization and identification of allergen epitopes: recombinant peptide libraries and synthetic, overlapping peptides 756(2001)157

Patient-tailored cloning of allergens by phage display: Peanut (*Arachis hypogaea*) profilin, a food allergen derived from a rare mRNA 756(2001)295

Food allergy

Adverse reactions to foods (Review) 756(2001)3

Incidence of anaphylaxis in the emergency department of a general hospital in Milan 756(2001)11

Seasonal variation in food allergy to apple 756(2001)19

What establishes a protein as an allergen? (Review) 756(2001)33

In vivo and in vitro techniques to determine the biological activity of food allergens (Review) 756(2001)41

Standardization of food allergen extracts for skin prick test 756(2001)57

Isolation of food allergens (Review) 756(2001)71

Characterization of the major allergen of plum as a lipid transfer protein 756(2001)95

Optimization of electrophoresis for the identification of low molecular mass allergens in hazelnuts 756(2001)105

Bioanalytical characterization of proteins (Review) 756(2001)113

Determination of the primary structure of two lipid transfer proteins from apricot (*Prunus armeniaca*) 756(2001)123

Immunological identification and characterization of individual food allergens 756(2001)131

Investigations on the carbohydrate moieties of glycoprotein allergens 756(2001)141

Grid-immunoblotting: a fast and simple technique to test multiple allergens with small amounts of antibody for cross-reactivity 756(2001)151

Nuclear magnetic resonance studies of allergens (Review) 756(2001)165

X-ray structure analysis of food allergens 756(2001)179

Structure and function of proteins involved in milk allergies 756(2001)183

Structure and properties of ovalbumin 756(2001)189

Search for the determinants of allergenicity in proteins of the lipocalin family 756(2001)199

Stability of food allergens and allergenicity of processed foods (Review) 756(2001)207

Detection of trace amounts of hidden allergens: hazelnut and almond proteins in chocolate 756(2001)229

Determination of the allergenicity of various hazelnut products by immunoblotting and enzyme allergosorbent test inhibition 756(2001)239

Determination of the IgE-binding activity of soy lecithin and refined and non-refined soybean oils 756(2001)249

Recombinant food allergens (Review) 756(2001)255

Pyr c 1, the major allergen from pear (*Pyrus communis*), is a new member of the Bet v 1 allergen family 756(2001)281

Molecular basis of allergic cross-reactivity between group 1 major allergens from birch and apple 756(2001)307

Cross-reactivity within the profilin panallergen family investigated by comparison of recombinant profilins from pear (Pyr c 4), cherry (Pru av 4) and celery (Api g 4) with birch pollen profilin Bet v 2 756(2001)315

Genetic modification and plant food allergens: risks and benefits (Review) 756(2001)327

Food legislation and the protection of allergic and hypersensitive persons: an overview 756(2001)337

Food analysis

Determination of polycyclic aromatic hydrocarbons in smoked meat products and smoke flavouring food additives 770(2002)3

Food legislation

Food legislation and the protection of allergic and hypersensitive persons: an overview 756(2001)337

Formation kinetics

Sensitive liquid chromatographic method using fluorescence detection for the determination of estradiol 3- and 17-glucuronides in rat and human liver microsomal incubations: formation kinetics 774(2002)33

FP-TZTP

Identification of metabolites of fluorine-18-labeled M2 muscarinic receptor agonist, 3-(3-[(3-fluoropropyl)thio]-1,2,5-thiadiazol-4-yl)-1,2,5,6-tetrahydro-1-methylpyridine, produced by human and rat hepatocytes 766(2002)319

Frontal analysis

Estimation of binding constants by capillary electrophoresis (Review) 768(2002)81

Plasma protein binding study of oxybutynin by high-performance frontal analysis 768(2002)177

Binding study of desethyloxybutynin using high-performance frontal analysis method 768(2002)189

Functional genomics

Bioinformatics, functional genomics, and proteomics study of *Bacillus* sp. (Review) 771(2002)261

G**GC–MS**

Gas chromatographic–mass spectrometric determination of α -ketoisocaproic acid and [$^2\text{H}_7$] α -ketoisocaproic acid in plasma after derivatization with *N*-phenyl-1,2-phenylenediamine 751(2001)213

Gene expression

Quantitative determination of gene expression in human lymphocytes assessed by reverse transcription–polymerase chain reaction coupled to high-performance liquid chromatography 761(2001)237

Gene therapy

Characterization and quality control of recombinant adenovirus vectors for gene therapy 752(2001)263

Genotypic–phenotypic correlation

Thiopurine methyltransferase activity: new conditions for reversed-phase high-performance liquid chromatographic assay without extraction and genotypic–phenotypic correlation 773(2002)119

Genotyping

Capillary electrophoresis with laser-induced fluorescence detection for fast and reliable apolipoprotein E genotyping 775(2002)17

Geometric isomers

Separation of some mono-, di- and tri-unsaturated fatty acids containing 18 carbon atoms by high-performance liquid chromatography and photodiode array detection 760(2001)165

Geometrical isomers

Analysis of lycopene geometrical isomers in biological microsamples by liquid chromatography with coulometric array detection 760(2001)289

Gluten

Ultrafiltration to fractionate wheat polypeptides 753(2001)29

Glycomics

Separation technologies for glycomics (Review) 771(2002)67

Goldfish

Chromatographic identification of a biochemical alteration in the aqueous humour of megalophthalmic Black Moor goldfish 751(2001)349

Gravitational field-flow fractionation

Experimental design methodology applied to the study of channel dimensions on the elution of red blood cells in gravitational field flow fractionation 754(2001)11

Grid immunoblotting

Grid-immunoblotting: a fast and simple technique to test multiple allergens with small amounts of antibody for cross-reactivity 756(2001)151

H**Hazelnut**

Optimization of electrophoresis for the identification of low molecular mass allergens in hazelnuts 756(2001)105

Detection of trace amounts of hidden allergens: hazelnut and almond proteins in chocolate 756(2001)229

Determination of the allergenicity of various hazelnut products by immunoblotting and enzyme allergosorbent test inhibition 756(2001)239

Headspace solid-phase microextraction

Headspace solid-phase microextraction profiling of volatile compounds in urine: application to metabolic investigations 753(2001)259

Solid-phase microextraction and gas chromatography–mass spectrometry analysis of *p,p'*-DDE in biological samples 761(2001)93

Helicobacter pylori

Separation and surveys of proteins of *Helicobacter pylori* (Review) 771(2002)251

Hemorrhagic shock

Adenosine nucleotides in rat bone measured by ion-pair reversed-phase high-performance liquid chromatography: effect of hemorrhagic shock, with and without retransfusion of blood 761(2001)159

Heparin column

Heparin column analysis of serum type 5 tartrate-resistant acid phosphatase isoforms 757(2001)269

Hepatocellular carcinoma

Proteome database of hepatocellular carcinoma (Review) 771(2002)303

Herpes simplex virus

Alteration of ribosomal protein maps in herpes simplex virus type 1 infection (Review) 771(2002)237

Heteroscedasticity

Linear regression for calibration lines revisited: weighting schemes for bioanalytical methods 774(2002)215

High-resolution separation

Towards a high resolution separation of human cerebrospinal fluid 771(2002)167

High-throughput screening

Multidimensional on-line screening for ligands to the $\alpha 3\beta 4$ neuronal nicotinic acetylcholine receptor using an immobilized nicotinic receptor liquid chromatographic stationary phase 772(2002)155

Hollow fiber membrane solvent microextraction

Screening method for 11-nor- Δ^9 -tetrahydrocannabinol-9-carboxylic acid in urine using hollow fiber membrane solvent microextraction with in-tube derivatization 760(2001)27

Honey

Solid-phase extraction procedure to remove organic acids from honey 770(2002)77

HPLC–ESI-MS

Column-switching high-performance liquid chromatography–electrospray ionization mass spectrometry for identification of heroin metabolites in human urine 751(2001)177

Hummel and Dreyer method

Use of the Hummel and Dreyer method for the study of nucleotide binding on chloroplast ATPase CF1 768(2002)167

Hydrophobicity

Relationship between lipophilicity and antitumor activity of molecule library of Mannich ketones determined by high-performance liquid chromatography, clogP calculation and cytotoxicity test 768(2002)361

Three-dimensional protein map according to pI, hydrophobicity and molecular mass 774(2002)53

Hydrophobicity parameters

Evaluation of the predictive power of calculation procedure for molecular hydrophobicity of some estradiol derivatives 766(2002)67

Hydroxylation

Metabolism of amiodarone. II. High-performance liquid chromatographic assay for mono-*N*-desethylamiodarone hydroxylation in liver microsomes 757(2001)309

Hypericum perforatum

High performance liquid chromatographic analysis of St. John's Wort with photodiode array detection 765(2001)99

Hyphenation

Hyphenation of sedimentation field flow fractionation with flow cytometry 768(2002)285

I

Immobilisation

Stirrer tank: an appropriate technology to immobilize the CB.Hep-1 monoclonal antibody for immunoaffinity purification 754(2001)77

Immobilized enzyme reactors

On-line synthesis utilizing immobilized enzyme reactors based upon immobilized dopamine beta-hydroxylase 766(2002)145

Immobilized metal affinity chromatography

Polymer versus monomer as displacer in immobilized metal affinity chromatography 753(2001)279

Immobilized receptors

Multidimensional on-line screening for ligands to the $\alpha 3\beta 4$ neuronal nicotinic acetylcholine receptor using an immobilized nicotinic receptor liquid chromatographic stationary phase 772(2002)155

Immunoabsorbent

Rational combinatorial chemistry-based selection, synthesis and evaluation of an affinity adsorbent for recombinant human clotting factor VII 774(2002)1

Immunoaffinity chromatography

Isolation of melatonin by immunoaffinity chromatography 775(2002)9

Immunoaffinity membranes

Preparation of immuno-affinity membranes for cholesterol removal from human plasma 772(2002)357

Immunoblotting

Detection of trace amounts of hidden allergens: hazelnut and almond proteins in chocolate 756(2001)229

Determination of the allergenicity of various hazelnut products by immunoblotting and enzyme allergosorbent test inhibition 756(2001)239

Determination of the IgE-binding activity of soy lecithin and refined and non-refined soybean oils 756(2001)249

Impila

Gas chromatographic–mass spectrometric confirmation of atractyloside in a patient poisoned with *Callilepis laureola* 765(2001)127

Inborn errors

Separation of free amino acids in human plasma by capillary electrophoresis with laser induced fluorescence: potential for emergency diagnosis of inborn errors of metabolism 754(2001)217

Inborn errors of metabolism

Diagnosis of inborn errors of metabolism using filter paper urine, urease treatment, isotope dilution and gas chromatography–mass spectrometry (Review) 758(2001)3

Screening for inborn errors of metabolism using gas chromatography–mass spectrometry 758(2001)75

Inductively coupled plasma mass spectrometry

Fractionation of phosphorus and trace elements species in soybean flour and common white bean seeds by size exclusion chromatography–inductively coupled plasma mass spectrometry 770(2002)261

Inherited metabolic diseases

Clinical applications of tandem mass spectrometry: ten years of diagnosis and screening for inherited metabolic diseases (Review) 758(2001)27

Inhibitors' potency

Determination of inhibitors' potency (IC_{50}) by a direct high-performance liquid chromatographic method on an immobilised acetylcholinesterase column 753(2001)375

Internal standard

Methyl malondialdehyde as an internal standard for the determination of malondialdehyde 751(2001)315

Intestinal epithelium cell lines

Biopartitioning micellar chromatography: an in vitro technique for predicting human drug absorption 753(2001)225

Ion suppression effects

Ion suppression effects in liquid chromatography–electrospray-ionisation transport-region collision induced dissociation mass spectrometry with different serum extraction methods for systematic toxicological analysis with mass spectra libraries 773(2002)47

Isolation

Isolation of non-heparin-binding and heparin-binding proteins of boar prostate 770(2002)137

J

JP-8 jet fuel

Optimized determination of trace jet fuel volatile organic compounds in human blood using in-field liquid–liquid extraction with subsequent laboratory gas chromatographic–mass spectrometric analysis and on-column large-volume injection 752(2001)159

L

Large volume injection

Improved coupled column liquid chromatographic method for high-speed direct analysis of urinary *trans,trans*-muconic acid, as a biomarker of exposure to benzene 751(2001)331

Optimized determination of trace jet fuel volatile organic compounds in human blood using in-field liquid–liquid extraction with subsequent laboratory gas chromatographic–mass spectrometric analysis and on-column large-volume injection 752(2001)159

Simultaneous determination of citalopram, fluoxetine, paroxetine and their metabolites in plasma by temperature-programmed packed capillary liquid chromatography with on-column focusing of large injection volumes 766(2002)77

Large-volume programmed-temperature vaporiser injection

Determination of cannabinoids by gas chromatography–mass spectrometry and large-volume programmed-temperature vaporiser injection using 25 μ l of biological fluid 772(2002)299

Laser induced fluorescence

Micellar electrokinetic chromatography separation and laser-induced fluorescence detection of the lipid peroxidation product 4-hydroxynonenal 763(2001)133

Lateral flow

Chromatographic performance of a thin microporous bed of nitrocellulose 763(2001)107

LC

Aggregation of amphiphilic pullulan derivatives evidenced by on-line flow field flow fractionation/multi-angle laser light scattering 753(2001)115

Leukocyte histamine release

Standardization of food allergen extracts for skin prick test 756(2001)57

Leuzea carthanoides

High-performance liquid chromatographic analysis and separation of *N*-feruloylserotonin isomers 770(2002)291

Library searching

Methodology for the development of a drug library based upon collision-induced fragmentation for the identification of toxicologically relevant drugs in plasma samples 759(2001)191

Library-assisted identification

Screening, library-assisted identification and validated quantification of oral antidiabetics of the sulfonylurea-type in plasma by atmospheric pressure chemical ionization liquid chromatography–mass spectrometry 773(2002)63

Ligand binding

Immobilized-biomembrane affinity chromatography for binding studies of membrane proteins (Review) 768(2002)31

Linear regression

Linear regression for calibration lines revisited: weighting schemes for bioanalytical methods 774(2002)215

Liposomes

Simultaneous quantification of components of neoglycolipid-coated liposomes using high-performance liquid chromatography with evaporative light scattering detection 754(2001)127

Liquid-phase microextraction

Reduction of extraction times in liquid-phase microextraction 760(2001)219

Lutra lutra lutra

Quantification of perphenazine in Eurasian otter (*Lutra lutra lutra*) urine samples by gas chromatography–mass spectrometry 769(2002)79

M

Magnetic bead cellulose particles

Characterization of deoxyribonuclease I immobilized on magnetic hydrophilic polymer particles 774(2002)25

Magnetic poly(HEMA–co–EDMA)

Characterization of deoxyribonuclease I immobilized on magnetic hydrophilic polymer particles 774(2002)25

Magnetic sorbents

Oriented immobilization of galactose oxidase to bead and magnetic bead cellulose and poly(HEMA-co-EDMA) and magnetic poly(HEMA-co-EDMA) microspheres 770(2002)25

Enzymes immobilized on magnetic carriers: efficient and selective system for protein modification 770(2002)177

Malignant melanoma

Cysteine and indole derivatives as markers for malignant melanoma 764(2001)409

Mammalian

Endogenous alkaloids in man. XXXVIII. “Chiral” and “achiral” determination of the neurotoxin TaClo (1-trichloromethyl-1,2,3,4-tetrahydro- β -carboline) from blood and urine samples by high-performance liquid chromatography–electrospray ionization tandem mass spectrometry 767(2002)321

Mass mapping

Comparison of the capabilities of liquid isoelectric focusing–one-dimensional nonporous silica reversed-phase liquid chromatography–electrospray ionization time-of-flight mass spectrometry and liquid isoelectric focusing–one-dimensional sodium dodecyl sulfate polyacrylamide gel electrophoresis mass mapping for the analysis of intact protein molecular masses 763(2001)139

Mass spectra libraries

Ion suppression effects in liquid chromatography–electrospray-ionisation transport-region collision induced dissociation mass spectrometry with different serum extraction methods for systematic toxicological analysis with mass spectra libraries 773(2002)47

Matrix solid-phase dispersion

Matrix solid-phase dispersion technique for the determination of a new antiallergic drug, bilastine, in rat faeces 760(2001)187

Megalophthalmia

Chromatographic identification of a biochemical alteration in the aqueous humour of megalophthalmic Black Moor goldfish 751(2001)349

Metabolism

Headspace solid-phase microextraction profiling of volatile compounds in urine: application to metabolic investigations 753(2001)259

Studies on the metabolism and toxicological detection of the new designer drug 4'-methyl- α -pyrrolidinopropiophenone in urine using gas chromatography–mass spectrometry 773(2002)25

Metabolites

Determination of fluvastatin and its five metabolites in human plasma using simple gradient reversed-phase high-performance liquid chromatography with ultraviolet detection 760(2001)17

Simultaneous high-performance liquid chromatography determination of carbamazepine and five of its metabolites in plasma of epileptic patients 762(2001)109

Methylated

Determination of urinary methylated purine pattern by high-performance liquid chromatography 751(2001)87

Micellar liquid chromatography

Control of propranolol intake by direct chromatographic detection of α -naphthoxylic acid in urine 767(2002)277

Microchips, CE

Fluorogenic assay for β -glucuronidase using microchip-based capillary electrophoresis 762(2001)33

Microdialysis

Determination of celecoxib in human plasma and rat microdialysis samples by liquid chromatography tandem mass spectrometry 761(2001)203

On-line coupling of microdialysis to packed capillary column liquid chromatography–tandem mass spectrometry demonstrated by measurement of free concentrations of ropivacaine and metabolite from spiked plasma samples 775(2002)79

Microfluidic channels

Electroosmotic properties of microfluidic channels composed of poly(dimethylsiloxane) 762(2001)117

Microporous membrane liquid–liquid extractor

Development of a microporous membrane liquid–liquid extractor for organophosphate esters in human blood plasma: identification of triphenyl phosphate and octyl diphenyl phosphate in donor plasma 755(2001)157

Micro-electron-capture detection

Determination of polychlorinated biphenyls in small-size serum samples by solid-phase extraction followed by gas chromatography with micro-electron-capture detection 766(2002)279

Milk

Structure and function of proteins involved in milk allergies 756(2001)183

Molecular mass

Comparison of the capabilities of liquid isoelectric focusing–one-dimensional nonporous silica reversed-phase liquid chromatography–electrospray ionization time-of-flight mass spectrometry and liquid isoelectric focusing–one-dimensional sodium dodecyl sulfate polyacrylamide gel electrophoresis mass mapping for the analysis of intact protein molecular masses 763(2001)139

Three-dimensional protein map according to *pI*, hydrophobicity and molecular mass 774(2002)53

Monitoring

Rapid antibiotic drug monitoring: Meropenem and ceftazidime determination in serum and bronchial secretions by high-performance liquid chromatography–integrated sample preparation 751(2001)357

Monoclonal gammopathy

Electrophoretic characteristics of monoclonal immunoglobulin G of different subclasses 771(2002)355

Monolithic disks

Effect of experimental conditions on strong biocomplementary pairing in high-performance monolithic disk affinity chromatography 770(2002)35

Monoliths

Monoliths as stationary phases for separation of proteins and polynucleotides and enzymatic conversion 752(2001)191

Moraxella catarrhalis

Method for reducing endotoxin in *Moraxella catarrhalis* UspA2 protein preparations 753(2001)269

Mueller–Hinton agar plates

Quantification of gentamicin in Mueller–Hinton agar by high-performance liquid chromatography 753(2001)151

Mueller–Hinton broth

Determination of moxifloxacin in growth media by high-performance liquid chromatography 754(2001)107

Multiplex detection

High-performance liquid chromatography multiplex detection of two single nucleotide mutations associated with hereditary hemochromatosis 754(2001)265

Muscarinic receptor

Identification of metabolites of fluorine-18-labeled M2 muscarinic receptor agonist, 3-(3-[(3-fluoropropyl)thio]-1,2,5-thiadiazol-4-yl)-1,2,5,6-tetrahydro-1-methylpyridine, produced by human and rat hepatocytes 766(2002)319

Muscles

Proteomic analysis of rat soleus and tibialis anterior muscle following immobilization 769(2002)323

N**Neonatal ketosis**

Neonatal ketosis is not rare: experience of neonatal screening using gas chromatography–mass spectrometry 758(2001)57

Noncovalent interactions

Capillary electrochromatographic study of the interactions of porphyrin derivatives with amino acids and oligopeptides 770(2002)165

Non-covalent labeling

Use of non-covalent labeling in illustrating ligand binding to human serum albumin via affinity capillary electrophoresis with near-infrared laser induced fluorescence detection 755(2001)91

Non-porous silica column

High-performance liquid chromatographic assay of zonisamide in human plasma using a non-porous silica column 755(2001)337

Nuclear magnetic resonance studies

Nuclear magnetic resonance studies of allergens (Review) 756(2001)165

***N*-Acetylation phenotype**

Determination of *N*-acetylation phenotype using caffeine as a metabolic probe and high-performance liquid chromatography with either ultraviolet detection or electrospray mass spectrometry 760(2001)55

O**Online post-capillary affinity detection**

On-line post-capillary affinity detection of immunoglobulin G for capillary zone electrophoresis (Review) 768(2002)105

On-line extraction

On-line extraction using an alkyl-diol silica precolumn for racemic citalopram and its metabolites in plasma. Results compared with solid-phase extraction methodology 753(2001)365

On-line microdialysis

On-line, continuous and automatic monitoring of extracellular malondialdehyde concentration in anesthetized rat brain cortex 752(2001)33

Optimization

Optimization of electrophoresis for the identification of low molecular mass allergens in hazelnuts 756(2001)105

Optimization of the separation lactic acid enantiomers in body fluids by capillary electrophoresis 766(2002)235

Oral drug absorption

Biopartitioning micellar chromatography: an in vitro technique for predicting human drug absorption 753(2001)225

Organic acidemia

Gas chromatographic–mass spectrometric screening for organic acidemias using dried urine filter paper: determination of α -ketoacids 758(2001)87

Oriented immobilization

Oriented immobilization of galactose oxidase to bead and magnetic bead cellulose and poly(HEMA-co-EDMA) and magnetic poly(HEMA-co-EDMA) microspheres 770(2002)25

Oxolinic acid

Determination of oxolinic acid in the bryophyte *Fontinalis antipyretica* by liquid chromatography with fluorescence detection 775(2002)89

P

Paracentrotus lividus

Separation of phospholipid classes in sea urchin, *Paracentrotus lividus* by high-performance liquid chromatography 770(2002)71

Partitioning

Interaction between phosphofructokinase and aldolase from *Saccharomyces cerevisiae* studied by aqueous two-phase partitioning 751(2001)341

Seasonal differences in ram seminal plasma revealed by partition in an aqueous two-phase system 760(2001)113

Peak shift

Pherogram normalization in capillary electrophoresis and micellar electrokinetic chromatography analyses in cases of sample matrix-induced migration time shifts 770(2002)45

Pears

Pyr c 1, the major allergen from pear (*Pyrus communis*), is a new member of the Bet v 1 allergen family 756(2001)281

Peptide mapping

Identification of multiple sources of charge heterogeneity in a recombinant antibody 752(2001)233

Peptide mass fingerprinting

Matrix-assisted laser desorption–ionization mass spectrometry peptide mass fingerprinting for proteome analysis: identification efficiency after on-blot or in-gel digestion with and without desalting procedures 752(2001)311

Peptide mass mapping

Amino acid modifications in canine, equine and porcine pituitary growth hormones, identified by peptide-mass mapping 757(2001)237

Peptide mimetic

From receptor recognition mechanisms to bioinspired mimetic antagonists in HIV-1/cell docking 753(2001)327

Perfluoroacylation

Rapid and sensitive determination of sertraline in human plasma using gas chromatography–mass spectrometry 769(2002)333

Permeability

Determination of transdermal sildenafil in nude mouse skin by reversed-phase high-performance liquid chromatography 765(2001)161

Peroxisomal disorders

Urinary organic acids in peroxisomal disorders: a simple screening method 758(2001)81

Pesticides

Determination of dichloroanilines in human urine by GC–MS, GC–MS–MS, and GC–ECD as markers of low-level pesticide exposure 755(2001)215

Phage display

Patient-tailored cloning of allergens by phage display: Peanut (*Arachis hypogaea*) profilin, a food allergen derived from a rare mRNA 756(2001)295

Pharmacodynamic parameters

Retention pharmacokinetic and pharmacodynamic parameter relationships of antihistamine drugs using biopartitioning micellar chromatography 761(2001)13

Pharmacokinetic parameters

Retention pharmacokinetic and pharmacodynamic parameter relationships of antihistamine drugs using biopartitioning micellar chromatography 761(2001)13

Pharmacokinetic screens

Reduction of animal usage by serial bleeding of mice for pharmacokinetic studies: application of robotic sample preparation and fast liquid chromatography–mass spectrometry 754(2001)245

Pharmacokinetics

High-performance liquid chromatographic assays for a second-generation novel oral iron chelator (APCP363) and their application to pharmacokinetic studies in rats 751(2001)107

Quantitation of itraconazole in rat heparinized plasma by liquid chromatography–mass spectrometry 752(2001)9

Stereoselective analysis of fluvastatin in human plasma for pharmacokinetic studies 765(2001)81

Chromatographic determination of 7,8-methylenedioxy-4*H*-2,3-benzodiazepin-4-ones in rat plasma: relationship to their anticonvulsant activity 775(2002)71

Simple liquid chromatography–electrospray ionization mass spectrometry method for the routine determination of salmon calcitonin in serum 775(2002)247

Phenyl phase

High-performance liquid chromatographic analysis and separation of *N*-feruloylserotonin isomers 770(2002)291

Phosphorylation

Analysis of regulatory phosphorylation sites in ZAP-70 by capillary high-performance liquid chromatography coupled to electrospray ionization or matrix-assisted laser desorption ionization time-of-flight mass spectrometry 752(2001)323

pI

Three-dimensional protein map according to pI, hydrophobicity and molecular mass 774(2002)53

Plasmodium falciparum

Two-step chromatographic purification of recombinant *Plasmodium falciparum* circumsporozoite protein from *Escherichia coli* 762(2001)77

Pleurotus ostreatus

Liquid chromatographic and electrophoretic characterisation of extracellular β -glucosidase of *Pleurotus ostreatus* grown in organic waste 770(2002)111

Polydispersity

Polydispersity of liposome preparations as a likely source of peak width in capillary zone electrophoresis 761(2001)69

Polymerase chain reaction

Quantitative determination of gene expression in human lymphocytes assessed by reverse transcription–polymerase chain reaction coupled to high-performance liquid chromatography 761(2001)237

Polyvalent phage display library

Purification of anti-MUC1 antibodies by peptide mimotope affinity chromatography using peptides derived from a polyvalent phage display library 766(2002)13

Polyvinylidene fluoride-based metal affinity membranes

Purification of hepatocyte growth factor using polyvinylidene fluoride-based immobilized metal affinity membranes: equilibrium adsorption study 766(2002)133

Porous particles

Nucleotide adsorption–desorption behaviour of boronic acid functionalized uniform-porous particles 769(2002)283

Preeclampsia

Plasma L-arginine is markedly reduced in pregnant women affected by preeclampsia 753(2001)427

Preface

Preface 756(2001)1

Anticancer and antiviral agents: Including Therapy Monitoring and Diagnostic Marker Aspects 764(2001)1

Preface 770(2002)1

Pre-column derivatization, HPLC

Quantitation of reduced and total glutathione at the femtomole level by high-performance liquid chromatography with fluorescence detection: application to red blood cells and cultured fibroblasts 752(2001)123

Processed foods

Stability of food allergens and allergenicity of processed foods (Review) 756(2001)207

Programmed-temperature vaporiser

Feasibility of the direct coupling of solid-phase extraction–pipette tips with a programmed-temperature vaporiser for gas chromatographic analysis of drugs in plasma 766(2002)37

Protein binding

High-performance affinity chromatography: a powerful tool for studying serum protein binding 768(2002)3

Role of the magnesium cation on antihypertensive molecule–human serum albumin binding: affinity chromatography approach 768(2002)129

Plasma protein binding study of oxybutynin by high-performance frontal analysis 768(2002)177

Binding study of desethyloxybutynin using high-performance frontal analysis method 768(2002)189

Study on the multiple sites binding of human serum albumin and porphyrin by affinity capillary electrophoresis 768(2002)211

Protein mapping

Protein mapping in rat basophilic leukaemia cells (Review) 771(2002)289

Protein precipitation

Practice of solid-phase extraction and protein precipitation in the 96-well format combined with high-performance liquid chromatography–ultraviolet detection for the analysis of drugs in plasma and brain 754(2001)45

Protein purification

New approaches for high-yield purification of Müllerian inhibiting substance improve its bioactivity 766(2002)89

Protein recognition

From receptor recognition mechanisms to bioinspired mimetic antagonists in HIV-1/cell docking 753(2001)327

Proteolysis

Quantitative capillary electrophoresis assay for the proteolytic stability of luteinizing hormone-releasing hormones 769(2002)235

Proteolytic processing

Peptide repertoire of human cerebrospinal fluid: novel proteolytic fragments of neuroendocrine proteins 754(2001)357

Proteome

The BPP (protein biochemistry and proteomics) two-dimensional electrophoresis database 753(2001)23

Proteome analysis

Matrix-assisted laser desorption–ionization mass spectrometry peptide mass fingerprinting for proteome analysis: identification efficiency after on-blot or in-gel digestion with and without desalting procedures 752(2001)311

Proteomic analysis

Proteomic analysis of rat soleus and tibialis anterior muscle following immobilization 769(2002)323

Proteomics

- Proteomics of glycoproteins based on affinity selection of glycopeptides from tryptic digests 752(2001)293
- The BPP (protein biochemistry and proteomics) two-dimensional electrophoresis database 753(2001)23
- Detection technologies in proteome analysis (Review) 771(2002)3
- Proteomic tools for biomedicine (Review) 771(2002)33
- Separation techniques for high-molecular-mass proteins (Review) 771(2002)49
- Separation technologies for glycomics (Review) 771(2002)67
- Functional proteomics; current achievements (Review) 771(2002)89
- Separation and identification of human heart proteins (Review) 771(2002)131
- Proteomic analysis of striated muscle (Review) 771(2002)155
- Proteomic map and database of lymphoblastoid proteins (Review) 771(2002)197
- Proteomic analysis of dental tissues (Review) 771(2002)211
- Database of bronchoalveolar lavage fluid proteins (Review) 771(2002)221
- Alteration of ribosomal protein maps in herpes simplex virus type 1 infection (Review) 771(2002)237
- Separation and surveys of proteins of *Helicobacter pylori* (Review) 771(2002)251
- Bioinformatics, functional genomics, and proteomics study of *Bacillus* sp. (Review) 771(2002)261
- Protein mapping in rat basophilic leukaemia cells (Review) 771(2002)289
- Proteome database of hepatocellular carcinoma (Review) 771(2002)303
- Lactic acid bacteria and proteomics: current knowledge and perspectives 771(2002)329
- Proteomics of allergens 771(2002)343
- Prunoideae fruit**
- Characterization of the major allergen of plum as a lipid transfer protein 756(2001)95

Purification

- Purification of recombinant HBc antigen expressed in *Escherichia coli* and *Pichia pastoris*: comparison of size-exclusion chromatography and ultracentrifugation 753(2001)51

Characterization of human placental alkaline phosphatase by activity and protein assays, capillary electrophoresis and matrix-assisted laser desorption/ionization time-of-flight mass spectrometry 755(2001)311

Purification of factor X by hydrophobic interaction chromatography 755(2001)367

Two-step chromatographic purification of recombinant *Plasmodium falciparum* circumsporozoite protein from *Escherichia coli* 762(2001)77

Q**Quantification**

Quantification and purity determination of newly synthesized thioacridines by capillary liquid chromatography 770(2002)183

Screening, library-assisted identification and validated quantification of oral antidiabetics of the sulfonylurea-type in plasma by atmospheric pressure chemical ionization liquid chromatography–mass spectrometry 773(2002)63

Quantitative retention–activity relationship

Retention pharmacokinetic and pharmacodynamic parameter relationships of antihistamine drugs using biopartitioning micellar chromatography 761(2001)13

Quantitative structure–retention relationships, QSRR

Evaluation of the predictive power of calculation procedure for molecular hydrophobicity of some estradiol derivatives 766(2002)67

Quantitative structure–retention relationships in affinity high-performance liquid chromatography (Review) 768(2002)55

Stereoselective binding of 2-(4-biphenyl)-3-substituted-3-hydroxy-propionic acids on an immobilised human serum albumin chiral stationary phase 768(2002)137

Determination of the retention behavior of barbituric acid derivatives in reversed-phase high-performance liquid chromatography by using quantitative structure–retention relationships 770(2002)227

R

Radioallergosorbent assay

Isolation of food allergens 756(2001)71

Rat basophilic leukaemia cells

Protein mapping in rat basophilic leukaemia cells (Review) 771(2002)289

Real-time biosensor

Quantification of plasma-derived blood coagulation factor VIII by real-time biosensor measurements 752(2001)335

Recombinant protein expression

Two-step chromatographic purification of recombinant *Plasmodium falciparum* circumsporozoite protein from *Escherichia coli* 762(2001)77

Red blood cells

Experimental design methodology applied to the study of channel dimensions on the elution of red blood cells in gravitational field flow fractionation 754(2001)11

Redox state

Simple and sensitive high-performance liquid chromatographic method for the investigation of dynamic changes in the redox state of rat serum albumin 772(2002)139

Relative membrane permeability

Chromatographic approach for determining the relative membrane permeability of drugs 774(2002)89

Restricted access media

Quantitation of entacapone glucuronide in rat plasma by on-line coupled restricted access media column and liquid chromatography–tandem mass spectrometry 759(2001)227

Simultaneous determination of the carboxylate and lactone forms of 10-hydroxycamptothecin in human serum by restricted-access media high-performance liquid chromatography 772(2002)197

Restricted-access material

Enantioselective determination of (*R*)- and (*S*)-sotalol in human plasma by on-line coupling of a restricted-access material precolumn to a cellobiohydrolase I-based chiral stationary phase 775(2002)197

Retention behaviour

Determination of the retention behavior of barbituric acid derivatives in reversed-phase high-performance liquid chromatography by using quantitative structure–retention relationships 770(2002)227

Retention properties

Study of the retention properties of warfarin enantiomers on a β -cyclodextrin polymeric support 753(2001)131

Retention–activity relationships

Retention–property relationships of anticonvulsant drugs by biopartitioning micellar chromatography 757(2001)89

Retention–pharmacologic activity models

Opioid analgetics retention–pharmacologic activity models using biopartitioning micellar chromatography 766(2002)265

Reverse transcription

Quantitative determination of gene expression in human lymphocytes assessed by reverse transcription–polymerase chain reaction coupled to high-performance liquid chromatography 761(2001)237

Reversed phase eluents

Development of a high-performance liquid chromatographic method for bioanalytical applications with sulphiride 763(2001)157

Reviews

Speciation of platinum compounds: a review of recent applications in studies of platinum anticancer drugs (Review) 751(2001)205

Adverse reactions to foods (Review) 756(2001)3

In vivo and in vitro techniques to determine the biological activity of food allergens (Review) 756(2001)41

Isolation of food allergens (Review) 756(2001)71

Bioanalytical characterization of proteins (Review) 756(2001)113

Characterization and identification of allergen epitopes: recombinant peptide libraries and synthetic, overlapping peptides (Review) 756(2001)157

Nuclear magnetic resonance studies of allergens (Review) 756(2001)165

Stability of food allergens and allergenicity of processed foods (Review) 756(2001)207

Recombinant food allergens (Review) 756(2001)255

Genetic modification and plant food allergens: risks and benefits (Review) 756(2001)327

Food legislation and the protection of allergic and hypersensitive persons: an overview (Review) 756(2001)337

Diagnosis of inborn errors of metabolism using filter paper urine, urease treatment, isotope dilution and gas chromatography–mass spectrometry (Review) 758(2001)3

- Clinical applications of tandem mass spectrometry: ten years of diagnosis and screening for inherited metabolic diseases (Review) 758(2001)27
- Initial catabolic steps of isoleucine, the *R*-pathway and the origin of alloisoleucine (Review) 758(2001)49
- Chromatographic techniques for the determination of putative dietary anticancer compounds in biological fluids (Review) 764(2001)3
- Analytical approaches for traditional Chinese medicines exhibiting antineoplastic activity (Review) 764(2001)27
- Antitumor drugs possessing topoisomerase I inhibition: applicable separation methods (Review) 764(2001)49
- Separation and identification methods for metalloproteinase inhibitors (Review) 764(2001)59
- High-performance liquid chromatographic methods for the determination of topoisomerase II inhibitors (Review) 764(2001)81
- Quantitation of camptothecin and related compounds (Review) 764(2001)121
- Separation methods for camptothecin and related compounds (Review) 764(2001)141
- Anthracyclines: recent developments in their separation and quantitation (Review) 764(2001)161
- Cyclophosphamide and related anticancer drugs (Review) 764(2001)173
- Separation methods for anthraquinone related anti-cancer drugs (Review) 764(2001)193
- Separation of finasteride and analogues (Review) 764(2001)207
- Separation methods for methotrexate, its structural analogues and metabolites (Review) 764(2001)217
- Separation methods for alkylating antineoplastic compounds (Review) 764(2001)255
- Separation methods for acyclovir and related antiviral compounds (Review) 764(2001)289
- Separation methods for tricyclic antiviral drugs (Review) 764(2001)313
- Separation methods for nucleoside analogues used for treatment of HIV-1 infection (Review) 764(2001)327
- Separation methods for antiviral phosphorus-containing drugs (Review) 764(2001)349
- High-performance liquid chromatography of HIV protease inhibitors in human biological matrices (Review) 764(2001)363
- Polyamines as cancer markers: applicable separation methods (Review) 764(2001)385
- Cysteine and indole derivatives as markers for malignant melanoma (Review) 764(2001)409
- Separation methods applicable to prostate cancer diagnosis and monitoring therapy (Review) 764(2001)445
- Simple and rapid determination of carboplatin in plasma by high-performance liquid chromatography. Error pattern and application to clinical pharmacokinetic studies (Review) 764(2001)457
- Determination of antiepileptic drugs in biological material 767(2002)191
- High-performance affinity chromatography: a powerful tool for studying serum protein binding (Review) 768(2002)3
- Immobilized-biomembrane affinity chromatography for binding studies of membrane proteins (Review) 768(2002)31
- Immobilized receptor- and transporter-based liquid chromatographic phases for on-line pharmacological and biochemical studies: a mini-review (Review) 768(2002)41
- Quantitative structure–retention relationships in affinity high-performance liquid chromatography (Review) 768(2002)55
- Applications of affinity chromatography to the study of drug–melanin binding interactions 768(2002)67
- Antibody–antigen binding study using size-exclusion liquid chromatography (Review) 768(2002)75
- Estimation of binding constants by capillary electrophoresis (Review) 768(2002)81
- Antigen–antibody interactions in capillary electrophoresis (Review) 768(2002)93
- On-line post-capillary affinity detection of immunoglobulin G for capillary zone electrophoresis (Review) 768(2002)105
- Estimation of drug–protein binding parameters on assuming the validity of thermodynamic equilibrium (Review) 768(2002)113
- Biological monitoring of pesticide exposure: a review of analytical methods (Review) 769(2002)191
- Determination of polycyclic aromatic hydrocarbons in smoked meat products and smoke flavouring food additives (Review) 770(2002)3

- Detection technologies in proteome analysis (Review)
771(2002)3
- Proteomic tools for biomedicine (Review) 771(2002)33
- Separation techniques for high-molecular-mass proteins
(Review) 771(2002)49
- Separation technologies for glycomics (Review) 771(2002)67
- Functional proteomics; current achievements (Review)
771(2002)89
- Monitoring the effects of drug treatment in rat models of
disease by serum protein analysis (Review) 771(2002)107
- Separation and identification of human heart proteins (Review)
771(2002)131
- Proteomic analysis of striated muscle (Review) 771(2002)155
- Proteomic map and database of lymphoblastoid proteins
(Review) 771(2002)197
- Proteomic analysis of dental tissues (Review) 771(2002)211
- Database of bronchoalveolar lavage fluid proteins (Review)
771(2002)221
- Alteration of ribosomal protein maps in herpes simplex virus
type 1 infection (Review) 771(2002)237
- Separation and surveys of proteins of *Helicobacter pylori*
(Review) 771(2002)251
- Bioinformatics, functional genomics, and proteomics study of
Bacillus sp. (Review) 771(2002)261
- Protein mapping in rat basophilic leukaemia cells (Review)
771(2002)289
- Proteome database of hepatocellular carcinoma (Review)
771(2002)303

Ribosomal protein maps

- Alteration of ribosomal protein maps in herpes simplex virus
type 1 infection (Review) 771(2002)237

Robotic sample preparation

- Reduction of animal usage by serial bleeding of mice for
pharmacokinetic studies: application of robotic sample
preparation and fast liquid chromatography–mass spectrometry
754(2001)245

S

Saccharomyces cerevisiae

- Interaction between phosphofructokinase and aldolase from
Saccharomyces cerevisiae studied by aqueous two-phase
partitioning 751(2001)341

Saliva

- Cozart Rapiscan System: our experience with saliva tests
773(2002)1

Sample matrix

- Pherogram normalization in capillary electrophoresis and
micellar electrokinetic chromatography analyses in cases of
sample matrix-induced migration time shifts 770(2002)45

Sample preparation

- Semi-automated liquid–liquid back-extraction in a 96-well
format to decrease sample preparation time for the
determination of dextromethorphan and dextrorphan in human
plasma 772(2002)1

Sample stacking

- Development and validation of a plasma assay for acyclovir
using high-performance capillary electrophoresis with sample
stacking 772(2002)291

Schizandra chinensis

- Liquid chromatographic analysis of supercritical carbon dioxide
extracts of *Schizandra chinensis* 770(2002)283

Screening

- Screening, library-assisted identification and validated
quantification of oral antidiabetics of the sulfonylurea-type in
plasma by atmospheric pressure chemical ionization liquid
chromatography–mass spectrometry 773(2002)63

Seasonal variation

- Seasonal variation in food allergy to apple 756(2001)19

Sedimentation field-flow fractionation

- Sedimentation field-flow fractionation device cleaning,
decontamination and sterilization procedures for cellular analysis
751(2001)131

- Hyphenation of sedimentation field flow fractionation with flow
cytometry 768(2002)285

Semi-conductor laser-induced fluorometry

- Immunoassay for human serum albumin using capillary
electrophoresis–semiconductor laser-induced fluorometry
759(2001)337

Separation techniques

Purification and characterization of murine beta-nerve growth factor 753(2001)245

Serial bleeding

Reduction of animal usage by serial bleeding of mice for pharmacokinetic studies: application of robotic sample preparation and fast liquid chromatography–mass spectrometry 754(2001)245

Sesame seeds

The major allergen of sesame seeds (*Sesamum indicum*) is a 2S albumin 756(2001)85

Signal-processing software

Pherogram normalization in capillary electrophoresis and micellar electrokinetic chromatography analyses in cases of sample matrix-induced migration time shifts 770(2002)45

Silica column

Novel liquid chromatographic–tandem mass spectrometric methods using silica columns and aqueous–organic mobile phases for quantitative analysis of polar ionic analytes in biological fluids 754(2001)387

Development of a high-performance liquid chromatographic method for bioanalytical applications with sulphiride 763(2001)157

Silicon microstructures

Silicon microstructures for high-speed and high-sensitivity protein identifications 752(2001)217

Single strand conformation polymorphism

Separation of DNA fragments and single strand conformation polymorphism analysis in bare capillaries using poly(acrylamide–dimethylacrylamide) as a separation medium 761(2001)139

Size exclusion chromatography

Fractionation of phosphorus and trace elements species in soybean flour and common white bean seeds by size exclusion chromatography–inductively coupled plasma mass spectrometry 770(2002)261

Skin prick test

In vivo and in vitro techniques to determine the biological activity of food allergens (Review) 756(2001)41

Standardization of food allergen extracts for skin prick test 756(2001)57

Isolation of food allergens (Review) 756(2001)71

Characterization of the major allergen of plum as a lipid transfer protein 756(2001)95

Solid-phase extraction

Determination of residues of enrofloxacin and its metabolite ciprofloxacin in biological materials by capillary electrophoresis 759(2001)73

Simultaneous high-performance liquid chromatography determination of carbamazepine and five of its metabolites in plasma of epileptic patients 762(2001)109

Solid-phase extraction–pipette tips coupling

Feasibility of the direct coupling of solid-phase extraction–pipette tips with a programmed-temperature vaporiser for gas chromatographic analysis of drugs in plasma 766(2002)37

Solid-phase microextraction

Supercritical fluid extraction of steroids from biological samples and first experience with solid-phase microextraction–liquid chromatography 770(2002)83

Soybean flour

Fractionation of phosphorus and trace elements species in soybean flour and common white bean seeds by size exclusion chromatography–inductively coupled plasma mass spectrometry 770(2002)261

Speciation

Speciation and metabolism of selenium injected with ⁸²Se-enriched selenite and selenate in rats 760(2001)73

Identification of a novel selenium metabolite, Se-methyl-*N*-acetylselenohexosamine, in rat urine by high-performance liquid chromatography–inductively coupled plasma mass spectrometry and –electrospray ionization tandem mass spectrometry 767(2002)301

St. John's Wort

High performance liquid chromatographic analysis of St. John's Wort with photodiode array detection 765(2001)99

Stability

Quantitative capillary electrophoresis assay for the proteolytic stability of luteinizing hormone-releasing hormones 769(2002)235

Stacking

Discontinuous electrophoretic stacking system for cholate-based electrokinetic chromatographic separation of 8-hydroxy-2'-deoxyguanosine from unmodified deoxynucleosides 763(2001)71

Sterilization

Sedimentation field-flow fractionation device cleaning, decontamination and sterilization procedures for cellular analysis 751(2001)131

Stir bar sorptive extraction

Stir bar sorptive extraction–thermal desorption–capillary gas chromatography–mass spectrometry applied to the analysis of polychlorinated biphenyls in human sperm 755(2001)137

Stirrer tank

Stirrer tank: an appropriate technology to immobilize the CB.Hep-1 monoclonal antibody for immunoaffinity purification 754(2001)77

Striated muscle

Proteomic analysis of striated muscle (Review) 771(2002)155

Supercritical fluid extraction

Simultaneous supercritical fluid extraction and chemical derivatization for the gas chromatographic–isotope dilution mass spectrometric determination of amphetamine and methamphetamine in urine 759(2001)17

Extraction and isolation of avermectins and milbemycins from liver samples using unmodified supercritical CO₂ with in-line trapping on basic alumina 761(2001)115

Supercritical fluid extraction of steroids from biological samples and first experience with solid-phase microextraction–liquid chromatography 770(2002)83

Systematic toxicological analysis

Ion suppression effects in liquid chromatography–electrospray-ionisation transport-region collision induced dissociation mass spectrometry with different serum extraction methods for systematic toxicological analysis with mass spectra libraries 773(2002)47

T**Temperature programming**

Simultaneous determination of citalopram, fluoxetine, paroxetine and their metabolites in plasma by temperature-programmed packed capillary liquid chromatography with on-column focusing of large injection volumes 766(2002)77

Therapeutic drug monitoring

Development and validation of a plasma assay for acyclovir using high-performance capillary electrophoresis with sample stacking 772(2002)291

Thermodynamic equilibrium

Estimation of drug–protein binding parameters on assuming the validity of thermodynamic equilibrium (Review) 768(2002)113

Thin microporous beds

Chromatographic performance of a thin microporous bed of nitrocellulose 763(2001)107

Thiophilic interaction chromatography

Thiophilic interaction chromatography of prostate-specific antigen 754(2001)521

Three-dimensional protein map

Three-dimensional protein map according to pI, hydrophobicity and molecular mass 774(2002)53

Thyme

Determination of thymol in human plasma by automated headspace solid-phase microextraction–gas chromatographic analysis 767(2002)11

TLC

Effect of molecular parameters on the binding of phenoxyacetic acid derivatives to albumins 753(2001)87

Tobacco smoking

Determination of monobromobimane derivatives of phenylmercapturic and benzylmercapturic acids in urine by high-performance liquid chromatography and fluorimetry 751(2001)305

Transdermal

Determination of transdermal sildenafil in nude mouse skin by reversed-phase high-performance liquid chromatography 765(2001)161

Tryptic digests

Simplification of complex tryptic digests for capillary electrophoresis by affinity selection of histidine-containing peptides with immobilised metal ion affinity chromatography 772(2002)35

U**Ultrafiltration**

Ultrafiltration to fractionate wheat polypeptides 753(2001)29

Ultrafiltration membrane

Role of electrophoretic mobility of protein on its retention by an ultrafiltration membrane. Comparison to chromatography mechanisms 753(2001)3

Ultraviolet photolysis

Determination of palladium in human urine by high-performance liquid chromatography and ultraviolet detection after ultraviolet photolysis and selective solid-phase extraction 760(2001)237

Urease treatment

Diagnosis of inborn errors of metabolism using filter paper urine, urease treatment, isotope dilution and gas chromatography–mass spectrometry (Review) 758(2001)3

Urinary excretion

Development of a sensitive high-performance thin-layer chromatography method for estimation of ranitidine in urine and its application for bioequivalence decision for ranitidine tablet formulations 767(2002)83

Urine analysis

Improved coupled column liquid chromatographic method for high-speed direct analysis of urinary *trans,trans*-muconic acid, as a biomarker of exposure to benzene 751(2001)331

UV detection

Discontinuous electrophoretic stacking system for cholate-based electrokinetic chromatographic separation of 8-hydroxy-2'-deoxyguanosine from unmodified deoxynucleosides 763(2001)71

Simultaneous determination of cloricromene and its active metabolite in rabbit aqueous humor by high-performance liquid chromatography 767(2002)153

V**Validation**

Quantitation of itraconazole in rat heparinized plasma by liquid chromatography–mass spectrometry 752(2001)9

W**Weighting schemes**

Linear regression for calibration lines revisited: weighting schemes for bioanalytical methods 774(2002)215

96-Well plates

Development of a high throughput 96-well plate sample preparation method for the determination of trileptal (oxcarbazepine) and its metabolites in human plasma 762(2001)9

96-Well SPE

Simultaneous determination of hydrocodone and hydromorphone in human plasma by liquid chromatography with tandem mass spectrometric detection 769(2002)55

Wheat

Ultrafiltration to fractionate wheat polypeptides 753(2001)29

X***Xanthomonas albilineans***

Identification of xanthans isolated from sugarcane juices obtained from scalded plants infected by *Xanthomonas albilineans* 770(2002)277

X-ray structure analysis

X-ray structure analysis of food allergens 756(2001)179