



ELSEVIER

Journal of Chromatography B, 779 (2002) 89–154

JOURNAL OF
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

CUMULATIVE COMPOUND INDEX

J. CHROMATOGR. B VOLS. 751–775

For all compound groups: see also sub-groups and individual compounds
For all compound sub-groups: see also main groups and individual compounds
For all individual compounds: see also compound groups and sub-groups

A

A2

Studies on the metabolism and toxicological detection of the new designer drug *N*-benzylpiperazine in urine using gas chromatography–mass spectrometry 773(2002)35

Abacavir

High-performance liquid chromatographic assay for abacavir and its two major metabolites in human urine and cerebrospinal fluid 762(2001)165

Abacavir 5'-carboxylate

High-performance liquid chromatographic assay for abacavir and its two major metabolites in human urine and cerebrospinal fluid 762(2001)165

Abacavir 5'-glucuronide

High-performance liquid chromatographic assay for abacavir and its two major metabolites in human urine and cerebrospinal fluid 762(2001)165

Abamectin

Multi-residue analysis of avermectins in swine liver by immunoaffinity extraction and liquid chromatography–mass spectrometry 755(2001)361

2-Acetamide-1,2-dideoxy-β-D-glucopyranosyl methylselenide

Identification of a novel selenium metabolite, Se-methyl-*N*-acetylselenohexosamine, in rat urine by high-performance liquid chromatography–inductively coupled plasma mass spectrometry and –electrospray ionization tandem mass spectrometry 767(2002)301

Acetaminophen glucuronide

High-performance liquid chromatographic assay for acetaminophen glucuronide in human liver microsomes 753(2001)303

5-Acetylamino-6-amino-3-methyluracil

Determination of *N*-acetylation phenotype using caffeine as a metabolic probe and high-performance liquid chromatography with either ultraviolet detection or electrospray mass spectrometry 760(2001)55

Acetylcholine

Internal standard method for the measurement of choline and acetylcholine by capillary electrophoresis with electrochemical detection 775(2002)49

Acetylcholinesterase

Determination of donepezil, an acetylcholinesterase inhibitor, in human plasma by high-performance liquid chromatography with ultraviolet absorbance detection 768(2002)261

Acetylcholinesterase immobilisation

Determination of inhibitors' potency (IC_{50}) by a direct high-performance liquid chromatographic method on an immobilised acetylcholinesterase column 753(2001)375

***N*-Acetyl-*S*-(*N*-methylcarbamoyl)cysteine**

Analysis of urinary *N*-acetyl-*S*-(*N*-methylcarbamoyl)cysteine, the mercapturic acid derived from *N,N*-dimethylformamide 759(2001)349

Acetyl–Ser–Asp–Lys–Pro

Characterization of immunoreactive acetyl–Ser–Asp–Lys–Pro in human plasma and urine by liquid chromatography–electrospray mass spectrometry 752(2001)69

***N*⁴-Acetylsulfadiazine**

New simple liquid chromatographic method for the determination of trimethoprim, sulfadiazine and *N*⁴-acetylsulfadiazine in plasma of broilers 769(2002)253

***N*-Acetyltransferase**

Extractionless method for the simultaneous high-performance liquid chromatographic determination of urinary caffeine metabolites for *N*-acetyltransferase 2, cytochrome P450 1A2 and xanthine oxidase activity assessment 755(2001)73

Acid-labile sulphur

Determination of hydrogen sulfide and acid-labile sulfur in animal tissues by gas chromatography and ion chromatography 757(2001)31

Acridonecarboxamide

Bioanalysis and preliminary pharmacokinetics of the acridonecarboxamide derivative GF120918 in plasma of mice and humans by ion-pairing reversed-phase high-performance liquid chromatography with fluorescence detection 759(2001)135

Acrolein

Determination of acrolein by headspace solid-phase microextraction gas chromatography and mass spectrometry 758(2001)123

Acrylamide

Determination of acrylamide and glycidamide in rat plasma by reversed-phase high performance liquid chromatography 758(2001)289

Activity evaluation

Determination of inhibitors' potency (IC_{50}) by a direct high-performance liquid chromatographic method on an immobilised acetylcholinesterase column 753(2001)375

Acyclovir

Separation methods for acyclovir and related antiviral compounds (Review) 764(2001)289

Development and validation of a plasma assay for acyclovir using high-performance capillary electrophoresis with sample stacking 772(2002)291

Determination of acyclovir in maternal plasma, amniotic fluid, fetal and placental tissues by high-performance liquid chromatography 772(2002)327

***N*-Acylaziridine**

Delta(2)-oxazolines-1,3 and *N*-acylaziridines as potential proinsecticides of carboxylic acids. V. Direct thin-layer chromatography monitoring of the metabolism in locust tissues 761(2001)35

Acylcarnitines

Clinical applications of tandem mass spectrometry: ten years of diagnosis and screening for inherited metabolic diseases (Review) 758(2001)27

Acylglycines

Clinical applications of tandem mass spectrometry: ten years of diagnosis and screening for inherited metabolic diseases (Review) 758(2001)27

Adamantyltripeptides

Reversed-phase high-performance liquid chromatographic method for the determination of peptidoglycan monomers and structurally related peptides and adamantyltripeptides 773(2002)167

Adenine

Simultaneous determination of six adenyl purines in human plasma by high-performance liquid chromatography with fluorescence derivatization 760(2001)159

Adenosine

Simultaneous determination of six adenyl purines in human plasma by high-performance liquid chromatography with fluorescence derivatization 760(2001)159

Adenosine nucleotides

Adenosine nucleotides in rat bone measured by ion-pair reversed-phase high-performance liquid chromatography: effect of hemorrhagic shock, with and without retransfusion of blood 761(2001)159

S-Adenosyl-L-homocysteine

Reversed-phase high-performance liquid chromatography procedure for the simultaneous determination of *S*-adenosyl-L-methionine and *S*-adenosyl-L-homocysteine in mouse liver and the effect of methionine on their concentrations 762(2001)59

S-Adenosyl-L-methionine

Reversed-phase high-performance liquid chromatography procedure for the simultaneous determination of *S*-adenosyl-L-methionine and *S*-adenosyl-L-homocysteine in mouse liver and the effect of methionine on their concentrations 762(2001)59

Adenovirus particles

Improved high-performance liquid chromatographic method in the analysis of adenovirus particles 755(2001)27

Adenovirus type 5 particles

Validation of a high-performance liquid chromatographic assay for the quantification of adenovirus type 5 particles 761(2001)187

Adenyl purines

Simultaneous determination of six adenyl purines in human plasma by high-performance liquid chromatography with fluorescence derivatization 760(2001)159

ADP

Simultaneous determination of six adenyl purines in human plasma by high-performance liquid chromatography with fluorescence derivatization 760(2001)159

Advanced glycated end products

Protein adsorption on histidyl-aminohexyl-Sepharose 4B. I. Study of the mechanistic aspects of adsorption for the separation of human serum albumin from its non-enzymatic glycated isoforms (advanced glycosylated end products) 758(2001)163

AG1478

High-performance liquid chromatographic analysis of the tyrophostin AG1478, a specific inhibitor of the epidermal growth factor receptor tyrosine kinase, in mouse plasma 754(2001)193

 β -2 Agonists

Screening of β -2 agonists and confirmation of fenoterol, orciprenaline, reproterol and terbutaline with gas chromatography–mass spectrometry as tetrahydroisoquinoline derivatives 751(2001)93

 β_2 -Agonists

External contamination of bovine hair with β_2 -agonist compounds: evaluation of decontamination strategies 767(2002)235

AHN-1055

Determination of the benztropine analog AHN-1055, a dopamine uptake inhibitor, in rat plasma and brain by high-performance liquid chromatography with ultraviolet absorbance detection 768(2002)305

D-Ala

Rapid quantification of the δ -opioid receptor selective enkephalin DPDPE in canine cerebrospinal fluid by liquid chromatography–mass spectrometry 772(2002)73

Alachlor

Determination of alachlor and its metabolites in rat plasma and urine by liquid chromatography–electrospray ionization mass spectrometry 767(2002)93

Alanine

Determination of free D-aspartic acid, D-serine and D-alanine in the brain of mutant mice lacking D-amino-acid oxidase activity 757(2001)119

Simultaneous determination of F- β -alanine and β -alanine in plasma and urine with dual-column reversed-phase high-performance liquid chromatography 759(2001)51

Albumin

Effect of molecular parameters on the binding of phenoxyacetic acid derivatives to albumins 753(2001)87

Determination of albumin and myoglobin in dialysate and ultrafiltrate samples by high-performance size-exclusion chromatography 754(2001)141

The major allergen of sesame seeds (*Sesamum indicum*) is a 2S albumin 756(2001)85

Albuterol

Novel liquid chromatographic–tandem mass spectrometric methods using silica columns and aqueous–organic mobile phases for quantitative analysis of polar ionic analytes in biological fluids 754(2001)387

Aldolase

Interaction between phosphofruktokinase and aldolase from *Saccharomyces cerevisiae* studied by aqueous two-phase partitioning 751(2001)341

Aldrin

Analyses of lindane, vinclozolin, aldrin, *p,p'*-DDE, *o,p'*-DDT and *p,p'*-DDT in human serum using gas chromatography with electron capture detection and tandem mass spectrometry 760(2001)1

Alendronate

Determination of alendronate in human urine as 9-fluorenylmethyl derivative by high-performance liquid chromatography 767(2002)111

Alfentanil

Chromatographic approach for determining the relative membrane permeability of drugs 774(2002)89

ALIMTA

Highly sensitive analysis of the antifolate pemetrexed sodium, a new cancer agent, in human plasma and urine by high-performance liquid chromatography 765(2001)135

Alkaline phosphatase

Characterization of human placental alkaline phosphatase by activity and protein assays, capillary electrophoresis and matrix-assisted laser desorption/ionization time-of-flight mass spectrometry 755(2001)311

Alkaloids

Endogenous alkaloids in man. XXXVIII. “Chiral” and “achiral” determination of the neurotoxin TaClo (1-trichloromethyl-1,2,3,4-tetrahydro- β -carboline) from blood and urine samples by high-performance liquid chromatography–electrospray ionization tandem mass spectrometry 767(2002)321

Alkylating antineoplastic compounds

Separation methods for alkylating antineoplastic compounds (Review) 764(2001)255

Alkyl-diol silica

Influence of various biological matrices (plasma, blood microdialysate) on chromatographic performance in the determination of β -blockers using an alkyl-diol silica precolumn for sample clean-up 765(2001)167

Alkylphenols

Solid-phase extraction method for the determination of free and conjugated phenol compounds in human urine 773(2002)89

Alkylphosphocholine

Quantitative determination of perifosine, a novel alkylphosphocholine anticancer agent, in human plasma by reversed-phase liquid chromatography–electrospray mass spectrometry 759(2001)247

Allergen

Two new variants of the lipocalin allergen Bos d 2 763(2001)91

Proteomics of allergens 771(2002)343

Alloisoleucine

Initial catabolic steps of isoleucine, the *R*-pathway and the origin of alloisoleucine (Review) 758(2001)49

17-(Allylamino)-17-demethoxygeldanamycin

Measurement of the novel antitumor agent 17-(allylamino)-17-demethoxygeldanamycin in human plasma by high-performance liquid chromatography 755(2001)237

Aloenin

Determination of aloenin, barbaloin and isobarbaloin in *Aloe* species by micellar electrokinetic chromatography 752(2001)91

Aloesin

Determination of aloesin in rat plasma using a column-switching high-performance liquid chromatographic assay 754(2001)121

Alphagan

Quantitation of mitomycin C in human ocular tissues by high-performance liquid chromatography–photo-diode array detection 755(2001)65

Alumina

Extraction and isolation of avermectins and milbemycins from liver samples using unmodified supercritical CO₂ with in-line trapping on basic alumina 761(2001)115

Amantadine

Separation methods for tricyclic antiviral drugs (Review) 764(2001)313

Amifostine

New liquid chromatographic assay with electrochemical detection for the measurement of amifostine and WR1065 772(2002)257

Amino acid neurotransmitters

Analysis of trace amino acid neurotransmitters in hypothalamus of rats after exhausting exercise using microdialysis 758(2001)277

Amino acids

Plasma L-arginine is markedly reduced in pregnant women affected by preeclampsia 753(2001)427

Separation of free amino acids in human plasma by capillary electrophoresis with laser induced fluorescence: potential for emergency diagnosis of inborn errors of metabolism 754(2001)217

Amino acid modifications in canine, equine and porcine pituitary growth hormones, identified by peptide-mass mapping 757(2001)237

Simplified in-line sample preparation for amino acid analysis in carbohydrate containing samples 758(2001)189

Capillary electrochromatographic study of the interactions of porphyrin derivatives with amino acids and oligopeptides 770(2002)165

Optimization of a free separation of 30 free amino acids and peptides by capillary zone electrophoresis with indirect absorbance detection: a potential for quantification in physiological fluids 772(2002)19

Rapid diagnosis of phenylketonuria and other aminoacidemias by quantitative analysis of amino acids in neonatal blood spots by gas chromatography–mass spectrometry 775(2002)115

Amino acids, neutral

Improved method for the measurement of large neutral amino acids in biological matrices 754(2001)369

γ -Aminobutyric acid

Rapid and sensitive step gradient assays of glutamate, glycine, taurine and γ -aminobutyric acid by high-performance liquid chromatography–fluorescence detection with *o*-phthalaldehyde–mercaptoethanol derivatization with an emphasis on microdialysis samples 757(2001)277

9-Aminocamptothecin

Determination of 9-nitrocamptothecin and its metabolite 9-aminocamptothecin in human plasma using high-performance liquid chromatography with ultraviolet and fluorescence detection 775(2002)231

Amino groups

Reversible fluorescence labeling of amino groups of protein using dansylaminomethylmaleic anhydride 769(2002)47

***p*-Aminohippuric acid**

Simultaneous determination of inulin and *p*-aminohippuric acid in plasma and urine by reversed-phase high-performance liquid chromatography 751(2001)187

2-Aminopyridine

Application of 2-aminopyridine fluorescence labeling in the analysis of *in vivo* and *in vitro* metabolism of dextran sulfate sodium by size-exclusion high-performance liquid chromatography 753(2001)209

***p*-Aminosalicylic acid**

Ion interaction reagent reversed-phase high-performance liquid chromatography determination of anti-tuberculosis drugs and metabolites in biological fluids 754(2001)477

Aminosugars

Improved high-performance liquid chromatographic method to estimate aminosugars and its application to glycosaminoglycan determination in plasma and serum 765(2001)151

Amino thiols

Simultaneous analysis of homocysteine and methionine in plasma 759(2001)145

Amiodarone

Metabolism of amiodarone. II. High-performance liquid chromatographic assay for mono-*N*-desethylamiodarone hydroxylation in liver microsomes 757(2001)309

Determination of amiodarone and desethylamiodarone in human plasma by high-performance liquid chromatography–electrospray ionization tandem mass spectrometry with an ion trap detector 766(2002)219

High-performance liquid chromatographic assay for amiodarone *N*-deethylation activity in human liver microsomes using solid-phase extraction 774(2002)105

Amlodipine

Determination of amlodipine in human plasma by high-performance liquid chromatography with fluorescence detection 758(2001)305

Amoxicillin

Measurement of amoxicillin in plasma and gastric samples using high-performance liquid chromatography with fluorimetric detection 774(2002)141

AMP

Simultaneous determination of six adenyl purines in human plasma by high-performance liquid chromatography with fluorescence derivatization 760(2001)159

Amphetamine

Analysis of benzphetamine and its metabolites in rat urine by liquid chromatography–electrospray ionization mass spectrometry 751(2001)277

Simultaneous supercritical fluid extraction and chemical derivatization for the gas chromatographic–isotope dilution mass spectrometric determination of amphetamine and methamphetamine in urine 759(2001)17

Amphetamines

New method of derivatization and headspace solid-phase microextraction for gas chromatographic–mass spectrometric analysis of amphetamines in hair 758(2001)95

Rapid screening method for determination of Ecstasy and amphetamines in urine samples using gas chromatography–chemical ionisation mass spectrometry 769(2002)243

Amphotericin B

Determination of amphotericin B, liposomal amphotericin B, and amphotericin B colloidal dispersion in plasma by high-performance liquid chromatography 760(2001)307

Amprenavir

Simultaneous determination of the HIV protease inhibitors indinavir, amprenavir, saquinavir, ritonavir and nelfinavir in human plasma by high-performance liquid chromatography 755(2001)85

Simultaneous determination of the HIV-protease inhibitors indinavir, amprenavir, ritonavir, saquinavir and nelfinavir in human plasma by reversed-phase high-performance liquid chromatography 757(2001)325

High-performance liquid chromatographic assay to determine the plasma levels of HIV-protease inhibitors (amprenavir, indinavir, nelfinavir, ritonavir and saquinavir) and the non-nucleoside reverse transcriptase inhibitor (nevirapine) after liquid–liquid extraction 758(2001)129

Determination of amprenavir, a HIV-1 protease inhibitor, in human seminal plasma using high-performance liquid chromatography–tandem mass spectrometry 766(2002)307

 α -Amylase

Analysis of α -amylase-derived pyridylamino-dextran sulfate oligomers by the combination of size-exclusion and reversed-phase high-performance liquid chromatography 766(2002)351

Amyloid β peptides

Combined use of micro-preparative gel electrophoresis and reversed-phase high-performance liquid chromatography for purification of amyloid β peptides deposited in brains of Alzheimer's disease patients 769(2002)363

Anabolic steroids

Automated sample preparation and gas chromatographic–mass spectrometric analysis of urinary androgenic anabolic steroids 755(2001)17

Angiotensin I-converting enzyme inhibitor

Characterization of immunoreactive acetyl–Ser–Asp–Lys–Pro in human plasma and urine by liquid chromatography–electrospray mass spectrometry 752(2001)69

Angiotensin-converting enzyme inhibitors

Effect of column temperature on the behaviour of some angiotensin converting enzyme inhibitors during high-performance liquid chromatographic analysis 755(2001)229

Aniline

Binding of substituted phenol and aniline derivatives to the corn protein zein studied by high-performance liquid chromatography 753(2001)79

Anthocyanins

Influence of storage conditions on the stability of monomeric anthocyanins studied by reversed-phase high-performance liquid chromatography 770(2002)297

Anthracyclines

Anthracyclines: recent developments in their separation and quantitation (Review) 764(2001)161

Separation methods for anthraquinone related anti-cancer drugs (Review) 764(2001)193

Anthraquinone

Separation methods for anthraquinone related anti-cancer drugs (Review) 764(2001)193

Antibiotics

Determination of amphotericin B, liposomal amphotericin B, and amphotericin B colloidal dispersion in plasma by high-performance liquid chromatography 760(2001)307

Study of different off-line sample processing procedures and the measurement of antibiotic and antiviral levels in human serum by high-performance liquid chromatography 773(2002)159

Antibodies

A dual-mode approach to the selective separation of antibodies and their fragments 755(2001)36

Grid-immunoblotting: a fast and simple technique to test multiple allergens with small amounts of antibody for cross-reactivity 756(2001)151

Antibody–antigen binding study using size-exclusion liquid chromatography 768(2002)75

Antigen–antibody interactions in capillary electrophoresis 768(2002)93

Electrophoretic characteristics of monoclonal immunoglobulin G of different subclasses 771(2002)355

Anticonvulsant drugs

Retention–property relationships of anticonvulsant drugs by biopartitioning micellar chromatography 757(2001)89

Antidepressants

Separation of new antidepressants and their metabolites by micellar electrokinetic capillary chromatography 773(2002)17

Antidiabetics

Screening, library-assisted identification and validated quantification of oral antidiabetics of the sulfonylurea-type in plasma by atmospheric pressure chemical ionization liquid chromatography–mass spectrometry 773(2002)63

Anti-DNA antibody

Polyhydroxyethylmethacrylate-based magnetic DNA-affinity beads for anti-DNA antibody removal from systemic lupus erythematosus patient plasma 760(2001)137

Antiepileptic drugs

Determination of antiepileptic drugs in biological material 767(2002)191

Antigens

Antibody–antigen binding study using size-exclusion liquid chromatography 768(2002)75

Antigen–antibody interactions in capillary electrophoresis 768(2002)93

Antihistamines

Retention pharmacokinetic and pharmacodynamic parameter relationships of antihistamine drugs using biopartitioning micellar chromatography 761(2001)13

Anti-MUC1 antibodies

Purification of anti-MUC1 antibodies by peptide mimotope affinity chromatography using peptides derived from a polyvalent phage display library 766(2002)13

Antivirals

Study of different off-line sample processing procedures and the measurement of antibiotic and antiviral levels in human serum by high-performance liquid chromatography 773(2002)159

APCP363

High-performance liquid chromatographic assays for a second-generation novel oral iron chelator (APCP363) and their application to pharmacokinetic studies in rats 751(2001)107

Api g 4

Cross-reactivity within the profilin panallergen family investigated by comparison of recombinant profilins from pear (Pyr c 4), cherry (Pru av 4) and celery (Api g 4) with birch pollen profilin Bet v 2 756(2001)315

Aplidine

Degradation kinetics of apolidine, a new marine antitumoural cyclic peptide, in aqueous solution 754(2001)161

Apolipoprotein E

Capillary electrophoresis with laser-induced fluorescence detection for fast and reliable apolipoprotein E genotyping 775(2002)17

Arabinitol

Gas chromatographic determination of D-/L-arabinitol ratio in healthy Polish children 773(2002)175

 α_1 -Acid glycoprotein

Estimation of drug-protein binding parameters on assuming the validity of thermodynamic equilibrium 768(2002)113

Arbutin

Validated method for the determination of hydroquinone in human urine by high-performance liquid chromatography–coulometric-array detection 761(2001)125

Arginine

Convenient method for the determination of arginine and its related compounds in rumen fluid by reversed-phase high-performance liquid chromatography 755(2001)321

L-Arginine

Plasma L-arginine is markedly reduced in pregnant women affected by preeclampsia 753(2001)427

Aristolochic acid

High-performance liquid chromatographic determination for aristolochic acid in medicinal plants and slimming products 766(2002)169

Aromatic amino acids

Aromatic amino acids and their derivatives as ligands for the isolation of aspartic proteinases 770(2002)121

Capillary electrochromatographic separation of aromatic amino acids possessing peptides using porphyrin derivatives as the inner wall modifiers 770(2002)155

Arsenate

Ion chromatographic separation and determination of phosphate and arsenate in water and hair 767(2002)363

Artemether

Development and validation of a high-performance liquid chromatography–mass spectrometry assay for the determination of artemether and its metabolite dihydroartemisinin in human plasma 774(2002)195

Arylether antiarrhythmic

Determination of an arylether antiarrhythmic and its N-dealkyl metabolite in rat plasma and hepatic microsomal incubates using liquid chromatography–tandem mass spectrometry 759(2001)259

Ascorbic acid

Chromatographic techniques for the determination of putative dietary anticancer compounds in biological fluids (Review) 764(2001)3

Aspartate

Determination of D- and L-aspartate in cell culturing medium, within cells of MPT1 cell line and in rat blood by a column-switching high-performance liquid chromatographic method 761(2001)99

Aspartic acid

Determination of free D-aspartic acid, D-serine and D-alanine in the brain of mutant mice lacking D-amino-acid oxidase activity 757(2001)119

Determination of free aspartic acid enantiomers in rat brain by capillary electrophoresis with laser-induced fluorescence detection 762(2001)97

Aspartic proteinases

Aromatic amino acids and their derivatives as ligands for the isolation of aspartic proteinases 770(2002)121

Atenolol

Enantioselective analysis of atenolol in biologic fluids: comparison of liquid–liquid and solid-phase extraction methods 767(2002)1

Atovaquone

Automated solid-phase extraction method for the determination of atovaquone in capillary blood applied onto sampling paper by rapid high-performance liquid chromatography 758(2001)137

ATP

Simultaneous determination of six adenylyl purines in human plasma by high-performance liquid chromatography with fluorescence derivatization 760(2001)159

ATPase CF1

Use of the Hummel and Dreyer method for the study of nucleotide binding on chloroplast ATPase CF1 768(2002)167

Attractyloside

Gas chromatographic–mass spectrometric confirmation of attractyloside in a patient poisoned with *Callilepis laureola* 765(2001)127

Avermectin analogue

High-performance liquid chromatographic assay for the determination of a semisynthetic avermectin analog (eprinomectin) in bovine milk at parts per billion levels—method development and validation 772(2002)99

Avermectins

Multi-residue analysis of avermectins in swine liver by immunoaffinity extraction and liquid chromatography–mass spectrometry 755(2001)361

Extraction and isolation of avermectins and milbemycins from liver samples using unmodified supercritical CO₂ with in-line trapping on basic alumina 761(2001)115

4-Azasteroids

Separation of finasteride and analogues (Review) 764(2001)207

Azide

Application of a new analytical method using gas chromatography and gas chromatography–mass spectrometry for the azide ion to human blood and urine samples of an actual case 752(2001)149

3'-Azido-2',3'-dideoxyuridine

Determination of 3'-azido-2',3'-dideoxyuridine in maternal plasma, amniotic fluid, fetal and placental tissues by high-performance liquid chromatography 755(2001)165

Azo dye

Analysis of the metabolites of the sodium salt of 6-hydroxy-5-(phenylazo)-2-naphthalenesulfonic acid in Sprague–Dawley rat urine 754(2001)411

B**Bacille Calmette–Guerin**

Electron-capture gas chromatographic–chemical ionization mass spectrometric study of sera from people vaccinated with bacille Calmette–Guerin for characteristic metabolites 751(2001)143

Barbaloin

Determination of aloenin, barbaloin and isobarbaloin in *Aloe* species by micellar electrokinetic chromatography 752(2001)91

Barbituric acid

Determination of the retention behavior of barbituric acid derivatives in reversed-phase high-performance liquid chromatography by using quantitative structure–retention relationships 770(2002)227

Benzene

Determination of monobromobimane derivatives of phenylmercapturic and benzylmercapturic acids in urine by high-performance liquid chromatography and fluorimetry 751(2001)305

Improved coupled column liquid chromatographic method for high-speed direct analysis of urinary *trans,trans*-muconic acid, as a biomarker of exposure to benzene 751(2001)331

Direct analysis of urinary *trans,trans*-muconic acid by coupled column liquid chromatography and spectrophotometric ultraviolet detection: method applicability to human urine 758(2001)295

Validated method for quantitation of biomarkers for benzene and its alkylated analogues in urine 774(2002)173

Benzodiazepines

Simultaneous determination of fifteen low-dosed benzodiazepines in human urine by solid-phase extraction and gas chromatography–mass spectrometry 765(2001)187

Validation of a liquid chromatographic–tandem mass spectrometric method for the measurement of (*R*)-1-[2,3-dihydro-2-oxo-1-pivaloylmethyl-5-(2-pyridyl)-1H-1,4-benzodiazepin-3-yl]-3-(3-methylaminophenyl)urea (YF476) in human plasma 772(2002)317

p-Benzoquinone

Determination of cycloserine in human plasma by high-performance liquid chromatography with fluorescence detection, using derivatization with *p*-benzoquinone 761(2001)27

Benzothiadiazine

Screening, confirmation and quantitation of diuretics in urine for doping control analysis by high-performance liquid chromatography–atmospheric pressure ionisation tandem mass spectrometry 757(2001)49

Benzoylcegonine

Analysis of cocaethylene, benzoylcegonine and cocaine in human urine by high-performance thin-layer chromatography with ultraviolet detection: a comparison with high-performance liquid chromatography 751(2001)19

Confirmation of cocaine exposure by gas chromatography–mass spectrometry of urine extracts after methylation of benzoylcegonine 773(2002)83

Benzphetamine

Analysis of benzphetamine and its metabolites in rat urine by liquid chromatography–electrospray ionization mass spectrometry 751(2001)277

Benztropine analogue

Determination of the benztropine analog AHN-1055, a dopamine uptake inhibitor, in rat plasma and brain by high-performance liquid chromatography with ultraviolet absorbance detection 768(2002)305

Benzylmercapturic acid

Determination of monobromobimane derivatives of phenylmercapturic and benzylmercapturic acids in urine by high-performance liquid chromatography and fluorimetry 751(2001)305

N-Benzylpiperazine (BZP)

Studies on the metabolism and toxicological detection of the new designer drug *N*-benzylpiperazine in urine using gas chromatography–mass spectrometry 773(2002)35

Betaine

Improved capillary electrophoresis conditions for the separation of kinase substrates by the laser micropipet system 757(2001)79

Betaxolol

Determination of betaxolol in human aqueous humour by high-performance liquid chromatography with fluorescence detection 772(2002)179

Bet v 1 allergen

Pyr c 1, the major allergen from pear (*Pyrus communis*), is a new member of the Bet v 1 allergen family 756(2001)281

Bet v 2

Cross-reactivity within the profilin panallergen family investigated by comparison of recombinant profilins from pear (Pyr c 4), cherry (Pru av 4) and celery (Api g 4) with birch pollen profilin Bet v 2 756(2001)315

Bexarotene

Validated liquid chromatographic method for the determination of bexarotene in human plasma 775(2002)189

Bilastine

Matrix solid-phase dispersion technique for the determination of a new antiallergic drug, bilastine, in rat faeces 760(2001)187

Bile acids

High-performance liquid chromatographic determination for bile components in fish, chicken and duck 751(2001)1

Simultaneous quantitation of fatty acids, sterols and bile acids in human stool by capillary gas–liquid chromatography 775(2002)153

Bile salts

Retention of bile salts in micellar electrokinetic chromatography: relation of capacity factor to octanol–water partition coefficient and critical micellar concentration 765(2001)113

Bioequivalence

Development of a sensitive high-performance thin-layer chromatography method for estimation of ranitidine in urine and its application for bioequivalence decision for ranitidine tablet formulations 767(2002)83

Biperiden

Simultaneous determination of enantiomers of structurally related anticholinergic analogs in human serum by liquid chromatography–electrospray ionization mass spectrometry with on-line sample cleanup 762(2001)181

2-(4-Biphenyl)-3,3'-hydroxyphenolpropionic acid

Stereoselective binding of 2-(4-biphenyl)-3-substituted-3-hydroxy-propionic acids on an immobilised human serum albumin chiral stationary phase 768(2002)137

2,5-Bis(5-hydroxymethyl-2-thienyl)furan

Identification of the major metabolite of 2,5-bis(5-hydroxymethyl-2-thienyl)furan (NSC 652287), an antitumor agent, in the S9 subcellular fraction of dog liver cells 767(2002)27

Bispecific antibodies

Affinity purification of novel bispecific antibodies recognising carcinoembryonic antigen and doxorubicin 754(2001)427

Bisphenol A

Determination of bisphenol A in blood using high-performance liquid chromatography–electrochemical detection with solid-phase extraction 755(2001)9

Development of sensitive high-performance liquid chromatography with fluorescence detection using 4-(4,5-diphenyl-1*H*-imidazol-2-yl)benzoyl chloride as a labeling reagent for determination of bisphenol A in plasma samples 762(2001)1

Quantitative detection of bisphenol A and bisphenol A diglycidyl ether metabolites in human plasma by liquid chromatography–electrospray mass spectrometry 765(2001)121

Application of liquid chromatography–mass spectrometry to the quantification of bisphenol A in human semen 773(2002)97

Bisphenol A diglycidyl ether

Quantitative detection of bisphenol A and bisphenol A diglycidyl ether metabolites in human plasma by liquid chromatography–electrospray mass spectrometry 765(2001)121

β-Blockers

Determination of esmolol in serum by capillary zone electrophoresis and its monitoring in course of heart surgery 760(2001)37

Influence of various biological matrices (plasma, blood microdialysate) on chromatographic performance in the determination of β-blockers using an alkyl-diol silica precolumn for sample clean-up 765(2001)167

Simultaneous determination of eight β-blockers by gradient high-performance liquid chromatography with combined ultraviolet and fluorescence detection in corneal permeability studies in vitro 772(2002)81

Determination of betaxolol in human aqueous humour by high-performance liquid chromatography with fluorescence detection 772(2002)179

BMS-284756

Determination of BMS-284756, a new quinolone, in mouse serum by high-performance liquid chromatography with fluorescence detection 765(2001)37

BNP7787

Quantification of BNP7787 (dimesna) and its metabolite mesna in human plasma and urine by high-performance liquid chromatography with electrochemical detection 753(2001)293

Boronic acid

Nucleotide adsorption–desorption behaviour of boronic acid functionalized uniform-porous particles 769(2002)283

Bradykinin

High-performance liquid chromatographic determination of bradykinin in saliva: a critical review and a new method 755(2001)101

Bromvalerylurea

Determination of plasma bromvalerylurea and its main metabolite by a simple high-performance liquid chromatographic method and quantitation of bromide by energy dispersive X-ray spectrometry in carbon tetrachloride-intoxicated rats 759(2001)361

Bryophytes

Determination of oxolinic acid in the bryophyte *Fontinalis antipyretica* by liquid chromatography with fluorescence detection 775(2002)89

Bucolome

Metabolism of bucolome in rats. Stability and biliary excretion of bucolome *N*-glucuronide 759(2001)153

Bucolome *N*-glucuronide

Metabolism of bucolome in rats. Stability and biliary excretion of bucolome *N*-glucuronide 759(2001)153

Budesonide

Quantification of epimeric budesonide and fluticasone propionate in human plasma by liquid chromatography–atmospheric pressure chemical ionization tandem mass spectrometry 761(2001)177

Buprenorphine

Simultaneous determination of buprenorphine, norbuprenorphine, and buprenorphine–glucuronide in plasma by liquid chromatography–tandem mass spectrometry 754(2001)447

Busulfan

Quantification of busulfan in plasma by liquid chromatography–ion spray mass spectrometry. Application to pharmacokinetic studies in children 763(2001)61

1,4-Butanediol

Capillary gas chromatographic determination of 1,4-butanediol and γ-hydroxybutyrate in human plasma and urine 769(2002)221

Butorphanol

Validation and application of a sensitive assay for butorphanol in human plasma by high-performance liquid chromatography with tandem mass spectrometry detection 775(2002)57

Byak-angelicin

Simultaneous determination of byak-angelicin and oxypeucedanin hydrate in rat plasma by column-switching high-performance liquid chromatography with ultraviolet detection 753(2001)309

C**Cadaverine**

Polyamines as cancer markers: applicable separation methods (Review) 764(2001)385

Caffeine

Extractionless method for the simultaneous high-performance liquid chromatographic determination of urinary caffeine metabolites for *N*-acetyltransferase 2, cytochrome P450 1A2 and xanthine oxidase activity assessment 755(2001)73

Use of novel solid-phase extraction sorbent materials for high-performance liquid chromatography quantitation of caffeine metabolism products methylxanthines and methyluric acids in samples of biological origin 759(2001)209

Determination of *N*-acetylation phenotype using caffeine as a metabolic probe and high-performance liquid chromatography with either ultraviolet detection or electrospray mass spectrometry 760(2001)55

Calcitonin

Simple liquid chromatography–electrospray ionization mass spectrometry method for the routine determination of salmon calcitonin in serum 775(2002)247

Calcitonins

Identification of the modifying sites of mono-PEGylated salmon calcitonins by capillary electrophoresis and MALDI–TOF mass spectrometry 754(2001)259

Calcium dobesilate

Determination of calcium dobesilate in human plasma using ion-pairing extraction and high-performance liquid chromatography 755(2001)245

Camptothecin

Development of a high-performance liquid chromatographic method to determine the concentration of karenitecin, a novel highly lipophilic camptothecin derivative, in human plasma and urine 759(2001)117

High-performance liquid chromatographic analysis for the determination of a novel polymer-bound camptothecin derivative (MAG-camptothecin) and free camptothecin in human plasma 763(2001)173

Quantitation of camptothecin and related compounds (Review) 764(2001)121

Separation methods for camptothecin and related compounds (Review) 764(2001)141

Cannabinoids

Determination of cannabinoids by gas chromatography–mass spectrometry and large-volume programmed-temperature vapouriser injection using 25 µl of biological fluid 772(2002)299

Carbamazepine

Separation of olanzapine, carbamazepine and their main metabolites by capillary electrophoresis with pseudo-stationary phases 752(2001)47

Simultaneous high-performance liquid chromatography determination of carbamazepine and five of its metabolites in plasma of epileptic patients 762(2001)109

Determination of carbamazepine and carbamazepine 10,11-epoxide in human plasma by tandem liquid chromatography–mass spectrometry with electrospray ionisation 769(2002)1

Separation of carbamazepine and five metabolites, and analysis in human plasma by micellar electrokinetic capillary chromatography 770(2002)217

Carbamazepine 10,11-epoxide

Determination of carbamazepine and carbamazepine 10,11-epoxide in human plasma by tandem liquid chromatography–mass spectrometry with electrospray ionisation 769(2002)1

Carbamazepine metabolites

Separation of carbamazepine and five metabolites, and analysis in human plasma by micellar electrokinetic capillary chromatography 770(2002)217

Carbohydrates

Investigations on the carbohydrate moieties of glycoprotein allergens 756(2001)141

Simplified in-line sample preparation for amino acid analysis in carbohydrate containing samples 758(2001)189

Carbon dioxide

Liquid chromatographic analysis of supercritical carbon dioxide extracts of *Schizandra chinensis* 770(2002)283

Carbon monoxide

Rapid and sensitive method for the analysis of carbon monoxide in blood using gas chromatography with flame ionisation detection 766(2002)115

Carbon tetrachloride

Determination of plasma bromvalerylurea and its main metabolite by a simple high-performance liquid chromatographic method and quantitation of bromide by energy dispersive X-ray spectrometry in carbon tetrachloride-intoxicated rats 759(2001)361

Carboplatin

Simple and rapid determination of carboplatin in plasma by high-performance liquid chromatography. Error pattern and application to clinical pharmacokinetic studies (Review) 764(2001)457

Carbovir phosphate

Simultaneous determination of Ziagen and its phosphorylated metabolites by ion-pairing high-performance liquid chromatography–tandem mass spectrometry 754(2001)285

Carboxylic acids

Delta(2)-oxazolines-1,3 and *N*-acylaziridines as potential proinsecticides of carboxylic acids. V. Direct thin-layer chromatography monitoring of the metabolism in locust tissues 761(2001)35

Carcinoembryonic antigen

Affinity purification of novel bispecific antibodies recognising carcinoembryonic antigen and doxorubicin 754(2001)427

Carebastine

Simultaneous determination of the histamine H₁-receptor antagonist ebastine and its two metabolites, carebastine and hydroxyebastine, in human plasma using high-performance liquid chromatography 757(2001)173

β -Carotene

Rapid high-performance liquid chromatographic method for the simultaneous determination of retinol, α -tocopherol and β -carotene in human plasma and low-density lipoproteins 758(2001)315

Simultaneous determination of retinol, β -carotene and α -tocopherol in adipose tissue by high-performance liquid chromatography 763(2001)1

Carotenoids

Simple method for clinical determination of 13 carotenoids in human plasma using an isocratic high-performance liquid chromatographic method 751(2001)297

Chromatographic techniques for the determination of putative dietary anticancer compounds in biological fluids (Review) 764(2001)3

Carvedilol

Separation of carvedilol enantiomers in very small volumes of human plasma by capillary electrophoresis with laser-induced fluorescence 755(2001)111

Caseins

Structure and function of proteins involved in milk allergies 756(2001)183

Casiopaina IIII

Development and validation of a liquid chromatographic method for Casiopaina IIII[®] in rat plasma 772(2002)115

Catechin

Ultrasensitive assay for three polyphenols (catechin, quercetin and resveratrol) and their conjugates in biological fluids utilizing gas chromatography with mass selective detection 757(2001)161

Catecholamines

Extraction and separation of urinary catecholamines as their diphenyl boronate complexes using C₁₈ solid-phase extraction sorbent and high-performance liquid chromatography 769(2002)341

Catecholestrogens

Gas chromatographic determination of catecholestrogens following isolation by solid-phase extraction 758(2001)145

Cations

Application of microcolumn ion chromatography using anion exchangers modified with dextran sulfate for the determination of alkali and alkaline-earth metal ions 753(2001)409

CB.Hep-1 monoclonal antibody

Stirrer tank: an appropriate technology to immobilize the CB.Hep-1 monoclonal antibody for immunoaffinity purification 754(2001)77

CD271 glucuronide

Synthesis, high-performance liquid chromatography–nuclear magnetic resonance characterization and pharmacokinetics in mice of CD271 glucuronide 757(2001)101

Cefepime

High-performance liquid chromatographic determination of cefepime in human plasma and in urine and dialysis fluid using a column-switching technique 754(2001)377

Ceftazidime

Rapid antibiotic drug monitoring: Meropenem and ceftazidime determination in serum and bronchial secretions by high-performance liquid chromatography–integrated sample preparation 751(2001)357

Celecoxib

Liquid chromatographic–mass spectrometric determination of celecoxib in plasma using single-ion monitoring and its use in clinical pharmacokinetics 753(2001)401

Determination of celecoxib in human plasma and rat microdialysis samples by liquid chromatography tandem mass spectrometry 761(2001)203

Simple and sensitive method for the determination of celecoxib in human serum by high-performance liquid chromatography with fluorescence detection 768(2002)255

Cellobiohydrolase I

Characterization of cellobiohydrolase I (Cel7A) glycoforms from extracts of *Trichoderma reesei* using capillary isoelectric focusing and electrospray mass spectrometry 752(2001)349

Cephaeline

High-performance liquid chromatographic assay with fluorescence detection for the determination of cephaeline and emetine in human plasma and urine 757(2001)197

Cephalosporins

Application of capillary zone electrophoresis to the analysis and to a stability study of cephalosporins 775(2002)239

Cetirizine

Extractionless and sensitive method for high-throughput quantitation of cetirizine in human plasma samples by liquid chromatography–tandem mass spectrometry 773(2002)113

CGP 74588

High-throughput quantification of the anti-leukemia drug STI571 (Gleevec[™]) and its main metabolite (CGP 74588) in human plasma using liquid chromatography–tandem mass spectrometry 768(2002)325

CGS 26214

Quantitative determination of CGS 26214, a cholesterol lowering agent, in human plasma using negative electrospray ionization liquid chromatography–tandem mass spectrometry 759(2001)99

Characterization studies

Purification and characterization of murine beta-nerve growth factor 753(2001)245

Chimaeric protein

Isolation of chimaeric forms of elongation factor EF-Tu by affinity chromatography 770(2002)129

Chinese antineoplastic compounds

Analytical approaches for traditional Chinese medicines exhibiting antineoplastic activity (Review) 764(2001)27

Chlorogenic acid

High-performance liquid chromatographic method for simultaneous determination of hawthorn active components in rat plasma 760(2001)227

5-Chloro-6-(2-iminopyrrolidin-1-yl)methyl-2,4(1H,3H)-pyrimidinedione hydrochloride

Determination of a new thymidine phosphorylase inhibitor, TPI, in dog and rat plasma by reversed-phase ion-pair high-performance liquid chromatography 751(2001)325

4-Chloro-7-nitrobenzofurazan

Determination of amlodipine in human plasma by high-performance liquid chromatography with fluorescence detection 758(2001)305

Determination of vigabatrin in human plasma and urine by high-performance liquid chromatography with fluorescence detection 760(2001)207

Chlorophenols

Solid-phase extraction method for the determination of free and conjugated phenol compounds in human urine 773(2002)89

2-Chlorovinylarsonous acid

Quantitation of 2-chlorovinylarsonous acid in human urine by automated solid-phase microextraction–gas chromatography–mass spectrometry 772(2002)147

Chlorpyrifos

Development of a high-performance liquid chromatographic method for the quantification of chlorpyrifos, pyridostigmine bromide, *N,N*-diethyl-*m*-toluamide and their metabolites in rat plasma and urine 754(2001)533

Quantification of nicotine, chlorpyrifos and their metabolites in rat plasma and urine using high-performance liquid chromatography 757(2001)295

Analysis of 3,5,6-trichloro-2-pyridinol in urine samples from the general population using gas chromatography–mass spectrometry after steam distillation and solid-phase extraction 759(2001)43

Chlorpyrifos-methyl

Analysis of 3,5,6-trichloro-2-pyridinol in urine samples from the general population using gas chromatography–mass spectrometry after steam distillation and solid-phase extraction 759(2001)43

Chlorpyrifos-oxon

Quantification of nicotine, chlorpyrifos and their metabolites in rat plasma and urine using high-performance liquid chromatography 757(2001)295

Cholates

Retention of bile salts in micellar electrokinetic chromatography: relation of capacity factor to octanol–water partition coefficient and critical micellar concentration 765(2001)113

Cholesterol

Simultaneous quantification of components of neoglycolipid-coated liposomes using high-performance liquid chromatography with evaporative light scattering detection 754(2001)127

Quantitative determination of CGS 26214, a cholesterol lowering agent, in human plasma using negative electrospray ionization liquid chromatography–tandem mass spectrometry 759(2001)99

Quantification of cholesterol in foods using non-aqueous capillary electrophoresis 768(2002)369

Preparation of immuno-affinity membranes for cholesterol removal from human plasma 772(2002)357

Cholesteryl ester hydroperoxides

Thin-layer chromatography blotting for the fluorescence detection of phospholipid hydroperoxides and cholesteryl ester hydroperoxides 765(2001)199

Cholesteryl esters

Major human plasma lipid classes determined by quantitative high-performance liquid chromatography, their variation and associations with phospholipid fatty acids 754(2001)437

Choline

Internal standard method for the measurement of choline and acetylcholine by capillary electrophoresis with electrochemical detection 775(2002)49

 α -Chymotrypsin

Reversed-phase high-performance liquid chromatography of peptides of porcine pepsin prepared by the use of various forms of immobilized α -chymotrypsin 753(2001)37

Chymotrypsin-like esterase

High-performance liquid chromatographic–fluorimetric assay of chymotrypsin-like esterase activity 762(2001)137

Cidofovir

Separation methods for antiviral phosphorus-containing drugs (Review) 764(2001)349

Cilazapril

Determination of the antihypertensive drug cilazapril and its active metabolite cilazaprilat in pharmaceuticals and urine by solid-phase extraction and high-performance liquid chromatography with photometric detection 754(2001)23

Cilazaprilat

Determination of the antihypertensive drug cilazapril and its active metabolite cilazaprilat in pharmaceuticals and urine by solid-phase extraction and high-performance liquid chromatography with photometric detection 754(2001)23

Cimetidine

Simple high-performance liquid chromatographic method to analyze serum creatinine has several advantages over the Jaffé picric acid reaction as demonstrated with a cimetidine dose response in rhesus monkeys 759(2001)343

Cinnamic acid

High-performance liquid chromatography method for the quantification of non-radiolabelled cinnamic compounds in analytes derived from human skin absorption and metabolism experiments 758(2001)249

Cinnamic alcohol

High-performance liquid chromatography method for the quantification of non-radiolabelled cinnamic compounds in analytes derived from human skin absorption and metabolism experiments 758(2001)249

Cinnamic aldehyde

High-performance liquid chromatography method for the quantification of non-radiolabelled cinnamic compounds in analytes derived from human skin absorption and metabolism experiments 758(2001)249

Cinoxacin

Separation of levofloxacin, ciprofloxacin, gatifloxacin, moxifloxacin, trovafloxacin and cinoxacin by high-performance liquid chromatography: application to levofloxacin determination in human plasma 772(2002)53

Ciprofloxacin

Simple high-performance liquid chromatographic assay for the determination of ciprofloxacin in human plasma with ultraviolet detection 755(2001)305

Determination of residues of enrofloxacin and its metabolite ciprofloxacin in biological materials by capillary electrophoresis 759(2001)73

Separation of levofloxacin, ciprofloxacin, gatifloxacin, moxifloxacin, trovafloxacin and cinoxacin by high-performance liquid chromatography: application to levofloxacin determination in human plasma 772(2002)53

Determination of ciprofloxacin, enrofloxacin and flumequine in pig plasma samples by capillary isotachopheresis–capillary zone electrophoresis 772(2002)163

Circumsporozoite protein

Two-step chromatographic purification of recombinant *Plasmodium falciparum* circumsporozoite protein from *Escherichia coli* 762(2001)77

Cisplatin

Simultaneous determination of intact cisplatin and its metabolite monohydrated cisplatin in human plasma 772(2002)273

Citalopram

On-line extraction using an alkyl-diol silica precolumn for racemic citalopram and its metabolites in plasma. Results compared with solid-phase extraction methodology 753(2001)365

Rapid determination of citalopram in human plasma by high-performance liquid chromatography 755(2001)279

Reduction of extraction times in liquid-phase microextraction 760(2001)219

High-performance liquid chromatographic method to screen and quantitate seven selective serotonin reuptake inhibitors in human serum 761(2001)147

Simultaneous determination of citalopram, fluoxetine, paroxetine and their metabolites in plasma by temperature-programmed packed capillary liquid chromatography with on-column focusing of large injection volumes 766(2002)77

Citrate

Influence of citrate and EDTA anticoagulants on plasma malondialdehyde concentrations estimated by high-performance liquid chromatography 751(2001)193

Measurement of nephrolithiasis urinary markers by capillary electrophoresis 755(2001)287

Clarithromycin

Study on the electrochemical detection of the macrolide antibiotics clarithromycin and roxithromycin in reversed-phase high-performance liquid chromatography 755(2001)57

Sensitive liquid chromatography–tandem mass spectrometry method for the determination of clarithromycin in human plasma 768(2002)223

Clenbuterol

Use of molecularly imprinted polymers in the solid-phase extraction of clenbuterol from animal feeds and biological matrices 759(2001)27

Determination of clenbuterol in human urine by GC–MS–MS–MS: confirmation analysis in antidoping control 773(2002)7

Clinafloxacin

Determination of grepafloxacin and clinafloxacin by capillary zone electrophoresis 772(2002)65

Clindamycin

Sensitive and specific determination of clindamycin in human serum and bone tissue applying liquid chromatography–atmospheric pressure chemical ionization–mass spectrometry 755(2001)143

Clomipramine

Simultaneous determination of clomipramine and its desmethyl and hydroxy metabolites in plasma of patients by high-performance liquid chromatography after solid-phase extraction 772(2002)205

Cloricromene

Simultaneous determination of cloricromene and its active metabolite in rabbit aqueous humor by high-performance liquid chromatography 767(2002)153

Clozapine

Determination of clozapine and its *N*-desmethyl metabolite by high-performance liquid chromatography with ultraviolet detection 755(2001)349

Simultaneous determination of olanzapine, clozapine and demethylated metabolites in serum by on-line column-switching high-performance liquid chromatography 759(2001)63

Cocaethylene

Analysis of cocaethylene, benzoylecgonine and cocaine in human urine by high-performance thin-layer chromatography with ultraviolet detection: a comparison with high-performance liquid chromatography 751(2001)19

Cocaine

Analysis of cocaethylene, benzoylecgonine and cocaine in human urine by high-performance thin-layer chromatography with ultraviolet detection: a comparison with high-performance liquid chromatography 751(2001)19

Determination of free-form of cocaine in rat brain by liquid chromatography–electrospray mass spectrometry with in vivo microdialysis 752(2001)107

Gas chromatographic–mass spectrometric analysis of residual solvent trapped into illicit cocaine exhibits using head-space solid-phase microextraction 772(2002)249

Confirmation of cocaine exposure by gas chromatography–mass spectrometry of urine extracts after methylation of benzoylecgonine 773(2002)83

Colistin

A simple method for the assay of colistin in human plasma, using pre-column derivatization with 9-fluorenylmethyl chloroformate in solid-phase extraction cartridges and reversed-phase high-performance liquid chromatography 761(2001)167

Column switching

On-line extraction using an alkyl-diol silica precolumn for racemic citalopram and its metabolites in plasma. Results compared with solid-phase extraction methodology 753(2001)365

Combined exposure

Development of a high-performance liquid chromatographic method for the quantification of chlorpyrifos, pyridostigmine bromide, *N,N*-diethyl-*m*-toluamide and their metabolites in rat plasma and urine 754(2001)533

Copper

Measurement of *S*-nitrosoalbumin by gas chromatography–mass spectrometry. III. Quantitative determination in human plasma after specific conversion of the *S*-nitroso group to nitrite by cysteine and Cu^{2+} via intermediate formation of *S*-nitrosocysteine and nitric oxide 772(2002)335

Corticosteroids

Accelerated solvent extraction and liquid chromatography–tandem mass spectrometry quantitation of corticosteroid residues in bovine liver 753(2001)217

Analysis of corticosteroids in equine urine by liquid chromatography–mass spectrometry 754(2001)229

Multi-residue extraction–purification procedure for corticosteroids in biological samples for efficient control of their misuse in livestock production 757(2001)11

Determination of natural corticosteroids in urine samples from sportsmen 761(2001)77

Corticosterone

Liquid chromatography–electrospray ionization mass spectrometric analysis of corticosterone in rat plasma using selected ion monitoring 757(2001)333

Cotinine

Novel liquid chromatographic–tandem mass spectrometric methods using silica columns and aqueous–organic mobile phases for quantitative analysis of polar ionic analytes in biological fluids 754(2001)387

Quantification of nicotine, chlorpyrifos and their metabolites in rat plasma and urine using high-performance liquid chromatography 757(2001)295

Determination of urinary and salivary cotinine using gas and liquid chromatography and enzyme-linked immunosorbent assay 768(2002)297

Sensitive and simple method for the determination of nicotine and cotinine in human urine, plasma and saliva by gas chromatography–mass spectrometry 769(2002)177

Creatinine

Simple high-performance liquid chromatographic method to analyze serum creatinine has several advantages over the Jaffé picric acid reaction as demonstrated with a cimetidine dose response in rhesus monkeys 759(2001)343

Cresol

Validated method for quantitation of biomarkers for benzene and its alkylated analogues in urine 774(2002)173

Cyanide

Rapid quantitation of cyanide in whole blood by automated headspace gas chromatography 772(2002)131

Cyclic AMP

Simultaneous determination of six adenylyl purines in human plasma by high-performance liquid chromatography with fluorescence derivatization 760(2001)159

Cyclic phosphodiesterase

Sensitive fluorescent quantitation of *myo*-inositol 1,2-cyclic phosphate and *myo*-inositol 1-phosphate by high-performance thin-layer chromatography 757(2001)317

β-Cyclodextrin

High-performance liquid chromatographic study of the interactions between immobilized β-cyclodextrin polymers and hydrophobically end-capped polyethylene glycols 753(2001)93

Cyclooxygenase II inhibitor

High-throughput, semi-automated determination of a cyclooxygenase II inhibitor in human plasma and urine using solid-phase extraction in the 96-well format and high-performance liquid chromatography with post-column photochemical derivatization-fluorescence detection 751(2001)237

Cyclophosphamide

Sensitive gas chromatographic determination of the cyclophosphamide metabolite 2-dechloroethylcyclophosphamide in human plasma 757(2001)349

Liquid chromatography–tandem mass spectrometric quantitation of cyclophosphamide and its hydroxy metabolite in plasma and tissue for determination of tissue distribution 759(2001)277

Cyclophosphamide and related anticancer drugs (Review) 764(2001)173

Cycloserine

Determination of cycloserine in human plasma by high-performance liquid chromatography with fluorescence detection, using derivatization with *p*-benzoquinone 761(2001)27

Cyclosporin

Analytical method for monitoring concentrations of cyclosporin and lovastatin in vitro in an everted rat intestinal sac absorption model 768(2002)349

Cyclosporin A

Optimized analytical method for cyclosporin A by high-performance liquid chromatography–electrospray ionization mass spectrometry 754(2001)201

Determination of cyclosporin A in human and mouse plasma by reversed-phase high-performance liquid chromatography 763(2001)201

Determination of diclofenac in rat bile and its interaction with cyclosporin A using on-line microdialysis coupled to liquid chromatography 769(2002)351

High-performance liquid chromatographic analysis of cyclosporin A in rat blood and liver using a commercially available internal standard 772(2002)107

Cyclooxygenase

Improved high-performance liquid chromatographic method for the combined analysis of phospholipase, lipoxygenase and cyclooxygenase activities 762(2001)175

Cymoxanil

Metabolism of cymoxanil and analogs in strains of the fungus *Botrytis cinerea* using high-performance liquid chromatography and ion-pair high-performance thin-layer chromatography 769(2002)35

Cyprinol sulfate

High-performance liquid chromatographic determination for bile components in fish, chicken and duck 751(2001)1

Cysteine

Pre-column derivatization high-performance liquid chromatographic method for determination of cysteine, cysteinyl-glycine, homocysteine and glutathione in plasma and cell extracts 758(2001)207

A new and versatile method for determination of thiolamines of biological importance 761(2001)1

High-performance liquid chromatographic method to analyze picomole levels of glutathione, cysteine and cysteinylglycine and its application to pre-cancerous rat livers 762(2001)25

Cysteine and indole derivatives as markers for malignant melanoma (Review) 764(2001)409

Measurement of *S*-nitrosoalbumin by gas chromatography–mass spectrometry. III. Quantitative determination in human plasma after specific conversion of the *S*-nitroso group to nitrite by cysteine and Cu²⁺ via intermediate formation of *S*-nitrosocysteine and nitric oxide 772(2002)335

Cysteinylglycine

High-performance liquid chromatographic method to analyze picomole levels of glutathione, cysteine and cysteinylglycine and its application to pre-cancerous rat livers 762(2001)25

Cysteinyl-glycine

Pre-column derivatization high-performance liquid chromatographic method for determination of cysteine, cysteinyl-glycine, homocysteine and glutathione in plasma and cell extracts 758(2001)207

Cystine

A new and versatile method for determination of thiolamines of biological importance 761(2001)1

Cytochrome P450

High-throughput cytochrome P450 (CYP) inhibition screening via cassette probe-dosing strategy. II. Validation of a direct injection/on-line guard cartridge extraction-tandem mass spectrometry method for CYP2D6 inhibition assessment 753(2001)321

Extractionless method for the simultaneous high-performance liquid chromatographic determination of urinary caffeine metabolites for *N*-acetyltransferase 2, cytochrome P450 1A2 and xanthine oxidase activity assessment 755(2001)73

High-performance liquid chromatographic assay for amiodarone *N*-deethylation activity in human liver microsomes using solid-phase extraction 774(2002)105

Cytosine arabinoside

Micellar electrokinetic capillary chromatography quantification of cytosine arabinoside and its metabolite, uracil arabinoside, in human serum 754(2001)185

Cytosolic phospholipase A₂

Determination of the cell lytic properties of amphiphilic inhibitors of the cytosolic phospholipase A₂ against human platelets by measuring the liberation of serotonin with high-performance liquid chromatography and fluorescence detection 769(2002)185

D**Dacarbazine**

Validated high-performance liquid chromatographic assay for simultaneous determination of dacarbazine and the plasma metabolites 5-(3-hydroxymethyl-3-methyl-1-triazeno)imidazole-4-carboxamide and 5-(3-methyl-1-triazeno)imidazole-4-carboxamide 754(2001)91

Daidzein

Detection of the isoflavone aglycones genistein and daidzein in urine using solid-phase microextraction-high-performance liquid chromatography-electrospray ionization mass spectrometry 759(2001)33

Quantitative analysis of the principle soy isoflavones genistein, daidzein and glycitein, and their primary conjugated metabolites in human plasma and urine using reversed-phase high-performance liquid chromatography with ultraviolet detection 760(2001)191

Daidzin

Liquid chromatography coupled with multi-channel electrochemical detection for the determination of daidzin in rat blood sampled by an automated blood sampling system 772(2002)173

Dansyl amino acids

Solute complexation degree with human serum albumin: biochromatographic approach 768(2002)121

Dansylaminomethylmaleic anhydride

Reversible fluorescence labeling of amino groups of protein using dansylaminomethylmaleic anhydride 769(2002)47

Daunorubicin

Separation and determination of liposomal and non-liposomal daunorubicin from the plasma of patients treated with Daunoxome 757(2001)257

Quantification of daunorubicin and daunorubicinol in plasma by capillary electrophoresis 758(2001)221

Anthracyclines: recent developments in their separation and quantitation (Review) 764(2001)161

Daunorubicinol

Quantification of daunorubicin and daunorubicinol in plasma by capillary electrophoresis 758(2001)221

Daunoxome

Separation and determination of liposomal and non-liposomal daunorubicin from the plasma of patients treated with Daunoxome 757(2001)257

***p,p'*-DDE**

Solid-phase microextraction and gas chromatography-mass spectrometry analysis of *p,p'*-DDE in biological samples 761(2001)93

DDE

Analyses of lindane, vinclozolin, aldrin, *p,p'*-DDE, *o,p'*-DDT and *p,p'*-DDT in human serum using gas chromatography with electron capture detection and tandem mass spectrometry 760(2001)1

DDT

Analyses of lindane, vinclozolin, aldrin, *p,p'*-DDE, *o,p'*-DDT and *p,p'*-DDT in human serum using gas chromatography with electron capture detection and tandem mass spectrometry 760(2001)1

Deacetylvinorelbine

Sensitive determination of vinorelbine and its metabolites in human serum using liquid chromatography-electrospray mass spectrometry 753(2001)167

2-Dechloroethylcyclophosphamide

Sensitive gas chromatographic determination of the cyclophosphamide metabolite 2-dechloroethylcyclophosphamide in human plasma 757(2001)349

Dehydrocholesterol

Effects of sample storage on 7- and 8-dehydrocholesterol levels analysed on whole blood spots by gas chromatography–mass spectrometry–selected ion monitoring 766(2002)365

Dehydroepiandrosterone

Ergosteroids. VI. Metabolism of dehydroepiandrosterone by rat liver in vitro: a liquid chromatographic–mass spectrometric study 767(2002)285

Delavirdine

Determination of delavirdine in very small volumes of plasma by high-performance liquid chromatography with fluorescence detection 769(2002)297

Simple and rapid quantification of the non-nucleoside reverse transcriptase inhibitors nevirapine, delavirdine, and efavirenz in human blood plasma using high-performance liquid chromatography with ultraviolet absorbance detection 774(2002)79

Demethylmirtazapine

Determination of mirtazapine and its demethyl metabolite in plasma by high-performance liquid chromatography with ultraviolet detection. Application to management of acute intoxication 775(2002)163

O-Demethyl tramadol glucuronide

Direct chiral assay of tramadol and detection of the phase II metabolite *O*-demethyl tramadol glucuronide in human urine using capillary electrophoresis with laser-induced native fluorescence detection 765(2001)3

Denaverine

A validated high-performance liquid chromatographic assay for the simultaneous determination of denaverine and its *N*-monodemethyl metabolite in human plasma 751(2001)221

Deoxycytidine monophosphate

High-performance liquid chromatographic determination of deoxycytidine monophosphate and methyldeoxycytidine monophosphate for DNA demethylation monitoring: experimental design and artificial neural networks optimisation 755(2001)185

Deoxyribonuclease I

Characterization of deoxyribonuclease I immobilized on magnetic hydrophilic polymer particles 774(2002)25

2'-Deoxy-3'-thiacytidine

High-performance liquid chromatographic assay for the determination of 2'-deoxy-3'-thiacytidine (lamivudine) in human plasma 761(2001)195

Dermatan sulfate

Determination and structural characterisation of dermatan sulfate in the presence of other galactosaminoglycans 754(2001)297

17-Desacetylrocuronium

Gas chromatographic–mass spectrometric assay for rocuronium with potential for quantifying its metabolite, 17-desacetylrocuronium, in human plasma 757(2001)207

Desethylamiodarone

Determination of amiodarone and desethylamiodarone in human plasma by high-performance liquid chromatography–electrospray ionization tandem mass spectrometry with an ion trap detector 766(2002)219

High-performance liquid chromatographic assay for amiodarone *N*-deethylation activity in human liver microsomes using solid-phase extraction 774(2002)105

Desethyloxybutynin

Binding study of desethyloxybutynin using high-performance frontal analysis method 768(2002)189

Desflurane

Simultaneous determination of fluorinated inhalation anesthetics in blood by gas chromatography–mass spectrometry combined with a headspace autosampler 759(2001)307

Designer drug

Studies on the metabolism and toxicological detection of the new designer drug 4'-methyl- α -pyrrolidinopropiophenone in urine using gas chromatography–mass spectrometry 773(2002)25

Desipramine

7,7,8,8-Tetracyanoquinodimethane as a new derivatization reagent for high-performance liquid chromatography and thin-layer chromatography: rapid screening of plasma for some antidepressants 774(2002)149

Desmethylclomipramine

Simultaneous determination of clomipramine and its desmethyl and hydroxy metabolites in plasma of patients by high-performance liquid chromatography after solid-phase extraction 772(2002)205

N-Desmethyl clozapine

Determination of clozapine and its *N*-desmethyl metabolite by high-performance liquid chromatography with ultraviolet detection 755(2001)349

N-Desmethyldiazepam

Chromatographic method for the determination of diazepam, pyridostigmine bromide, and their metabolites in rat plasma and urine 754(2001)503

Desmethyl ofloxacin

Stereoselective determination of ofloxacin and its metabolites in human urine by capillary electrophoresis using laser-induced fluorescence detection 754(2001)169

Desmethylsildenafil

Simultaneous assay of sildenafil and desmethylsildenafil in human plasma using liquid chromatography–tandem mass spectrometry on silica column with aqueous–organic mobile phase 768(2002)277

***o*-Desmethyltramadol**

Validation of a high-performance liquid chromatography method for tramadol and *o*-desmethyltramadol in human plasma using solid-phase extraction 759(2001)325

Gas chromatographic method using nitrogen–phosphorus detection for the measurement of tramadol and its *O*-desmethyl metabolite in plasma and brain tissue of mice and rats 763(2001)165

***O*-Desmethylvenlafaxine**

Rapid high-performance liquid chromatographic measurement of venlafaxine and *O*-desmethylvenlafaxine in human plasma. Application to management of acute intoxications 760(2001)213

***N*-Desmethylzolmitriptan**

Simultaneous measurement of zolmitriptan and its major metabolites *N*-desmethylzolmitriptan and zolmitriptan *N*-oxide in human plasma by high-performance liquid chromatography with coulometric detection 766(2002)339

Dextran

New antibody purification procedure using a thermally responsive poly(*N*-isopropylacrylamide)–dextran derivative conjugate 761(2001)247

Dextran sulfate

Application of microcolumn ion chromatography using anion exchangers modified with dextran sulfate for the determination of alkali and alkaline-earth metal ions 753(2001)409

Dextran sulfate sodium

Application of 2-aminopyridine fluorescence labeling in the analysis of *in vivo* and *in vitro* metabolism of dextran sulfate sodium by size-exclusion high-performance liquid chromatography 753(2001)209

Dextromethorphan

High-performance liquid chromatography assay for simultaneous determination of dextromethorphan and its main metabolites in urine and in microsomal preparations 754(2001)209

Semi-automated liquid–liquid back-extraction in a 96-well format to decrease sample preparation time for the determination of dextromethorphan and dextrorphan in human plasma 772(2002)1

Dextromoramide

Chiral analysis of methylphenidate and dextromoramide by capillary electrophoresis 761(2001)61

Dextrorphan

High-performance liquid chromatography assay for simultaneous determination of dextromethorphan and its main metabolites in urine and in microsomal preparations 754(2001)209

Semi-automated liquid–liquid back-extraction in a 96-well format to decrease sample preparation time for the determination of dextromethorphan and dextrorphan in human plasma 772(2002)1

Diazepam

Chromatographic method for the determination of diazepam, pyridostigmine bromide, and their metabolites in rat plasma and urine 754(2001)503

High-performance liquid chromatographic determination of diazepam in plasma of children with severe malaria 761(2001)255

Feasibility of the direct coupling of solid-phase extraction–pipette tips with a programmed-temperature vaporiser for gas chromatographic analysis of drugs in plasma 766(2002)37

Dichloroanilines

Determination of dichloroanilines in human urine by GC–MS, GC–MS–MS, and GC–ECD as markers of low-level pesticide exposure 755(2001)215

Diclofenac

High-performance liquid chromatographic determination of diclofenac in human plasma after solid-phase extraction 763(2001)195

Determination of diclofenac in rat bile and its interaction with cyclosporin A using on-line microdialysis coupled to liquid chromatography 769(2002)351

Diethylene glycol

Validated gas chromatographic–mass spectrometric assay for determination of the antifreezes ethylene glycol and diethylene glycol in human plasma after microwave-assisted pyrolylation 754(2001)401

Di(2-ethylhexyl) phthalate

High-performance liquid chromatographic method for the determination of di(2-ethylhexyl) phthalate in total parenteral nutrition and in plasma 755(2001)297

Simultaneous analysis of the di(2-ethylhexyl)phthalate metabolites 2-ethylhexanoic acid, 2-ethyl-3-hydroxyhexanoic acid and 2-ethyl-3-oxohexanoic acid in urine by gas chromatography–mass spectrometry 758(2001)213

Diethylstilbestrol

Comparison of the efficiencies of enzymatic and chemical hydrolysis of (nortestosterone and diethylstilboestrol) glucuronides in bovine urine 757(2001)221

***N,N*-Diethyl-*m*-toluamide**

Development of a high-performance liquid chromatographic method for the quantification of chlorpyrifos, pyridostigmine bromide, *N,N*-diethyl-*m*-toluamide and their metabolites in rat plasma and urine 754(2001)533

Difloxacin

Determination of difloxacin and sarafloxacin in chicken muscle using solid-phase extraction and capillary electrophoresis 767(2002)313

Dihydroartemisin

Development and validation of a high-performance liquid chromatography–mass spectrometry assay for the determination of artemether and its metabolite dihydroartemisinin in human plasma 774(2002)195

Dihydrocodeine

Evaluation of urinary dihydrocodeine excretion in human by gas chromatography–mass spectrometry 752(2001)179

Dihydroergotamine

Sensitive and specific liquid chromatographic–tandem mass spectrometric assay for dihydroergotamine and its major metabolite in human plasma 768(2002)267

Dihydrofluorouracil

High-performance liquid chromatographic assay with ultraviolet detection for quantification of dihydrofluorouracil in human lymphocytes: application to measurement of dihydropyrimidine dehydrogenase activity 762(2001)203

Dihydropyrimidine dehydrogenase

Simultaneous determination of F- β -alanine and β -alanine in plasma and urine with dual-column reversed-phase high-performance liquid chromatography 759(2001)51

High-performance liquid chromatographic assay with ultraviolet detection for quantification of dihydrofluorouracil in human lymphocytes: application to measurement of dihydropyrimidine dehydrogenase activity 762(2001)203

4-(3*H*-1,2-Dihydro-1-pyrrolizinone-2-methylamino)benzoic acid glucuronide

Isolation and identification of the glucuronide of 4-(3*H*-1,2-dihydro-1-pyrrolizinone-2-methylamino)benzoic acid from rabbit urine 772(2002)369

Dihydrouracil

Measurement of endogenous uracil and dihydrouracil in plasma and urine of normal subjects by liquid chromatography–tandem mass spectrometry 769(2002)169

Simple liquid chromatographic method for the determination of uracil and dihydrouracil plasma levels: a potential pretreatment predictor of 5-fluorouracil toxicity 774(2002)223

3,4-Dihydroxymethamphetamine

High-performance liquid chromatography with electrochemical detection applied to the analysis of 3,4-dihydroxymethamphetamine in human plasma and urine 769(2002)313

3,4-Dihydroxyphenylacetic acid

Novel and sensitive high-performance liquid chromatographic method based on electrochemical coulometric array detection for simultaneous determination of catecholamines, kynurenine and indole derivatives of tryptophan 769(2002)145

2,3-Dihydroxypropanoic acid

Measurement of nephrolithiasis urinary markers by capillary electrophoresis 755(2001)287

1-(*N,N*-Diisopropylamino)-*n*-alkanes

Systematic analysis of acid, neutral and basic drugs in horse plasma by combination of solid-phase extraction, non-aqueous partitioning and gas chromatography–mass spectrometry 758(2001)235

 β -Diketonate europium

Highly sensitive time-resolved fluorometric determination of estrogens by high-performance liquid chromatography using a β -diketonate europium chelate 773(2002)135

Diketopiperazine

Effect of column temperature on the behaviour of some angiotensin converting enzyme inhibitors during high-performance liquid chromatographic analysis 755(2001)229

Diltiazem

Role of the magnesium cation on antihypertensive molecule–human serum albumin binding: affinity chromatography approach 768(2002)129

Dimesna

Quantification of BNP7787 (dimesna) and its metabolite mesna in human plasma and urine by high-performance liquid chromatography with electrochemical detection 753(2001)293

***N,N*-Dimethylaminoethyl-9-amino-5-methylacridine-4-carboxamide**

Sensitive liquid chromatographic assay for the basic DNA intercalator (*N,N*-dimethylaminoethyl)-9-amino-5-methylacridine-4-carboxamide and its nitroarylmethyl quaternary prodrugs in biological samples 763(2001)149

***N,N*-Dimethylformamide**

Analysis of urinary *N*-acetyl-*S*-(*N*-methylcarbamoyl)cysteine, the mercapturic acid derived from *N,N*-dimethylformamide 759(2001)349

***N,N*-Dimethyltryptamine**

Distribution of the hallucinogens *N,N*-dimethyltryptamine and 5-methoxy-*N,N*-dimethyltryptamine in rat brain following intraperitoneal injection: application of a new solid-phase extraction LC–APCI–MS–MS–isotope dilution method 751(2001)37

5,6-Dimethylxanthenone-4-acetic acid

Determination of the covalent adducts of the novel anti-cancer agent 5,6-dimethylxanthenone-4-acetic acid in biological samples by high-performance liquid chromatography 757(2001)343

Determination of unbound concentration of the novel anti-tumour agent 5,6-dimethylxanthenone-4-acetic acid in human plasma by ultrafiltration followed by high-performance liquid chromatography with fluorimetric detection 757(2001)359

High-throughput screening of potential inhibitors for the metabolism of the investigational anti-cancer drug 5,6-dimethylxanthenone-4-acetic acid 767(2002)19

Dipalmitoylphosphatidylcholine

Simultaneous quantification of components of neoglycolipid-coated liposomes using high-performance liquid chromatography with evaporative light scattering detection 754(2001)127

Diphenyl boronate

Extraction and separation of urinary catecholamines as their diphenyl boronate complexes using C₁₈ solid-phase extraction sorbent and high-performance liquid chromatography 769(2002)341

4-(4,5-Diphenyl-1*H*-imidazol-2-yl)benzoyl chloride

Development of sensitive high-performance liquid chromatography with fluorescence detection using 4-(4,5-diphenyl-1*H*-imidazol-2-yl)benzoyl chloride as a labeling reagent for determination of bisphenol A in plasma samples 762(2001)1

Dithiothreitol

Monitoring of dithiothreitol clearance by means of micellar electrokinetic chromatography 770(2002)237

Diuretics

Screening, confirmation and quantitation of diuretics in urine for doping control analysis by high-performance liquid chromatography–atmospheric pressure ionisation tandem mass spectrometry 757(2001)49

DNA

High-performance liquid chromatographic determination of deoxycytidine monophosphate and methyldeoxycytidine monophosphate for DNA demethylation monitoring: experimental design and artificial neural networks optimisation 755(2001)185

Polyhydroxyethylmethacrylate-based magnetic DNA-affinity beads for anti-DNA antibody removal from systemic lupus erythematosus patient plasma 760(2001)137

Separation of DNA fragments and single strand conformation polymorphism analysis in bare capillaries using poly(acrylamide–dimethylacrylamide) as a separation medium 761(2001)139

DNA intercalators

Sensitive liquid chromatographic assay for the basic DNA intercalator (*N,N*-dimethylaminoethyl)-9-amino-5-methylacridine-4-carboxamide and its nitroarylmethyl quaternary prodrugs in biological samples 763(2001)149

Docetaxel

Rapid high-performance liquid chromatographic determination of docetaxel (Taxotere) in plasma using liquid–liquid extraction 759(2001)299

Determination of the docetaxel vehicle, polysorbate 80, in patient samples by liquid chromatography–tandem mass spectrometry 773(2002)183

Dodecathymidine prodrug

Kinetics study of the biotransformation of an oligonucleotide prodrug in cells extract by matrix-assisted laser desorption–ionization time-of-flight mass spectrometry 753(2001)123

Donepezil

Determination of donepezil, an acetylcholinesterase inhibitor, in human plasma by high-performance liquid chromatography with ultraviolet absorbance detection 768(2002)261

Dopamine

Oxalic acid stabilizes dopamine, serotonin, and their metabolites in automated liquid chromatography with electrochemical detection 753(2001)413

Novel and sensitive high-performance liquid chromatographic method based on electrochemical coulometric array detection for simultaneous determination of catecholamines, kynurenine and indole derivatives of tryptophan 769(2002)145

Highly sensitive chromatographic assay for dopamine determination during in vivo cerebral microdialysis in the rat 772(2002)267

Dopamine β -hydroxylase

On-line synthesis utilizing immobilized enzyme reactors based upon immobilized dopamine beta-hydroxylase 766(2002)145

Dopamine uptake inhibitor

Determination of the benztropine analog AHN-1055, a dopamine uptake inhibitor, in rat plasma and brain by high-performance liquid chromatography with ultraviolet absorbance detection 768(2002)305

Doping drugs

Systematic analysis of acid, neutral and basic drugs in horse plasma by combination of solid-phase extraction, non-aqueous partitioning and gas chromatography–mass spectrometry 758(2001)235

Doxorubicin

Affinity purification of novel bispecific antibodies recognising carcinoembryonic antigen and doxorubicin 754(2001)427

Anthracyclines: recent developments in their separation and quantitation (Review) 764(2001)161

Detection of doxorubicin and metabolites in cell extracts and in single cells by capillary electrophoresis with laser-induced fluorescence detection 769(2002)97

Drug discovery candidates

Rapid pharmacokinetic screening for the selection of new drug discovery candidates using a generic isocratic liquid chromatography–atmospheric pressure ionization tandem mass spectrometry method 772(2002)89

Drug discovery compounds

Direct cocktail analysis of drug discovery compounds in pooled plasma samples using liquid chromatography–tandem mass spectrometry 767(2002)353

D-13223

Simultaneous determination of flupirtine and its major active metabolite in human plasma by liquid chromatography–tandem mass spectrometry 755(2001)195

DX 8951

Separation methods for camptothecin and related compounds (Review) 764(2001)141

E**Ebastine**

Simultaneous determination of the histamine H₁-receptor antagonist ebastine and its two metabolites, carebastine and hydroxyebastine, in human plasma using high-performance liquid chromatography 757(2001)173

Ecstasy

Stereospecific analysis of ecstasy-like *N*-ethyl-3,4-methylenedioxyamphetamine and its metabolites in humans 751(2001)9

Rapid screening method for determination of Ecstasy and amphetamines in urine samples using gas chromatography–chemical ionisation mass spectrometry 769(2002)243

EDTA

Influence of citrate and EDTA anticoagulants on plasma malondialdehyde concentrations estimated by high-performance liquid chromatography 751(2001)193

Immobilised metal-ion affinity chromatography purification of histidine-tagged recombinant proteins: a wash step with a low concentration of EDTA 760(2001)129

Efavirenz

High-performance liquid chromatographic method for the determination of HIV-1 non-nucleoside reverse transcriptase inhibitor efavirenz in plasma of patients during highly active antiretroviral therapy 755(2001)151

Determination of efavirenz in human plasma by high-performance liquid chromatography with ultraviolet detection 763(2001)53

Simple and rapid quantification of the non-nucleoside reverse transcriptase inhibitors nevirapine, delavirdine, and efavirenz in human blood plasma using high-performance liquid chromatography with ultraviolet absorbance detection 774(2002)79

Electrospray

Multi-residue extraction–purification procedure for corticosteroids in biological samples for efficient control of their misuse in livestock production 757(2001)11

Electrospray ionization

Improvement in precision of the liquid chromatographic–electrospray ionization tandem mass spectrometric analysis of 3'-C-ethynylcytidine in rat plasma 754(2001)113

Emetine

High-performance liquid chromatographic assay with fluorescence detection for the determination of cephaline and emetine in human plasma and urine 757(2001)197

Enalapril

Effect of column temperature on the behaviour of some angiotensin converting enzyme inhibitors during high-performance liquid chromatographic analysis 755(2001)229

Enalaprilat

Effect of column temperature on the behaviour of some angiotensin converting enzyme inhibitors during high-performance liquid chromatographic analysis 755(2001)229

Endotoxins

Method for reducing endotoxin in *Moraxella catarrhalis* UspA2 protein preparations 753(2001)269

High-performance affinity capture-removal of bacterial pyrogen from solutions 759(2001)237

Enflurane

Simultaneous determination of fluorinated inhalation anesthetics in blood by gas chromatography–mass spectrometry combined with a headspace autosampler 759(2001)307

Sensitive determination of four general anaesthetics in human whole blood by capillary gas chromatography with cryogenic oven trapping 762(2001)103

Enrofloxacin

Determination of residues of enrofloxacin and its metabolite ciprofloxacin in biological materials by capillary electrophoresis 759(2001)73

Determination of ciprofloxacin, enrofloxacin and flumequine in pig plasma samples by capillary isotachopheresis–capillary zone electrophoresis 772(2002)163

Entacapone glucuronide

Quantitation of entacapone glucuronide in rat plasma by on-line coupled restricted access media column and liquid chromatography–tandem mass spectrometry 759(2001)227

Enzymes

Interaction between phosphofructokinase and aldolase from *Saccharomyces cerevisiae* studied by aqueous two-phase partitioning 751(2001)341

Assay of human platelet guanylate cyclase activity by high-performance liquid chromatography with fluorescence derivatization 752(2001)55

Characterization of cellobiohydrolase I (Cel7A) glycoforms from extracts of *Trichoderma reesei* using capillary isoelectric focusing and electrospray mass spectrometry 752(2001)349

Efficient two-step chromatographic purification of penicillin acylase from clarified *Escherichia coli* ultrasonic homogenate 753(2001)45

Evaluation of immobilized metal affinity chromatography for purification of penicillin acylase 754(2001)135

Rapid process for purification of an extracellular β -xylosidase by aqueous two-phase extraction 754(2001)179

Extractionless method for the simultaneous high-performance liquid chromatographic determination of urinary caffeine metabolites for *N*-acetyltransferase 2, cytochrome P450 1A2 and xanthine oxidase activity assessment 755(2001)73

Characterization of human placental alkaline phosphatase by activity and protein assays, capillary electrophoresis and matrix-assisted laser desorption/ionization time-of-flight mass spectrometry 755(2001)311

Heparin column analysis of serum type 5 tartrate-resistant acid phosphatase isoforms 757(2001)269

Fluorogenic assay for β -glucuronidase using microchip-based capillary electrophoresis 762(2001)33

High-performance liquid chromatographic–fluorimetric assay of chymotrypsin-like esterase activity 762(2001)137

Improved high-performance liquid chromatographic method for the combined analysis of phospholipase, lipoxxygenase and cyclooxygenase activities 762(2001)175

High-performance liquid chromatographic assay with ultraviolet detection for quantification of dihydrofluorouracil in human lymphocytes: application to measurement of dihydropyrimidine dehydrogenase activity 762(2001)203

Antitumor drugs possessing topoisomerase I inhibition: applicable separation methods (Review) 764(2001)49

High-performance liquid chromatographic methods for the determination of topoisomerase II inhibitors (Review) 764(2001)81

Characterization and inhibition study of MurA enzyme by capillary electrophoresis 766(2002)123

On-line synthesis utilizing immobilized enzyme reactors based upon immobilized dopamine beta-hydroxylase 766(2002)145

Analysis of *N*-glycosylation of phospholipase A₂ from venom of individual bees by microbore high-performance liquid chromatography–electrospray mass spectrometry using an ion trap mass spectrometer 766(2002)243

Strategies for the purification and on-column cleavage of glutathione-*S*-transferase fusion target proteins 769(2002)133

Oriented immobilization of galactose oxidase to bead and magnetic bead cellulose and poly(HEMA-co-EDMA) and magnetic poly(HEMA-co-EDMA) microspheres 770(2002)25

Liquid chromatographic and electrophoretic characterisation of extracellular β -glucosidase of *Pleurotus ostreatus* grown in organic waste 770(2002)111

Aromatic amino acids and their derivatives as ligands for the isolation of aspartic proteinases 770(2002)121

Enzymes immobilized on magnetic carriers: efficient and selective system for protein modification 770(2002)177

Thiopurine methyltransferase activity: new conditions for reversed-phase high-performance liquid chromatographic assay without extraction and genotypic–phenotypic correlation 773(2002)119

Ephedrines

Determination of ephedrines in urine by gas chromatography–mass spectrometry 758(2001)311

Simultaneous quantitation of ephedrines in urine by gas chromatography–nitrogen–phosphorus detection for doping control purposes 760(2001)255

Quantification of ephedrines in urine by column-switching high-performance liquid chromatography 768(2002)215

Epibatidine

Extraction and quantification of epibatidine in plasma 755(2001)379

Epicatechin

High-performance liquid chromatographic method for simultaneous determination of hawthorn active components in rat plasma 760(2001)227

Epigallocatechin gallate

Liquid chromatography with multi-channel electrochemical detection for the determination of epigallocatechin gallate in rat plasma utilizing an automated blood sampling device 763(2001)47

Epitopes

Immunological identification and characterization of individual food allergens (Review) 756(2001)131

Characterization and identification of allergen epitopes: recombinant peptide libraries and synthetic, overlapping peptides 756(2001)157

Search for the determinants of allergenicity in proteins of the lipocalin family 756(2001)199

Epoxydicarboxylic acid

Urinary organic acids in peroxisomal disorders: a simple screening method 758(2001)81

Eprinomectin

High-performance liquid chromatographic assay for the determination of a semisynthetic avermectin analog (eprinomectin) in bovine milk at parts per billion levels—method development and validation 772(2002)99

Epristeride

Separation of finasteride and analogues (Review) 764(2001)207

Equine urine

Analysis of corticosteroids in equine urine by liquid chromatography–mass spectrometry 754(2001)229

Ergosteroids

Ergosteroids. VI. Metabolism of dehydroepiandrosterone by rat liver in vitro: a liquid chromatographic–mass spectrometric study 767(2002)285

Erythromycin

Identification and quantification of five macrolide antibiotics in several tissues, eggs and milk by liquid chromatography–electrospray tandem mass spectrometry 753(2001)189

Esmolol

Determination of esmolol in serum by capillary zone electrophoresis and its monitoring in course of heart surgery 760(2001)37

Estradiol

Evaluation of the predictive power of calculation procedure for molecular hydrophobicity of some estradiol derivatives 766(2002)67

Sensitive determination method of estradiol in plasma using high-performance liquid chromatography with electrochemical detection 775(2002)209

Estradiol glucuronide

Sensitive liquid chromatographic method using fluorescence detection for the determination of estradiol 3- and 17-glucuronides in rat and human liver microsomal incubations: formation kinetics 774(2002)33

Estrogen receptor

Immobilized receptor- and transporter-based liquid chromatographic phases for on-line pharmacological and biochemical studies: a mini-review 768(2002)41

Estrogens

Highly sensitive time-resolved fluorometric determination of estrogens by high-performance liquid chromatography using a β -diketonate europium chelate 773(2002)135

Ethanol

Optimization of solid-phase microextraction conditions for gas chromatographic determination of ethanol and other volatile compounds in blood 773(2002)75

Ethinylestradiol

Development of a diphasic dialysis method for the extraction/purification of residues of ethinylestradiol in hair of cattle, and determination by gas chromatography–tandem mass spectrometry 766(2002)251

Ethionamide

High-performance liquid chromatographic–tandem mass spectrometric method for the determination of ethionamide in human plasma, bronchoalveolar lavage fluid and alveolar cells 753(2001)343

Ion interaction reagent reversed-phase high-performance liquid chromatography determination of anti-tuberculosis drugs and metabolites in biological fluids 754(2001)477

Ethosuximide

A sensitive gas chromatographic/mass spectrometric method for the resolution and quantification of ethosuximide enantiomers in biological fluids 772(2002)307

Ethylene glycol

Validated gas chromatographic–mass spectrometric assay for determination of the antifreezes ethylene glycol and diethylene glycol in human plasma after microwave-assisted pivalylation 754(2001)401

Ethyl glucuronide

Improvement of ethyl glucuronide determination in human urine and serum samples by solid-phase extraction 758(2001)229

2-Ethylhexanoic acid

Simultaneous analysis of the di(2-ethylhexyl)phthalate metabolites 2-ethylhexanoic acid, 2-ethyl-3-hydroxyhexanoic acid and 2-ethyl-3-oxohexanoic acid in urine by gas chromatography–mass spectrometry 758(2001)213

Ethyl-*p*-hydroxybenzoate

Determination of ethyl-*p*-hydroxybenzoate in sow pancreatic juice by reversed-phase high-performance liquid chromatography 751(2001)365

2-Ethyl-3-hydroxyhexanoic acid

Simultaneous analysis of the di(2-ethylhexyl)phthalate metabolites 2-ethylhexanoic acid, 2-ethyl-3-hydroxyhexanoic acid and 2-ethyl-3-oxohexanoic acid in urine by gas chromatography–mass spectrometry 758(2001)213

***N*-Ethyl-3,4-methylenedioxyamphetamine**

Stereospecific analysis of ecstasy-like *N*-ethyl-3,4-methylenedioxyamphetamine and its metabolites in humans 751(2001)9

2-Ethyl-3-oxohexanoic acid

Simultaneous analysis of the di(2-ethylhexyl)phthalate metabolites 2-ethylhexanoic acid, 2-ethyl-3-hydroxyhexanoic acid and 2-ethyl-3-oxohexanoic acid in urine by gas chromatography–mass spectrometry 758(2001)213

3'-C-Ethynylcytidine

Improvement in precision of the liquid chromatographic–electrospray ionization tandem mass spectrometric analysis of 3'-C-ethynylcytidine in rat plasma 754(2001)113

Etoposide

Determination of etoposide in human plasma and leukemic cells by high-performance liquid chromatography with electrochemical detection 757(2001)135

Eucaryotic elongation factor-2

Separation and identification of human heart proteins (Review) 771(2002)131

Evernimicin

High-performance liquid chromatographic method for the quantification of unbound evernimicin in human plasma ultrafiltrate 772(2002)191

Everolimus

Quantification and stability of everolimus (SDZ RAD) in human blood by high-performance liquid chromatography–electrospray tandem mass spectrometry 772(2002)283

F**Factor VIII**

Quantification of plasma-derived blood coagulation factor VIII by real-time biosensor measurements 752(2001)335

Factor X

Purification of factor X by hydrophobic interaction chromatography 755(2001)367

Famotidine

Improved selectivity in detection of polar basic drugs by liquid chromatography–electrospray ionization mass spectrometry. Illustration using an assay method for the determination of famotidine in human plasma 763(2001)21

Fatty acids

Properties of a stationary phase based on immobilised chicken liver basic fatty acid-binding protein 751(2001)117

Effect of column and software on gas chromatographic determination of fatty acids 770(2002)91

Simultaneous quantitation of fatty acids, sterols and bile acids in human stool by capillary gas–liquid chromatography 775(2002)153

Fendiline

Determination of fendiline and gallopamil by capillary isotachopheresis 757(2001)215

Fenfluramine

Fluorometric determination of DL-fenfluramine, DL-norfenfluramine and phentermine in plasma by achiral and chiral high-performance liquid chromatography 763(2001)79

Fenoterol

Screening of β -2 agonists and confirmation of fenoterol, orciprenaline, reproterol and terbutaline with gas chromatography–mass spectrometry as tetrahydroisoquinoline derivatives 751(2001)93

High-performance liquid chromatographic determination of the β_2 -selective adrenergic agonist fenoterol in human plasma after fluorescence derivatization 751(2001)169

Fenspiride

Detection of fenspiride and identification of in vivo metabolites in horse body fluids by capillary gas chromatography–mass spectrometry: administration, biotransformation and urinary excretion after a single oral dose 767(2002)131

Fentanyl

Chromatographic approach for determining the relative membrane permeability of drugs 774(2002)89

N-Feruloylserotonin

High-performance liquid chromatographic analysis and separation of N-feruloylserotonin isomers 770(2002)291

Fexofenadine

Determination of fexofenadine in human plasma and urine by liquid chromatography–mass spectrometry 766(2002)227

Finasteride

Separation of finasteride and analogues (Review) 764(2001)207

Flavonoids

Chromatographic techniques for the determination of putative dietary anticancer compounds in biological fluids (Review) 764(2001)3

High performance liquid chromatographic analysis of St. John's Wort with photodiode array detection 765(2001)99

Flavoxate

Development of a high-performance liquid chromatographic method for bioequivalence study of flavoxate tablets 751(2001)79

Flumequine

High-performance liquid chromatographic determination of oxolinic acid and flumequine in the live fish feed *Artemia* 751(2001)247

Determination of ciprofloxacin, enrofloxacin and flumequine in pig plasma samples by capillary isotachopheresis–capillary zone electrophoresis 772(2002)163

Flumethasone

Determination of flumethasone in calf urine and serum by liquid chromatography–tandem mass spectrometry 755(2001)265

Flunitrazepam

High-performance liquid chromatography determination of flunitrazepam and its metabolites in plasma by use of column-switching technique: comparison of two extraction columns 754(2001)271

Fuorene

Identification of various urinary metabolites of fuorene using derivatization solid-phase microextraction 766(2002)209

9-Fluorenylmethyl chloroformate

A simple method for the assay of colistin in human plasma, using pre-column derivatization with 9-fluorenylmethyl chloroformate in solid-phase extraction cartridges and reversed-phase high-performance liquid chromatography 761(2001)167

Fluorescein

Sensitive fluorescent quantitation of *myo*-inositol 1,2-cyclic phosphate and *myo*-inositol 1-phosphate by high-performance thin-layer chromatography 757(2001)317

Fluoroacetic acid

Headspace solid-phase microextraction with 1-pyrenyldiazomethane on-fibre derivatisation for analysis of fluoroacetic acid in biological samples 772(2002)45

Fluorocarazolol

Solid-phase analysis method for (*S*)-[¹⁸F]fluorocarazolol and its metabolites 759(2001)355

[¹⁸F]Fluoroethylflumazenil

Assessment of [¹⁸F]fluoroethylflumazenil metabolites using high-performance liquid chromatography and tandem mass spectrometry 754(2001)35

3-(3-[(¹⁸F]Fluoropropyl)thio)-1,2,5-thiadiazol-4-yl)-1,2,5,6-tetrahydro-1-methylpyridine

Identification of metabolites of fluorine-18-labeled M2 muscarinic receptor agonist, 3-(3-[(3-fluoropropyl)thio]-1,2,5-thiadiazol-4-yl)-1,2,5,6-tetrahydro-1-methylpyridine, produced by human and rat hepatocytes 766(2002)319

Fluoroquinolones

Determination of fluoroquinolones in serum using an on-line clean-up column coupled to high-performance immunoaffinity–reversed-phase liquid chromatography 754(2001)1

5-Fluorouracil

Simple gas chromatographic–mass spectrometric procedure for diagnosing pyrimidine degradation defects for prevention of severe anticancer side effects 758(2001)61

Simultaneous determination of F- β -alanine and β -alanine in plasma and urine with dual-column reversed-phase high-performance liquid chromatography 759(2001)51

Simple liquid chromatographic method for the determination of uracil and dihydrouracil plasma levels: a potential pretreatment predictor of 5-fluorouracil toxicity 774(2002)223

Fluoxetine

High-performance liquid chromatographic method to screen and quantitate seven selective serotonin reuptake inhibitors in human serum 761(2001)147

Simultaneous determination of citalopram, fluoxetine, paroxetine and their metabolites in plasma by temperature-programmed packed capillary liquid chromatography with on-column focusing of large injection volumes 766(2002)77

Micellar electrokinetic capillary chromatography for the determination of fluoxetine and its metabolite norfluoxetine in biological fluids 769(2002)261

Simultaneous determination of fluoxetine and its metabolite *p*-trifluoromethylphenol in human liver microsomes using a gas chromatographic–electron-capture detection procedure 769(2002)305

7,7,8,8-Tetracyanoquinodimethane as a new derivatization reagent for high-performance liquid chromatography and thin-layer chromatography: rapid screening of plasma for some antidepressants 774(2002)149

Flupirtine

Simultaneous determination of flupirtine and its major active metabolite in human plasma by liquid chromatography–tandem mass spectrometry 755(2001)195

Fluticasone propionate

Quantification of epimeric budesonide and fluticasone propionate in human plasma by liquid chromatography–atmospheric pressure chemical ionization tandem mass spectrometry 761(2001)177

Fluvastatin

Determination of fluvastatin and its five metabolites in human plasma using simple gradient reversed-phase high-performance liquid chromatography with ultraviolet detection 760(2001)17

Stereoselective analysis of fluvastatin in human plasma for pharmacokinetic studies 765(2001)81

Fluvoxamine

High-performance liquid chromatographic method to screen and quantitate seven selective serotonin reuptake inhibitors in human serum 761(2001)147

Folates

Separation methods for methotrexate, its structural analogues and metabolites (Review) 764(2001)217

Preliminary application of liquid chromatography–electrospray-ionization mass spectrometry to the detection of 5-methyltetrahydrofolic acid monoglutamate in human plasma 765(2001)141

Fontinalis antipyretica

Determination of oxolinic acid in the bryophyte *Fontinalis antipyretica* by liquid chromatography with fluorescence detection 775(2002)89

Formaldehyde

Determination of formaldehyde in blood plasma by high-performance liquid chromatography with fluorescence detection 753(2001)253

Foscarnet

Separation methods for antiviral phosphorus-containing drugs (Review) 764(2001)349

FP-TZTP

Identification of metabolites of fluorine-18-labeled M2 muscarinic receptor agonist, 3-(3-[(3-fluoropropyl)thio]-1,2,5-thiadiazol-4-yl)-1,2,5,6-tetrahydro-1-methylpyridine, produced by human and rat hepatocytes 766(2002)319

Free cholesterol

Major human plasma lipid classes determined by quantitative high-performance liquid chromatography, their variation and associations with phospholipid fatty acids 754(2001)437

Free fatty acids

Simultaneous gas chromatographic determination of concentration and isotopic enrichment of fatty acids in human plasma using flame ionization and mass spectrometric detection 759(2001)169

Furans

On the isolation of polychlorinated dibenzo-*p*-dioxins and furans from serum samples using immunoaffinity chromatography prior to high-resolution gas chromatography–mass spectrometry 757(2001)285

Furosemide

Rapid analysis of furosemide in human urine by capillary electrophoresis with laser-induced fluorescence and electrospray ionization-ion trap mass spectrometric detection 770(2002)207

Fusion target proteins

Strategies for the purification and on-column cleavage of glutathione-*S*-transferase fusion target proteins 769(2002)133

G

Galactose oxidase

Oriented immobilization of galactose oxidase to bead and magnetic bead cellulose and poly(HEMA-co-EDMA) and magnetic poly(HEMA-co-EDMA) microspheres 770(2002)25

Enzymes immobilized on magnetic carriers: efficient and selective system for protein modification 770(2002)177

Gallamine

Application of a high-performance liquid chromatographic assay for the neuromuscular blocker gallamine to analysis of rat plasma, muscle and microdialysate samples 754(2001)467

Gallopamil

Determination of fendiline and gallopamil by capillary isotachopheresis 757(2001)215

Ganaxolone

A high-performance liquid chromatography–tandem mass spectrometric method for the determination of pharmacokinetics of ganaxolone in rat, monkey, dog and human plasma 751(2001)49

Ganciclovir

Separation methods for acyclovir and related antiviral compounds (Review) 764(2001)289

Gatifloxacin

Separation of levofloxacin, ciprofloxacin, gatifloxacin, moxifloxacin, trovafloxacin and cinoxacin by high-performance liquid chromatography: application to levofloxacin determination in human plasma 772(2002)53

Genistein

Detection of the isoflavone aglycones genistein and daidzein in urine using solid-phase microextraction–high-performance liquid chromatography–electrospray ionization mass spectrometry 759(2001)33

Quantitative analysis of the principle soy isoflavones genistein, daidzein and glycitein, and their primary conjugated metabolites in human plasma and urine using reversed-phase high-performance liquid chromatography with ultraviolet detection 760(2001)191

Gentamicin

Quantification of gentamicin in Mueller–Hinton agar by high-performance liquid chromatography 753(2001)151

Determination of gentamicin in urine samples after inhalation by reversed-phase high-performance liquid chromatography using pre-column derivatisation with *o*-phthalaldehyde 769(2002)89

Gentisic acid

Determination of salicylate, gentisic acid and salicylic acid in human urine by capillary electrophoresis with laser-induced fluorescence detection 752(2001)17

GF120918

Bioanalysis and preliminary pharmacokinetics of the acridonecarboxamide derivative GF120918 in plasma of mice and humans by ion-pairing reversed-phase high-performance liquid chromatography with fluorescence detection 759(2001)135

Gleevec

High-throughput quantification of the anti-leukemia drug STI571 (Gleevec™) and its main metabolite (CGP 74588) in human plasma using liquid chromatography–tandem mass spectrometry 768(2002)325

Glucocorticoid receptors

Novel and simple two-step purification of a full-length rat glucocorticoid-receptor expressed in a baculovirus system 765(2001)89

β -Glucosidase

Liquid chromatographic and electrophoretic characterisation of extracellular β -glucosidase of *Pleurotus ostreatus* grown in organic waste 770(2002)111

β -Glucuronidase

Affinity chromatography of branched oligosaccharides in rat liver β -glucuronidase 755(2001)173

Fluorogenic assay for β -glucuronidase using microchip-based capillary electrophoresis 762(2001)33

Glufosinate

Quantitative determination of glufosinate in biological samples by liquid chromatography with ultraviolet detection after *p*-nitrobenzoyl derivatization 767(2002)255

Glutamate

Rapid and sensitive step gradient assays of glutamate, glycine, taurine and γ -aminobutyric acid by high-performance liquid chromatography–fluorescence detection with *o*-phthalaldehyde–mercaptoethanol derivatization with an emphasis on microdialysis samples 757(2001)277

Glutathione

Quantitation of reduced and total glutathione at the femtomole level by high-performance liquid chromatography with fluorescence detection: application to red blood cells and cultured fibroblasts 752(2001)123

Simultaneous determination of reduced and oxidized glutathione in peripheral blood mononuclear cells by liquid chromatography–electrospray mass spectrometry 757(2001)69

Pre-column derivatization high-performance liquid chromatographic method for determination of cysteine, cysteinyl–glycine, homocysteine and glutathione in plasma and cell extracts 758(2001)207

A new and versatile method for determination of thiolamines of biological importance 761(2001)1

A sensitive and specific assay for glutathione with potential application to glutathione disulphide, using high-performance liquid chromatography–tandem mass spectrometry 762(2001)17

High-performance liquid chromatographic method to analyze picomole levels of glutathione, cysteine and cysteinylglycine and its application to pre-cancerous rat livers 762(2001)25

Glutathione disulfide

A new and versatile method for determination of thiolamines of biological importance 761(2001)1

Glutathione disulphide

A sensitive and specific assay for glutathione with potential application to glutathione disulphide, using high-performance liquid chromatography–tandem mass spectrometry 762(2001)17

Glutathione-S-transferase

Strategies for the purification and on-column cleavage of glutathione-S-transferase fusion target proteins 769(2002)133

Glybenclamide

High-throughput bioanalytical method using automated sample preparation and liquid chromatography–atmospheric pressure ionspray mass spectrometry for quantitative determination of glybenclamide in human serum 772(2002)347

L-Glyceryl phosphorylcholine

Immobilization of L-glyceryl phosphorylcholine: isolation of phosphorylcholine-binding proteins from seminal plasma 770(2002)101

Glycidamide

Determination of acrylamide and glycidamide in rat plasma by reversed-phase high performance liquid chromatography 758(2001)289

Glycine

Rapid and sensitive step gradient assays of glutamate, glycine, taurine and γ -aminobutyric acid by high-performance liquid chromatography–fluorescence detection with *o*-phthalaldehyde–mercaptoethanol derivatization with an emphasis on microdialysis samples 757(2001)277

Glycitein

Quantitative analysis of the principle soy isoflavones genistein, daidzein and glycitein, and their primary conjugated metabolites in human plasma and urine using reversed-phase high-performance liquid chromatography with ultraviolet detection 760(2001)191

Glycopeptides

Proteomics of glycoproteins based on affinity selection of glycopeptides from tryptic digests 752(2001)293

P-Glycoprotein

Immobilized receptor- and transporter-based liquid chromatographic phases for on-line pharmacological and biochemical studies: a mini-review 768(2002)41

Glycoproteins

Proteomics of glycoproteins based on affinity selection of glycopeptides from tryptic digests 752(2001)293

One-step chromatographic purification procedure of a His-tag recombinant carboxyl half part of the HTLV-I surface envelope glycoprotein overexpressed in *Escherichia coli* as a secreted form 753(2001)17

Investigations on the carbohydrate moieties of glycoprotein allergens 756(2001)141

Enzymes immobilized on magnetic carriers: efficient and selective system for protein modification 770(2002)177

Glycosaminoglycans

Determination and structural characterisation of dermatan sulfate in the presence of other galactosaminoglycans 754(2001)297

Improved high-performance liquid chromatographic method to estimate aminosugars and its application to glycosaminoglycan determination in plasma and serum 765(2001)151

Grepafloxacin

Determination of grepafloxacin and ciprofloxacin by capillary zone electrophoresis 772(2002)65

Growth-hormone-releasing peptide

Determination of growth hormone-releasing hexapeptide by reversed-phase high-performance liquid chromatography with electrochemical detection 754(2001)461

Growth hormones

Amino acid modifications in canine, equine and porcine pituitary growth hormones, identified by peptide-mass mapping 757(2001)237

Growth hormone secretagogue

Determination of a thermally labile metabolite of a novel growth hormone secretagogue in human and dog plasma by liquid chromatography with ion spray tandem mass spectrometric detection 760(2001)45

Growth promoter

Multi-residue extraction–purification procedure for corticosteroids in biological samples for efficient control of their misuse in livestock production 757(2001)11

Guanidinoacetate methyltransferase

Automated high-performance liquid chromatographic method for the determination of guanidinoacetic acid in dried blood spots: a tool for early diagnosis of guanidinoacetate methyltransferase deficiency 755(2001)343

Guanidinoacetic acid

Automated high-performance liquid chromatographic method for the determination of guanidinoacetic acid in dried blood spots: a tool for early diagnosis of guanidinoacetate methyltransferase deficiency 755(2001)343

Guanylate cyclase

Assay of human platelet guanylate cyclase activity by high-performance liquid chromatography with fluorescence derivatization 752(2001)55

H

Halothane

Simultaneous determination of fluorinated inhalation anesthetics in blood by gas chromatography–mass spectrometry combined with a headspace autosampler 759(2001)307

Sensitive determination of four general anaesthetics in human whole blood by capillary gas chromatography with cryogenic oven trapping 762(2001)103

Hawthorn

High-performance liquid chromatographic method for simultaneous determination of hawthorn active components in rat plasma 760(2001)227

Hemoglobin, glycosylated

Characterization of glycosylated hemoglobin in diabetic patients: usefulness of electrospray mass spectrometry in monitoring the extent and distribution of glycosylation 759(2001)1

Heparan sulfate

Analytical method of heparan sulfates using high-performance liquid chromatography turbo-ionspray ionization tandem mass spectrometry 754(2001)153

Heparin

Isolation of non-heparin-binding and heparin-binding proteins of boar prostate 770(2002)137

Hepatitis B virus core protein

Purification of recombinant HBc antigen expressed in *Escherichia coli* and *Pichia pastoris*: comparison of size-exclusion chromatography and ultracentrifugation 753(2001)51

Hepatocyte growth factor

Purification of hepatocyte growth factor using polyvinylidene fluoride-based immobilized metal affinity membranes: equilibrium adsorption study 766(2002)133

Heroin

Column-switching high-performance liquid chromatography–electrospray ionization mass spectrometry for identification of heroin metabolites in human urine 751(2001)177

Herpes simplex virus

Development and validation of a plasma assay for acyclovir using high-performance capillary electrophoresis with sample stacking 772(2002)291

Hidden allergy

Adverse reactions to foods (Review) 756(2001)3

HlgG

Polyhydroxyethylmethacrylate-based magnetic DNA-affinity beads for anti-DNA antibody removal from systemic lupus erythematosus patient plasma 760(2001)137

High-energy phosphate

Determination of high-energy phosphate compounds and inorganic phosphate by reversed-phase high-performance liquid chromatography: evaluation of myocardial metabolic status in aerobically perfused and hypoxic mouse heart 751(2001)229

High-molecular-mass proteins

Separation techniques for high-molecular-mass proteins (Review) 771(2002)49

High-performance liquid chromatography analysis

Improved high-performance liquid chromatographic method in the analysis of adenovirus particles 755(2001)27

Hippuric acid

Modified method for determination of hippuric acid and methylhippuric acid in urine by gas chromatography 751(2001)199

His-tag recombinant carboxyl

One-step chromatographic purification procedure of a His-tag recombinant carboxyl half part of the HTLV-I surface envelope glycoprotein overexpressed in *Escherichia coli* as a secreted form 753(2001)17

Histatins

Determination of the human salivary peptides histatins 1, 3, 5 and statherin by high-performance liquid chromatography and by diode-array detection 751(2001)153

Histidine

Immobilised metal-ion affinity chromatography purification of histidine-tagged recombinant proteins: a wash step with a low concentration of EDTA 760(2001)129

Method for determination of histidine in tissues by isocratic high-performance liquid chromatography and its application to the measurement of histidinol dehydrogenase activity in six cattle organs 767(2002)369

Simplification of complex tryptic digests for capillary electrophoresis by affinity selection of histidine-containing peptides with immobilised metal ion affinity chromatography 772(2002)35

Histidinol dehydrogenase

Method for determination of histidine in tissues by isocratic high-performance liquid chromatography and its application to the measurement of histidinol dehydrogenase activity in six cattle organs 767(2002)369

Histidyl-aminohexyl-Sepharose 4B

Protein adsorption on histidyl-aminohexyl-Sepharose 4B. I. Study of the mechanistic aspects of adsorption for the separation of human serum albumin from its non-enzymatic glycosylated isoforms (advanced glycosylated end products) 758(2001)163

Protein adsorption on histidyl-aminohexyl-Sepharose 4B. II. Application to the negative one-step affinity purification of human β 2-microglobulin and Immunoglobulin G 758(2001)173

HIV-1

From receptor recognition mechanisms to bioinspired mimetic antagonists in HIV-1/cell docking 753(2001)327

HMG CoA reductase

Determination of fluvastatin and its five metabolites in human plasma using simple gradient reversed-phase high-performance liquid chromatography with ultraviolet detection 760(2001)17

HMG-CoA reductase inhibitor

Quantification of rosuvastatin in human plasma by automated solid-phase extraction using tandem mass spectrometric detection 772(2002)219

Homocysteine

Pre-column derivatization high-performance liquid chromatographic method for determination of cysteine, cysteinyl-glycine, homocysteine and glutathione in plasma and cell extracts 758(2001)207

Simultaneous determination of methionine and total homocysteine in human plasma by gas chromatography–mass spectrometry 758(2001)283

Simultaneous analysis of homocysteine and methionine in plasma 759(2001)145

Determination of homocysteine thiolactone and homocysteine in cell cultures using high-performance liquid chromatography with fluorescence detection 767(2002)263

Homocysteine thiolactone

Determination of homocysteine thiolactone and homocysteine in cell cultures using high-performance liquid chromatography with fluorescence detection 767(2002)263

Homovanillic acid

In-use stability of monoamine metabolites in human cerebrospinal fluid 760(2001)301

Novel and sensitive high-performance liquid chromatographic method based on electrochemical coulometric array detection for simultaneous determination of catecholamines, kynurenine and indole derivatives of tryptophan 769(2002)145

5-HT_{1A} antagonists

Liquid chromatography–tandem mass spectrometry identification of metabolites of two 5-HT_{1A} antagonists, *N*-{2-[4-(2-methoxyphenyl)piperazino]ethyl}-*N*-(2-pyridyl) *trans*- and *cis*-4-fluorocyclohexanecarboxamide, produced by human and rat hepatocytes 755(2001)47

Human heart proteins

Separation and identification of human heart proteins (Review) 771(2002)131

Human serum albumin

Structural changes of human serum albumin immobilized on chromatographic supports: a high-performance liquid chromatography and Fourier-transform infrared spectroscopy study 753(2001)101

Utilization of the non-covalent fluorescent dye, NanoOrange, as a potential clinical diagnostic tool. Nanomolar human serum albumin quantitation 754(2001)345

Use of non-covalent labeling in illustrating ligand binding to human serum albumin via affinity capillary electrophoresis with near-infrared laser induced fluorescence detection 755(2001)91

Protein adsorption on histidyl-aminohexyl-Sepharose 4B. I. Study of the mechanistic aspects of adsorption for the separation of human serum albumin from its non-enzymatic glycosylated isoforms (advanced glycosylated end products) 758(2001)163

Immunoassay for human serum albumin using capillary electrophoresis–semiconductor laser-induced fluorometry 759(2001)337

Solute complexation degree with human serum albumin: biochromatographic approach 768(2002)121

Role of the magnesium cation on antihypertensive molecule–human serum albumin binding: affinity chromatography approach 768(2002)129

Stereoselective binding of 2-(4-biphenyl)-3-substituted-3-hydroxy-propionic acids on an immobilised human serum albumin chiral stationary phase 768(2002)137

Use of an immobilised human serum albumin HPLC column as a probe of drug–protein interactions: the reversible binding of valproate 768(2002)147

Binding of human serum albumin to silica particles by means of polymers: a liquid chromatographic study of the selectivity of resulting chiral stationary phases 768(2002)157

Study on the multiple sites binding of human serum albumin and porphyrin by affinity capillary electrophoresis 768(2002)211

Hydrocodone

Simultaneous determination of hydrocodone and hydromorphone in human plasma by liquid chromatography with tandem mass spectrometric detection 769(2002)55

Hydrogen sulphide

Determination of hydrogen sulfide and acid-labile sulfur in animal tissues by gas chromatography and ion chromatography 757(2001)31

Hydromorphone

Simultaneous determination of hydrocodone and hydromorphone in human plasma by liquid chromatography with tandem mass spectrometric detection 769(2002)55

Hydroquinone

Validated method for the determination of hydroquinone in human urine by high-performance liquid chromatography–coulometric-array detection 761(2001)125

Hydroquinone glucuronide

Validated methods for direct determination of hydroquinone glucuronide and sulfate in human urine after oral intake of bearberry leaf extract by capillary zone electrophoresis 761(2001)261

Hydroquinone sulfate

Validated methods for direct determination of hydroquinone glucuronide and sulfate in human urine after oral intake of bearberry leaf extract by capillary zone electrophoresis 761(2001)261

γ -Hydroxybutyrate

Capillary gas chromatographic determination of 1,4-butanediol and γ -hydroxybutyrate in human plasma and urine 769(2002)221

γ -Hydroxybutyric acid

Development and validation of a high-performance liquid chromatographic method for the determination of γ -hydroxybutyric acid in rat plasma 752(2001)85

10-Hydroxycamptothecin

Simultaneous determination of the carboxylate and lactone forms of 10-hydroxycamptothecin in human serum by restricted-access media high-performance liquid chromatography 772(2002)197

Hydroxyclo mipramine

Simultaneous determination of clomipramine and its desmethyl and hydroxy metabolites in plasma of patients by high-performance liquid chromatography after solid-phase extraction 772(2002)205

Hydroxycyclophosphamide

Liquid chromatography–tandem mass spectrometric quantitation of cyclophosphamide and its hydroxy metabolite in plasma and tissue for determination of tissue distribution 759(2001)277

8-Hydroxy-2'-deoxyguanosine

Discontinuous electrophoretic stacking system for cholate-based electrokinetic chromatographic separation of 8-hydroxy-2'-deoxyguanosine from unmodified deoxynucleosides 763(2001)71

8'-Hydroxydihydroergotamine

Sensitive and specific liquid chromatographic–tandem mass spectrometric assay for dihydroergotamine and its major metabolite in human plasma 768(2002)267

11-Hydroxy- Δ^9 -tetrahydrocannabinol

Improved and validated method for the determination of Δ^9 -tetrahydrocannabinol (THC), 11-hydroxy-THC and 11-nor-9-carboxy-THC in serum, and in human liver microsomal preparations using gas chromatography–mass spectrometry 772(2002)239

Hydroxyebastine

Simultaneous determination of the histamine H₁-receptor antagonist ebastine and its two metabolites, carebastine and hydroxyebastine, in human plasma using high-performance liquid chromatography 757(2001)173

2-Hydroxyflutamide

Determination of 2-hydroxyflutamide in human plasma by high-performance liquid chromatography and its application to pharmacokinetic studies 759(2001)179

5-Hydroxyindolacetic acid

In-use stability of monoamine metabolites in human cerebrospinal fluid 760(2001)301

Hydroxyitraconazole

Selective high-performance liquid chromatographic assay for itraconazole and hydroxyitraconazole in plasma from human immunodeficiency virus-infected patients 767(2002)103

5-Hydroxylansoprazole

High-performance liquid chromatographic assay for the simultaneous determination of lansoprazole enantiomers and metabolites in human liver microsomes 757(2001)127

Hydroxyl free radical

High-performance liquid chromatographic assay of hydroxyl free radical using salicylic acid hydroxylation during in vitro experiments involving thiols 763(2001)185

Hydroxylonazolac

Determination of lonazolac and its hydroxy and O-sulfated metabolites by on-line sample preparation liquid chromatography with fluorescence detection 766(2002)295

3-Hydroxy-3-methylglutaryl-coenzyme A reductase

Analysis of 3-hydroxy-3-methylglutaryl-coenzyme A reductase inhibitors using liquid chromatography–electrospray mass spectrometry 754(2001)327

5-Hydroxy-N-methyl-2-pyrrolidone

Determination of 5-hydroxy-N-methyl-2-pyrrolidone and 2-hydroxy-N-methylsuccinimide in human plasma and urine using liquid chromatography–electrospray tandem mass spectrometry 761(2001)107

2-Hydroxy-N-methylsuccinimide

Determination of 5-hydroxy-N-methyl-2-pyrrolidone and 2-hydroxy-N-methylsuccinimide in human plasma and urine using liquid chromatography–electrospray tandem mass spectrometry 761(2001)107

 α -Hydroxymetoprolol

Enantiomeric separation of metoprolol and α -hydroxymetoprolol by liquid chromatography and fluorescence detection using a chiral stationary phase 758(2001)153

3-Hydroxymorphinan

High-performance liquid chromatography assay for simultaneous determination of dextromethorphan and its main metabolites in urine and in microsomal preparations 754(2001)209

4-Hydroxynonenal

Micellar electrokinetic chromatography separation and laser-induced fluorescence detection of the lipid peroxidation product 4-hydroxynonenal 763(2001)133

Measurement of 4-hydroxynonenal in small volume blood plasma samples: modification of a gas chromatographic–mass spectrometric method for clinical settings 774(2002)231

4-Hydroxypenbutolol

High-performance liquid chromatography with chemiluminescence detection of penbutolol and its hydroxylated metabolite in rat plasma 757(2001)229

17-Hydroxypregnenolone

Automated chromatographic system for the simultaneous measurement of plasma pregnenolone and 17-hydroxypregnenolone by radioimmunoassay 763(2001)99

Hydroxyproline

Fluorometric determination of N-terminal prolyl dipeptides, proline and hydroxyproline in human serum by pre-column high-performance liquid chromatography using 4-(5,6-dimethoxy-2-phthalimidinyl)-2-methoxyphenylsulfonyl chloride 757(2001)369

2-Hydroxypropyl- γ -cyclodextrin

High-performance liquid chromatographic determination of 2-hydroxypropyl- γ -cyclodextrin in different biological fluids based on cyclodextrin enhanced fluorescence 774(2002)157

Hydroxyquinines

Simultaneous determination of quinine and four metabolites in plasma and urine by high-performance liquid chromatography 754(2001)57

9-Hydroxyrisperidone

Simplified high-performance liquid chromatographic method for determination of risperidone and 9-hydroxyrisperidone in plasma after overdose 772(2002)373

Hydroxytriamterene sulfate

Determination of triamterene and its main metabolite hydroxytriamterene sulfate in human urine by capillary electrophoresis using ultraviolet absorbance and laser-induced fluorescence detection 769(2002)107

25-Hydroxyvitamin D

Rapid and sensitive high-performance liquid chromatographic method for simultaneous determination of retinol, α -tocopherol, 25-hydroxyvitamin D₃ and 25-hydroxyvitamin D₂ in human plasma with photodiode-array ultraviolet detection 755(2001)129

1 α -Hydroxyvitamin D₃

Liquid chromatography–mass spectrometric method combined with derivatization for determination of 1 α -hydroxyvitamin D₃ in human plasma 772(2002)229

Hyperforin

Determination of hyperforin, hypericin, and pseudohypericin in human plasma using high-performance liquid chromatography analysis with fluorescence and ultraviolet detection 765(2001)29

Hypericin

Determination of hyperforin, hypericin, and pseudohypericin in human plasma using high-performance liquid chromatography analysis with fluorescence and ultraviolet detection 765(2001)29

Hyperoside

High-performance liquid chromatographic method for simultaneous determination of hawthorn active components in rat plasma 760(2001)227

I**Ibuprofen**

Fast and sensitive capillary electrophoresis method to quantitatively monitor ibuprofen enantiomers released from polymeric drug delivery systems 767(2002)35

ICL670

Practice of solid-phase extraction and protein precipitation in the 96-well format combined with high-performance liquid chromatography–ultraviolet detection for the analysis of drugs in plasma and brain 754(2001)45

Determination of a new oral iron chelator, ICL670, and its iron complex in plasma by high-performance liquid chromatography and ultraviolet detection 755(2001)203

Ifosfamide

Cyclophosphamide and related anticancer drugs (Review) 764(2001)173

Immobilized membrane proteins

Immobilized-biomembrane affinity chromatography for binding studies of membrane proteins 768(2002)31

Immunoglobulins

In vivo and in vitro techniques to determine the biological activity of food allergens (Review) 756(2001)41

Immunoglobulin

Immunological identification and characterization of individual food allergens (Review) 756(2001)131

Immunoglobulin G

On-line post-capillary affinity detection of immunoglobulin G for capillary zone electrophoresis 768(2002)105

Electrophoretic characteristics of monoclonal immunoglobulin G of different subclasses 771(2002)355

Immunoglobulins

Validation of a simple and sensitive gas chromatographic method for the analysis of tri-*n*-butyl phosphate from virally inactivated human immunoglobulin 757(2001)181

Protein adsorption on histidyl-aminohexyl-Sepharose 4B. II. Application to the negative one-step affinity purification of human β 2-microglobulin and Immunoglobulin G 758(2001)173

Indican

Quantitative liquid chromatography-mass spectrometry determination of isatin in urine using automated on-line extraction 767(2002)245

Indinavir

Simultaneous determination of the HIV protease inhibitors indinavir, amprenavir, saquinavir, ritonavir and nelfinavir in human plasma by high-performance liquid chromatography 755(2001)85

Simultaneous determination of the HIV-protease inhibitors indinavir, amprenavir, ritonavir, saquinavir and nelfinavir in human plasma by reversed-phase high-performance liquid chromatography 757(2001)325

High-performance liquid chromatographic assay to determine the plasma levels of HIV-protease inhibitors (amprenavir, indinavir, nelfinavir, ritonavir and saquinavir) and the non-nucleoside reverse transcriptase inhibitor (nevirapine) after liquid–liquid extraction 758(2001)129

Simultaneous determination of indinavir, ritonavir and lopinavir (ABT 378) in human plasma by high-performance liquid chromatography 775(2002)225

Indole

Cysteine and indole derivatives as markers for malignant melanoma (Review) 764(2001)409

Indomethacin

Direct analysis of indomethacin in rat plasma using a column-switching high-performance liquid chromatographic system 767(2002)53

Indoxyl

Quantitative liquid chromatography-mass spectrometry determination of isatin in urine using automated on-line extraction 767(2002)245

Inorganic phosphate

Determination of high-energy phosphate compounds and inorganic phosphate by reversed-phase high-performance liquid chromatography: evaluation of myocardial metabolic status in aerobically perfused and hypoxic mouse heart 751(2001)229

Inulin

Simultaneous determination of inulin and *p*-aminohippuric acid in plasma and urine by reversed-phase high-performance liquid chromatography 751(2001)187

Insulin antibodies

Capillary electrophoresis-based immunoassay for insulin antibodies with near-infrared laser induced fluorescence detection 752(2001)1

Iodoxifene

Comparison between liquid chromatography–time-of-flight mass spectrometry and selected reaction monitoring liquid chromatography–mass spectrometry for quantitative determination of idoxifene in human plasma 757(2001)151

Ion suppression

Improvement in precision of the liquid chromatographic–electrospray ionization tandem mass spectrometric analysis of 3'-C-ethynylcytidine in rat plasma 754(2001)113

Irinotecan

Quantitation of camptothecin and related compounds (Review) 764(2001)121

Separation methods for camptothecin and related compounds (Review) 764(2001)141

Iron

Separation of human serum transferrins with different iron-binding states by high-performance liquid chromatography using a pyridinium polymer column 767(2002)45

Iron chelator

High-performance liquid chromatographic assays for a second-generation novel oral iron chelator (APCP363) and their application to pharmacokinetic studies in rats 751(2001)107

Iron chelators

Determination of a new oral iron chelator, ICL670, and its iron complex in plasma by high-performance liquid chromatography and ultraviolet detection 755(2001)203

Isatin

Quantitative liquid chromatography–mass spectrometry determination of isatin in urine using automated on-line extraction 767(2002)245

Isatinoxime

Quantitative liquid chromatography–mass spectrometry determination of isatin in urine using automated on-line extraction 767(2002)245

Isobarbaloin

Determination of aloenin, barbaloin and isobarbaloin in *Aloe* species by micellar electrokinetic chromatography 752(2001)91

***N*-Isoferuloylserotonin**

High-performance liquid chromatographic analysis and separation of *N*-feruloylserotonin isomers 770(2002)291

Isoflurane

Simultaneous determination of fluorinated inhalation anesthetics in blood by gas chromatography–mass spectrometry combined with a headspace autosampler 759(2001)307

Sensitive determination of four general anaesthetics in human whole blood by capillary gas chromatography with cryogenic oven trapping 762(2001)103

Isoleucine

Initial catabolic steps of isoleucine, the *R*-pathway and the origin of alloisoleucine (Review) 758(2001)49

Isoniazid

Ion interaction reagent reversed-phase high-performance liquid chromatography determination of anti-tuberculosis drugs and metabolites in biological fluids 754(2001)477

Therapeutic isoniazid monitoring using a simple high-performance liquid chromatographic method with ultraviolet detection 766(2002)181

Liquid chromatographic determination of isoniazid, pyrazinamide and rifampicin from pharmaceutical preparations and blood 766(2002)357

Isoprostaglandin F_{2α}

Determination of isoprostaglandin F_{2α} type III in human urine by gas chromatography–electronic impact mass spectrometry. Comparison with enzyme immunoassay 754(2001)333

Isoprostane

Simultaneous quantification of prostaglandins, isoprostane and thromboxane in cell-cultured medium using gas chromatography–mass spectrometry 774(2002)205

Isoquercitrin

High-performance liquid chromatographic method for simultaneous determination of hawthorn active components in rat plasma 760(2001)227

Isothiazolones

Fast analysis of antibacterial isothiazolones by capillary electrophoresis 758(2001)323

Itraconazole

Quantitation of itraconazole in rat heparinized plasma by liquid chromatography–mass spectrometry 752(2001)9

Selective high-performance liquid chromatographic assay for itraconazole and hydroxyitraconazole in plasma from human immunodeficiency virus-infected patients 767(2002)103

Ivermectin

Multi-residue analysis of avermectins in swine liver by immunoaffinity extraction and liquid chromatography–mass spectrometry 755(2001)361

J**Jaffé picric acid**

Simple high-performance liquid chromatographic method to analyze serum creatinine has several advantages over the Jaffé picric acid reaction as demonstrated with a cimetidine dose response in rhesus monkeys 759(2001)343

Josamycin

Identification and quantification of five macrolide antibiotics in several tissues, eggs and milk by liquid chromatography–electrospray tandem mass spectrometry 753(2001)189

K

Kanamycin

Development of liquid chromatographic method for the analysis of kanamycin residues in varicella vaccine using phenylisocyanate as a derivatization reagent 752(2001)173

Karenitecin

Development of a high-performance liquid chromatographic method to determine the concentration of karenitecin, a novel highly lipophilic camptothecin derivative, in human plasma and urine 759(2001)117

 α -Ketoacids

Gas chromatographic–mass spectrometric screening for organic acidemias using dried urine filter paper: determination of α -ketoacids 758(2001)87

Ketobemidone

Identification of phase I and phase II metabolites of ketobemidone in patient urine using liquid chromatography–electrospray tandem mass spectrometry 763(2001)121

11-Keto- β -boswellic acid

Development of a high-performance liquid chromatographic method for the determination of 11-keto- β -boswellic acid in human plasma 761(2001)221

Ketoconazole

Liquid chromatographic determination of ketoconazole, a potent inhibitor of CYP3A4-mediated metabolism 753(2001)395

Determination of ketoconazole in human plasma by high-performance liquid chromatography–tandem mass spectrometry 774(2002)67

 α -Ketoisocaproic acid

Gas chromatographic–mass spectrometric determination of α -ketoisocaproic acid and [$^2\text{H}_7$] α -ketoisocaproic acid in plasma after derivatization with *N*-phenyl-1,2-phenylenediamine 751(2001)213

Ketorolac

Determination of ketorolac in human plasma by reversed-phase high-performance liquid chromatography using solid-phase extraction and ultraviolet detection 755(2001)383

Kinases

Improved capillary electrophoresis conditions for the separation of kinase substrates by the laser micropipet system 757(2001)79

KW-2170

Determination of the anticancer drug KW-2170, a pyrazoloacridone derivative, and its metabolites in human and dog plasma by high-performance liquid chromatography using an electrochemical detector 768(2002)231

Kynurenine

Novel and sensitive high-performance liquid chromatographic method based on electrochemical coulometric array detection for simultaneous determination of catecholamines, kynurenine and indole derivatives of tryptophan 769(2002)145

L

 α -Lactalbumin

Structure and function of proteins involved in milk allergies 756(2001)183

Lactate

Direct amperometric determination of lactate at a carbon fiber bundle microdisk electrode by capillary zone electrophoresis 774(2002)121

Lactic acid

Optimization of the separation lactic acid enantiomers in body fluids by capillary electrophoresis 766(2002)235

Lactic acid bacteria

Lactic acid bacteria and proteomics: current knowledge and perspectives 771(2002)329

Lactoferrin

Structure and function of proteins involved in milk allergies 756(2001)183

 β -Lactoglobulin

Structure and function of proteins involved in milk allergies 756(2001)183

Lamivudine

High-performance liquid chromatographic assay for the determination of 2'-deoxy-3'-thiacytidine (lamivudine) in human plasma 761(2001)195

Lamotrigine

Lamotrigine analysis in blood and brain by high-performance liquid chromatography 755(2001)119

Lansoprazole

High-performance liquid chromatographic assay for the simultaneous determination of lansoprazole enantiomers and metabolites in human liver microsomes 757(2001)127

Lansoprazole sulfone

High-performance liquid chromatographic assay for the simultaneous determination of lansoprazole enantiomers and metabolites in human liver microsomes 757(2001)127

Lead tetraacetate

Sensitive fluorescent quantitation of *myo*-inositol 1,2-cyclic phosphate and *myo*-inositol 1-phosphate by high-performance thin-layer chromatography 757(2001)317

Lectins

Sugar–lectin interactions investigated through affinity capillary electrophoresis 752(2001)207

Determination of the affinity constants of recombinant human galectin-1 and -3 for simple saccharides by capillary affinity electrophoresis 768(2002)199

D-Leu-enkephalin (DADLE)

Rapid quantification of the δ -opioid receptor selective enkephalin DPDPE in canine cerebrospinal fluid by liquid chromatography–mass spectrometry 772(2002)73

Levofloxacin

Separation of levofloxacin, ciprofloxacin, gatifloxacin, moxifloxacin, trovafloxacin and cinoxacin by high-performance liquid chromatography: application to levofloxacin determination in human plasma 772(2002)53

Lidocaine

Feasibility of the direct coupling of solid-phase extraction–pipette tips with a programmed-temperature vaporiser for gas chromatographic analysis of drugs in plasma 766(2002)37

Lindane

Analyses of lindane, vinclozolin, aldrin, *p,p'*-DDE, *o,p'*-DDT and *p,p'*-DDT in human serum using gas chromatography with electron capture detection and tandem mass spectrometry 760(2001)1

Linezolid

A new and rapid method for monitoring the new oxazolidinone antibiotic linezolid in serum and urine by high performance liquid chromatography-integrated sample preparation 755(2001)373

Lipid transfer proteins

Characterization of the major allergen of plum as a lipid transfer protein 756(2001)95

Determination of the primary structure of two lipid transfer proteins from apricot (*Prunus armeniaca*) 756(2001)123

Lipocalin proteins

Search for the determinants of allergenicity in proteins of the lipocalin family 756(2001)199

Lipocalins

Two new variants of the lipocalin allergen Bos d 2 763(2001)91

 α -Lipoic acid

High-performance liquid chromatographic assay for α -lipoic acid and five of its metabolites in human plasma and urine 769(2002)269

Lipopolysaccharides

High-performance affinity capture-removal of bacterial pyrogen from solutions 759(2001)237

Lipoproteins

Anion-exchange high-performance liquid chromatography assays of plasma lipoproteins and modified low-density lipoproteins using a ProtEx-DEAE column 751(2001)161

Liposomes

Polydispersity of liposome preparations as a likely source of peak width in capillary zone electrophoresis 761(2001)69

Lipoxygenase

Improved high-performance liquid chromatographic method for the combined analysis of phospholipase, lipoxygenase and cyclooxygenase activities 762(2001)175

Lisinopril

Effect of column temperature on the behaviour of some angiotensin converting enzyme inhibitors during high-performance liquid chromatographic analysis 755(2001)229

Lometrexol

Highly sensitive analysis of the antifolate pemetrexed sodium, a new cancer agent, in human plasma and urine by high-performance liquid chromatography 765(2001)135

Lonazolac

Determination of lonazolac and its hydroxy and O-sulfated metabolites by on-line sample preparation liquid chromatography with fluorescence detection 766(2002)295

Lopinavir

Determination of lopinavir and nevirapine by high-performance liquid chromatography after solid-phase extraction: application for the assessment of their transplacental passage at delivery 774(2002)127

Simultaneous determination of indinavir, ritonavir and lopinavir (ABT 378) in human plasma by high-performance liquid chromatography 775(2002)225

Loratadine

Determination of loratadine in human plasma by high-performance liquid chromatographic method with ultraviolet detection 755(2001)331

Lorazepam

Determination of lorazepam and its main metabolite in serum using micellar electrokinetic capillary chromatography with direct injection and ultraviolet absorbance detection 773(2002)151

Lormetazepam

Determination of lormetazepam and its main metabolite in serum using micellar electrokinetic capillary chromatography with direct injection and ultraviolet absorbance detection 773(2002)151

Lovastatin

Analytical method for monitoring concentrations of cyclosporin and lovastatin *in vitro* in an everted rat intestinal sac absorption model 768(2002)349

Low molecular mass allergens

Optimization of electrophoresis for the identification of low molecular mass allergens in hazelnuts 756(2001)105

Lurtotecan

Quantitation of camptothecin and related compounds (Review) 764(2001)121

Separation methods for camptothecin and related compounds (Review) 764(2001)141

Luteinizing hormone-releasing hormones

Quantitative capillary electrophoresis assay for the proteolytic stability of luteinizing hormone-releasing hormones 769(2002)235

LY231514

Highly sensitive analysis of the antifolate pemetrexed sodium, a new cancer agent, in human plasma and urine by high-performance liquid chromatography 765(2001)135

Lycopene

Analysis of lycopene geometrical isomers in biological microsamples by liquid chromatography with coulometric array detection 760(2001)289

Lymphoblastoid proteins

Proteomic map and database of lymphoblastoid proteins (Review) 771(2002)197

Lysergic acid diethylamide

Determination of LSD and its metabolites in human biological fluids by high-performance liquid chromatography with electrospray tandem mass spectrometry 765(2001)15

Optimization of the separation of lysergic acid diethylamide in urine by a sweeping technique using micellar electrokinetic chromatography 775(2002)37

Lysophosphatidic acids

Determination of lysophosphatidic acids by capillary electrophoresis with indirect ultraviolet detection 753(2001)355

Lytic enzymes

Lytic enzyme complex of an antagonistic *Bacillus* sp. X-b: isolation and purification of components 758(2001)197

M**MAG-camptothecin**

High-performance liquid chromatographic analysis for the determination of a novel polymer-bound camptothecin derivative (MAG-camptothecin) and free camptothecin in human plasma 763(2001)173

Magnesium cation

Role of the magnesium cation on antihypertensive molecule–human serum albumin binding: affinity chromatography approach 768(2002)129

Malondialdehyde

Influence of citrate and EDTA anticoagulants on plasma malondialdehyde concentrations estimated by high-performance liquid chromatography 751(2001)193

Methyl malondialdehyde as an internal standard for the determination of malondialdehyde 751(2001)315

On-line, continuous and automatic monitoring of extracellular malondialdehyde concentration in anesthetized rat brain cortex 752(2001)33

Determination of malondialdehyde in breath condensate by high-performance liquid chromatography with fluorescence detection 766(2002)107

Rapid, fluorimetric–liquid chromatographic determination of malondialdehyde in biological samples 775(2002)121

Mandelic acid

Simultaneous high-performance liquid chromatographic determination of urinary mandelic and phenylglyoxylic acids as indirect evaluation of styrene exposure 753(2001)385

Manganese

High-performance liquid chromatography with spectrophotometric and electrochemical detection of a series of manganese(III) cationic porphyrins 767(2002)61

Mannich ketones

Relationship between lipophilicity and antitumor activity of molecule library of Mannich ketones determined by high-performance liquid chromatography, clogP calculation and cytotoxicity test 768(2002)361

Mannitol

Sensitive and simple determination of mannitol in human brain tissues by gas chromatography–mass spectrometry 758(2001)103

Maprotiline

7,7,8,8-Tetracyanoquinodimethane as a new derivatization reagent for high-performance liquid chromatography and thin-layer chromatography: rapid screening of plasma for some antidepressants 774(2002)149

Melagatran

Determination of melagatran, a novel, direct thrombin inhibitor, in human plasma and urine by liquid chromatography–mass spectrometry 766(2002)47

Melanins

Applications of affinity chromatography to the study of drug–melanin binding interactions 768(2002)67

Melatonin

Determination of free and total (free plus protein-bound) melatonin in plasma and cerebrospinal fluid by high-performance liquid chromatography with fluorescence detection 774(2002)17

Isolation of melatonin by immunoaffinity chromatography 775(2002)9

Memantine

Separation methods for tricyclic antiviral drugs (Review) 764(2001)313

Mensa

Quantification of BNP7787 (dimesna) and its metabolite mesna in human plasma and urine by high-performance liquid chromatography with electrochemical detection 753(2001)293

Meperidine

Chromatographic approach for determining the relative membrane permeability of drugs 774(2002)89

Mephenoxalone

Determination of mephenoxalone in human plasma sample by high-performance liquid chromatography–fluorescence detection 759(2001)91

Mercapturic acid

Analysis of urinary *N*-acetyl-*S*-(*N*-methylcarbamoyl)cysteine, the mercapturic acid derived from *N,N*-dimethylformamide 759(2001)349

Meropenem

Rapid antibiotic drug monitoring: Meropenem and ceftazidime determination in serum and bronchial secretions by high-performance liquid chromatography–integrated sample preparation 751(2001)357

Metabolites

Assessment of [¹⁸F]fluoroethylflumazenil metabolites using high-performance liquid chromatography and tandem mass spectrometry 754(2001)35

Analysis of the metabolites of the sodium salt of 6-hydroxy-5-(phenylazo)-2-naphthalenesulfonic acid in Sprague–Dawley rat urine 754(2001)411

Metalloproteinase inhibitors

Separation and identification methods for metalloproteinase inhibitors (Review) 764(2001)59

Metformin

Determination of metformin in human plasma by high-performance liquid chromatography with spectrophotometric detection 762(2001)51

Rapid and simple high-performance liquid chromatographic assay for the determination of metformin in human plasma and breast milk 766(2002)175

Methamphetamine

Analysis of benzphetamine and its metabolites in rat urine by liquid chromatography–electrospray ionization mass spectrometry 751(2001)277

Simultaneous supercritical fluid extraction and chemical derivatization for the gas chromatographic–isotope dilution mass spectrometric determination of amphetamine and methamphetamine in urine 759(2001)17

Reduction of extraction times in liquid-phase microextraction 760(2001)219

Methandrostenolone

Metabolism of methandrostenolone in the horse: a gas chromatographic–mass spectrometric investigation of phase I and phase II metabolism 765(2001)71

Methemoglobin

Determination of bisphenol A in blood using high-performance liquid chromatography–electrochemical detection with solid-phase extraction 755(2001)9

Methenolone

Doping control for methenolone using hair analysis by gas chromatography–tandem mass spectrometry 766(2002)161

Methionine

Simultaneous determination of methionine and total homocysteine in human plasma by gas chromatography–mass spectrometry 758(2001)283

Simultaneous analysis of homocysteine and methionine in plasma 759(2001)145

Reversed-phase high-performance liquid chromatography procedure for the simultaneous determination of *S*-adenosyl-L-methionine and *S*-adenosyl-L-homocysteine in mouse liver and the effect of methionine on their concentrations 762(2001)59

Methotrexate

Separation methods for methotrexate, its structural analogues and metabolites (Review) 764(2001)217

3-Methoxymorphinan

High-performance liquid chromatography assay for simultaneous determination of dextromethorphan and its main metabolites in urine and in microsomal preparations 754(2001)209

5-Methoxy-*N,N*-dimethyltryptamine

Distribution of the hallucinogens *N,N*-dimethyltryptamine and 5-methoxy-*N,N*-dimethyltryptamine in rat brain following intraperitoneal injection: application of a new solid-phase extraction LC–APCI–MS–MS–isotope dilution method 751(2001)37

2-Methylcitric acid

Validated capillary gas chromatographic–mass spectrometric assay to determine 2-methylcitric acid I and II levels in human serum by using a pulsed splitless injection procedure 775(2002)215

Methyldeoxycytidine monophosphate

High-performance liquid chromatographic determination of deoxycytidine monophosphate and methyldeoxycytidine monophosphate for DNA demethylation monitoring: experimental design and artificial neural networks optimisation 755(2001)185

Methyl dopa

Quantification of methyl dopa in human plasma by high-performance liquid chromatography–electrospray tandem mass spectrometry. Application to a bioequivalence study 768(2002)341

7,8-Methylenedioxy-4*H*-2,3-benzodiazepin-4-ones

Chromatographic determination of 7,8-methylenedioxy-4*H*-2,3-benzodiazepin-4-ones in rat plasma: relationship to their anticonvulsant activity 775(2002)71

3,4-Methylenedioxymethamphetamine

On-line identification of 3,4-methylenedioxymethamphetamine in human urine by non-aqueous capillary electrophoresis–fluorescence spectroscopy at 77 K 759(2001)219

***O*⁶-Methylguanine**

High-performance liquid chromatographic method with electrochemical detection for the analysis of *O*⁶-methylguanine 759(2001)185

Methylhippuric acid

Modified method for determination of hippuric acid and methylhippuric acid in urine by gas chromatography 751(2001)199

Validated method for quantitation of biomarkers for benzene and its alkylated analogues in urine 774(2002)173

5-Methylisatin

Quantitative liquid chromatography–mass spectrometry determination of isatin in urine using automated on-line extraction 767(2002)245

Methylonazolac

Determination of lonazolac and its hydroxy and *O*-sulfated metabolites by on-line sample preparation liquid chromatography with fluorescence detection 766(2002)295

Methyl malondialdehyde

Methyl malondialdehyde as an internal standard for the determination of malondialdehyde 751(2001)315

6-Methylmercaptapurine nucleotides

Improved methods for determining the concentration of 6-thioguanine nucleotides and 6-methylmercaptapurine nucleotides in blood 757(2001)1

Methylparaben

Resolution of isomers of sorbitolparaben esters by chromatographic and electrophoretic techniques 752(2001)99

Methylphenidate

Chiral analysis of methylphenidate and dextromoramide by capillary electrophoresis 761(2001)61

1-Methylpropyl-2-imidazolyldisulphide

Normal-phase and stability-indicating reversed-phase high-performance liquid chromatographic methods for the determination of the novel antitumor agent: 1-methylpropyl-2-imidazolyldisulfide 768(2002)239

4'-Methyl- α -pyrrolidinopropiophenone

Studies on the metabolism and toxicological detection of the new designer drug 4'-methyl- α -pyrrolidinopropiophenone in urine using gas chromatography–mass spectrometry 773(2002)25

5-Methyltetrahydrofolate

Rapid method for the determination of total 5-methyltetrahydrofolate in blood by liquid chromatography with fluorescence detection 766(2002)331

Methyltetrahydrofolic acid

Preliminary application of liquid chromatography–electrospray ionization mass spectrometry to the detection of 5-methyltetrahydrofolic acid monoglutamate in human plasma 765(2001)141

Methyluric acid

Use of novel solid-phase extraction sorbent materials for high-performance liquid chromatography quantitation of caffeine metabolism products methylxanthines and methyluric acids in samples of biological origin 759(2001)209

1-Methyluric acid

Determination of *N*-acetylation phenotype using caffeine as a metabolic probe and high-performance liquid chromatography with either ultraviolet detection or electrospray mass spectrometry 760(2001)55

Methylxanthine

Use of novel solid-phase extraction sorbent materials for high-performance liquid chromatography quantitation of caffeine metabolism products methylxanthines and methyluric acids in samples of biological origin 759(2001)209

1-Methylxanthine

Determination of *N*-acetylation phenotype using caffeine as a metabolic probe and high-performance liquid chromatography with either ultraviolet detection or electrospray mass spectrometry 760(2001)55

Metoprolol

Enantioselective determination of metoprolol and major metabolites in human urine by capillary electrophoresis 755(2001)259

Enantiomeric separation of metoprolol and α -hydroxymetoprolol by liquid chromatography and fluorescence detection using a chiral stationary phase 758(2001)153

Metronidazole

Quantification of metronidazole in small-volume biological samples using narrow-bore high-performance liquid chromatography 761(2001)213

Mevalonic acid

Determination of mevalonic acid in human urine as mevalonic acid lactone by gas chromatography–mass spectrometry 760(2001)179

Validation and application of an assay for the determination of mevalonic acid in human plasma by liquid chromatography tandem mass spectrometry 773(2002)103

Mevalonic acid lactone

Determination of mevalonic acid in human urine as mevalonic acid lactone by gas chromatography–mass spectrometry 760(2001)179

 β_2 -Microglobulin

Molecular heterogeneity of amyloid β_2 -microglobulin and modification with advanced glycation end products 758(2001)109

Microglobulins

Protein adsorption on histidyl-aminoethyl-Sepharose 4B. II. Application to the negative one-step affinity purification of human β_2 -microglobulin and Immunoglobulin G 758(2001)173

Milbemycins

Extraction and isolation of avermectins and milbemycins from liver samples using unmodified supercritical CO₂ with in-line trapping on basic alumina 761(2001)115

Milnacipran

High-performance liquid chromatographic method to screen and quantitate seven selective serotonin reuptake inhibitors in human serum 761(2001)147

Minocycline

Determination of minocycline in human plasma by high-performance liquid chromatography coupled to tandem mass spectrometry: application to bioequivalence study 755(2001)1

Mirtazapine

Determination of mirtazapine and its demethyl metabolite in plasma by high-performance liquid chromatography with ultraviolet detection. Application to management of acute intoxication 775(2002)163

Mitomycin C

Quantitation of mitomycin C in human ocular tissues by high-performance liquid chromatography–photo-diode array detection 755(2001)65

Moclobemide

High-performance liquid chromatography–electrospray ionization mass spectrometry method for the measurement of moclobemide and two metabolites in plasma 754(2001)319

Modafinil

Determination of modafinil, modafinil acid and modafinil sulfone in human plasma utilizing liquid–liquid extraction and high-performance liquid chromatography 767(2002)269

Modafinil acid

Determination of modafinil, modafinil acid and modafinil sulfone in human plasma utilizing liquid–liquid extraction and high-performance liquid chromatography 767(2002)269

Modafinil sulfone

Determination of modafinil, modafinil acid and modafinil sulfone in human plasma utilizing liquid–liquid extraction and high-performance liquid chromatography 767(2002)269

Modified low-density lipoproteins

Anion-exchange high-performance liquid chromatography assays of plasma lipoproteins and modified low-density lipoproteins using a ProtEx-DEAE column 751(2001)161

Molecularly imprinted polymers

Use of molecularly imprinted polymers in the solid-phase extraction of clenbuterol from animal feeds and biological matrices 759(2001)27

Chromatographic resolution of the enantiomers of phenylpropanolamine by using molecularly imprinted polymer as the stationary phase 765(2001)45

Monoamines

In-use stability of monoamine metabolites in human cerebrospinal fluid 760(2001)301

Monoclonal antibody

Quantification of plasma-derived blood coagulation factor VIII by real-time biosensor measurements 752(2001)335

Monoclonal proteins

Determination of poorly separated monoclonal serum proteins by capillary zone electrophoresis 775(2002)63

N-Monodemethyl denaverine

A validated high-performance liquid chromatographic assay for the simultaneous determination of denaverine and its *N*-monodemethyl metabolite in human plasma 751(2001)221

Mono-*N*-desethylamiodarone

Metabolism of amiodarone. II. High-performance liquid chromatographic assay for mono-*N*-desethylamiodarone hydroxylation in liver microsomes 757(2001)309

Monodesmethyl promethazine

Quantitation of promethazine and metabolites in urine samples using on-line solid-phase extraction and column-switching 763(2001)9

Monodesmethylpromethazine sulfoxide

Quantitation of promethazine and metabolites in urine samples using on-line solid-phase extraction and column-switching 763(2001)9

Monohydrated cisplatin

Simultaneous determination of intact cisplatin and its metabolite monohydrated cisplatin in human plasma 772(2002)273

Monohydroxyethylrutoside

Determination of monohydroxyethylrutoside in heart tissue by high-performance liquid chromatography with electrochemical detection 757(2001)191

7-Monohydroxyethylrutoside

High-performance liquid chromatography with electrochemical detection for the determination of 7-monohydroxyethylrutoside in plasma 752(2001)115

Monomers

Polymer versus monomer as displacer in immobilized metal affinity chromatography 753(2001)279

Montelukast sodium

Expedient liquid chromatographic method with fluorescence detection for montelukast sodium in micro-samples of plasma 754(2001)527

Morphazinamide

Ion interaction reagent reversed-phase high-performance liquid chromatography determination of anti-tuberculosis drugs and metabolites in biological fluids 754(2001)477

Moxifloxacin

Determination of moxifloxacin in growth media by high-performance liquid chromatography 754(2001)107

Separation of levofloxacin, ciprofloxacin, gatifloxacin, moxifloxacin, trovafloxacin and cinoxacin by high-performance liquid chromatography: application to levofloxacin determination in human plasma 772(2002)53

mRNA

Quantitative determination of gene expression in human lymphocytes assessed by reverse transcription–polymerase chain reaction coupled to high-performance liquid chromatography 761(2001)237

Muconic acid

Improved coupled column liquid chromatographic method for high-speed direct analysis of urinary *trans,trans*-muconic acid, as a biomarker of exposure to benzene 751(2001)331

Direct analysis of urinary *trans,trans*-muconic acid by coupled column liquid chromatography and spectrophotometric ultraviolet detection: method applicability to human urine 758(2001)295

Müllerian inhibiting substance

New approaches for high-yield purification of Müllerian inhibiting substance improve its bioactivity 766(2002)89

MurA enzyme

Characterization and inhibition study of MurA enzyme by capillary electrophoresis 766(2002)123

Muscarinic receptor

Identification of metabolites of fluorine-18-labeled M2 muscarinic receptor agonist, 3-(3-[(3-fluoropropyl)thio]-1,2,5-thiadiazol-4-yl)-1,2,5,6-tetrahydro-1-methylpyridine, produced by human and rat hepatocytes 766(2002)319

Mycophenolate mofetil

Quantification of mycophenolate mofetil in human skin extracts using high-performance liquid chromatography–electrospray mass spectrometry 755(2001)355

Mycophenolate phenol glucuronide

Determination of mycophenolic acid and its phenol glucuronide metabolite in human plasma and urine by high-performance liquid chromatography 763(2001)35

Mycophenolic acid

Rapid and simultaneous determination of mycophenolic acid and its glucuronide conjugate in human plasma by ion-pair reversed-phase high-performance liquid chromatography using isocratic elution 753(2001)315

Determination of mycophenolic acid and its phenol glucuronide metabolite in human plasma and urine by high-performance liquid chromatography 763(2001)35

Mycophenolic acid glucuronide

Rapid and simultaneous determination of mycophenolic acid and its glucuronide conjugate in human plasma by ion-pair reversed-phase high-performance liquid chromatography using isocratic elution 753(2001)315

Myoglobin

Determination of albumin and myoglobin in dialysate and ultrafiltrate samples by high-performance size-exclusion chromatography 754(2001)141

Myo-inositol phosphate

Sensitive fluorescent quantitation of *myo*-inositol 1,2-cyclic phosphate and *myo*-inositol 1-phosphate by high-performance thin-layer chromatography 757(2001)317

N**Nalmefene**

Rapid and sensitive determination of nalmefene in human plasma by gas chromatography–mass spectrometry 773(2002)143

6 β -Naltrexol

Quantification of naltrexone and 6 β -naltrexol in plasma and milk using gas chromatography–mass spectrometry. Application to studies in the lactating sheep 761(2001)85

Naltrexone

Quantification of naltrexone and 6 β -naltrexol in plasma and milk using gas chromatography–mass spectrometry. Application to studies in the lactating sheep 761(2001)85

Nandrolone

Gas chromatography–combustion–isotope ratio mass spectrometry analysis of 19-norsteroids: application to the detection of a nandrolone metabolite in urine 759(2001)267

Determination of nandrolone and metabolites in urine samples from sedentary persons and sportsmen 761(2001)229

NanoOrange

Utilization of the non-covalent fluorescent dye, NanoOrange, as a potential clinical diagnostic tool. Nanomolar human serum albumin quantitation 754(2001)345

Naphthodianthrones

High performance liquid chromatographic analysis of St. John's Wort with photodiode array detection 765(2001)99

 α -Naphthoxy-lactic acid

Control of propranolol intake by direct chromatographic detection of α -naphthoxy-lactic acid in urine 767(2002)277

Nasal cartilage

Determination and structural characterisation of dermatan sulfate in the presence of other galactosaminoglycans 754(2001)297

Nelfinavir

Simultaneous determination of the HIV protease inhibitors indinavir, amprenavir, saquinavir, ritonavir and nelfinavir in human plasma by high-performance liquid chromatography 755(2001)85

Simultaneous determination of the HIV-protease inhibitors indinavir, amprenavir, ritonavir, saquinavir and nelfinavir in human plasma by reversed-phase high-performance liquid chromatography 757(2001)325

High-performance liquid chromatographic assay to determine the plasma levels of HIV-protease inhibitors (amprenavir, indinavir, nelfinavir, ritonavir and saquinavir) and the non-nucleoside reverse transcriptase inhibitor (nevirapine) after liquid–liquid extraction 758(2001)129

Neoglycolipids

Simultaneous quantification of components of neoglycolipid-coated liposomes using high-performance liquid chromatography with evaporative light scattering detection 754(2001)127

Neuraminidase

Enzymes immobilized on magnetic carriers: efficient and selective system for protein modification 770(2002)177

Neuroendocrine proteins

Peptide repertoire of human cerebrospinal fluid: novel proteolytic fragments of neuroendocrine proteins 754(2001)357

Neuropeptides

Peptide repertoire of human cerebrospinal fluid: novel proteolytic fragments of neuroendocrine proteins 754(2001)357

Nevirapine

Simple and rapid determination of nevirapine in human serum by reversed-phase high-performance liquid chromatography 751(2001)371

High-performance liquid chromatographic assay to determine the plasma levels of HIV-protease inhibitors (amprenavir, indinavir, nelfinavir, ritonavir and saquinavir) and the non-nucleoside reverse transcriptase inhibitor (nevirapine) after liquid–liquid extraction 758(2001)129

Rapid determination of nevirapine in human plasma by gas chromatography 767(2002)69

Simple and rapid quantification of the non-nucleoside reverse transcriptase inhibitors nevirapine, delavirdine, and efavirenz in human blood plasma using high-performance liquid chromatography with ultraviolet absorbance detection 774(2002)79

Determination of lopinavir and nevirapine by high-performance liquid chromatography after solid-phase extraction: application for the assessment of their transplacental passage at delivery 774(2002)127

 β -NGF

Purification and characterization of murine beta-nerve growth factor 753(2001)245

Nicarbazin

High-performance liquid chromatography-based determination of nicarbazin excretion in waterfowl 775(2002)103

Nicotine

Measurement of nicotine in hair by reversed-phase high-performance liquid chromatography with electrochemical detection 753(2001)179

Novel liquid chromatographic–tandem mass spectrometric methods using silica columns and aqueous–organic mobile phases for quantitative analysis of polar ionic analytes in biological fluids 754(2001)387

Quantification of nicotine, chlorpyrifos and their metabolites in rat plasma and urine using high-performance liquid chromatography 757(2001)295

Sensitive and simple method for the determination of nicotine and cotinine in human urine, plasma and saliva by gas chromatography–mass spectrometry 769(2002)177

Nicotine receptor

Immobilized receptor- and transporter-based liquid chromatographic phases for on-line pharmacological and biochemical studies: a mini-review 768(2002)41

Nicotinic receptor ligands

Multidimensional on-line screening for ligands to the $\alpha 3\beta 4$ neuronal nicotinic acetylcholine receptor using an immobilized nicotinic receptor liquid chromatographic stationary phase 772(2002)155

Nifedipine

Role of the magnesium cation on antihypertensive molecule–human serum albumin binding: affinity chromatography approach 768(2002)129

Nimesulide

Rapid and simple high-performance liquid chromatographic determination of nimesulide in human plasma 758(2001)183

Nisoldipine

Enantioselective assay of nisoldipine in human plasma by chiral high-performance liquid chromatography combined with gas chromatographic – mass spectrometry: applications to pharmacokinetics 762(2001)87

Nitrate

Capillary electrophoresis analysis of nitrite and nitrate in sub-microliter quantities of airway surface liquid 762(2001)147

Determination of urinary thiocyanate and nitrate using fast ion-interaction chromatography 767(2002)175

High-resolution microanalysis of nitrite and nitrate in neuronal tissues by capillary electrophoresis with conductivity detection 774(2002)97

Nitric oxide-correlated nitrate

Modified method for the determination of capillary electrophoresis nitric oxide-correlated nitrate in tissue homogenates 751(2001)257

Nitrite

Capillary electrophoresis analysis of nitrite and nitrate in sub-microliter quantities of airway surface liquid 762(2001)147

High-resolution microanalysis of nitrite and nitrate in neuronal tissues by capillary electrophoresis with conductivity detection 774(2002)97

Nitroarylmethyl quaternary salts

Sensitive liquid chromatographic assay for the basic DNA intercalator (*N,N*-dimethylaminoethyl)-9-amino-5-methylacridine-4-carboxamide and its nitroarylmethyl quaternary prodrugs in biological samples 763(2001)149

9-Nitrocamptothecin

Determination of 9-nitrocamptothecin and its metabolite 9-aminocamptothecin in human plasma using high-performance liquid chromatography with ultraviolet and fluorescence detection 775(2002)231

Nitrocellulose

Chromatographic performance of a thin microporous bed of nitrocellulose 763(2001)107

Nitroimidazoles

Validation of a method for the detection and confirmation of nitroimidazoles and corresponding hydroxy metabolites in turkey and swine muscle by means of gas chromatography–negative ion chemical ionization mass spectrometry 761(2001)47

S-Nitrosoalbumin

Measurement of S-nitrosoalbumin by gas chromatography–mass spectrometry. III. Quantitative determination in human plasma after specific conversion of the S-nitroso group to nitrite by cysteine and Cu²⁺ via intermediate formation of S-nitrosocysteine and nitric oxide 772(2002)335

NK-104

Simultaneous determination of taxol and its metabolites in microsomal samples by a simple thin-layer chromatography radioactivity assay — inhibitory effect of NK-104, a new inhibitor of HMG-CoA reductase 757(2001)143

Nobuprenorphine

Simultaneous determination of buprenorphine, norbuprenorphine, and buprenorphine–glucuronide in plasma by liquid chromatography–tandem mass spectrometry 754(2001)447

Noradrenaline

Novel and sensitive high-performance liquid chromatographic method based on electrochemical coulometric array detection for simultaneous determination of catecholamines, kynurenine and indole derivatives of tryptophan 769(2002)145

19-Norandrostenediol

Human nutritional supplements in the horse: comparative effects of 19-norandrostenedione and 19-norandrostenediol on the 19-norsteroid profile and consequences for doping control 766(2002)257

19-Norandrostenedione

Human nutritional supplements in the horse: comparative effects of 19-norandrostenedione and 19-norandrostenediol on the 19-norsteroid profile and consequences for doping control 766(2002)257

19-Norandrosterone

Determination of nandrolone and metabolites in urine samples from sedentary persons and sportsmen 761(2001)229

11-Nor-9-carboxy- Δ^9 -tetrahydrocannabinol

Improved and validated method for the determination of Δ^9 -tetrahydrocannabinol (THC), 11-hydroxy-THC and 11-nor-9-carboxy-THC in serum, and in human liver microsomal preparations using gas chromatography–mass spectrometry 772(2002)239

Nordihydroguaiaretic acid

Pharmacokinetic analysis by high-performance liquid chromatography of intravenous nordihydroguaiaretic acid in the mouse 754(2001)85

11-Nor- Δ^9 -Tetrahydrocannabinol-9-carboxylic acid

Screening method for 11-nor- Δ^9 -tetrahydrocannabinol-9-carboxylic acid in urine using hollow fiber membrane solvent microextraction with in-tube derivatization 760(2001)27

19-Noretiocholanolone

Determination of nandrolone and metabolites in urine samples from sedentary persons and sportsmen 761(2001)229

Norfenfluramine

Fluorometric determination of DL-fenfluramine, DL-norfenfluramine and phentermine in plasma by achiral and chiral high-performance liquid chromatography 763(2001)79

Norfloxacin

Sensitive liquid chromatographic–mass spectrometric assay for norfloxacin in poultry tissue 772(2002)185

Norfluoxetine

Micellar electrokinetic capillary chromatography for the determination of fluoxetine and its metabolite norfluoxetine in biological fluids 769(2002)261

Nornicotine

Quantification of nicotine, chlorpyrifos and their metabolites in rat plasma and urine using high-performance liquid chromatography 757(2001)295

19-Norsteroids

Gas chromatography–combustion–isotope ratio mass spectrometry analysis of 19-norsteroids: application to the detection of a nandrolone metabolite in urine 759(2001)267

Human nutritional supplements in the horse: comparative effects of 19-norandrostenedione and 19-norandrostenediol on the 19-norsteroid profile and consequences for doping control 766(2002)257

Nortestosterone

Comparison of the efficiencies of enzymatic and chemical hydrolysis of (nortestosterone and diethylstilboestrol) glucuronides in bovine urine 757(2001)221

Nortriptyline

7,7,8,8-Tetracyanoquinodimethane as a new derivatization reagent for high-performance liquid chromatography and thin-layer chromatography: rapid screening of plasma for some antidepressants 774(2002)149

NSC 652287

Identification of the major metabolite of 2,5-bis(5-hydroxymethyl-2-thienyl)furan (NSC 652287), an antitumor agent, in the S9 subcellular fraction of dog liver cells 767(2002)27

Nucleoside reverse transcriptase inhibitors

Separation methods for nucleoside analogues used for treatment of HIV-1 infection (Review) 764(2001)327

Nucleosides

Capillary electrophoretic profiling and pattern recognition analysis of urinary nucleosides from uterine myoma and cervical cancer patients 754(2001)97

Nucleotide mutations

High-performance liquid chromatography multiplex detection of two single nucleotide mutations associated with hereditary hemochromatosis 754(2001)265

Nucleotides

Investigations into the interaction between tumor-inhibiting ruthenium(III) complexes and nucleotides by capillary electrophoresis 759(2001)81

Adenosine nucleotides in rat bone measured by ion-pair reversed-phase high-performance liquid chromatography: effect of hemorrhagic shock, with and without retransfusion of blood 761(2001)159

Use of the Hummel and Dreyer method for the study of nucleotide binding on chloroplast ATPase CF1 768(2002)167

Nucleotide adsorption–desorption behaviour of boronic acid functionalized uniform-porous particles 769(2002)283

O**Obidoxime**

Internal standard high-performance liquid chromatography method for the determination of obidoxime in urine of organophosphate-poisoned patients 753(2001)203

1-Octacosanol

Trace determination of 1-octacosanol in rat plasma by solid-phase extraction with Tenax GC and capillary gas chromatography 762(2001)43

Octyl diphenyl phosphate

Development of a microporous membrane liquid–liquid extractor for organophosphate esters in human blood plasma: identification of triphenyl phosphate and octyl diphenyl phosphate in donor plasma 755(2001)157

Ofloxacin

Stereoselective determination of ofloxacin and its metabolites in human urine by capillary electrophoresis using laser-induced fluorescence detection 754(2001)169

Validation of an analytical procedure for the determination of the fluoroquinolone ofloxacin in chicken tissues 754(2001)311

Simple and rapid high-performance liquid chromatography method for the determination of ofloxacin concentrations in plasma and urine 760(2001)91

Ofloxacin N-oxide

Stereoselective determination of ofloxacin and its metabolites in human urine by capillary electrophoresis using laser-induced fluorescence detection 754(2001)169

Olanzapine

Separation of olanzapine, carbamazepine and their main metabolites by capillary electrophoresis with pseudo-stationary phases 752(2001)47

Quantitative determination of olanzapine in rat brain tissue by high-performance liquid chromatography with electrochemical detection 752(2001)61

Simultaneous determination of olanzapine, clozapine and demethylated metabolites in serum by on-line column-switching high-performance liquid chromatography 759(2001)63

A high-performance liquid chromatography assay with ultraviolet detection for olanzapine in human plasma and urine 759(2001)319

Determination of olanzapine in human blood by liquid chromatography–tandem mass spectrometry 767(2002)163

Determination of olanzapine in plasma by high-performance liquid chromatography using ultraviolet absorbance detection 773(2002)191

Oligonucleotides

Kinetics study of the biotransformation of an oligonucleotide prodrug in cells extract by matrix-assisted laser desorption–ionization time-of-flight mass spectrometry 753(2001)123

Oligosaccharides

Affinity chromatography of branched oligosaccharides in rat liver β -glucuronidase 755(2001)173

Omeprazole

Assay of omeprazole and omeprazole sulfone by semi-microcolumn liquid chromatography with mixed-function precolumn 754(2001)487

Omeprazole sulfone

Assay of omeprazole and omeprazole sulfone by semi-microcolumn liquid chromatography with mixed-function precolumn 754(2001)487

Opioids

Opioid analgetics retention–pharmacologic activity models using biopartitioning micellar chromatography 766(2002)265

Simultaneous determination of in total 17 opium alkaloids and opioids in blood and urine by fast liquid chromatography–diode-array detection–fluorescence detection, after solid-phase extraction 773(2002)53

Opipramol

Determination of opiipramol in human plasma by high-performance liquid chromatography with photometric detection using a cyanopropyl column 753(2001)337

Opium alkaloids

Simultaneous determination of in total 17 opium alkaloids and opioids in blood and urine by fast liquid chromatography–diode-array detection–fluorescence detection, after solid-phase extraction 773(2002)53

Optical biosensor

From receptor recognition mechanisms to bioinspired mimetic antagonists in HIV-1/cell docking 753(2001)327

Orange RN

Analysis of the metabolites of the sodium salt of 6-hydroxy-5-(phenylazo)-2-naphthalenesulfonic acid in Sprague–Dawley rat urine 754(2001)411

Orciprenaline

Screening of β -2 agonists and confirmation of fenoterol, orciprenaline, reproterol and terbutaline with gas chromatography–mass spectrometry as tetrahydroisoquinoline derivatives 751(2001)93

Organic acids

Urinary organic acids in peroxisomal disorders: a simple screening method 758(2001)81

Solid-phase extraction procedure to remove organic acids from honey 770(2002)77

Organic pollutants

Evaluation of the efficiency of extraction of ultraviolet-absorbing pollen allergens and organic pollutants from airborne dust samples by capillary electromigration methods 770(2002)303

Organochlorine compounds

Method for integrated analysis of polycyclic aromatic hydrocarbons and organochlorine compounds in fish liver 768(2002)247

Organochlorine pesticides

Human blood and environmental media screening method for pesticides and polychlorinated biphenyl compounds using liquid extraction and gas chromatography–mass spectrometry analysis 769(2002)155

Organophosphate

Internal standard high-performance liquid chromatography method for the determination of obidoxime in urine of organophosphate-poisoned patients 753(2001)203

Organophosphate pesticides

Human blood and environmental media screening method for pesticides and polychlorinated biphenyl compounds using liquid extraction and gas chromatography–mass spectrometry analysis 769(2002)155

Organophosphorus pesticides

Multiresidue determination method for organophosphorus pesticides in serum and whole blood by gas chromatography–mass-selective detection 759(2001)109

Ovalbumin

Structure and properties of ovalbumin 756(2001)189

Overlapping peptides

Characterization and identification of allergen epitopes: recombinant peptide libraries and synthetic, overlapping peptides 756(2001)157

Oxalate

Measurement of nephrolithiasis urinary markers by capillary electrophoresis 755(2001)287

Oxalic acid

Oxalic acid stabilizes dopamine, serotonin, and their metabolites in automated liquid chromatography with electrochemical detection 753(2001)413

Oxazaphosphorines

Cyclophosphamide and related anticancer drugs (Review) 764(2001)173

Oxazolidinones

A new and rapid method for monitoring the new oxazolidinone antibiotic linezolid in serum and urine by high performance liquid chromatography-integrated sample preparation 755(2001)373

 Δ^2 -Oxazolines-1,3

Delta(2)-oxazolines-1,3 and *N*-acylaziridines as potential proinsecticides of carboxylic acids. V. Direct thin-layer chromatography monitoring of the metabolism in locust tissues 761(2001)35

Oxcarbazepine

Development of a high throughput 96-well plate sample preparation method for the determination of tripleptal (oxcarbazepine) and its metabolites in human plasma 762(2001)9

Oxoacetic acid

Measurement of nephrolithiasis urinary markers by capillary electrophoresis 755(2001)287

Oxolinic acid

High-performance liquid chromatographic determination of oxolinic acid and flumequine in the live fish feed *Artemia* 751(2001)247

Determination of oxolinic acid in the bryophyte *Fontinalis antipyretica* by liquid chromatography with fluorescence detection 775(2002)89

Oxybutynin

Plasma protein binding study of oxybutynin by high-performance frontal analysis 768(2002)177

Oxycodone

Capillary electrophoresis and capillary electrophoresis–ion trap multiple-stage mass spectrometry for the differentiation and identification of oxycodone and its major metabolites in human urine 770(2002)191

Oxymetholone

Validation of the determination of oxymetholone in human plasma analysis using gas chromatography–mass spectrometry. Application to pharmacokinetic studies 775(2002)1

Oxypeucedanin hydrate

Simultaneous determination of byak-angelicin and oxypeucedanin hydrate in rat plasma by column-switching high-performance liquid chromatography with ultraviolet detection 753(2001)309

P**Paclitaxel**

On-line solid-phase extraction and determination of paclitaxel in human plasma 769(2002)357

Palladium

Determination of palladium in human urine by high-performance liquid chromatography and ultraviolet detection after ultraviolet photolysis and selective solid-phase extraction 760(2001)237

Pancreatic lipase

Direct determination by high-performance liquid chromatography of *sn*-2 monopalmitin after enzymatic lipase hydrolysis 760(2001)97

Pantoprazole

Enantiomeric determination of pantoprazole in human plasma by multidimensional high-performance liquid chromatography 766(2002)153

Paraquat

Simple method for determination of paraquat in plasma and serum of human patients by high-performance liquid chromatography 775(2002)109

Paroxetine

High-performance liquid chromatographic method to screen and quantitate seven selective serotonin reuptake inhibitors in human serum 761(2001)147

Simultaneous determination of citalopram, fluoxetine, paroxetine and their metabolites in plasma by temperature-programmed packed capillary liquid chromatography with on-column focusing of large injection volumes 766(2002)77

7,7,8,8-Tetracyanoquinodimethane as a new derivatization reagent for high-performance liquid chromatography and thin-layer chromatography: rapid screening of plasma for some antidepressants 774(2002)149

Pectin methyl-esterases

Chromatographic study of highly methoxylated lime pectins deesterified by different pectin methyl-esterases 753(2001)157

Pectins

Chromatographic study of highly methoxylated lime pectins deesterified by different pectin methyl-esterases 753(2001)157

Pemetrexed

Highly sensitive analysis of the antifolate pemetrexed sodium, a new cancer agent, in human plasma and urine by high-performance liquid chromatography 765(2001)135

Penbutolol

High-performance liquid chromatography with chemiluminescence detection of penbutolol and its hydroxylated metabolite in rat plasma 757(2001)229

Penciclovir

Separation methods for acyclovir and related antiviral compounds (Review) 764(2001)289

Penicillin acylase

Efficient two-step chromatographic purification of penicillin acylase from clarified *Escherichia coli* ultrasonic homogenate 753(2001)45

Evaluation of immobilized metal affinity chromatography for purification of penicillin acylase 754(2001)135

D-Penicillamine-enkephalin (DPDPE)

Rapid quantification of the δ -opioid receptor selective enkephalin DPDPE in canine cerebrospinal fluid by liquid chromatography–mass spectrometry 772(2002)73

Pentafluorobenzyl azide

Application of a new analytical method using gas chromatography and gas chromatography–mass spectrometry for the azide ion to human blood and urine samples of an actual case 752(2001)149

Pepsin

Reversed-phase high-performance liquid chromatography of peptides of porcine pepsin prepared by the use of various forms of immobilized α -chymotrypsin 753(2001)37

Peptide analysis

Purification of novel peptide antibiotics from human milk
752(2001)369

Peptides

Determination of the human salivary peptides histatins 1, 3, 5 and statherin by high-performance liquid chromatography and by diode-array detection 751(2001)153

Matrix-assisted laser desorption–ionization mass spectrometry peptide mass fingerprinting for proteome analysis: identification efficiency after on-blot or in-gel digestion with and without desalting procedures 752(2001)311

Reversed-phase high-performance liquid chromatography of peptides of porcine pepsin prepared by the use of various forms of immobilized α -chymotrypsin 753(2001)37

Improved capillary electrophoresis conditions for the separation of kinase substrates by the laser micropipet system
757(2001)79

Purification of anti-MUC1 antibodies by peptide mimotope affinity chromatography using peptides derived from a polyvalent phage display library 766(2002)13

Combined use of micro-preparative gel electrophoresis and reversed-phase high-performance liquid chromatography for purification of amyloid β peptides deposited in brains of Alzheimer's disease patients 769(2002)363

Capillary electrochromatographic separation of aromatic amino acids possessing peptides using porphyrin derivatives as the inner wall modifiers 770(2002)155

Capillary electrochromatographic study of the interactions of porphyrin derivatives with amino acids and oligopeptides
770(2002)165

Optimization of a free separation of 30 free amino acids and peptides by capillary zone electrophoresis with indirect absorbance detection: a potential for quantification in physiological fluids 772(2002)19

Simplification of complex tryptic digests for capillary electrophoresis by affinity selection of histidine-containing peptides with immobilised metal ion affinity chromatography
772(2002)35

Reversed-phase high-performance liquid chromatographic method for the determination of peptidoglycan monomers and structurally related peptides and adamantyltripeptides
773(2002)167

Peptides, synthetic

Chromatographic characterization of synthetic peptides: SPf66 malaria vaccine 766(2002)3

Peptidoglycan monomers

Reversed-phase high-performance liquid chromatographic method for the determination of peptidoglycan monomers and structurally related peptides and adamantyltripeptides
773(2002)167

Perifosine

Quantitative determination of perifosine, a novel alkylphosphocholine anticancer agent, in human plasma by reversed-phase liquid chromatography–electrospray mass spectrometry 759(2001)247

Perphenazine

Quantification of perphenazine in Eurasian otter (*Lutra lutra lutra*) urine samples by gas chromatography–mass spectrometry
769(2002)79

Persistent organic pollutants

Human blood and environmental media screening method for pesticides and polychlorinated biphenyl compounds using liquid extraction and gas chromatography–mass spectrometry analysis
769(2002)155

Pesticides

Headspace solid-phase microextraction in combination with gas chromatography and tandem mass spectrometry for the determination of organochlorine and organophosphorus pesticides in whole human blood 769(2002)65

Biological monitoring of pesticide exposure: a review of analytical methods (Review) 769(2002)191

Pethidine

Sensitive determination of pethidine in body fluids by surface ionization organic mass spectrometry 758(2001)117

Phage display

From receptor recognition mechanisms to bioinspired mimetic antagonists in HIV-1/cell docking 753(2001)327

Pharmaceuticals

Application of column-switching liquid chromatography–tandem mass spectrometry for the determination of pharmaceutical compounds in tissue samples 769(2002)9

Phenol

Binding of substituted phenol and aniline derivatives to the corn protein zein studied by high-performance liquid chromatography
753(2001)79

Validated method for quantitation of biomarkers for benzene and its alkylated analogues in urine 774(2002)173

Phenols

Solid-phase extraction method for the determination of free and conjugated phenol compounds in human urine 773(2002)89

Phenoxyacetic acid

Effect of molecular parameters on the binding of phenoxyacetic acid derivatives to albumins 753(2001)87

Phentermine

Fluorometric determination of DL-fenfluramine, DL-norfenfluramine and phentermine in plasma by achiral and chiral high-performance liquid chromatography 763(2001)79

Phenylalanine

Gas chromatographic–mass spectrometric method for quantitation of phenylalanine and tyrosine in serum 762(2001)127

Phenylbutazone

Determination by high-performance liquid chromatography of phenylbutazone in samples of plasma from fighting bulls 769(2002)119

Phenylglyoxylic acid

Simultaneous high-performance liquid chromatographic determination of urinary mandelic and phenylglyoxylic acids as indirect evaluation of styrene exposure 753(2001)385

Phenylisocyanate

Development of liquid chromatographic method for the analysis of kanamycin residues in varicella vaccine using phenylisocyanate as a derivatization reagent 752(2001)173

Phenylketonuria

Gas chromatographic–mass spectrometric method for quantitation of phenylalanine and tyrosine in serum 762(2001)127

Phenylmercapturic acid

Determination of monobromobimane derivatives of phenylmercapturic and benzylmercapturic acids in urine by high-performance liquid chromatography and fluorimetry 751(2001)305

N-Phenyl-1,2-phenylenediamine

Gas chromatographic–mass spectrometric determination of α -ketoisocaproic acid and [$^3\text{H}_7$] α -ketoisocaproic acid in plasma after derivatization with N-phenyl-1,2-phenylenediamine 751(2001)213

Phenylpropanolamine

Chromatographic resolution of the enantiomers of phenylpropanolamine by using molecularly imprinted polymer as the stationary phase 765(2001)45

5-Phenyl-3-thioureido-1,2,4-thiadiazole

Liquid chromatography–mass spectrometry assay of a thiadiazole derivative in mice: application to pharmacokinetic studies 765(2001)55

Phloroglucinols

High performance liquid chromatographic analysis of St. John's Wort with photodiode array detection 765(2001)99

Phosphate

Ion chromatographic separation and determination of phosphate and arsenate in water and hair 767(2002)363

Phosphate ions

Specific adsorption of phosphate ions on proteins evidenced by capillary electrophoresis and reversed-phase high-performance liquid chromatography 753(2001)67

Phosphatidylcholine

Major human plasma lipid classes determined by quantitative high-performance liquid chromatography, their variation and associations with phospholipid fatty acids 754(2001)437

Phosphatidylserines

Separation and identification of phosphatidylserine molecular species using reversed-phase high-performance liquid chromatography with evaporative light scattering and mass spectrometric detection 774(2002)115

Phosphinate

Determination of dissociation constant of phosphinate group in phosphinic pseudo-peptides by capillary zone electrophoresis 770(2002)145

Phosphinic pseudo-peptides

Determination of dissociation constant of phosphinate group in phosphinic pseudo-peptides by capillary zone electrophoresis 770(2002)145

Phosphoarginine

Optimized method for the determination of phosphoarginine in abalone tissue by high-performance liquid chromatography 765(2001)107

Phosphofructokinase

Interaction between phosphofructokinase and aldolase from *Saccharomyces cerevisiae* studied by aqueous two-phase partitioning 751(2001)341

Phospholipase

Improved high-performance liquid chromatographic method for the combined analysis of phospholipase, lipoxygenase and cyclooxygenase activities 762(2001)175

Phospholipase A₂

Analysis of N-glycosylation of phospholipase A₂ from venom of individual bees by microbore high-performance liquid chromatography–electrospray mass spectrometry using an ion trap mass spectrometer 766(2002)243

Phospholipase C

Sensitive fluorescent quantitation of *myo*-inositol 1,2-cyclic phosphate and *myo*-inositol 1-phosphate by high-performance thin-layer chromatography 757(2001)317

Phospholipid fatty acids

Major human plasma lipid classes determined by quantitative high-performance liquid chromatography, their variation and associations with phospholipid fatty acids 754(2001)437

Phospholipid hydroperoxides

Thin-layer chromatography blotting for the fluorescence detection of phospholipid hydroperoxides and cholesteryl ester hydroperoxides 765(2001)199

Phospholipids

Analysis of phospholipid species in human blood using normal-phase liquid chromatography coupled with electrospray ionization ion-trap tandem mass spectrometry 758(2001)265

Separation of phospholipid classes in sea urchin, *Paracentrotus lividus* by high-performance liquid chromatography 770(2002)71

Phosphorus

Fractionation of phosphorus and trace elements species in soybean flour and common white bean seeds by size exclusion chromatography–inductively coupled plasma mass spectrometry 770(2002)261

Application of size-exclusion chromatography–inductively coupled plasma mass spectrometry for fractionation of element species in seeds of legumes 775(2002)179

***o*-Phthalaldehyde**

Quantitation of reduced and total glutathione at the femtomole level by high-performance liquid chromatography with fluorescence detection: application to red blood cells and cultured fibroblasts 752(2001)123

***o*-Phthalaldehyde–*N*-acetylcysteine**

o-Phthalaldehyde–*N*-acetylcysteine polyamine derivatives: formation and stability in solution and in C₁₈ supports 759(2001)285

Phytic acid

Determination of phytic acid by gas chromatography–mass spectroscopy: application to biological samples 757(2001)247

Phytoestrogens

Chromatographic techniques for the determination of putative dietary anticancer compounds in biological fluids (Review) 764(2001)3

Picolinic acid

New high-performance liquid chromatographic method for the detection of picolinic acid in biological fluids 751(2001)61

Piperacillin

New and rapid fully automated method for determination of tazobactam and piperacillin in fatty tissue and serum by column-switching liquid chromatography 775(2002)127

Platinum anticancer drugs

Speciation of platinum compounds: a review of recent applications in studies of platinum anticancer drugs (Review) 751(2001)205

Polar basic drugs

Improved selectivity in detection of polar basic drugs by liquid chromatography–electrospray ionization mass spectrometry. Illustration using an assay method for the determination of famotidine in human plasma 763(2001)21

Pollen allergens

Evaluation of the efficiency of extraction of ultraviolet-absorbing pollen allergens and organic pollutants from airborne dust samples by capillary electromigration methods 770(2002)303

Poly(acrylamide–dimethylacrylamide)

Separation of DNA fragments and single strand conformation polymorphism analysis in bare capillaries using poly(acrylamide–dimethylacrylamide) as a separation medium 761(2001)139

Polyamines

Determination of polyamines in human saliva by high-performance liquid chromatography with fluorescence detection 757(2001)111

o-Phthalaldehyde–*N*-acetylcysteine polyamine derivatives: formation and stability in solution and in C₁₈ supports 759(2001)285

Polyamines as cancer markers: applicable separation methods (Review) 764(2001)385

Poly(A)-binding proteins

Alteration of ribosomal protein maps in herpes simplex virus type 1 infection (Review) 771(2002)237

Polychlorinated biphenyls

Stir bar sorptive extraction–thermal desorption–capillary gas chromatography–mass spectrometry applied to the analysis of polychlorinated biphenyls in human sperm 755(2001)137

Determination of polychlorinated biphenyls in small-size serum samples by solid-phase extraction followed by gas chromatography with micro-electron-capture detection 766(2002)279

Human blood and environmental media screening method for pesticides and polychlorinated biphenyl compounds using liquid extraction and gas chromatography–mass spectrometry analysis 769(2002)155

Polychlorinated dibenzo-*p*-dioxins

On the isolation of polychlorinated dibenzo-*p*-dioxins and furans from serum samples using immunoaffinity chromatography prior to high-resolution gas chromatography–mass spectrometry 757(2001)285

Polycyclic aromatic hydrocarbons

Method for integrated analysis of polycyclic aromatic hydrocarbons and organochlorine compounds in fish liver 768(2002)247

Determination of polycyclic aromatic hydrocarbons in smoked meat products and smoke flavouring food additives 770(2002)3

Poly(dimethylsiloxane)

Electroosmotic properties of microfluidic channels composed of poly(dimethylsiloxane) 762(2001)117

Polyethylene glycol

High-performance liquid chromatographic study of the interactions between immobilized β -cyclodextrin polymers and hydrophobically end-capped polyethylene glycols 753(2001)93

Poly(ethylene glycol)

Physical and rheological characterisation of polyethylene glycol–cashew-nut tree gum aqueous two-phase systems 766(2002)27

Poly(ethylene oxide)

Fractionation of functional polystyrenes, poly(ethylene oxide)s and poly(styrene)-*b*-poly(ethylene oxide) by liquid chromatography at the exclusion–adsorption transition point 753(2001)139

Polyethylenimine

Chromatographic performance of a thin microporous bed of nitrocellulose 763(2001)107

Polyhydroxyethylmethacrylate

Polyhydroxyethylmethacrylate-based magnetic DNA-affinity beads for anti-DNA antibody removal from systemic lupus erythematosus patient plasma 760(2001)137

Poly(*N*-isopropylacrylamide)

New antibody purification procedure using a thermally responsive poly(*N*-isopropylacrylamide)–dextran derivative conjugate 761(2001)247

Polymers

Polymer versus monomer as displacer in immobilized metal affinity chromatography 753(2001)279

Binding of human serum albumin to silica particles by means of polymers: a liquid chromatographic study of the selectivity of resulting chiral stationary phases 768(2002)157

Polynucleotides

Monoliths as stationary phases for separation of proteins and polynucleotides and enzymatic conversion 752(2001)191

Polypeptides

Ultrafiltration to fractionate wheat polypeptides 753(2001)29

Polyphenols

Ultrasensitive assay for three polyphenols (catechin, quercetin and resveratrol) and their conjugates in biological fluids utilizing gas chromatography with mass selective detection 757(2001)161

Polysaccharides

Physical and rheological characterisation of polyethylene glycol–cashew-nut tree gum aqueous two-phase systems 766(2002)27

Polysorbate 80

Determination of the docetaxel vehicle, polysorbate 80, in patient samples by liquid chromatography–tandem mass spectrometry 773(2002)183

Polystyrenes

Fractionation of functional polystyrenes, poly(ethylene oxide)s and poly(styrene)-*b*-poly(ethylene oxide) by liquid chromatography at the exclusion–adsorption transition point 753(2001)139

Porphyrins

High-performance liquid chromatography with spectrophotometric and electrochemical detection of a series of manganese(III) cationic porphyrins 767(2002)61

Study on the multiple sites binding of human serum albumin and porphyrin by affinity capillary electrophoresis 768(2002)211

Capillary electrochromatographic separation of aromatic amino acids possessing peptides using porphyrin derivatives as the inner wall modifiers 770(2002)155

Capillary electrochromatographic study of the interactions of porphyrin derivatives with amino acids and oligopeptides 770(2002)165

Pregnenolone

Measurement of testosterone and pregnenolone in nails using gas chromatography–mass spectrometry 754(2001)495

Automated chromatographic system for the simultaneous measurement of plasma pregnenolone and 17-hydroxypregnenolone by radioimmunoassay 763(2001)99

Procyclidine

Simultaneous determination of enantiomers of structurally related anticholinergic analogs in human serum by liquid chromatography–electrospray ionization mass spectrometry with on-line sample cleanup 762(2001)181

Profilin

Patient-tailored cloning of allergens by phage display: Peanut (*Arachis hypogaea*) profilin, a food allergen derived from a rare mRNA 756(2001)295

Cross-reactivity within the profilin panallergen family investigated by comparison of recombinant profilins from pear (Pyr c 4), cherry (Pru av 4) and celery (Api g 4) with birch pollen profilin Bet v 2 756(2001)315

Proline

Fluorometric determination of *N*-terminal prolyl dipeptides, proline and hydroxyproline in human serum by pre-column high-performance liquid chromatography using 4-(5,6-dimethoxy-2-phthalimidinyl)-2-methoxyphenylsulfonyl chloride 757(2001)369

Proline–hydroxyproline dipeptide

Rapid screening of urinary proline–hydroxyproline dipeptide in bone turnover studies 767(2002)169

Prolyl dipeptides

Fluorometric determination of *N*-terminal prolyl dipeptides, proline and hydroxyproline in human serum by pre-column high-performance liquid chromatography using 4-(5,6-dimethoxy-2-phthalimidinyl)-2-methoxyphenylsulfonyl chloride 757(2001)369

Promethazine

Quantitation of promethazine and metabolites in urine samples using on-line solid-phase extraction and column-switching 763(2001)9

Study of the stability of promethazine enantiomers by liquid chromatography using a vancomycin-bonded chiral stationary phase 770(2002)63

Promethazine sulfoxide

Quantitation of promethazine and metabolites in urine samples using on-line solid-phase extraction and column-switching 763(2001)9

S-Propafenone

Estimation of drug–protein binding parameters on assuming the validity of thermodynamic equilibrium 768(2002)113

Propranolol

Control of propranolol intake by direct chromatographic detection of α -naphthoxylactic acid in urine 767(2002)277

Prostaglandins

Simultaneous quantification of prostaglandins, isoprostane and thromboxane in cell-cultured medium using gas chromatography–mass spectrometry 774(2002)205

Prostate-specific antigen

Thiophilic interaction chromatography of prostate-specific antigen 754(2001)521

Separation methods applicable to prostate cancer diagnosis and monitoring therapy (Review) 764(2001)445

Protease inhibitors

High-performance liquid chromatography of HIV protease inhibitors in human biological matrices (Review) 764(2001)363

Proteins

Properties of a stationary phase based on immobilised chicken liver basic fatty acid-binding protein 751(2001)117

Monoliths as stationary phases for separation of proteins and polynucleotides and enzymatic conversion 752(2001)191

Silicon microstructures for high-speed and high-sensitivity protein identifications 752(2001)217

Protein analysis of an individual *Caenorhabditis elegans* single-cell embryo by capillary electrophoresis 752(2001)307

Matrix-assisted laser desorption–ionization mass spectrometry peptide mass fingerprinting for proteome analysis: identification efficiency after on-blot or in-gel digestion with and without desalting procedures 752(2001)311

Role of electrophoretic mobility of protein on its retention by an ultrafiltration membrane. Comparison to chromatography mechanisms 753(2001)3

Specific adsorption of phosphate ions on proteins evidenced by capillary electrophoresis and reversed-phase high-performance liquid chromatography 753(2001)67

Protein determination by high-performance gel-permeation chromatography: applications to human pancreatic juice, human bile and tissue homogenate 754(2001)65

Determination of albumin and myoglobin in dialysate and ultrafiltrate samples by high-performance size-exclusion chromatography 754(2001)141

What establishes a protein as an allergen? (Review) 756(2001)33

Bioanalytical characterization of proteins (Review) 756(2001)113

Detection of trace amounts of hidden allergens: hazelnut and almond proteins in chocolate 756(2001)229

Protein adsorption on histidyl-aminoethyl-Sepharose 4B. I. Study of the mechanistic aspects of adsorption for the separation of human serum albumin from its non-enzymatic glycosylated isoforms (advanced glycosylated end products) 758(2001)163

Protein adsorption on histidyl-aminoethyl-Sepharose 4B. II. Application to the negative one-step affinity purification of human β 2-microglobulin and Immunoglobulin G 758(2001)173

Enhancement of phase separation using a drop coalescer in an aqueous two-phase system 760(2001)65

Comparison of the capabilities of liquid isoelectric focusing–one-dimensional nonporous silica reversed-phase liquid chromatography–electrospray ionization time-of-flight mass spectrometry and liquid isoelectric focusing–one-dimensional sodium dodecyl sulfate polyacrylamide gel electrophoresis mass mapping for the analysis of intact protein molecular masses 763(2001)139

Reversible fluorescence labeling of amino groups of protein using dansylaminomethylmaleic anhydride 769(2002)47

Proteomic analysis of rat soleus and tibialis anterior muscle following immobilization 769(2002)323

Immobilization of L-glyceryl phosphorylcholine: isolation of phosphorylcholine-binding proteins from seminal plasma 770(2002)101

Isolation of non-heparin-binding and heparin-binding proteins of boar prostate 770(2002)137

Monitoring the effects of drug treatment in rat models of disease by serum protein analysis (Review) 771(2002)107

Towards a high resolution separation of human cerebrospinal fluid 771(2002)167

Database of bronchoalveolar lavage fluid proteins (Review) 771(2002)221

Separation and surveys of proteins of *Helicobacter pylori* (Review) 771(2002)251

Three-dimensional protein map according to *pI*, hydrophobicity and molecular mass 774(2002)53

Proteoliposomes

Immobilized-biomembrane affinity chromatography for binding studies of membrane proteins 768(2002)31

Proteomics

Automated LC–LC–MS–MS platform using binary ion-exchange and gradient reversed-phase chromatography for improved proteomic analyses 752(2001)281

Pru av 4

Cross-reactivity within the profilin panallergen family investigated by comparison of recombinant profilins from pear (Pyr c 4), cherry (Pru av 4) and celery (Api g 4) with birch pollen profilin Bet v 2 756(2001)315

Pseudoephedrine

Rapid determination of pseudoephedrine in human plasma by high-performance liquid chromatography 766(2002)289

Pseudohypericin

Determination of hyperforin, hypericin, and pseudohypericin in human plasma using high-performance liquid chromatography analysis with fluorescence and ultraviolet detection 765(2001)29

Pullulan

Aggregation of amphiphilic pullulan derivatives evidenced by on-line flow field flow fractionation/multi-angle laser light scattering 753(2001)115

Purines

Determination of urinary methylated purine pattern by high-performance liquid chromatography 751(2001)87

Screening method for inherited disorders of purine and pyrimidine metabolism by capillary electrophoresis with reversed electroosmotic flow 767(2002)333

Putrescine

Determination of polyamines in human saliva by high-performance liquid chromatography with fluorescence detection 757(2001)111

Polyamines as cancer markers: applicable separation methods (Review) 764(2001)385

Pyr c 1 allergen

Pyr c 1, the major allergen from pear (*Pyrus communis*), is a new member of the Bet v 1 allergen family 756(2001)281

Pyrazinamide

Ion interaction reagent reversed-phase high-performance liquid chromatography determination of anti-tuberculosis drugs and metabolites in biological fluids 754(2001)477

Liquid chromatographic determination of isoniazid, pyrazinamide and rifampin from pharmaceutical preparations and blood 766(2002)357

Pyrazoloacridone derivatives

Determination of the anticancer drug KW-2170, a pyrazoloacridone derivative, and its metabolites in human and dog plasma by high-performance liquid chromatography using an electrochemical detector 768(2002)231

1-Pyrenyldiazomethane

Headspace solid-phase microextraction with 1-pyrenyldiazomethane on-fibre derivatisation for analysis of fluoroacetic acid in biological samples 772(2002)45

Pyridinium polymer

Separation of human serum transferrins with different iron-binding states by high-performance liquid chromatography using a pyridinium polymer column 767(2002)45

Pyridostigmine bromide

Chromatographic method for the determination of diazepam, pyridostigmine bromide, and their metabolites in rat plasma and urine 754(2001)503

Development of a high-performance liquid chromatographic method for the quantification of chlorpyrifos, pyridostigmine bromide, *N,N*-diethyl-*m*-toluamide and their metabolites in rat plasma and urine 754(2001)533

Pyridoxal 5'-phosphate

Clinical adaptation of a high-performance liquid chromatographic method for the assay of pyridoxal 5'-phosphate in human plasma 751(2001)383

Pyridylamino-dextran sulfate oligomers

Analysis of α -amylase-derived pyridylamino-dextran sulfate oligomers by the combination of size-exclusion and reversed-phase high-performance liquid chromatography 766(2002)351

Pyrimethamine

High-performance liquid chromatographic assay for the simultaneous determination of sulfadoxine and pyrimethamine from whole blood dried onto filter paper 767(2002)159

Pyrimidine

Simple gas chromatographic–mass spectrometric procedure for diagnosing pyrimidine degradation defects for prevention of severe anticancer side effects 758(2001)61

Screening method for inherited disorders of purine and pyrimidine metabolism by capillary electrophoresis with reversed electroosmotic flow 767(2002)333

Pyrogen

High-performance affinity capture-removal of bacterial pyrogen from solutions 759(2001)237

Pyronaridine

Improved assay method for the determination of pyronaridine in plasma and whole blood by high-performance liquid chromatography for application to clinical pharmacokinetic studies 752(2001)39

Pyr c 4

Cross-reactivity within the profilin panallergen family investigated by comparison of recombinant profilins from pear (Pyr c 4), cherry (Pru av 4) and celery (Api g 4) with birch pollen profilin Bet v 2 756(2001)315

Q**Quercetin**

Identification of quercetin glucuronides in human plasma by high-performance liquid chromatography–tandem mass spectrometry 753(2001)237

Ultrasensitive assay for three polyphenols (catechin, quercetin and resveratrol) and their conjugates in biological fluids utilizing gas chromatography with mass selective detection 757(2001)161

Quercetin glucuronide

Identification of quercetin glucuronides in human plasma by high-performance liquid chromatography–tandem mass spectrometry 753(2001)237

Quinapril

Simultaneous determination of quinapril and its active metabolite quinaprilat in human plasma using high-performance liquid chromatography with ultraviolet detection 766(2002)199

Quinaprilat

Simultaneous determination of quinapril and its active metabolite quinaprilat in human plasma using high-performance liquid chromatography with ultraviolet detection 766(2002)199

Quinolones

Determination of oxolinic acid in the bryophyte *Fontinalis antipyretica* by liquid chromatography with fluorescence detection 775(2002)89

Quinine

Simultaneous determination of quinine and four metabolites in plasma and urine by high-performance liquid chromatography 754(2001)57

Quinone

Simultaneous determination of quinine and four metabolites in plasma and urine by high-performance liquid chromatography 754(2001)57

Quinolones

Determination of BMS-284756, a new quinolone, in mouse serum by high-performance liquid chromatography with fluorescence detection 765(2001)37

Determination of difloxacin and sarafloxacin in chicken muscle using solid-phase extraction and capillary electrophoresis 767(2002)313

R

Ractopamine

Identification of ractopamine residues in tissue and urine samples at ultra-trace level using liquid chromatography–positive electrospray tandem mass spectrometry 774(2002)59

Ranitidine

Rapid determination of ranitidine in human plasma by high-performance liquid chromatography without solvent extraction 751(2001)291

Development of a sensitive high-performance thin-layer chromatography method for estimation of ranitidine in urine and its application for bioequivalence decision for ranitidine tablet formulations 767(2002)83

Rat serum albumin

Simple and sensitive high-performance liquid chromatographic method for the investigation of dynamic changes in the redox state of rat serum albumin 772(2002)139

 α_{1A} -Receptor antagonist

Quantitative determination of a selective alpha-1a receptor antagonist in human plasma by high-performance liquid chromatography with tandem mass spectrometric detection 775(2002)133

Recombinant adenovirus

Characterization and quality control of recombinant adenovirus vectors for gene therapy 752(2001)263

Recombinant antibody

Identification of multiple sources of charge heterogeneity in a recombinant antibody 752(2001)233

Recombinant food allergen

Recombinant food allergens (Review) 756(2001)255

Recombinant human clotting factor VII

Rational combinatorial chemistry-based selection, synthesis and evaluation of an affinity adsorbent for recombinant human clotting factor VII 774(2002)1

Recombinant human galectins

Determination of the affinity constants of recombinant human galectin-1 and -3 for simple saccharides by capillary affinity electrophoresis 768(2002)199

Recombinant monoclonal antibody

Characterization of a recombinant monoclonal antibody by mass spectrometry combined with liquid chromatography 752(2001)247

Recombinant protein drugs

Hyphenation of multi-dimensional chromatography and mass spectrometry for the at-line-analysis of the integrity of recombinant protein drugs 775(2002)27

Recombinant proteins

Immobilised metal-ion affinity chromatography purification of histidine-tagged recombinant proteins: a wash step with a low concentration of EDTA 760(2001)129

Remifentanyl

Determination of remifentanyl in human blood by capillary gas chromatography with nitrogen-selective detection 775(2002)97

Reproterol

Screening of β -2 agonists and confirmation of fenoterol, orciprenaline, reproterol and terbutaline with gas chromatography–mass spectrometry as tetrahydroisoquinoline derivatives 751(2001)93

Restricted access material

On-line extraction using an alkyl-diol silica precolumn for racemic citalopram and its metabolites in plasma. Results compared with solid-phase extraction methodology 753(2001)365

Resveratrol

Ultrasensitive assay for three polyphenols (catechin, quercetin and resveratrol) and their conjugates in biological fluids utilizing gas chromatography with mass selective detection 757(2001)161

Retinal

Simultaneous quantification of retinol, retinal, and retinoic acid isomers by high-performance liquid chromatography with a simple gradient 757(2001)365

Retinoic acid

Simultaneous quantification of retinol, retinal, and retinoic acid isomers by high-performance liquid chromatography with a simple gradient 757(2001)365

Retinoids

Chromatographic techniques for the determination of putative dietary anticancer compounds in biological fluids (Review) 764(2001)3

Retinol

Determination of retinol and retinyl esters in human plasma by high-performance liquid chromatography with automated column switching and ultraviolet detection 751(2001)265

Rapid and sensitive high-performance liquid chromatographic method for simultaneous determination of retinol, α -tocopherol, 25-hydroxyvitamin D₃ and 25-hydroxyvitamin D₂ in human plasma with photodiode-array ultraviolet detection 755(2001)129

Simultaneous quantification of retinol, retinal, and retinoic acid isomers by high-performance liquid chromatography with a simple gradient 757(2001)365

Rapid high-performance liquid chromatographic method for the simultaneous determination of retinol, α -tocopherol and β -carotene in human plasma and low-density lipoproteins 758(2001)315

Simultaneous determination of retinol, β -carotene and α -tocopherol in adipose tissue by high-performance liquid chromatography 763(2001)1

Retinyl esters

Determination of retinol and retinyl esters in human plasma by high-performance liquid chromatography with automated column switching and ultraviolet detection 751(2001)265

Rifampicin

Liquid chromatographic determination of isoniazid, pyrazinamide and rifampicin from pharmaceutical preparations and blood 766(2002)357

Rimantadine

Separation methods for tricyclic antiviral drugs (Review) 764(2001)313

Risperidone

Simplified high-performance liquid chromatographic method for determination of risperidone and 9-hydroxyrisperidone in plasma after overdose 772(2002)373

Ritonavir

Simultaneous determination of the HIV protease inhibitors indinavir, amprenavir, saquinavir, ritonavir and nelfinavir in human plasma by high-performance liquid chromatography 755(2001)85

Simultaneous determination of the HIV-protease inhibitors indinavir, amprenavir, ritonavir, saquinavir and nelfinavir in human plasma by reversed-phase high-performance liquid chromatography 757(2001)325

High-performance liquid chromatographic assay to determine the plasma levels of HIV-protease inhibitors (amprenavir, indinavir, nelfinavir, ritonavir and saquinavir) and the non-nucleoside reverse transcriptase inhibitor (nevirapine) after liquid–liquid extraction 758(2001)129

Simultaneous determination of indinavir, ritonavir and lopinavir (ABT 378) in human plasma by high-performance liquid chromatography 775(2002)225

Rocuronium

Gas chromatographic–mass spectrometric assay for rocuronium with potential for quantifying its metabolite, 17-desacetylrocuronium, in human plasma 757(2001)207

Rofecoxib

Selective and rapid liquid chromatography–mass spectrometry method for the quantification of rofecoxib in pharmacokinetic studies with humans 760(2001)83

High-performance liquid chromatographic–tandem mass spectrometric evaluation and determination of stable isotope labeled analogs of rofecoxib in human plasma samples from oral bioavailability studies 767(2002)117

Ropivacaine

Direct injection of human plasma samples after ultrafiltration into programmed temperature vaporiser-gas chromatography–mass spectrometry with packed liner 755(2001)253

Simultaneous determination of unbound ropivacaine in rat blood and brain using microdialysis 760(2001)107

On-line coupling of microdialysis to packed capillary column liquid chromatography–tandem mass spectrometry demonstrated by measurement of free concentrations of ropivacaine and metabolite from spiked plasma samples 775(2002)79

Rosiglitazone

Automated high-performance liquid chromatography method for the determination of rosiglitazone in human plasma 752(2001)77

Rosuvastatin

Quantification of rosuvastatin in human plasma by automated solid-phase extraction using tandem mass spectrometric detection 772(2002)219

Roxithromycin

Study on the electrochemical detection of the macrolide antibiotics clarithromycin and roxithromycin in reversed-phase high-performance liquid chromatography 755(2001)57

Rufinamide

Practice of solid-phase extraction and protein precipitation in the 96-well format combined with high-performance liquid chromatography–ultraviolet detection for the analysis of drugs in plasma and brain 754(2001)45

Ruthenium(III)

Investigations into the interaction between tumor-inhibiting ruthenium(III) complexes and nucleotides by capillary electrophoresis 759(2001)81

Rutin

Determination of rutin in human plasma by high-performance liquid chromatography utilizing solid-phase extraction and ultraviolet detection 759(2001)161

S

Saccharides

Determination of the affinity constants of recombinant human galectin-1 and -3 for simple saccharides by capillary affinity electrophoresis 768(2002)199

Salicylate

Determination of salicylate, gentisic acid and salicylic acid in human urine by capillary electrophoresis with laser-induced fluorescence detection 752(2001)17

Salicylic acid

High-performance liquid chromatographic assay of hydroxyl free radical using salicylic acid hydroxylation during in vitro experiments involving thiols 763(2001)185

Salicylic acid

Determination of salicylate, gentisic acid and salicylic acid in human urine by capillary electrophoresis with laser-induced fluorescence detection 752(2001)17

Sameridine

Determination of sameridine in blood plasma by nitrogen-selective gas chromatography 760(2001)123

Sanfetrinem

Development and validation of a column-switching high-performance liquid chromatographic method for the determination of sanfetrinem in rat and dog plasma by direct injection 752(2001)133

Development and validation of a high-performance liquid chromatography–tandem mass spectrometry assay for the determination of sanfetrinem in human plasma 762(2001)193

Saquinavir

Simultaneous determination of the HIV protease inhibitors indinavir, amprenavir, saquinavir, ritonavir and nelfinavir in human plasma by high-performance liquid chromatography 755(2001)85

Simultaneous determination of the HIV-protease inhibitors indinavir, amprenavir, ritonavir, saquinavir and nelfinavir in human plasma by reversed-phase high-performance liquid chromatography 757(2001)325

High-performance liquid chromatographic assay to determine the plasma levels of HIV-protease inhibitors (amprenavir, indinavir, nelfinavir, ritonavir and saquinavir) and the non-nucleoside reverse transcriptase inhibitor (nevirapine) after liquid–liquid extraction 758(2001)129

Sarafloxacin

Determination of difloxacin and sarafloxacin in chicken muscle using solid-phase extraction and capillary electrophoresis 767(2002)313

SDZ RAD

Quantification and stability of everolimus (SDZ RAD) in human blood by high-performance liquid chromatography–electrospray tandem mass spectrometry 772(2002)283

Selegiline

Simultaneous determination of selegiline-*N*-oxide, a new indicator for selegiline administration, and other metabolites in urine by high-performance liquid chromatography–electrospray ionization mass spectrometry 759(2001)125

Selegiline-*N*-oxide

Simultaneous determination of selegiline-*N*-oxide, a new indicator for selegiline administration, and other metabolites in urine by high-performance liquid chromatography–electrospray ionization mass spectrometry 759(2001)125

Selenate

Speciation and metabolism of selenium injected with ⁸²Se-enriched selenite and selenate in rats 760(2001)73

Selenite

Speciation and metabolism of selenium injected with ⁸²Se-enriched selenite and selenate in rats 760(2001)73

Selenium

Speciation and metabolism of selenium injected with ⁸²Se-enriched selenite and selenate in rats 760(2001)73

Identification of a novel selenium metabolite, Se-methyl-*N*-acetylselenohexosamine, in rat urine by high-performance liquid chromatography–inductively coupled plasma mass spectrometry and –electrospray ionization tandem mass spectrometry 767(2002)301

Serine

Determination of free D-aspartic acid, D-serine and D-alanine in the brain of mutant mice lacking D-amino-acid oxidase activity 757(2001)119

Serotonin

Oxalic acid stabilizes dopamine, serotonin, and their metabolites in automated liquid chromatography with electrochemical detection 753(2001)413

Determination of the cell lytic properties of amphiphilic inhibitors of the cytosolic phospholipase A₂ against human platelets by measuring the liberation of serotonin with high-performance liquid chromatography and fluorescence detection 769(2002)185

Sertraline

High-performance liquid chromatographic method to screen and quantitate seven selective serotonin reuptake inhibitors in human serum 761(2001)147

Rapid and sensitive determination of sertraline in human plasma using gas chromatography–mass spectrometry 769(2002)333

Sevoflurane

Simultaneous determination of fluorinated inhalation anesthetics in blood by gas chromatography–mass spectrometry combined with a headspace autosampler 759(2001)307

Sensitive determination of four general anaesthetics in human whole blood by capillary gas chromatography with cryogenic oven trapping 762(2001)103

Sildenafil

Narrowbore high-performance liquid chromatography for the simultaneous determination of sildenafil and its metabolite UK-103,320 in human plasma using column switching 752(2001)141

Determination of transdermal sildenafil in nude mouse skin by reversed-phase high-performance liquid chromatography 765(2001)161

Simultaneous assay of sildenafil and desmethylsildenafil in human plasma using liquid chromatography–tandem mass spectrometry on silica column with aqueous–organic mobile phase 768(2002)277

Silica

Binding of human serum albumin to silica particles by means of polymers: a liquid chromatographic study of the selectivity of resulting chiral stationary phases 768(2002)157

Sirolimus

Assessment of sirolimus concentrations in whole blood by high-performance liquid chromatography with ultraviolet detection 774(2002)187

***sn*-2 Monopalmitin**

Direct determination by high-performance liquid chromatography of *sn*-2 monopalmitin after enzymatic lipase hydrolysis 760(2001)97

SN-38

Quantitation of camptothecin and related compounds (Review) 764(2001)121

Separation methods for camptothecin and related compounds (Review) 764(2001)141

Sodium cromoglycate

Determination of sodium cromoglycate in human plasma by liquid chromatography–mass spectrometry in the turbo ion spray mode 765(2001)179

Sodium 3,4-diaminonaphthalene-1-sulfonate

Determination of sodium 3,4-diaminonaphthalene-1-sulfonate, a Congo Red derivative, in plasma and brain of hamsters by high-performance liquid chromatography after solid-phase extraction and ultraviolet absorbance 769(2002)27

Sodium picosulfate

Analytical control of a pharmaceutical formulation of sodium picosulfate by capillary zone electrophoresis 751(2001)29

Sorbitol

Resolution of isomers of sorbitolparaben esters by chromatographic and electrophoretic techniques 752(2001)99

Sotalol

Small blood volumes from children for quantitative sotalol determination using high-performance liquid chromatography 753(2001)421

Enantioselective determination of (*R*)- and (*S*)-sotalol in human plasma by on-line coupling of a restricted-access material precolumn to a cellobiohydrolase I-based chiral stationary phase 775(2002)197

Soybean oil

Determination of the IgE-binding activity of soy lecithin and refined and non-refined soybean oils 756(2001)249

Soy lecithin

Determination of the IgE-binding activity of soy lecithin and refined and non-refined soybean oils 756(2001)249

Spermidine

Determination of polyamines in human saliva by high-performance liquid chromatography with fluorescence detection 757(2001)111

Polyamines as cancer markers: applicable separation methods (Review) 764(2001)385

Spermine

Determination of polyamines in human saliva by high-performance liquid chromatography with fluorescence detection 757(2001)111

Polyamines as cancer markers: applicable separation methods (Review) 764(2001)385

SPf66 malaria vaccine

Chromatographic characterization of synthetic peptides: SPf66 malaria vaccine 766(2002)3

Sphinganine

High-performance liquid chromatographic determination of sphinganine and sphingosine in serum and urine of subjects from an endemic nephropathy area in Croatia 754(2001)511

Sphingosine

High-performance liquid chromatographic determination of sphinganine and sphingosine in serum and urine of subjects from an endemic nephropathy area in Croatia 754(2001)511

Spiramycin

Identification and quantification of five macrolide antibiotics in several tissues, eggs and milk by liquid chromatography–electrospray tandem mass spectrometry 753(2001)189

Sputum

Rapid antibiotic drug monitoring: Meropenem and ceftazidime determination in serum and bronchial secretions by high-performance liquid chromatography–integrated sample preparation 751(2001)357

SR271425

High-performance liquid chromatographic method for the estimation of the novel investigational anti-cancer agent SR271425 and its metabolites in mouse plasma 759(2001)175

SRM

Identification of quercetin glucuronides in human plasma by high-performance liquid chromatography–tandem mass spectrometry 753(2001)237

Statherin

Determination of the human salivary peptides histatins 1, 3, 5 and statherin by high-performance liquid chromatography and by diode-array detection 751(2001)153

Stavudine

Sensitive and rapid liquid chromatography–tandem mass spectrometry method for the determination of stavudine in human plasma 773(2002)129

Steroids

Automated chromatographic system for the simultaneous measurement of plasma pregnenolone and 17-hydroxypregnenolone by radioimmunoassay 763(2001)99

Metabolism of methandrostenolone in the horse: a gas chromatographic–mass spectrometric investigation of phase I and phase II metabolism 765(2001)71

Supercritical fluid extraction of steroids from biological samples and first experience with solid-phase microextraction–liquid chromatography 770(2002)83

Steroids, anabolic

Development and validation of a multi-analyte method for the detection of anabolic steroids in bovine urine with liquid chromatography–tandem mass spectrometry 772(2002)211

Sterols

Simultaneous quantitation of fatty acids, sterols and bile acids in human stool by capillary gas–liquid chromatography 775(2002)153

STI571

High-throughput quantification of the anti-leukemia drug STI571 (GleevecTM) and its main metabolite (CGP 74588) in human plasma using liquid chromatography–tandem mass spectrometry 768(2002)325

Styrene

Simultaneous high-performance liquid chromatographic determination of urinary mandelic and phenylglyoxylic acids as indirect evaluation of styrene exposure 753(2001)385

Determination of styrene and styrene-7,8-oxide in human blood by gas chromatography–mass spectrometry 757(2001)59

Styrene-7,8-oxide

Determination of styrene and styrene-7,8-oxide in human blood by gas chromatography–mass spectrometry 757(2001)59

Sufentanil

Very sensitive and specific determination of sufentanil in human serum applying liquid chromatography–two stage mass spectrometry 769(2002)227

Sufentanil

Chromatographic approach for determining the relative membrane permeability of drugs 774(2002)89

Sugars

Sugar–lectin interactions investigated through affinity capillary electrophoresis 752(2001)207

Sulfadiazine

New simple liquid chromatographic method for the determination of trimethoprim, sulfadiazine and *N*⁴-acetylsulfadiazine in plasma of broilers 769(2002)253

Sulfadoxine

Determination of sulfadoxine in human blood plasma using packed-column supercritical fluid chromatography 757(2001)39

High-performance liquid chromatographic assay for the simultaneous determination of sulfadoxine and pyrimethamine from whole blood dried onto filter paper 767(2002)159

Sulfide

Measurement of fecal sulfide using gas chromatography and a sulfur chemiluminescence detector 754(2001)253

Sulfonamides

Identification of incurred sulfonamide residues in eggs: methods for confirmation by liquid chromatography–tandem mass spectrometry and quantitation by liquid chromatography with ultraviolet detection 774(2002)39

Sulfonylurea-type

Screening, library-assisted identification and validated quantification of oral antidiabetics of the sulfonylurea-type in plasma by atmospheric pressure chemical ionization liquid chromatography–mass spectrometry 773(2002)63

Sulphide

A simple, optimized method for the determination of sulphide in whole blood by GC–MS as a marker of bowel fermentation processes 770(2002)255

Sulpiride

Development of a high-performance liquid chromatographic method for bioanalytical applications with sulpiride 763(2001)157

T**Tafenoquine**

Rapid determination of tafenoquine in small volume human plasma samples by high-performance liquid chromatography–tandem mass spectrometry 769(2002)127

Tamsulosin

Quantitation of tamsulosin in human plasma by liquid chromatography–electrospray ionization mass spectrometry 767(2002)75

Tartrate-resistant acid phosphatase

Heparin column analysis of serum type 5 tartrate-resistant acid phosphatase isoforms 757(2001)269

Taurine

Rapid and sensitive step gradient assays of glutamate, glycine, taurine and γ -aminobutyric acid by high-performance liquid chromatography–fluorescence detection with *o*-phthalaldehyde–mercaptoethanol derivatization with an emphasis on microdialysis samples 757(2001)277

Taxol

Simultaneous determination of taxol and its metabolites in microsomal samples by a simple thin-layer chromatography radioactivity assay — inhibitory effect of NK-104, a new inhibitor of HMG-CoA reductase 757(2001)143

Taxotere

Rapid high-performance liquid chromatographic determination of docetaxel (Taxotere) in plasma using liquid–liquid extraction 759(2001)299

Tazobactam

New and rapid fully automated method for determination of tazobactam and piperacillin in fatty tissue and serum by column-switching liquid chromatography 775(2002)127

Temazepam

Chromatographic method for the determination of diazepam, pyridostigmine bromide, and their metabolites in rat plasma and urine 754(2001)503

Terbutaline

Determination of terbutaline enantiomers in human urine by coupled achiral–chiral high-performance liquid chromatography with fluorescence detection 751(2001)69

Screening of β -2 agonists and confirmation of fenoterol, orciprenaline, reproterol and terbutaline with gas chromatography–mass spectrometry as tetrahydroisoquinoline derivatives 751(2001)93

Quantification of terbutaline in urine by enzyme-linked immunosorbent assay and capillary electrophoresis after oral and inhaled administrations 768(2002)315

Testosterone

Measurement of testosterone and pregnenolone in nails using gas chromatography–mass spectrometry 754(2001)495

Rapid high-performance liquid chromatographic method for the separation of hydroxylated testosterone metabolites 760(2001)281

7,7,8,8-Tetracyanoquinodimethane

7,7,8,8-Tetracyanoquinodimethane as a new derivatization reagent for high-performance liquid chromatography and thin-layer chromatography: rapid screening of plasma for some antidepressants 774(2002)149

 Δ^9 -Tetrahydrocannabinol

Improved and validated method for the determination of Δ^9 -tetrahydrocannabinol (THC), 11-hydroxy-THC and 11-nor-9-carboxy-THC in serum, and in human liver microsomal preparations using gas chromatography–mass spectrometry 772(2002)239

Tetrahydroisoquinoline

Screening of β -2 agonists and confirmation of fenoterol, orciprenaline, reproterol and terbutaline with gas chromatography–mass spectrometry as tetrahydroisoquinoline derivatives 751(2001)93

Thalidomide

Sensitive and rapid method for the determination of thalidomide in human plasma and semen using solid-phase extraction and liquid chromatography–tandem mass spectrometry 767(2002)145

Theaflavins

Analysis of theaflavins in biological fluids using liquid chromatography–electrospray mass spectrometry 760(2001)271

Thiadiazoles

Liquid chromatography–mass spectrometry assay of a thiadiazole derivative in mice: application to pharmacokinetic studies 765(2001)55

Thiamine

Comparison of ion-pair and amide-based column reversed-phase liquid chromatography for the separation of thiamine-related compounds 757(2001)301

Thioacridines

Quantification and purity determination of newly synthesized thioacridines by capillary liquid chromatography 770(2002)183

Thiocyanate

Determination of urinary thiocyanate and nitrate using fast ion-interaction chromatography 767(2002)175

ThioGlo maleimide

Determination of biological thiols by high-performance liquid chromatography following derivatization by ThioGlo maleimide reagents 753(2001)287

6-Thioguanine nucleotides

Improved methods for determining the concentration of 6-thioguanine nucleotides and 6-methylmercaptapurine nucleotides in blood 757(2001)1

Thiolamines

A new and versatile method for determination of thiolamines of biological importance 761(2001)1

Thiols

Determination of biological thiols by high-performance liquid chromatography following derivatization by ThioGlo maleimide reagents 753(2001)287

High-performance liquid chromatographic assay of hydroxyl free radical using salicylic acid hydroxylation during in vitro experiments involving thiols 763(2001)185

Thiopurine methyltransferase

Thiopurine methyltransferase activity: new conditions for reversed-phase high-performance liquid chromatographic assay without extraction and genotypic–phenotypic correlation 773(2002)119

Thrombin

Determination of melagatran, a novel, direct thrombin inhibitor, in human plasma and urine by liquid chromatography–mass spectrometry 766(2002)47

Thromboxane

Simultaneous quantification of prostaglandins, isoprostane and thromboxane in cell-cultured medium using gas chromatography–mass spectrometry 774(2002)205

Thymidine phosphorylase inhibitor

Determination of a new thymidine phosphorylase inhibitor, TPI, in dog and rat plasma by reversed-phase ion-pair high-performance liquid chromatography 751(2001)325

Thymol

Determination of thymol in human plasma by automated headspace solid-phase microextraction–gas chromatographic analysis 767(2002)11

Tilmicosin

Identification and quantification of five macrolide antibiotics in several tissues, eggs and milk by liquid chromatography–electrospray tandem mass spectrometry 753(2001)189

Timolol

Quantitation of mitomycin C in human ocular tissues by high-performance liquid chromatography–photo-diode array detection 755(2001)65

Tissue homogenates

Modified method for the determination of capillary electrophoresis nitric oxide-correlated nitrate in tissue homogenates 751(2001)257

 α -Tocopherol

Rapid and sensitive high-performance liquid chromatographic method for simultaneous determination of retinol, α -tocopherol, 25-hydroxyvitamin D₃ and 25-hydroxyvitamin D₂ in human plasma with photodiode-array ultraviolet detection 755(2001)129

Rapid high-performance liquid chromatographic method for the simultaneous determination of retinol, α -tocopherol and β -carotene in human plasma and low-density lipoproteins 758(2001)315

Simultaneous determination of retinol, β -carotene and α -tocopherol in adipose tissue by high-performance liquid chromatography 763(2001)1

Toluene

Determination of monobromobimane derivatives of phenylmercapturic and benzylmercapturic acids in urine by high-performance liquid chromatography and fluorimetry 751(2001)305

Topiramate

Simple and rapid liquid chromatographic–turbo ion spray mass spectrometric determination of topiramate in human plasma 761(2001)133

Topoisomerase II

High-throughput fluorescence flow-injection topoisomerase II inhibition assay 760(2001)263

Topoisomerase I inhibitors

Antitumor drugs possessing topoisomerase I inhibition: applicable separation methods (Review) 764(2001)49

Topoisomerase II inhibitors

High-performance liquid chromatographic methods for the determination of topoisomerase II inhibitors (Review) 764(2001)81

Topotecan

Quantitation of camptothecin and related compounds (Review) 764(2001)121

Separation methods for camptothecin and related compounds (Review) 764(2001)141

Determination of topotecan in human whole blood and unwashed erythrocytes by high-performance liquid chromatography 766(2002)99

Trace elements

Fractionation of phosphorus and trace elements species in soybean flour and common white bean seeds by size exclusion chromatography–inductively coupled plasma mass spectrometry 770(2002)261

Application of size-exclusion chromatography–inductively coupled plasma mass spectrometry for fractionation of element species in seeds of legum 775(2002)179

Tramadol

Validation of a high-performance liquid chromatography method for tramadol and *o*-desmethyltramadol in human plasma using solid-phase extraction 759(2001)325

Gas chromatographic method using nitrogen–phosphorus detection for the measurement of tramadol and its *O*-desmethyl metabolite in plasma and brain tissue of mice and rats 763(2001)165

Direct chiral assay of tramadol and detection of the phase II metabolite *O*-demethyl tramadol glucuronide in human urine using capillary electrophoresis with laser-induced native fluorescence detection 765(2001)3

Method development and validation of a high-performance liquid chromatographic method for tramadol in human plasma using liquid–liquid extraction 772(2002)123

Transferrins

Separation of human serum transferrins with different iron-binding states by high-performance liquid chromatography using a pyridinium polymer column 767(2002)45

Transforming growth factor β

New approaches for high-yield purification of Müllerian inhibiting substance improve its bioactivity 766(2002)89

(\pm)-*trans*-[2-Morpholino-1-(1-naphthaleneethoxy)-cyclohexane monohydrochloride]

Determination of an aryether antiarrhythmic and its N-dealkyl metabolite in rat plasma and hepatic microsomal incubates using liquid chromatography–tandem mass spectrometry 759(2001)259

Triacylglycerols

Major human plasma lipid classes determined by quantitative high-performance liquid chromatography, their variation and associations with phospholipid fatty acids 754(2001)437

Triamterene

Determination of triamterene and its main metabolite hydroxytriamterene sulfate in human urine by capillary electrophoresis using ultraviolet absorbance and laser-induced fluorescence detection 769(2002)107

Tri-*n*-butyl phosphate

Validation of a simple and sensitive gas chromatographic method for the analysis of tri-*n*-butyl phosphate from virally inactivated human immunoglobulin 757(2001)181

1-Trichloromethyl-1,2,3,4-tetrahydro- β -carboline

Endogenous alkaloids in man. XXXVIII. “Chiral” and “achiral” determination of the neurotoxin TaClo (1-trichloromethyl-1,2,3,4-tetrahydro- β -carboline) from blood and urine samples by high-performance liquid chromatography–electrospray ionization tandem mass spectrometry 767(2002)321

3,5,6-Trichloro-2-pyridinol

Quantification of nicotine, chlorpyrifos and their metabolites in rat plasma and urine using high-performance liquid chromatography 757(2001)295

Analysis of 3,5,6-trichloro-2-pyridinol in urine samples from the general population using gas chromatography–mass spectrometry after steam distillation and solid-phase extraction 759(2001)43

Triethylenetetramine

Liquid chromatographic determination of triethylenetetramine in human and rabbit sera based on intramolecular excimer-forming fluorescence derivatization 774(2002)165

***p*-Trifluoromethylphenol**

Simultaneous determination of fluoxetine and its metabolite *p*-trifluoromethylphenol in human liver microsomes using a gas chromatographic–electron-capture detection procedure 769(2002)305

Trihexyphenidyl

Simultaneous determination of enantiomers of structurally related anticholinergic analogs in human serum by liquid chromatography–electrospray ionization mass spectrometry with on-line sample cleanup 762(2001)181

Trileptal

Development of a high throughput 96-well plate sample preparation method for the determination of trileptal (oxcarbazepine) and its metabolites in human plasma 762(2001)9

Trimethoprim

New simple liquid chromatographic method for the determination of trimethoprim, sulfadiazine and *N*⁴-acetylsulfadiazine in plasma of broilers 769(2002)253

Triphenyl phosphate

Development of a microporous membrane liquid–liquid extractor for organophosphate esters in human blood plasma: identification of triphenyl phosphate and octyl diphenyl phosphate in donor plasma 755(2001)157

Trofosfamide

Cyclophosphamide and related anticancer drugs (Review) 764(2001)173

Tromantadine

Separation methods for tricyclic antiviral drugs (Review) 764(2001)313

Trovafloxacin

Separation of levofloxacin, ciprofloxacin, gatifloxacin, moxifloxacin, trovafloxacin and cinoxacin by high-performance liquid chromatography: application to levofloxacin determination in human plasma 772(2002)53

Tryptophan

New high-performance liquid chromatographic method for the detection of picolinic acid in biological fluids 751(2001)61

Novel and sensitive high-performance liquid chromatographic method based on electrochemical coulometric array detection for simultaneous determination of catecholamines, kynurenine and indole derivatives of tryptophan 769(2002)145

Tuberculostearic acid

Electron-capture gas chromatographic–chemical ionization mass spectrometric study of sera from people vaccinated with bacille Calmette–Guerin for characteristic metabolites 751(2001)143

Turosteride

Separation of finasteride and analogues (Review) 764(2001)207

Tylosin

Identification and quantification of five macrolide antibiotics in several tissues, eggs and milk by liquid chromatography–electrospray tandem mass spectrometry 753(2001)189

Determination of tylosin residues in different animal tissues by high performance liquid chromatography 766(2002)57

Tyrosine

Gas chromatographic–mass spectrometric method for quantitation of phenylalanine and tyrosine in serum 762(2001)127

Tyrphostins

High-performance liquid chromatographic analysis of the tyrphostin AG1478, a specific inhibitor of the epidermal growth factor receptor tyrosine kinase, in mouse plasma 754(2001)193

TZT-1027

Validation of an analytical method for a potent antitumor agent, TZT-1027, in plasma using liquid chromatography–mass spectrometry 762(2001)155

U**UCN-01**

Development of a simplified, sensitive high-performance liquid chromatographic method using fluorescence detection to determine the concentration of UCN-01 in human plasma 760(2001)247

UK-103,320

Narrowbore high-performance liquid chromatography for the simultaneous determination of sildenafil and its metabolite UK-103,320 in human plasma using column switching 752(2001)141

Unsaturated fatty acids

Separation of some mono-, di- and tri-unsaturated fatty acids containing 18 carbon atoms by high-performance liquid chromatography and photodiode array detection 760(2001)165

Uracil

Measurement of endogenous uracil and dihydrouracil in plasma and urine of normal subjects by liquid chromatography–tandem mass spectrometry 769(2002)169

Simple liquid chromatographic method for the determination of uracil and dihydrouracil plasma levels: a potential pretreatment predictor of 5-fluorouracil toxicity 774(2002)223

Uracil arabinoside

Micellar electrokinetic capillary chromatography quantification of cytosine arabinoside and its metabolite, uracil arabinoside, in human serum 754(2001)185

UspA2 protein preparations

Method for reducing endotoxin in *Moraxella catarrhalis* UspA2 protein preparations 753(2001)269

V**Valaciclovir**

Separation methods for acyclovir and related antiviral compounds (Review) 764(2001)289

Valproate

Use of an immobilised human serum albumin HPLC column as a probe of drug–protein interactions: the reversible binding of valproate 768(2002)147

Valsartan

High-performance liquid chromatographic analysis of angiotensin II receptor antagonist valsartan using a liquid extraction method 766(2002)345

Vanadate

Non-ideal behaviour of free vanadate on a Superose 12 size-exclusion column. Application to in vivo ⁴⁸V-labelled rat spleen homogenate 757(2001)21

Behaviour of vanadate and vanadium–transferrin complex on different anion-exchange columns. Application to in vivo ⁴⁸V-labelled rat serum 775(2002)143

Vanadium–transferrin complex

Behaviour of vanadate and vanadium–transferrin complex on different anion-exchange columns. Application to in vivo ⁴⁸V-labelled rat serum 775(2002)143

Vancomycin

New sensitive assay of vancomycin in human plasma using high-performance liquid chromatography and electrochemical detection 751(2001)377

Study of the stability of promethazine enantiomers by liquid chromatography using a vancomycin-bonded chiral stationary phase 770(2002)63

Venlafaxine

Rapid high-performance liquid chromatographic measurement of venlafaxine and *O*-desmethylvenlafaxine in human plasma. Application to management of acute intoxications 760(2001)213

High-performance liquid chromatographic method to screen and quantitate seven selective serotonin reuptake inhibitors in human serum 761(2001)147

Verapamil

Role of the magnesium cation on antihypertensive molecule–human serum albumin binding: affinity chromatography approach 768(2002)129

Very-long-chain fatty acids

Diagnostic patterns of very-long-chain fatty acids in plasma of patients with X-linked adrenoleukodystrophy 760(2001)149

Vigabatrin

Determination of vigabatrin in human plasma and urine by high-performance liquid chromatography with fluorescence detection 760(2001)207

Vinclozolin

Analyses of lindane, vinclozolin, aldrin, *p,p'*-DDE, *o,p'*-DDT and *p,p'*-DDT in human serum using gas chromatography with electron capture detection and tandem mass spectrometry 760(2001)1

Vinorelbine

Sensitive determination of vinorelbine and its metabolites in human serum using liquid chromatography–electrospray mass spectrometry 753(2001)167

Vinorelbine *N*-oxide

Sensitive determination of vinorelbine and its metabolites in human serum using liquid chromatography–electrospray mass spectrometry 753(2001)167

Viral proteins

Alteration of ribosomal protein maps in herpes simplex virus type 1 infection (Review) 771(2002)237

Vitamin B6

Clinical adaptation of a high-performance liquid chromatographic method for the assay of pyridoxal 5'-phosphate in human plasma 751(2001)383

Vitamin E

Chromatographic techniques for the determination of putative dietary anticancer compounds in biological fluids (Review) 764(2001)3

Vitamins

Rapid and sensitive high-performance liquid chromatographic method for simultaneous determination of retinol, α -tocopherol, 25-hydroxyvitamin D₃ and 25-hydroxyvitamin D₂ in human plasma with photodiode-array ultraviolet detection 755(2001)129

Comparison of ion-pair and amide-based column reversed-phase liquid chromatography for the separation of thiamine-related compounds 757(2001)301

Simultaneous quantification of retinol, retinal, and retinoic acid isomers by high-performance liquid chromatography with a simple gradation 757(2001)365

Rapid high-performance liquid chromatographic method for the simultaneous determination of retinol, α -tocopherol and β -carotene in human plasma and low-density lipoproteins 758(2001)315

Simultaneous determination of retinol, β -carotene and α -tocopherol in adipose tissue by high-performance liquid chromatography 763(2001)1

Volatile compounds

Headspace solid-phase microextraction profiling of volatile compounds in urine: application to metabolic investigations 753(2001)259

Volatile organic compounds

Optimized determination of trace jet fuel volatile organic compounds in human blood using in-field liquid–liquid extraction with subsequent laboratory gas chromatographic–mass spectrometric analysis and on-column large-volume injection 752(2001)159

Volatiles

Optimization of solid-phase microextraction conditions for gas chromatographic determination of ethanol and other volatile compounds in blood 773(2002)75

Volatile sulphur compounds

Analysis of volatile sulphur compounds in breath by gas chromatography–mass spectrometry using a three-stage cryogenic trapping preconcentration system 762(2001)67

W

Warfarin

Study of the retention properties of warfarin enantiomers on a β -cyclodextrin polymeric support 753(2001)131

Wogonin

Quantitation of the flavonoid wogonin and its major metabolite wogonin-7 β -D-glucuronide in rat plasma by liquid chromatography–tandem mass spectrometry 775(2002)169

Wogonin-7 β -D-glucuronide

Quantitation of the flavonoid wogonin and its major metabolite wogonin-7 β -D-glucuronide in rat plasma by liquid chromatography–tandem mass spectrometry 775(2002)169

WR1065

New liquid chromatographic assay with electrochemical detection for the measurement of amifostine and WR1065 772(2002)257

X

Xanthans

Identification of xanthans isolated from sugarcane juices obtained from scalded plants infected by *Xanthomonas albilineans* 770(2002)275

Xanthine oxidase

Extractionless method for the simultaneous high-performance liquid chromatographic determination of urinary caffeine metabolites for *N*-acetyltransferase 2, cytochrome P450 1A2 and xanthine oxidase activity assessment 755(2001)73

β -Xylosidase

Rapid process for purification of an extracellular β -xylosidase by aqueous two-phase extraction 754(2001)179

Y

YF476

Validation of a liquid chromatographic–tandem mass spectrometric method for the measurement of (*R*)-1-[2,3-dihydro-2-oxo-1-pivaloylmethyl-5-(2-pyridyl)-1H-1,4-benzodiazepin-3-yl]-3-(3-methylaminophenyl)urea (YF476) in human plasma 772(2002)317

Z

ZAP-70

Analysis of regulatory phosphorylation sites in ZAP-70 by capillary high-performance liquid chromatography coupled to electrospray ionization or matrix-assisted laser desorption ionization time-of-flight mass spectrometry 752(2001)323

Zein

Binding of substituted phenol and aniline derivatives to the corn protein zein studied by high-performance liquid chromatography 753(2001)79

Ziagen

Simultaneous determination of Ziagen and its phosphorylated metabolites by ion-pairing high-performance liquid chromatography–tandem mass spectrometry 754(2001)285

Zolmitriptan

Simultaneous measurement of zolmitriptan and its major metabolites *N*-desmethylzolmitriptan and zolmitriptan *N*-oxide in human plasma by high-performance liquid chromatography with coulometric detection 766(2002)339

Zolmitriptan *N*-oxide

Simultaneous measurement of zolmitriptan and its major metabolites *N*-desmethylzolmitriptan and zolmitriptan *N*-oxide in human plasma by high-performance liquid chromatography with coulometric detection 766(2002)339

Zonisamide

High-performance liquid chromatographic assay of zonisamide in human plasma using a non-porous silica column 755(2001)337