



ELSEVIER

Journal of Chromatography B, 780 (2002) 487–491

JOURNAL OF  
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

## Author Index Vol. 780

- Ahmadzadeh, H., see Stoyanov, A.V. 780(2002)283  
Alušík, Š., see Jedličková, V. 780(2002)193  
Amirkhani, A., Heldin, E., Markides, K.E. and Bergquist, J.  
Quantitation of tryptophan, kynurenine and kynurenic acid  
in human plasma by capillary liquid chromatography–  
electrospray ionization tandem mass spectrometry  
780(2002)381  
André, C., see Ismaili, L. 780(2002)467  
Ang, C.Y.W., see Cui, Y. 780(2002)129  
Aulagner, G., see Janoly, A. 780(2002)155  
Avino, P., see Russo, M.V. 780(2002)431  
Barbas, C., García, A., de Miguel, L. and Simó, C.  
Evaluation of filter paper collection of urine samples for  
detection and measurement of organic acidurias by  
capillary electrophoresis 780(2002)73  
Bastian, K.C., see Yang, J.Z. 780(2002)269  
Baynes, R.E., Yeatts, J.L. and Riviere, J.E.  
Analysis of *N,N*-diethyl-*m*-toluamide in porcine skin  
perfusates using solid-phase extraction disks and reversed-  
phase high-performance liquid chromatography  
780(2002)45  
Beijnen, J.H., see Sparidans, R.W. 780(2002)423  
Bérard, M., see Leveque, N. 780(2002)119  
Bergquist, J., see Amirkhani, A. 780(2002)381  
Bertolaso, L., see Previati, M. 780(2002)331  
Bindini, D., see Previati, M. 780(2002)331  
Bleyzac, N., see Janoly, A. 780(2002)155  
Blo, G., see Previati, M. 780(2002)331  
Bombardelli, E., see Zaffaroni, M. 780(2002)93  
Borchardt, T., see Yang, J.Z. 780(2002)269  
Bose, D., see Capella-Peiró, M.-E. 780(2002)241  
Bourhis, Y., see Janoly, A. 780(2002)155  
Boyle, R.R., McLean, S., Brandon, S., Pass, G.J. and Davies,  
N.W.  
Application of solid-phase microextraction to the  
quantitative analysis of 1,8-cineole in blood and expired air  
in a *Eucalyptus* herbivore, the brushtail possum  
(*Trichosurus vulpecula*) 780(2002)397  
Brandon, S., see Boyle, R.R. 780(2002)397  
Campanella, L., see Russo, M.V. 780(2002)431  
Capella-Peiró, M.-E., Bose, D., Martinavarró-Domínguez, A.,  
Gil-Agustí, M. and Esteve-Romero, J.  
Direct injection micellar liquid chromatographic  
determination of benzodiazepines in serum 780(2002)241  
Capitani, S., see Previati, M. 780(2002)331  
Cardoso, J., see Damasceno, L. 780(2002)61  
Caudle, R.M., see Mannes, A.J. 780(2002)475  
Cavalli, E., see Ismaili, L. 780(2002)467  
Chaumont, J.P., see Ismaili, L. 780(2002)467  
Chauret, N., see Lévesque, J.-F. 780(2002)145  
Chavez, T. de J., see González, H.M. 780(2002)459  
Chen, G.-Q., see Zhou, Q. 780(2002)161  
Chen, S.-H., see Feng, C.-H. 780(2002)349  
Cheng, K.-C., see Wang, G. 780(2002)451  
Chiarotti, M., see Gentili, S. 780(2002)183  
Cimino Brown, D., see Mannes, A.J. 780(2002)475  
Colombo, T., see Zaffaroni, M. 780(2002)93  
Corbacella, E., see Previati, M. 780(2002)331  
Coudray, S., see Janoly, A. 780(2002)155  
Crul, M., see Sparidans, R.W. 780(2002)423  
Cui, Y., Gurley, B., Ang, C.Y.W. and Leakey, J.  
Determination of hyperforin in human plasma using solid-  
phase extraction and high-performance liquid  
chromatography with ultraviolet detection 780(2002)129  
Damasceno, L., Ventura, R., Cardoso, J. and Segura, J.  
Diagnostic evidence for the presence of  $\beta$ -agonists using  
two consecutive derivatization procedures and gas  
chromatography–mass spectrometric analysis 780(2002)61  
Davies, N.W., see Boyle, R.R. 780(2002)397  
de Miguel, L., see Barbas, C. 780(2002)73  
Deng, C., Deng, Y., Wang, B. and Yang, X.  
Gas chromatography–mass spectrometry method for  
determination of phenylalanine and tyrosine in neonatal  
blood spots 780(2002)407  
Deng, Y., see Deng, C. 780(2002)407  
D’Incalci, M., see Zaffaroni, M. 780(2002)93  
Donoghue, D.J., see Schneider, M.J. 780(2002)83  
Dott, W., see Sandner, F. 780(2002)225  
Eckelman, W.C., see Ma, Y. 780(2002)99  
Erös, D., see Hollósy, F. 780(2002)355  
Esteve-Romero, J., see Capella-Peiró, M.-E. 780(2002)241  
Fagioli, F., see Previati, M. 780(2002)331  
Farrar, H., Letzig, L. and Gill, M.  
Validation of a liquid chromatographic method for the  
determination of ibuprofen in human plasma  
780(2002)341  
Farwanah, H., Neubert, R., Zellmer, S. and Raith, K.  
Improved procedure for the separation of major stratum  
corneum lipids by means of automated multiple  
development thin-layer chromatography 780(2002)443

- Favetta, P., see Janoly, A. 780(2002)155
- Feng, C.-H., Lin, S.-J., Wu, H.-L. and Chen, S.-H.  
Trace analysis of tobramycin in human plasma by derivatization and high-performance liquid chromatography with ultraviolet detection 780(2002)349
- Fornara, J., see Sandner, F. 780(2002)225
- Foss, J.F., see Osinski, J. 780(2002)251
- Frapolli, R., see Zaffaroni, M. 780(2002)93
- Freudinger, R., see Seefelder, W. 780(2002)137
- Fruscio, R., see Zaffaroni, M. 780(2002)93
- Fu, X.-Q., see Zhou, Q. 780(2002)161
- Furukawa, H., see Kishino, S. 780(2002)289
- Gagneu, M.C., see Janoly, A. 780(2002)155
- García, A., see Barbas, C. 780(2002)73
- Gaudreault, M., see Lévesque, J.-F. 780(2002)145
- Gekle, M., see Seefelder, W. 780(2002)137
- Gentili, S., Torresi, A., Marsili, R., Chiarotti, M. and Macchia, T.  
Simultaneous detection of amphetamine-like drugs with headspace solid-phase microextraction and gas chromatography–mass spectrometry 780(2002)183
- Gil-Agustí, M., see Capella-Peiró, M.-E. 780(2002)241
- Gill, M., see Farrar, H. 780(2002)341
- Gingerich, W.H., see Vue, C. 780(2002)111
- González, H.M., Romero, E.M., Chavez, T. de J., Peregrina, A.A., Quezada, V. and Hoyo-Vadillo, C.  
Phenotype of CYP2C19 and CYP3A4 by determination of omeprazole and its two main metabolites in plasma using liquid chromatography with liquid–liquid extraction 780(2002)459
- Guillaume, Y.C., see Ismaili, L. 780(2002)467
- Gunaratna, C., see Zhang, T. 780(2002)371
- Gurley, B., see Cui, Y. 780(2002)129
- Hatano, T., see Nishijima, S. 780(2002)13
- Heldin, E., see Amirkhani, A. 780(2002)381
- Hollender, J., see Sandner, F. 780(2002)225
- Hollósy, F., Seprödi, J., Örfi, L., Erős, D., Kéri, G. and Idei, M.  
Evaluation of lipophilicity and antitumour activity of parallel carboxamide libraries 780(2002)355
- Houle, R., see Lévesque, J.-F. 780(2002)145
- Hoyo-Vadillo, C., see González, H.M. 780(2002)459
- Hsieh, Y., see Wang, G. 780(2002)451
- Humbert, P., see Leveque, N. 780(2002)119
- Humpf, H.-U., see Seefelder, W. 780(2002)137
- Iadarola, M.J., see Mannes, A.J. 780(2002)475
- Idei, M., see Hollósy, F. 780(2002)355
- Iida, T., see Imai, K. 780(2002)1
- Imai, K., Iida, T., Takano, Y. and Uozumi, N.  
Membrane-bound heparin binding proteins from HL-60 cells purified in a two-step affinity chromatography differentially eluted with divalent cations 780(2002)1
- Ishibashi, T., see Niino, T. 780(2002)35
- Ishiwata, H., see Niino, T. 780(2002)35
- Ismaili, L., André, C., Nicod, L., Truong, T.T., Millet, J., Thomassin, M., Cavalli, E., Chaumont, J.P., Xicluna, A. and Guillaume, Y.C.  
Triazine–human serum albumin association: thermodynamic approach and sodium effect 780(2002)467
- Itho, T., see Niino, T. 780(2002)35
- Itoh, Y., see Teshima, D. 780(2002)21
- Jakobs, C., see Schor, D.S.M. 780(2002)199
- Janoly, A., Bleyzac, N., Favetta, P., Gagneu, M.C., Bourhis, Y., Coudray, S., Oger, I. and Aulagner, G.  
Simple and rapid high-performance liquid chromatographic method for nelfinavir, M8 nelfinavir metabolite, ritonavir and saquinavir assay in plasma 780(2002)155
- Jedličková, V., Paluch, Z. and Alušák, Š.  
Determination of nitrate and nitrite by high-performance liquid chromatography in human plasma 780(2002)193
- Jelínková, P., see Liberda, J. 780(2002)231
- Jonáková, V., see Liberda, J. 780(2002)231
- Juliano, M.A., see Pelegrini-da-Silva, A. 780(2002)301
- Kantelip, J.P., see Leveque, N. 780(2002)119
- Keefer, L.K., see Xu, X. 780(2002)315
- Keller, J., see Mannes, A.J. 780(2002)475
- Kéri, G., see Hollósy, F. 780(2002)355
- Kiesewetter, D.O., see Ma, Y. 780(2002)99
- Kishino, S., Takekuma, Y., Sugawara, M., Shimamura, T., Furukawa, H., Todo, S. and Miyazaki, K.  
Liquid chromatographic method for the determination of ganciclovir and/or acyclovir in human plasma using pulsed amperometric detection 780(2002)289
- Kitagawa, N., see Teshima, D. 780(2002)21
- Kong, H., see Yang, J. 780(2002)27
- Korfmacher, W.A., see Wang, G. 780(2002)451
- Krylov, S.N., see Stoyanov, A.V. 780(2002)283
- Lang, L., see Ma, Y. 780(2002)99
- Lanzoni, I., see Previati, M. 780(2002)331
- Lau, Y., see Wang, G. 780(2002)451
- Leakey, J., see Cui, Y. 780(2002)129
- Letzig, L., see Farrar, H. 780(2002)341
- Leveque, N., Muret, P., Mary, S., Bérard, M., Makki, S., Kantelip, J.P. and Humbert, P.  
Validation of a microdialysis–gas chromatographic–mass spectrometric method to assess 8-methoxypsoralen in psoriatic patient dermis 780(2002)119
- Lévesque, J.-F., Gaudreault, M., Houle, R. and Charet, N.  
Evaluation of human hepatocyte incubation as a new tool for metabolism study of androstenedione and norandrostenedione in a doping control perspective 780(2002)145
- Liberda, J., Ryšlavá, H., Jelínková, P., Jonáková, V. and Tichá, M.  
Affinity chromatography of bull seminal proteins on mannan–Sepharose 780(2002)231
- Lin, S.-J., see Feng, C.-H. 780(2002)349
- Lutz, E.S.M., Markling, M.E. and Masimirembwa, C.M.  
Monolithic silica rod liquid chromatography with ultraviolet or fluorescence detection for metabolite analysis of cytochrome P450 marker reactions 780(2002)205
- Ma, Y., Lang, L., Kiesewetter, D.O. and Eckelman, W.C.  
Liquid chromatography–tandem mass spectrometry identification of metabolites of three phenylcarboxyl derivatives of the 5-HT<sub>1A</sub> antagonist, *N*-(2-(4-(2-methoxyphenyl)-1-piperazinyl)ethyl)-*N*-(2-pyridyl) *trans*-4-fluorocyclohexanecarboxamide (FCWAY), produced by human and rat hepatocytes 780(2002)99
- Macchia, T., see Gentili, S. 780(2002)183
- Makino, K., see Teshima, D. 780(2002)21
- Makki, S., see Leveque, N. 780(2002)119

- Mannes, A.J., Cimino Brown, D., Perkowski, S.Z., Keller, J., Caudle, R.M., Iadarola, M.J. and Meng, Q.C.  
Measurement of resiniferatoxin in cerebrospinal fluid by high-performance liquid chromatography 780(2002)475
- Markides, K.E., see Amirkhani, A. 780(2002)381
- Markling, M.E., see Lutz, E.S.M. 780(2002)205
- Marsili, R., see Gentili, S. 780(2002)183
- Martinavarró-Domínguez, A., see Capella-Peiró, M.-E. 780(2002)241
- Martins, A.R., see Pelegrini-da-Silva, A. 780(2002)301
- Mary, S., see Leveque, N. 780(2002)119
- Masimirembwa, C.M., see Lutz, E.S.M. 780(2002)205
- Matuszewski, B.K., see Schwartz, M.S. 780(2002)171
- McLean, S., see Boyle, R.R. 780(2002)397
- Meng, Q.C., see Mannes, A.J. 780(2002)475
- Millet, J., see Ismaili, L. 780(2002)467
- Miyazaki, K., see Kishino, S. 780(2002)289
- Moon, M.H., see Park, I. 780(2002)415
- Moore, R.D., see Yang, J.Z. 780(2002)269
- Morazzoni, P., see Zaffaroni, M. 780(2002)93
- Morozumi, M., see Nishijima, S. 780(2002)13
- Muret, P., see Leveque, N. 780(2002)119
- Neirinck, L., see Zhu, Z. 780(2002)295
- Nerli, B., see Reh, G. 780(2002)389
- Neubert, R., see Farwanah, H. 780(2002)443
- Ng, K., see Wang, G. 780(2002)451
- Nicod, L., see Ismaili, L. 780(2002)467
- Nicotra, C.M.A., see Taibi, G. 780(2002)261
- Niedzińska, J., see Posyniak, A. 780(2002)309
- Niino, T., Ishibashi, T., Itho, T., Sakai, S., Ishiwata, H., Yamada, T. and Onodera, S.  
Simultaneous determination of phthalate di- and monoesters in poly(vinylchloride) products and human saliva by gas chromatography-mass spectrometry 780(2002)35
- Nishijima, S., Sugaya, K., Morozumi, M., Hatano, T. and Ogawa, Y.  
Capillary electrophoresis assay of alanine:glyoxylate aminotransferase activity in rat liver 780(2002)13
- Northfleet Albuquerque, C., see Xu, Y. 780(2002)53
- Ogawa, Y., see Nishijima, S. 780(2002)13
- Oger, I., see Janoly, A. 780(2002)155
- Oishi, R., see Teshima, D. 780(2002)21
- Onodera, S., see Niino, T. 780(2002)35
- Örfi, L., see Hollósy, F. 780(2002)355
- Osinski, J., Wang, A., Wu, J.A., Foss, J.F. and Yuan, C.-S.  
Determination of methylnaltrexone in clinical samples by solid-phase extraction and high-performance liquid chromatography for a pharmacokinetics study 780(2002)251
- Otsubo, K., see Teshima, D. 780(2002)21
- Ouchi, K. and Watanabe, S.  
Measurement of bisphenol A in human urine using liquid chromatography with multi-channel coulometric electrochemical detection 780(2002)365
- Paeng, K.-J., see Park, I. 780(2002)415
- Paluch, Z., see Jedličková, V. 780(2002)193
- Pang, T., see Yang, J. 780(2002)27
- Park, I., Paeng, K.-J., Yoon, Y., Song, J.-H. and Moon, M.H.  
Separation and selective detection of lipoprotein particles of patients with coronary artery disease by frit-inlet asymmetrical flow field-flow fractionation 780(2002)415
- Parmeggiani, A., see Previati, M. 780(2002)331
- Pass, G.J., see Boyle, R.R. 780(2002)397
- Pelegrini-da-Silva, A., Prado, W.A., Juliano, M.A., Wilk, S. and Martins, A.R.  
High-performance liquid chromatographic separation of renin-angiotensin system peptides and most of their metabolic fragments 780(2002)301
- Peregrina, A.A., see González, H.M. 780(2002)459
- Perkowski, S.Z., see Mannes, A.J. 780(2002)475
- Pessoa Jr., A., see Xu, Y. 780(2002)53
- Picó, G., see Reh, G. 780(2002)389
- Posyniak, A., Zmudzki, J. and Niedzińska, J.  
Liquid chromatography analysis of enrofloxacin and ciprofloxacin in chicken blood spotted on filter-paper disks 780(2002)309
- Prado, W.A., see Pelegrini-da-Silva, A. 780(2002)301
- Previati, M., Raspadori, A., Bertolaso, L., Parmeggiani, A., Bindini, D., Vitali, C., Lanzoni, I., Corbacella, E., Saviano, M., Fagioli, F., Blo, G. and Capitani, S.  
Determination of histamine in the whole blood of colon cancer patients 780(2002)331
- Quezada, V., see González, H.M. 780(2002)459
- Raith, K., see Farwanah, H. 780(2002)443
- Raspadori, A., see Previati, M. 780(2002)331
- Reh, G., Nerli, B. and Picó, G.  
Isolation of alpha-1-antitrypsin from human plasma by partitioning in aqueous biphasic systems of polyethyleneglycol-phosphate 780(2002)389
- Riva, A., see Zaffaroni, M. 780(2002)93
- Riviere, J.E., see Baynes, R.E. 780(2002)45
- Romero, E.M., see González, H.M. 780(2002)459
- Roudaut, B. and Yorke, J.-C.  
High-performance liquid chromatographic method with fluorescence detection for the screening and quantification of oxolinic acid, flumequine and sarafloxacin in fish 780(2002)481
- Russo, M.V., Campanella, L. and Avino, P.  
Determination of organophosphorus pesticide residues in human tissues by capillary gas chromatography-negative chemical ionization mass spectrometry analysis 780(2002)431
- Ryšlavá, H., see Liberda, J. 780(2002)231
- Saavedra, J.E., see Xu, X. 780(2002)315
- Sakai, S., see Niino, T. 780(2002)35
- Sandner, F., Fornara, J., Dott, W. and Hollender, J.  
Sensitive biomonitoring of monoterpene exposure by gas chromatographic-mass spectrometric measurement of hydroxy terpenes in urine 780(2002)225
- Saviano, M., see Previati, M. 780(2002)331
- Schellens, J.H.M., see Sparidans, R.W. 780(2002)423
- Schmidt, L.J., see Vue, C. 780(2002)111
- Schmitt, T.C.  
Determination of chloral hydrate and its metabolites in blood plasma by capillary gas chromatography with electron capture detection 780(2002)217

- Schneider, M.J. and Donoghue, D.J.  
Multiresidue analysis of fluoroquinolone antibiotics in chicken tissue using liquid chromatography-fluorescence-multiple mass spectrometry 780(2002)83
- Schor, D.S.M., Verhoeven, N.M., Struys, E.A., Ten Brink, H.J. and Jakobs, C.  
Quantification of 3-hydroxyglutaric acid in urine, plasma, cerebrospinal fluid and amniotic fluid by stable-isotope dilution negative chemical ionization gas chromatography-mass spectrometry 780(2002)199
- Schwartz, M.S. and Matuszewski, B.K.  
Determination of a peptide-doxorubicin, prostate-specific antigen activated prodrug, and its active metabolites in human plasma using high-performance liquid chromatography with fluorescence detection. Stabilization of the peptide prodrug with EDTA 780(2002)171
- Schwerdt, G., see Seefelder, W. 780(2002)137
- Seefelder, W., Schwerdt, G., Freudinger, R., Gekle, M. and Humpf, H.-U.  
Liquid chromatography/electrospray ionisation-mass spectrometry method for the quantification of sphingosine and sphinganine in cell cultures exposed to fumonisins 780(2002)137
- Segura, J., see Damasceno, L. 780(2002)61
- Sepřodi, J., see Hollósy, F. 780(2002)355
- Shimamura, T., see Kishino, S. 780(2002)289
- Simó, C., see Barbas, C. 780(2002)73
- Song, J.-H., see Park, I. 780(2002)415
- Sparidans, R.W., Crul, M., Schellens, J.H.M. and Beijnen, J.H.  
Isocratic ion-exchange chromatographic assay for the nucleotide gemcitabine triphosphate in human white blood cells 780(2002)423
- Stehly, G.R., see Vue, C. 780(2002)111
- Stobaugh, J.F., see Yang, J.Z. 780(2002)269
- Stoyanov, A.V., Ahmadzadeh, H. and Krylov, S.N.  
Heterogeneity of protein labeling with a fluorogenic reagent, 3-(2-furoyl)quinoline-2-carboxaldehyde 780(2002)283
- Struys, E.A., see Schor, D.S.M. 780(2002)199
- Sugawara, M., see Kishino, S. 780(2002)289
- Sugaya, K., see Nishijima, S. 780(2002)13
- Taibi, G. and Nicotra, C.M.A.  
Development and validation of a fast and sensitive chromatographic assay for all-*trans*-retinol and tocopherols in human serum and plasma using liquid-liquid extraction 780(2002)261
- Takano, Y., see Imai, K. 780(2002)1
- Takekuma, Y., see Kishino, S. 780(2002)289
- ten Brink, H.J., see Schor, D.S.M. 780(2002)199
- Teshima, D., Kitagawa, N., Otsubo, K., Makino, K., Itoh, Y. and Oishi, R.  
Simple determination of mycophenolic acid in human serum by column-switching high-performance liquid chromatography 780(2002)21
- Thomassin, M., see Ismaili, L. 780(2002)467
- Tichá, M., see Liberda, J. 780(2002)231
- Todo, S., see Kishino, S. 780(2002)289
- Torresi, A., see Gentili, S. 780(2002)183
- Truong, T.T., see Ismaili, L. 780(2002)467
- Uozumi, N., see Imai, K. 780(2002)1
- Ventura, R., see Damasceno, L. 780(2002)61
- Verhoeven, N.M., see Schor, D.S.M. 780(2002)199
- Vitali, C., see Previati, M. 780(2002)331
- Vitolo, M., see Xu, Y. 780(2002)53
- Vue, C., Schmidt, L.J., Stehly, G.R. and Gingerich, W.H.  
Liquid chromatographic determination of florfenicol in the plasma of multiple species of fish 780(2002)111
- Wang, A., see Osinski, J. 780(2002)251
- Wang, B., see Deng, C. 780(2002)407
- Wang, G., Hsieh, Y., Lau, Y., Cheng, K.-C., Ng, K., Korfmacher, W.A. and White, R.E.  
Semi-automated determination of plasma stability of drug discovery compounds using liquid chromatography-tandem mass spectrometry 780(2002)451
- Watanabe, S., see Ouchi, K. 780(2002)365
- Waterhouse, D.J., see Xu, X. 780(2002)315
- White, R.E., see Wang, G. 780(2002)451
- Wilk, S., see Pelegrini-da-Silva, A. 780(2002)301
- Wu, H.-L., see Feng, C.-H. 780(2002)349
- Wu, J.A., see Osinski, J. 780(2002)251
- Xicluna, A., see Ismaili, L. 780(2002)467
- Xu, G., see Yang, J. 780(2002)27
- Xu, X., Ziegler, R.G., Waterhouse, D.J., Saavedra, J.E. and Keefer, L.K.  
Stable isotope dilution high-performance liquid chromatography-electrospray ionization mass spectrometry method for endogenous 2- and 4-hydroxyestrones in human urine 780(2002)315
- Xu, Y., Vitolo, M., Northfleet Albuquerque, C. and Pessoa, A.  
Affinity partitioning of glucose-6-phosphate dehydrogenase and hexokinase in aqueous two-phase systems with free triazine dye ligands 780(2002)53
- Yamada, T., see Niino, T. 780(2002)35
- Yang, J., Xu, G., Kong, H., Zheng, Y., Pang, T. and Yang, Q.  
Artificial neural network classification based on high-performance liquid chromatography of urinary and serum nucleosides for the clinical diagnosis of cancer 780(2002)27
- Yang, J.Z., Bastian, K.C., Moore, R.D., Stobaugh, J.F. and Borchardt, T.  
Quantitative analysis of a model opioid peptide and its cyclic prodrugs in rat plasma using high-performance liquid chromatography with fluorescence and tandem mass spectrometric detection 780(2002)269
- Yang, Q., see Yang, J. 780(2002)27
- Yang, X., see Deng, C. 780(2002)407
- Yeatts, J.L., see Baynes, R.E. 780(2002)45
- Yoon, Y., see Park, I. 780(2002)415
- Yorke, J.-C., see Roudaut, B. 780(2002)481
- Yuan, C.-S., see Osinski, J. 780(2002)251
- Zaffaroni, M., Frapolli, R., Colombo, T., Fruscio, R., Bombardelli, E., Morazzoni, P., Riva, A., D'Incalci, M. and Zucchetti, M.  
High-performance liquid chromatographic assay for the determination of the novel C-Seco-taxane derivative (IDN 5390) in mouse plasma 780(2002)93
- Zellmer, S., see Farwanah, H. 780(2002)443
- Zhang, L., see Zhou, Q. 780(2002)161

- Zhang, T., Zhu, Y. and Gunaratna, C.  
Rapid and quantitative determination of metabolites from multiple cytochrome P450 probe substrates by gradient liquid chromatography–electrospray ionization-ion trap mass spectrometry 780(2002)371
- Zheng, Y., see Yang, J. 780(2002)27
- Zhou, Q., Zhang, L., Fu, X.-Q. and Chen, G.-Q.  
Quantitation of yeast ceramides using high-performance liquid chromatography–evaporative light-scattering detection 780(2002)161
- Zhu, Y., see Zhang, T. 780(2002)371
- Zhu, Z. and Neirinck, L.  
High-performance liquid chromatography–mass spectrometry method for the determination of paroxetine in human plasma 780(2002)295
- Ziegler, R.G., see Xu, X. 780(2002)315
- Zmudzki, J., see Posyniak, A. 780(2002)309
- Zucchetti, M., see Zaffaroni, M. 780(2002)93