



ELSEVIER

Journal of Chromatography B, 783 (2003) 527–530

JOURNAL OF
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Author Index Vol. 783

- Abib, E., see Oliveira, C.H. 783(2003)453
Abrahamsson, A., see Larsson, M. 783(2003)335
Ahn, H.-S., see Shin, H.-S. 783(2003)125
Ahnoff, M., see Larsson, M. 783(2003)335
Albani, F., see Mandrioli, R. 783(2003)253
Andujar-Sánchez, M., Cámera-Artigas, A. and Jara-Pérez, V.
Purification of angiotensin I converting enzyme from pig lung using concanavalin-A sepharose chromatography 783(2003)247
Bairachtari, K., see Tsakalof, A. 783(2003)425
Barbarin, N., Mawhinney, D.B., Black, R. and Henion, J.
High-throughput selected reaction monitoring liquid chromatography–mass spectrometry determination of methylphenidate and its major metabolite, ritalinic acid, in rat plasma employing monolithic columns 783(2003)73
Barker, S.A., see Ling, S.S.N. 783(2003)297
Barratt, G., see Pellequer, Y. 783(2003)151
Barrett, D.A., see Wibawa, J.I.D. 783(2003)359
Barrientos-Astigarraga, R.E., see Oliveira, C.H. 783(2003)453
Bartlett, M.G., see Brown, S.D. 783(2003)319
Bauer, S., see Störmer, E. 783(2003)207
Berecz, R., see Llerena, A. 783(2003)25
Berecz, R., see Llerena, A. 783(2003)213
Birk, K.L., see Musson, D.G. 783(2003)1
Black, R., see Barbarin, N. 783(2003)73
Bocca, B., Di Mattia, M., Cartoni, C., Fiori, M., Felli, M., Neri, B. and Brambilla, G.
Extraction, clean-up and gas chromatography–mass spectrometry characterization of zilpaterol as feed additive in fattening cattle 783(2003)141
Bonato, P.S., see Cerqueira, P.M. 783(2003)433
Bonato, P.S., Lanchote, V.L. and Takayanagui, O.M.
Simultaneous liquid chromatography–tandem mass spectrometric determination of albendazole sulfoxide and albendazole sulfone in plasma 783(2003)237
Boralli, V.B., see Cerqueira, P.M. 783(2003)433
Boschet, F., see Pommier, F. 783(2003)199
Bosma, M., see Verschraagen, M. 783(2003)33
Brambilla, G., see Bocca, B. 783(2003)141
Brenner, D.E., see Heath, D.D. 783(2003)287
Brockmöller, J., see Störmer, E. 783(2003)207
Brown, S.D., Muralidhara, S., Bruckner, J.V. and Bartlett, M.G.
Trace level determination of trichloroethylene from liver, lung and kidney tissues by gas chromatography–magnetic sector mass spectrometry 783(2003)319
Bruckner, J.V., see Brown, S.D. 783(2003)319
Bu, W., Myers, N., McCarty, J.D., O'Neill, T., Hollar, S.,
Stetson, P.L. and Sved, D.W.
Simultaneous determination of six urinary porphyrins using liquid chromatography–tandem mass spectrometry 783(2003)411
Budman, Y., see Fountain, K.J. 783(2003)61
Cáceres, M., see Llerena, A. 783(2003)25
Cáceres, M., see Llerena, A. 783(2003)213
Cámera-Artigas, A., see Andujar-Sánchez, M. 783(2003)247
Carratù, R., see Generoso, M. 783(2003)349
Cartenì, M., see Generoso, M. 783(2003)349
Cartoni, C., see Bocca, B. 783(2003)141
Catterick, T., see Wahlen, R. 783(2003)221
Cerqueira, P.M., Boralli, V.B., Coelho, E.B., Lopes, N.P.,
Guimarães, L.F.L., Bonato, P.S. and Lanchote, V.L.
Enantioselective determination of metoprolol acidic metabolite in plasma and urine using liquid chromatography chiral columns: applications to pharmacokinetics 783(2003)433
Chang, W., see Zhao, M. 783(2003)401
Chi, C., Liang, L., Padovani, P. and Unger, S.
Development and validation of a liquid chromatography–mass spectrometric method for the determination of DPC 423, an antithrombotic agent, in rat and dog plasma 783(2003)163
Chou, S.-H., see Shu, P.-Y. 783(2003)93
Coelho, E.B., see Cerqueira, P.M. 783(2003)433
Correa, T., see Jardines, D. 783(2003)517
da Silva, D.R., see Oliveira, C.H. 783(2003)453
de Jong, J., see Remmerie, B.M.M. 783(2003)461
de la Garza, C.S., see Llerena, A. 783(2003)213
de la Rubia, A., see Llerena, A. 783(2003)25
De Magistris, L., see Generoso, M. 783(2003)349
de Nucci, G., see Oliveira, C.H. 783(2003)453
De Rosa, M., see Generoso, M. 783(2003)349
De Rosa, R., see Generoso, M. 783(2003)349
de Vries, R., see Remmerie, B.M.M. 783(2003)461
Di Mattia, M., see Bocca, B. 783(2003)141
Dorado, P., see Llerena, A. 783(2003)25
Dorado, P., see Llerena, A. 783(2003)213
Egorin, M.J., see Parise, R.A. 783(2003)231
Ericsson, Ö., see Minzi, O.M.S. 783(2003)473
Fakt, C., see Larsson, M. 783(2003)335
Fang, J., see Mosier, K.E. 783(2003)377
Fang, W., see Musson, D.G. 783(2003)1
Felli, M., see Bocca, B. 783(2003)141

- Fiandra, R., see Generoso, M. 783(2003)349
- Fiori, M., see Bocca, B. 783(2003)141
- Fountain, K.J., Gilar, M., Budman, Y. and Gebler, J.C.
Purification of dye-labeled oligonucleotides by ion-pair reversed-phase high-performance liquid chromatography 783(2003)61
- Frye, R.F., see Nolin, T.D. 783(2003)265
- Gallo, J.M., see Guo, P. 783(2003)43
- Gebler, J.C., see Fountain, K.J. 783(2003)61
- Generoso, M., De Rosa, M., De Rosa, R., De Magistris, L., Secondulfo, M., Fiandra, R., Carratù, R. and Cartenì, M.
Cellobiose and lactulose coupled with mannitol and determined using ion-exchange chromatography with pulsed amperometric detection, are reliable probes for investigation of intestinal permeability 783(2003)349
- Georarakis, M., see Tsakalof, A. 783(2003)425
- Ghedini, N., see Mandrioli, R. 783(2003)253
- Gilar, M., see Fountain, K.J. 783(2003)61
- González, A., see LLerena, A. 783(2003)25
- Gosset, G., see Pommier, F. 783(2003)199
- Goto, J., see Suzuki, N. 783(2003)383
- Gregory, A., see Shiran, M.R. 783(2003)303
- Grem, J.L., see Xu, Y. 783(2003)273
- Guimaraes, L.F.L., see Cerqueira, P.M. 783(2003)433
- Guo, P., Li, S. and Gallo, J.M.
Determination of carboplatin in plasma and tumor by high-performance liquid chromatography–mass spectrometry 783(2003)43
- Gupta, R.C., see Rajanikanth, M. 783(2003)391
- Gustafsson, L.L., see Minzi, O.M.S. 783(2003)473
- Gutiérrez, J.R., see LLerena, A. 783(2003)213
- Halling-Sørensen, B., see Loke, M.-L. 783(2003)11
- Heath, D.D., Pruitt, M.A., Brenner, D.E. and Rock, C.L.
Curcumin in plasma and urine: quantitation by high-performance liquid chromatography 783(2003)287
- Henion, J., see Barbarin, N. 783(2003)73
- Heon Lee, J., see Shin, H.-S. 783(2003)125
- Hishinuma, T., see Suzuki, N. 783(2003)383
- Hollar, S., see Bu, W. 783(2003)411
- Hooijsscher, E.W.J., see Remmerie, B.M.M. 783(2003)461
- Hsieh, J.Y.K., see Musson, D.G. 783(2003)1
- Hubbard, J.W., see Mosier, K.E. 783(2003)377
- Jara-Pérez, V., see Andujar-Sánchez, M. 783(2003)247
- Jardines, D., Correa, T., Ledea, O., Zamora, Z., Rosado, A. and Molero, J.
Gas chromatography–mass spectrometry profile of urinary organic acids of Wistar rats orally treated with ozonized unsaturated triglycerides and ozonized sunflower oil 783(2003)517
- Jespersen, S., see Loke, M.-L. 783(2003)11
- Jesús Norberto, M., see LLerena, A. 783(2003)25
- Jin, W., see Liu, D. 783(2003)509
- Justesen, U.S., Pedersen, C. and Klitgaard, N.A.
Simultaneous quantitative determination of the HIV protease inhibitors indinavir, amprenavir, ritonavir, lopinavir, saquinavir, nelfinavir and the nelfinavir active metabolite M8 in plasma by liquid chromatography 783(2003)491
- Kabbaj, M. and Varin, F.
Simultaneous solid-phase extraction combined with liquid chromatography with ultraviolet absorbance detection for the determination of remifentanil and its metabolite in dog plasma 783(2003)103
- Kageoka, T., see Kanemitsu, F. 783(2003)191
- Kanemitsu, F., Kageoka, T. and Kira, S.
Mitochondrial creatine kinase with atypical *pI* values detected in serum of a patient with ovarian hepatoid yolk sac tumor 783(2003)191
- Karttunen, A., see Sirén, H. 783(2003)113
- Keinänen, M.M., Korhonen, L.K., Martikainen, P.J., Vartiainen, T., Miettinen, I.T., Lehtola, M.J., Nenonen, K., Pajunen, H. and Kontro, M.H.
Gas chromatographic–mass spectrometric detection of 2- and 3-hydroxy fatty acids as methyl esters from soil, sediment and biofilm 783(2003)443
- Kenndler, E., see Mandrioli, R. 783(2003)253
- Kira, S., see Kanemitsu, F. 783(2003)191
- Kirchheimer, J., see Störmer, E. 783(2003)207
- Kitchen, C.J., see Musson, D.G. 783(2003)1
- Klitgaard, N.A., see Justesen, U.S. 783(2003)491
- Kontro, M.H., see Keinänen, M.M. 783(2003)443
- Korhonen, L.K., see Keinänen, M.M. 783(2003)443
- Lanchote, V.L., see Bonato, P.S. 783(2003)237
- Lanchote, V.L., see Cerqueira, P.M. 783(2003)433
- Larsson, M., Ahnoff, M., Abrahamsson, A., Logren, U., Fakt, C., Öhrman, I. and Persson, B.-A.
Determination of ximelagatran, an oral direct thrombin inhibitor, its active metabolite melagatran, and the intermediate metabolites, in biological samples by liquid chromatography–mass spectrometry 783(2003)335
- Ledea, O., see Jardines, D. 783(2003)517
- Lehr, M., see Schmitt, M. 783(2003)327
- Lehtola, M.J., see Keinänen, M.M. 783(2003)443
- Lennard, M.S., see Shiran, M.R. 783(2003)303
- Li, S., see Guo, P. 783(2003)43
- Li, Y., see Zhao, M. 783(2003)401
- Liang, L., see Chi, C. 783(2003)163
- Lin, C.-H., see Shu, P.-Y. 783(2003)93
- Ling, S.S.N., Yuen, K.H. and Barker, S.A.
Simple liquid chromatographic method for the determination of cefotaxime in human and rat plasma 783(2003)297
- Liu, D. and Jin, W.
Determination of midecamycin by capillary zone electrophoresis with electrochemical detection 783(2003)509
- Liu, Y., see Zhao, M. 783(2003)401
- LLerena, A., Berecz, R., Dorado, P., De la Garza, C.S., Norberto, M.J., Cáceres, M. and Gutiérrez, J.R.
Determination of risperidone and 9-hydroxyrisperidone in human plasma by liquid chromatography: application to the evaluation of CYP2D6 drug interactions 783(2003)213
- LLerena, A., Dorado, P., Berecz, R., González, A., Jesús Norberto, M., de la Rubia, A. and Cáceres, M.
Determination of fluoxetine and norfluoxetine in human plasma by high-performance liquid chromatography with ultraviolet detection in psychiatric patients 783(2003)25
- Logren, U., see Larsson, M. 783(2003)335
- Loke, M.-L., Jespersen, S., Vreeken, R., Halling-Sørensen, B. and Tjørnelund, J.
Determination of oxytetracycline and its degradation

- products by high-performance liquid chromatography–tandem mass spectrometry in manure-containing anaerobic test systems 783(2003)11
- Lopes, N.P., see Cerqueira, P.M. 783(2003)433
- Madhusudanan, K.P., see Rajanikanth, M. 783(2003)391
- Majumdar, A.K., see Musson, D.G. 783(2003)1
- Mandrioli, R., Ghedini, N., Albani, F., Kenndler, E. and Raggi, M.A.
Liquid chromatographic determination of oxcarbazepine and its metabolites in plasma of epileptic patients after solid-phase extraction 783(2003)253
- Martens-Lobenhoffer, J. and Römhild, W.
Quantitative determination of piritramide in human serum applying liquid chromatography–two-stage mass spectrometry 783(2003)53
- Martikainen, P.J., see Keinänen, M.M. 783(2003)443
- Mawhinney, D.B., see Barbarin, N. 783(2003)73
- McCarty, J.D., see Bu, W. 783(2003)411
- McKay, G., see Mosier, K.E. 783(2003)377
- Mendes, G.D., see Oliveira, C.H. 783(2003)453
- Miettinen, I.T., see Keinänen, M.M. 783(2003)443
- Minzi, O.M.S., Rais, M., Svensson, J.O., Gustafsson, L.L. and Ericsson, Ö.
High-performance liquid chromatographic method for determination of amodiaquine, chloroquine and their monodesethyl metabolites in biological samples 783(2003)473
- Mizugaki, M., see Suzuki, N. 783(2003)383
- Mobley, J., see Myong Song, J. 783(2003)501
- Molerio, J., see Jardines, D. 783(2003)517
- Mosier, K.E., Song, J., McKay, G., Hubbard, J.W. and Fang, J.
Determination of clozapine, and its metabolites, *N*-desmethylclozapine and clozapine N-oxide in dog plasma using high-performance liquid chromatography 783(2003)377
- Muralidhara, S., see Brown, S.D. 783(2003)319
- Musson, D.G., Birk, K.L., Kitchen, C.J., Zhang, J., Hsieh, J.Y.K., Fang, W., Majumdar, A.K. and Rogers, J.D.
Assay methodology for the quantitation of unbound ertapenem, a new carbapenem antibiotic, in human plasma 783(2003)1
- Myers, N., see Bu, W. 783(2003)411
- Myong Song, J., Mobley, J. and Vo-Dinh, T.
Detection of bacterial pathogen DNA using an integrated complementary metal oxide semiconductor microchip system with capillary array electrophoresis 783(2003)501
- Neirinck, L., see Zhu, Z. 783(2003)133
- Nenonen, K., see Keinänen, M.M. 783(2003)443
- Neri, B., see Bocca, B. 783(2003)141
- Nolin, T.D. and Frye, R.F.
Stereoselective determination of the CYP2C19 probe drug mephentytoin in human urine by gas chromatography–mass spectrometry 783(2003)265
- Norberto, M.J., see LLerena, A. 783(2003)213
- Öhrman, I., see Larsson, M. 783(2003)335
- Oliveira, C.H., Barrientos-Astigarraga, R.E., Abib, E., Mendes, G.D., Da Silva, D.R. and De Nucci, G.
Lansoprazole quantification in human plasma by liquid chromatography–electrospray tandem mass spectrometry 783(2003)453
- Ollivon, M., see Pellequer, Y. 783(2003)151
- O'Neill, T., see Bu, W. 783(2003)411
- Osorio-Pérez, A., Salazar-Cavazos, M., Piñeyro-López, A. and Waksman de Torres, N.
Optimization and validation of an analytical procedure by high-performance liquid chromatography for the quantification of peroxisomicines and isoperoxisomicines 783(2003)85
- Padovani, P., see Chi, C. 783(2003)163
- Pajunen, H., see Keinänen, M.M. 783(2003)443
- Parise, R.A., Ramanathan, R.K., Zamboni, W.C. and Egorin, M.J.
Sensitive liquid chromatography–mass spectrometry assay for quantitation of docetaxel and paclitaxel in human plasma 783(2003)231
- Pedersen, C., see Justesen, U.S. 783(2003)491
- Pellequer, Y., Ollivon, M. and Barratt, G.
Methodology for assaying recombinant interleukin-2 associated with liposomes by combined gel exclusion chromatography and fluorescence 783(2003)151
- Persson, B.-A., see Larsson, M. 783(2003)335
- Piñeyro-López, A., see Osorio-Pérez, A. 783(2003)85
- Pommier, F., Boschet, F. and Gosset, G.
Quantitative determination of benazepril and benazeprilat in human plasma by gas chromatography–mass spectrometry using automated 96-well disk plate solid-phase extraction for sample preparation 783(2003)199
- Pruitt, M.A., see Heath, D.D. 783(2003)287
- Raggi, M.A., see Mandrioli, R. 783(2003)253
- Rais, M., see Minzi, O.M.S. 783(2003)473
- Rajanikanth, M., Madhusudanan, K.P. and Gupta, R.C.
Liquid chromatographic–mass spectrometric method for the determination of α - β -arteether in rat serum 783(2003)391
- Ramanathan, R.K., see Parise, R.A. 783(2003)231
- Remmerie, B.M.M., Sips, L.L.A., De Vries, R., De Jong, J., Schothuis, A.M., Hooijerhuij, E.W.J. and Van de Merbel, N.C.
Validated method for the determination of risperidone and 9-hydroxyrisperidone in human plasma by liquid chromatography–tandem mass spectrometry 783(2003)461
- Rock, C.L., see Heath, D.D. 783(2003)287
- Rogers, J.D., see Musson, D.G. 783(2003)1
- Römhild, W., see Martens-Lobenhoffer, J. 783(2003)53
- Roots, I., see Störmer, E. 783(2003)207
- Rosado, A., see Jardines, D. 783(2003)517
- Rostami-Hodjegan, A., see Shiran, M.R. 783(2003)303
- Saga, T., see Suzuki, N. 783(2003)383
- Sajiki, J.
Simple and accurate determination of bisphenol A in red blood cells prepared with basic glycine buffer using liquid chromatography-electrochemical detection 783(2003)367
- Salazar-Cavazos, M., see Osorio-Pérez, A. 783(2003)85
- Sato, J., see Suzuki, N. 783(2003)383
- Schmitt, M. and Lehr, M.
High-performance liquid chromatographic assay with ultraviolet spectrometric detection for the evaluation of inhibitors of secretory phospholipase A₂ 783(2003)327
- Schothuis, A.M., see Remmerie, B.M.M. 783(2003)461
- Secondulfo, M., see Generoso, M. 783(2003)349
- Shaw, P.N., see Wibawa, J.I.D. 783(2003)359

- Shin, H.-S., Heon Lee, J., Ahn, H.-S. and Shin, U.-S.
New sensitive determination method of benzidine–hemoglobin adducts by gas chromatography–electron impact mass spectrometry 783(2003)125
- Shin, U.-S., see Shin, H.-S. 783(2003)125
- Shiran, M.R., Gregory, A., Rostami-Hodjegan, A., Tucker, G.T. and Lennard, M.S.
Determination of midazolam and 1'-hydroxymidazolam by liquid chromatography–mass spectrometry in plasma of patients undergoing methadone maintenance treatment 783(2003)303
- Shu, P.-Y., Chou, S.-H. and Lin, C.-H.
Determination of corticosterone in rat and mouse plasma by gas chromatography-selected ion monitoring mass spectrometry 783(2003)93
- Sips, L.L.A., see Remmerie, B.M.M. 783(2003)461
- Sirén, H. and Karttunen, A.
Microemulsion electrokinetic chromatographic analysis of some polar compounds 783(2003)113
- Song, J., see Mosier, K.E. 783(2003)377
- Stetson, P.L., see Bu, W. 783(2003)411
- Störmer, E., Bauer, S., Kirchheimer, J., Brockmöller, J. and Roots, I.
Simultaneous determination of celecoxib, hydroxycelecoxib, and carboxycelecoxib in human plasma using gradient reversed-phase liquid chromatography with ultraviolet absorbance detection 783(2003)207
- Suzuki, N., Hishinuma, T., Saga, T., Sato, J., Toyota, T., Goto, J. and Mizugaki, M.
Determination of urinary 12(S)-hydroxyeicosatetraenoic acid by liquid chromatography–tandem mass spectrometry with column-switching technique: sex difference in healthy volunteers and patients with diabetes mellitus 783(2003)383
- Sved, D.W., see Bu, W. 783(2003)411
- Svensson, J.O., see Minzi, O.M.S. 783(2003)473
- Takayanagi, O.M., see Bonato, P.S. 783(2003)237
- Tang, H., see Zhang, K. 783(2003)173
- Tjørnelund, J., see Loke, M.-L. 783(2003)11
- Torun, E., see Verschraagen, M. 783(2003)33
- Toyota, T., see Suzuki, N. 783(2003)383
- Tsakalof, A., Bairachtari, K. and Georgarakis, M.
Development of a liquid chromatography–mass spectrometry method for monitoring the angiotensin-converting enzyme inhibitor lisinopril in serum 783(2003)425
- Tucker, G.T., see Shiran, M.R. 783(2003)303
- Ulrich, S.
Direct stereoselective assay of fluoxetine and norfluoxetine enantiomers in human plasma or serum by two-dimensional gas–liquid chromatography with nitrogen–phosphorus selective detection 783(2003)481
- Unger, S., see Chi, C. 783(2003)163
- van de Merbel, N.C., see Remmerie, B.M.M. 783(2003)461
- van der Vijgh, W.J.F., see Verschraagen, M. 783(2003)33
- Varin, F., see Kabbaj, M. 783(2003)103
- Vartiainen, T., see Keinänen, M.M. 783(2003)443
- Verschraagen, M., Bosma, M., Zwiers, T.H.U., Torun, E. and Van der Vijgh, W.J.F.
Quantification of mesna and total mesna in kidney tissue by high-performance liquid chromatography with electrochemical detection 783(2003)33
- Vo-Dinh, T., see Myong Song, J. 783(2003)501
- Vreeken, R., see Loke, M.-L. 783(2003)11
- Wahlen, R. and Catterick, T.
Comparison of different liquid chromatography conditions for the separation and analysis of organotin compounds in mussel and oyster tissue by liquid chromatography–inductively coupled plasma mass spectrometry 783(2003)221
- Waksman de Torres, N., see Osorio-Pérez, A. 783(2003)85
- Wibawa, J.I.D., Shaw, P.N. and Barrett, D.A.
Quantification of clarithromycin, its 14-hydroxy and decladinose metabolites in rat plasma, gastric juice and gastric tissue using high-performance liquid chromatography with electrochemical detection 783(2003)359
- Xu, Y. and Grem, J.L.
Liquid chromatography–mass spectrometry method for the analysis of the anti-cancer agent capecitabine and its nucleoside metabolites in human plasma 783(2003)273
- Yamane, M.
Simultaneous quantitative determination method for ceramide species from crude cellular extracts by high-performance liquid chromatography–thermospray mass spectrometry 783(2003)181
- Yuen, K.H., see Ling, S.S.N. 783(2003)297
- Zamboni, W.C., see Parise, R.A. 783(2003)231
- Zamora, Z., see Jardines, D. 783(2003)517
- Zhang, J., see Musson, D.G. 783(2003)1
- Zhang, K. and Tang, H.
Analysis of core histones by liquid chromatography–mass spectrometry and peptide mapping 783(2003)173
- Zhang, X., see Zhao, M. 783(2003)401
- Zhao, M., Liu, Y., Li, Y., Zhang, X. and Chang, W.
Development and characterization of an immunoaffinity column for the selective extraction of bisphenol A from serum samples 783(2003)401
- Zhu, Z. and Neirinck, L.
High-performance liquid chromatography coupled with negative ion tandem mass spectrometry for determination of pravastatin in human plasma 783(2003)133
- Zwiers, T.H.U., see Verschraagen, M. 783(2003)33