



ELSEVIER

Journal of Chromatography B, 783 (2002) 531–535

JOURNAL OF  
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

## Compound Index Vol. 783

### **Albendazole sulfone**

Simultaneous liquid chromatography–tandem mass spectrometric determination of albendazole sulfoxide and albendazole sulfone in plasma 783(2003)237

### **Albendazole sulfoxide**

Simultaneous liquid chromatography–tandem mass spectrometric determination of albendazole sulfoxide and albendazole sulfone in plasma 783(2003)237

### **Amodiaquine**

High-performance liquid chromatographic method for determination of amodiaquine, chloroquine and their monodesethyl metabolites in biological samples 783(2003)473

### **Amprenavir**

Simultaneous quantitative determination of the HIV protease inhibitors indinavir, amprenavir, ritonavir, lopinavir, saquinavir, nelfinavir and the nelfinavir active metabolite M8 in plasma by liquid chromatography 783(2003)491

### **Angiotensin converting enzyme**

Purification of angiotensin I converting enzyme from pig lung using concanavalin-A sepharose chromatography 783(2003)247

### **Antibiotics**

Quantification of clarithromycin, its 14-hydroxy and decladinose metabolites in rat plasma, gastric juice and gastric tissue using high-performance liquid chromatography with electrochemical detection 783(2003)359

### **Antithrombotic agents**

Development and validation of a liquid chromatography–mass spectrometric method for the determination of DPC 423, an antithrombotic agent, in rat and dog plasma 783(2003)163

### **Apoxytetracycline**

Determination of oxytetracycline and its degradation products by high-performance liquid chromatography–tandem mass spectrometry in manure-containing anaerobic test systems 783(2003)11

### **$\alpha$ -, $\beta$ -Arteether**

Liquid chromatographic–mass spectrometric method for the determination of  $\alpha$ -, $\beta$ -arteether in rat serum 783(2003)391

### **Benazepril**

Quantitative determination of benazepril and benazeprilat in human plasma by gas chromatography–mass spectrometry using automated 96-well disk plate solid-phase extraction for sample preparation 783(2003)199

### **Benazeprilat**

Quantitative determination of benazepril and benazeprilat in human plasma by gas chromatography–mass spectrometry using automated 96-well disk plate solid-phase extraction for sample preparation 783(2003)199

### **Benzidine–hemoglobin adducts**

New sensitive determination method of benzidine–hemoglobin adducts by gas chromatography–electron impact mass spectrometry 783(2003)125

### **Bisphenol A**

Simple and accurate determination of bisphenol A in red blood cells prepared with basic glycine buffer using liquid chromatography–electrochemical detection 783(2003)367

Development and characterization of an immunoaffinity column for the selective extraction of bisphenol A from serum samples 783(2003)401

### **BNP7787**

Quantification of mesna and total mesna in kidney tissue by high-performance liquid chromatography with electrochemical detection 783(2003)33

### **Capecitabine**

Liquid chromatography–mass spectrometry method for the analysis of the anti-cancer agent capecitabine and its nucleoside metabolites in human plasma 783(2003)273

### **Carbapenem**

Assay methodology for the quantitation of unbound ertapenem, a new carbapenem antibiotic, in human plasma 783(2003)1

### **Carboplatin**

Determination of carboplatin in plasma and tumor by high-performance liquid chromatography–mass spectrometry 783(2003)43

**Carboxycelexoxib**

Simultaneous determination of celecoxib, hydroxycelecoxib, and carboxycelexoxib in human plasma using gradient reversed-phase liquid chromatography with ultraviolet absorbance detection 783(2003)207

**Cefotaxime**

Simple liquid chromatographic method for the determination of cefotaxime in human and rat plasma 783(2003)297

**Celecoxib**

Simultaneous determination of celecoxib, hydroxycelecoxib, and carboxycelexoxib in human plasma using gradient reversed-phase liquid chromatography with ultraviolet absorbance detection 783(2003)207

**Cellobiose**

Cellobiose and lactulose coupled with mannitol and determined using ion-exchange chromatography with pulsed amperometric detection, are reliable probes for investigation of intestinal permeability 783(2003)349

**Ceramide**

Simultaneous quantitative determination method for ceramide species from crude cellular extracts by high-performance liquid chromatography–thermospray mass spectrometry 783(2003)181

**Chloroquine**

High-performance liquid chromatographic method for determination of amodiaquine, chloroquine and their monodesethyl metabolites in biological samples 783(2003)473

**Clarithromycin**

Quantification of clarithromycin, its 14-hydroxy and decahydroxy metabolites in rat plasma, gastric juice and gastric tissue using high-performance liquid chromatography with electrochemical detection 783(2003)359

**Clozapine**

Determination of clozapine, and its metabolites, *N*-desmethylclozapine and clozapine *N*-oxide in dog plasma using high-performance liquid chromatography 783(2003)377

**Clozapine N-oxide**

Determination of clozapine, and its metabolites, *N*-desmethylclozapine and clozapine *N*-oxide in dog plasma using high-performance liquid chromatography 783(2003)377

**Corticosterone**

Determination of corticosterone in rat and mouse plasma by gas chromatography–selected ion monitoring mass spectrometry 783(2003)93

**Creatine kinase**

Mitochondrial creatine kinase with atypical *pI* values detected in serum of a patient with ovarian hepatoid yolk sac tumor 783(2003)191

**Curcumin**

Curcumin in plasma and urine: quantitation by high-performance liquid chromatography 783(2003)287

**CYP2C19**

Stereoselective determination of the CYP2C19 probe drug mephenytoin in human urine by gas chromatography–mass spectrometry 783(2003)265

**CYP2D6**

Determination of risperidone and 9-hydroxyrisperidone in human plasma by liquid chromatography: application to the evaluation of CYP2D6 drug interactions 783(2003)213

**Decladinose clarithromycin**

Quantification of clarithromycin, its 14-hydroxy and decahydroxy metabolites in rat plasma, gastric juice and gastric tissue using high-performance liquid chromatography with electrochemical detection 783(2003)359

**5-Deoxy-5-fluorocytidine**

Liquid chromatography–mass spectrometry method for the analysis of the anti-cancer agent capecitabine and its nucleoside metabolites in human plasma 783(2003)273

**5-Deoxy-5-fluorouridine**

Liquid chromatography–mass spectrometry method for the analysis of the anti-cancer agent capecitabine and its nucleoside metabolites in human plasma 783(2003)273

**Desethylamodiaquine**

High-performance liquid chromatographic method for determination of amodiaquine, chloroquine and their monodesethyl metabolites in biological samples 783(2003)473

**Desethylchloroquine**

High-performance liquid chromatographic method for determination of amodiaquine, chloroquine and their monodesethyl metabolites in biological samples 783(2003)473

***N*-Desmethylclozapine**

Determination of clozapine, and its metabolites, *N*-desmethylclozapine and clozapine *N*-oxide in dog plasma using high-performance liquid chromatography 783(2003)377

**Dicarboxylic acids**

Gas chromatography–mass spectrometry profile of urinary organic acids of Wistar rats orally treated with ozonized unsaturated triglycerides and ozonized sunflower oil 783(2003)517

**DNA**

Detection of bacterial pathogen DNA using an integrated complementary metal oxide semiconductor microchip system with capillary array electrophoresis 783(2003)501

**Docetaxel**

Sensitive liquid chromatography–mass spectrometry assay for quantitation of docetaxel and paclitaxel in human plasma 783(2003)231

**DPC 423**

Development and validation of a liquid chromatography–mass spectrometric method for the determination of DPC 423, an antithrombotic agent, in rat and dog plasma 783(2003)163

**Enzymes**

Mitochondrial creatine kinase with atypical *pI* values detected in serum of a patient with ovarian hepatoid yolk sac tumor 783(2003)191

Purification of angiotensin I converting enzyme from pig lung using concanavalin-A sepharose chromatography 783(2003)247

**4-Epioxytetracycline**

Determination of oxytetracycline and its degradation products by high-performance liquid chromatography–tandem mass spectrometry in manure-containing anaerobic test systems 783(2003)11

**Ertapenem**

Assay methodology for the quantitation of unbound ertapenem, a new carbapenem antibiotic, in human plasma 783(2003)1

**Esterases**

Determination of ximelagatran, an oral direct thrombin inhibitor, its active metabolite melagatran, and the intermediate metabolites, in biological samples by liquid chromatography–mass spectrometry 783(2003)335

**Fluoxetine**

Determination of fluoxetine and norfluoxetine in human plasma by high-performance liquid chromatography with ultraviolet detection in psychiatric patients 783(2003)25

Direct stereoselective assay of fluoxetine and norfluoxetine enantiomers in human plasma or serum by two-dimensional gas–liquid chromatography with nitrogen–phosphorus selective detection 783(2003)481

**Glucose**

Cellobiose and lactulose coupled with mannitol and determined using ion-exchange chromatography with pulsed amperometric detection, are reliable probes for investigation of intestinal permeability 783(2003)349

**Glycine buffer, basic**

Simple and accurate determination of bisphenol A in red blood cells prepared with basic glycine buffer using liquid chromatography–electrochemical detection 783(2003)367

**Histones**

Analysis of core histones by liquid chromatography–mass spectrometry and peptide mapping 783(2003)173

**Hydroxycelecoxib**

Simultaneous determination of celecoxib, hydroxycelecoxib, and carboxycelecoxib in human plasma using gradient reversed-phase liquid chromatography with ultraviolet absorbance detection 783(2003)207

**14-Hydroxy-clarithromycin**

Quantification of clarithromycin, its 14-hydroxy and dekladinose metabolites in rat plasma, gastric juice and gastric tissue using high-performance liquid chromatography with electrochemical detection 783(2003)359

**12(S)-Hydroxyeicosatetraenoic acid**

Determination of urinary 12(*S*)-hydroxyeicosatetraenoic acid by liquid chromatography–tandem mass spectrometry with column-switching technique: sex difference in healthy volunteers and patients with diabetes mellitus 783(2003)383

**Hydroxy fatty acid methyl esters**

Gas chromatographic–mass spectrometric detection of 2- and 3-hydroxy fatty acids as methyl esters from soil, sediment and biofilm 783(2003)443

**1'-Hydroxymidazolam**

Determination of midazolam and 1'-hydroxymidazolam by liquid chromatography–mass spectrometry in plasma of patients undergoing methadone maintenance treatment 783(2003)303

**9-Hydroxyrisperidone**

Determination of risperidone and 9-hydroxyrisperidone in human plasma by liquid chromatography: application to the evaluation of CYP2D6 drug interactions 783(2003)213

Validated method for the determination of risperidone and 9-hydroxyrisperidone in human plasma by liquid chromatography–tandem mass spectrometry 783(2003)461

**Indinavir**

Simultaneous quantitative determination of the HIV protease inhibitors indinavir, amprenavir, ritonavir, lopinavir, saquinavir, nelfinavir and the nelfinavir active metabolite M8 in plasma by liquid chromatography 783(2003)491

**Interleukin-2**

Methodology for assaying recombinant interleukin-2 associated with liposomes by combined gel exclusion chromatography and fluorescence 783(2003)151

**Isoperoxisomicines**

Optimization and validation of an analytical procedure by high-performance liquid chromatography for the quantification of peroxisomicines and isoperoxisomicines 783(2003)85

**Lactulose**

Cellobiose and lactulose coupled with mannitol and determined using ion-exchange chromatography with pulsed amperometric detection, are reliable probes for investigation of intestinal permeability 783(2003)349

**Lansoprazole**

Lansoprazole quantification in human plasma by liquid chromatography–electrospray tandem mass spectrometry 783(2003)453

**Lisinopril**

Development of a liquid chromatography–mass spectrometry method for monitoring the angiotensin-converting enzyme inhibitor lisinopril in serum 783(2003)425

**Lopinavir**

Simultaneous quantitative determination of the HIV protease inhibitors indinavir, amprenavir, ritonavir, lopinavir, saquinavir, nelfinavir and the nelfinavir active metabolite M8 in plasma by liquid chromatography 783(2003)491

**Mannitol**

Cellobiose and lactulose coupled with mannitol and determined using ion-exchange chromatography with pulsed amperometric detection, are reliable probes for investigation of intestinal permeability 783(2003)349

**Melagatran**

Determination of ximelagatran, an oral direct thrombin inhibitor, its active metabolite melagatran, and the intermediate metabolites, in biological samples by liquid chromatography–mass spectrometry 783(2003)335

**Mephenytoin**

Stereoselective determination of the CYP2C19 probe drug mephenytoin in human urine by gas chromatography–mass spectrometry 783(2003)265

**Mesna**

Quantification of mesna and total mesna in kidney tissue by high-performance liquid chromatography with electrochemical detection 783(2003)33

**Methylphenidate**

High-throughput selected reaction monitoring liquid chromatography–mass spectrometry determination of methylphenidate and its major metabolite, ritalinic acid, in rat plasma employing monolithic columns 783(2003)73

**Metoprolol**

Enantioselective determination of metoprolol acidic metabolite in plasma and urine using liquid chromatography chiral columns: applications to pharmacokinetics 783(2003)433

**Midazolam**

Determination of midazolam and 1'-hydroxymidazolam by liquid chromatography–mass spectrometry in plasma of patients undergoing methadone maintenance treatment 783(2003)303

**Midecamycin**

Determination of midecamycin by capillary zone electrophoresis with electrochemical detection 783(2003)509

**Nelfinavir**

Simultaneous quantitative determination of the HIV protease inhibitors indinavir, amprenavir, ritonavir, lopinavir, saquinavir, nelfinavir and the nelfinavir active metabolite M8 in plasma by liquid chromatography 783(2003)491

**Norfluoxetine**

Determination of fluoxetine and norfluoxetine in human plasma by high-performance liquid chromatography with ultraviolet detection in psychiatric patients 783(2003)25

Direct stereoselective assay of fluoxetine and norfluoxetine enantiomers in human plasma or serum by two-dimensional gas–liquid chromatography with nitrogen–phosphorus selective detection 783(2003)481

**Oligonucleotides**

Purification of dye-labeled oligonucleotides by ion-pair reversed-phase high-performance liquid chromatography 783(2003)61

**Organotin compounds**

Comparison of different liquid chromatography conditions for the separation and analysis of organotin compounds in mussel and oyster tissue by liquid chromatography–inductively coupled plasma mass spectrometry 783(2003)221

**Oxcarbazepine**

Liquid chromatographic determination of oxcarbazepine and its metabolites in plasma of epileptic patients after solid-phase extraction 783(2003)253

**Oxytetracycline**

Determination of oxytetracycline and its degradation products by high-performance liquid chromatography–tandem mass spectrometry in manure-containing anaerobic test systems 783(2003)11

**Ozonized triglycerides**

Gas chromatography–mass spectrometry profile of urinary organic acids of Wistar rats orally treated with ozonized unsaturated triglycerides and ozonized sunflower oil 783(2003)517

**Paclitaxel**

Sensitive liquid chromatography–mass spectrometry assay for quantitation of docetaxel and paclitaxel in human plasma 783(2003)231

**Peroxisomicines**

Optimization and validation of an analytical procedure by high-performance liquid chromatography for the quantification of peroxisomicines and isoperoxisomicines 783(2003)85

**Piritramide**

Quantitative determination of piritramide in human serum applying liquid chromatography–two-stage mass spectrometry 783(2003)53

**PLFA**

Gas chromatographic–mass spectrometric detection of 2- and 3-hydroxy fatty acids as methyl esters from soil, sediment and biofilm 783(2003)443

**Polar compounds**

Microemulsion electrokinetic chromatographic analysis of some polar compounds 783(2003)113

**Poly(vinylpyrrolidone)**

Detection of bacterial pathogen DNA using an integrated complementary metal oxide semiconductor microchip system with capillary array electrophoresis 783(2003)501

**Porphyrins**

Simultaneous determination of six urinary porphyrins using liquid chromatography–tandem mass spectrometry 783(2003)411

**Pravastatin**

High-performance liquid chromatography coupled with negative ion tandem mass spectrometry for determination of pravastatin in human plasma 783(2003)133

**Remifentanyl**

Simultaneous solid-phase extraction combined with liquid chromatography with ultraviolet absorbance detection for the determination of remifentanyl and its metabolite in dog plasma 783(2003)103

**Risperidone**

Determination of risperidone and 9-hydroxyrisperidone in human plasma by liquid chromatography: application to the evaluation of CYP2D6 drug interactions 783(2003)213

Validated method for the determination of risperidone and 9-hydroxyrisperidone in human plasma by liquid chromatography–tandem mass spectrometry 783(2003)461

**Ritalinic acid**

High-throughput selected reaction monitoring liquid chromatography–mass spectrometry determination of methylphenidate and its major metabolite, ritalinic acid, in rat plasma employing monolithic columns 783(2003)73

**Ritonavir**

Simultaneous quantitative determination of the HIV protease inhibitors indinavir, amprenavir, ritonavir, lopinavir, saquinavir, nelfinavir and the nelfinavir active metabolite M8 in plasma by liquid chromatography 783(2003)491

**Saquinavir**

Simultaneous quantitative determination of the HIV protease inhibitors indinavir, amprenavir, ritonavir, lopinavir, saquinavir, nelfinavir and the nelfinavir active metabolite M8 in plasma by liquid chromatography 783(2003)491

**Secretory phospholipase A<sub>2</sub>**

High-performance liquid chromatographic assay with ultraviolet spectrometric detection for the evaluation of inhibitors of secretory phospholipase A<sub>2</sub> 783(2003)327

**Thrombin**

Determination of ximelagatran, an oral direct thrombin inhibitor, its active metabolite melagatran, and the intermediate metabolites, in biological samples by liquid chromatography–mass spectrometry 783(2003)335

**Trichloroethylene**

Trace level determination of trichloroethylene from liver, lung and kidney tissues by gas chromatography–magnetic sector mass spectrometry 783(2003)319

**Ximelagatran**

Determination of ximelagatran, an oral direct thrombin inhibitor, its active metabolite melagatran, and the intermediate metabolites, in biological samples by liquid chromatography–mass spectrometry 783(2003)335

**Zilpaterol**

Extraction, clean-up and gas chromatography–mass spectrometry characterization of zilpaterol as feed additive in fattening cattle 783(2003)141