



Author Index Vol. 788

- Abbas, R., see Lin, Z.J. 788(2003)159
- Ajenjo Carazo, E., see Huetos Hidalgo, O. 788(2003)137
- Andersen, M.P. and Nielsen, K.K.
Determination of ragaglitazar, a novel dual acting peroxisome proliferator-activated receptor (PPAR) α and γ agonist, in human plasma by high-performance liquid chromatography coupled with tandem mass spectrometry 788(2003)45
- Araki, T., see Nagai, R. 788(2003)75
- Bagool, M.A., see Kolte, B.L. 788(2003)37
- Bakhtiar, R., see Xia, Y.-Q. 788(2003)317
- Banmairuroi, V., see Hanpitakpong, W. 788(2003)221
- Basilico, F., see Mauri, P.L. 788(2003)9
- Bergwerff, A.A. and Scherpenisse, P.
Determination of residues of malachite green in aquatic animals 788(2003)351
- Bessard, G., see Jourdil, N. 788(2003)207
- Bessard, J., see Jourdil, N. 788(2003)207
- Bi, K., see Song, Z. 788(2003)387
- Bialer, M., see Isoherranen, N. 788(2003)125
- Bouchet, S., see Titier, K. 788(2003)179
- Bräutigam, L., Nefflen, J.U. and Geisslinger, G.
Determination of etoricoxib in human plasma by liquid chromatography–tandem mass spectrometry with electrospray ionisation 788(2003)309
- Burzawa, S., see Schuster, A. 788(2003)377
- Buttler, G.W., see Narayanan, L. 788(2003)393
- Cannavan, A., see Yakkundi, S. 788(2003)29
- Cedano, J., see Ferrer Soler, L. 788(2003)113
- Chen, D.D.Y., see Grob, M.K. 788(2003)103
- Chen, J.-h., see Li, H. 788(2003)93
- Chen, L., see Xie, J. 788(2003)233
- Cho, S.-H., see Yoon, H.-R. 788(2003)85
- Chu, J.J., see Grob, M.K. 788(2003)103
- Couerbe, P., see Schuster, A. 788(2003)377
- Crews, K.R., see Owens, T.S. 788(2003)65
- Croubels, S., De Baere, S. and De Backer, P.
Comparison of a liquid chromatographic method with ultraviolet and ion-trap tandem mass spectrometric detection for the simultaneous determination of sulfadiazine and trimethoprim in plasma from dogs 788(2003)167
- Dale, Y., Mackey, V., Mushi, R., Nyanda, A., Maleque, M. and Ike, J.
Simultaneous measurement of phenylalanine and tyrosine in phenylketonuric plasma and dried blood by high-performance liquid chromatography 788(2003)1
- De Backer, P., see Croubels, S. 788(2003)167
- De Baere, S., see Croubels, S. 788(2003)167
- de Llorens, R., see Ferrer Soler, L. 788(2003)113
- Deng, Y., see Zeng, H. 788(2003)331
- Deo, A.A., see Kolte, B.L. 788(2003)37
- Dodds, H., see Owens, T.S. 788(2003)65
- Doi, N., see Kato, K. 788(2003)407
- Dong, Yu., Wang, L., Shangguan, D., Zhao, R. and Liu, G.
Improved method for the routine determination of acetylcholine and choline in brain microdialysate using a horseradish peroxidase column as the immobilized enzyme reactor 788(2003)193
- Dumasia, M.C., Ginn, A., Hyde, W., Peterson, J. and Houghton, E.
Detection and identification of carprofen and its in vivo metabolites in greyhound urine by capillary gas chromatography–mass spectrometry 788(2003)297
- Eidelman, D.H., see Govindaraju, K. 788(2003)369
- Elliott, C.T., see Yakkundi, S. 788(2003)29
- Eysseric, H., see Jourdil, N. 788(2003)207
- Fan, Y., see Li, H. 788(2003)93
- Ferrer Soler, L., Cedano, J., Querol, E. and de Llorens, R.
Cloning, expression and purification of human epidermal growth factor using different expression systems 788(2003)113
- Finnell, R.H., see Isoherranen, N. 788(2003)125
- Fisher, J.W., see Narayanan, L. 788(2003)393
- Franklin, R.B., see Xia, Y.-Q. 788(2003)317
- Fricke, K., see Owens, T.S. 788(2003)65
- Geisslinger, G., see Bräutigam, L. 788(2003)309
- Ginn, A., see Dumasia, M.C. 788(2003)297
- Govindaraju, K., Govindaraju, V. and Eidelman, D.H.
Analysis of glutathione in rat airway surface liquid by capillary zone electrophoresis with conductivity detection 788(2003)369
- Govindaraju, V., see Govindaraju, K. 788(2003)369
- Grob, M.K., O'Brien, K., Chu, J.J. and Chen, D.D.Y.
Optimization of cellular nucleotide extraction and sample preparation for nucleotide pool analyses using capillary electrophoresis 788(2003)103
- Guo, Y.-l., see Lu, H.-j. 788(2003)291
- Gurley, B.J., see Hendrickson, H.P. 788(2003)261
- Hanna, S.K., see Owens, T.S. 788(2003)65
- Hanpitakpong, W., Kamanikom, B., Banmairuroi, V. and Bangchang, K.
High-performance liquid chromatographic method for

- determination of 2-difluoromethyl-DL-ornithine in plasma and cerebrospinal fluid 788(2003)221
- Hapeshi, E.A., see Samanidou, V.F. 788(2003)147
- Hayase, F., see Nagai, R. 788(2003)75
- Hayashi, C.M., see Nagai, R. 788(2003)75
- Hendrickson, H.P., Gurley, B.J. and Wessinger, W.D.
Determination of dextromethorphan and its metabolites in rat serum by liquid-liquid extraction and liquid chromatography with fluorescence detection 788(2003)261
- Horiuchi, S., see Nagai, R. 788(2003)75
- Houghton, E., see Dumasia, M.C. 788(2003)297
- Hu, K. and Morris, M.E.
Determination of α -naphthylisothiocyanate and metabolites α -naphthylamine and α -naphthylisocyanate in rat plasma and urine by high-performance liquid chromatography 788(2003)17
- Huetos Hidalgo, O., Jiménez López, M., Ajenjo Carazo, E., San Andrés Larrea, M. and Reuvers, T.B.A.
Determination of dexamethasone in urine by gas chromatography with negative chemical ionization mass spectrometry 788(2003)137
- Hundt, A.F., see Wiesner, J.L. 788(2003)361
- Hundt, H.K.L., see Wiesner, J.L. 788(2003)361
- Hyde, W., see Dumasia, M.C. 788(2003)297
- Ike, J., see Dale, Y. 788(2003)1
- Inoue, H., see Tsuruta, Y. 788(2003)401
- Isoherranen, N., Yagen, B., Spiegelstein, O., Steinman, A., Finnell, R.H. and Bialer, M.
Gas chromatographic determination of novel valproyl taurinamide derivatives in mouse and dog plasma 788(2003)125
- Jemal, M., see Schuster, A. 788(2003)377
- Jiménez López, M., see Huetos Hidalgo, O. 788(2003)137
- Jourdil, N., Bessard, J., Vincent, F., Eysseric, H. and Bessard, G.
Automated solid-phase extraction and liquid chromatography-electrospray ionization-mass spectrometry for the determination of flunitrazepam and its metabolites in human urine and plasma samples 788(2003)207
- Kamanikom, B., see Hanpitakpong, W. 788(2003)221
- Karjalainen, U., see Vuorensola, K. 788(2003)277
- Kato, K., Shoda, S., Takahashi, M., Doi, N., Yoshimura, Y. and Nakazawa, H.
Determination of three phthalate metabolites in human urine using on-line solid-phase extraction-liquid chromatography-tandem mass spectrometry 788(2003)407
- Kennedy, D.G., see Yakkundi, S. 788(2003)29
- Kuhawar, M.Y. and Rajper, A.D.
Liquid chromatographic determination of γ -aminobutyric acid in cerebrospinal fluid using 2-hydroxynaphthaldehyde as derivatizing reagent 788(2003)413
- Kim, H., see Yoon, H.-R. 788(2003)85
- Kmetec, V., see Roškar, R. 788(2003)57
- Kolte, B.L., Raut, B.B., Deo, A.A., Bagoool, M.A. and Shinde, D.B.
Liquid chromatographic method for the determination of rosiglitazone in human plasma 788(2003)37
- Kontinen, I., see Rasanen, I. 788(2003)243
- Kotani, A., Miyashita, N. and Kusu, F.
Determination of catechins in human plasma after commercial canned green tea ingestion by high-performance liquid chromatography with electrochemical detection using a microbore column 788(2003)269
- Kusu, F., see Kotani, A. 788(2003)269
- Li, C., see Xie, J. 788(2003)233
- Li, H., Wang, H., Chen, J.-h., Wang, L.-h., Zhang, H.-s. and Fan, Y.
Determination of amino acid neurotransmitters in cerebral cortex of rats administered with baicalin prior to cerebral ischemia by capillary electrophoresis-laser-induced fluorescence detection 788(2003)93
- Lin, Z.J., Abbas, R., Rusch, L.M. and Shum, L.
Development and validation of a sensitive liquid chromatographic-tandem mass spectrometric method for the determination of cromolyn sodium in human plasma 788(2003)159
- Liu, G., see Dong, Yu. 788(2003)193
- Loizillon, E., see Schuster, A. 788(2003)377
- Lövgren, T., see Yakkundi, S. 788(2003)29
- Lu, H.-j., Guo, Y.-l., Zhang, H. and Ou, Q.-y.
Rapid determination of 5-fluorouracil in plasma using capillary electrophoresis 788(2003)291
- Luo, X., see Song, Z. 788(2003)387
- Mackey, V., see Dale, Y. 788(2003)1
- Maleque, M., see Dale, Y. 788(2003)1
- Mattie, D.R., see Narayanan, L. 788(2003)393
- Mauri, P.L., Basilico, F., Pietta, P.G., Pasini, E., Monti, D. and Sauerwein, W.
New approach for the detection of BSH and its metabolites using capillary electrophoresis and electrospray ionization mass spectrometry 788(2003)9
- McPartlin, J., see Sweeney, M.R. 788(2003)187
- Miyashita, N., see Kotani, A. 788(2003)269
- Molimard, M., see Titier, K. 788(2003)179
- Monti, D., see Mauri, P.L. 788(2003)9
- Moore, N., see Titier, K. 788(2003)179
- Morris, M.E., see Hu, K. 788(2003)17
- Mushi, R., see Dale, Y. 788(2003)1
- Na-Bangchang, K., see Hanpitakpong, W. 788(2003)221
- Nagai, R., Araki, T., Hayashi, C.M., Hayase, F. and Horiuchi, S.
Identification of N^{ϵ} -(carboxyethyl)lysine, one of the methylglyoxal-derived AGE structures, in glucose-modified protein: mechanism for protein modification by reactive aldehydes 788(2003)75
- Nakazawa, H., see Kato, K. 788(2003)407
- Narayanan, L., Buttler, G.W., Yu, K.O., Mattie, D.R. and Fisher, J.W.
Sensitive high-performance liquid chromatography method for the determination of low levels of perchlorate in biological samples 788(2003)393
- Nefflen, J.U., see Brätügam, L. 788(2003)309
- Nielsen, K.K., see Andersen, M.P. 788(2003)45
- Nokua, J., see Rasanen, I. 788(2003)243
- Nyanda, A., see Dale, Y. 788(2003)1
- O'Brien, K., see Grob, M.K. 788(2003)103
- Ojanperä, I., see Rasanen, I. 788(2003)243

- Ooms, B., see Schellen, A. 788(2003)251
- Ou, Q.-y., see Lu, H.-j. 788(2003)291
- Owens, T.S., Dodds, H., Fricke, K., Hanna, S.K. and Crews, K.R.
High-performance liquid chromatographic assay with fluorescence detection for the simultaneous measurement of carboxylate and lactone forms of irinotecan and three metabolites in human plasma 788(2003)65
- Papadoyannis, I.N., see Samanidou, V.F. 788(2003)147
- Pasini, E., see Mauri, P.L. 788(2003)9
- Péhourcq, F., see Titier, K. 788(2003)179
- Peterson, J., see Dumasia, M.C. 788(2003)297
- Pietta, P.G., see Mauri, P.L. 788(2003)9
- Querol, E., see Ferrer Soler, L. 788(2003)113
- Rajper, A.D., see Khuhawar, M.Y. 788(2003)413
- Rasanen, I., Kontinen, I., Nokua, J., Ojanperä, I. and Vuori, E.
Precise gas chromatography with retention time locking in comprehensive toxicological screening for drugs in blood 788(2003)243
- Raut, B.B., see Kolte, B.L. 788(2003)37
- Rentsch, K.M.
Sensitive and specific determination of eight antiretroviral agents in plasma by high-performance liquid chromatography–mass spectrometry 788(2003)339
- Reuvers, T.B.A., see Huetos Hidalgo, O. 788(2003)137
- Roškar, R. and Kmetec, V.
Liquid chromatographic determination of diclofenac in human synovial fluid 788(2003)57
- Rusch, L.M., see Lin, Z.J. 788(2003)159
- Samanidou, V.F., Hapeshi, E.A. and Papadoyannis, I.N.
Rapid and sensitive high-performance liquid chromatographic determination of four cephalosporin antibiotics in pharmaceuticals and body fluids 788(2003)147
- San Andrés Larrea, M., see Huetos Hidalgo, O. 788(2003)137
- Sauerwein, W., see Mauri, P.L. 788(2003)9
- Schellen, A., Ooms, B., van de Lagemaat, D., Vreeken, R. and Van Dongen, W.D.
Generic solid phase extraction–liquid chromatography–tandem mass spectrometry method for fast determination of drugs in biological fluids 788(2003)251
- Scherpenisse, P., see Bergwerff, A.A. 788(2003)351
- Schuster, A., Burzawa, S., Jemal, M., Loizillon, E., Couerbe, P. and Whigan, D.
Quantitative determination of the HIV protease inhibitor atazanavir (BMS-232632) in human plasma by liquid chromatography–tandem mass spectrometry following automated solid-phase extraction 788(2003)377
- Scott, J.M., see Sweeney, M.R. 788(2003)187
- Shanguan, D., see Dong, Yu. 788(2003)193
- Shinde, D.B., see Kolte, B.L. 788(2003)37
- Shoda, S., see Kato, K. 788(2003)407
- Shum, L., see Lin, Z.J. 788(2003)159
- Sirén, H., see Vuorensola, K. 788(2003)277
- Song, Z., Bi, K. and Luo, X.
High-performance liquid chromatographic method for the determination and pharmacokinetic study of dehydrotumulosic acid in the plasma of rats having taken the traditional chinese medicinal preparation Ling-Gui-Zhu-Gan decoction 788(2003)387
- Spiegelstein, O., see Isoherranen, N. 788(2003)125
- Stafilov, T., see Zendelovska, D. 788(2003)199
- Stefova, M., see Zendelovska, D. 788(2003)199
- Steinman, A., see Isoherranen, N. 788(2003)125
- Sutherland, F.C.W., see Wiesner, J.L. 788(2003)361
- Swart, K.J., see Wiesner, J.L. 788(2003)361
- Sweeney, M.R., McPartlin, J., Weir, D.G. and Scott, J.M.
Measurements of sub-nanomolar concentrations of unmetabolised folic acid in serum 788(2003)187
- Takahashi, M., see Kato, K. 788(2003)407
- Terado, I., see Tsuruta, Y. 788(2003)401
- Titier, K., Bouchet, S., Péhourcq, F., Moore, N. and Molimard, M.
High-performance liquid chromatographic method with diode array detection to identify and quantify atypical antipsychotics and haloperidol in plasma after overdose 788(2003)179
- Tsuruta, Y., Terado, I. and Inoue, H.
Determination of free *N*-acetylneuraminic acid in urine by high-performance liquid chromatography using 3-[(1-[[4-(5,6-dimethoxy-1-oxoisoinolin-2-yl)-2-methoxyphenyl]-sulfonyl]pyrrolidin-2-yl)carbonylamino]phenylboronic acid as a fluorescent labeling reagent 788(2003)401
- van de Lagemaat, D., see Schellen, A. 788(2003)251
- van Dongen, W.D., see Schellen, A. 788(2003)251
- van Essen, G.H., see Wiesner, J.L. 788(2003)361
- Vincent, F., see Jourdil, N. 788(2003)207
- Vreeken, R., see Schellen, A. 788(2003)251
- Vuorensola, K., Sirén, H. and Karjalainen, U.
Determination of dopamine and methoxycatecholamines in patient urine by liquid chromatography with electrochemical detection and by capillary electrophoresis coupled with spectrophotometry and mass spectrometry 788(2003)277
- Vuori, E., see Rasanen, I. 788(2003)243
- Wang, H., see Li, H. 788(2003)93
- Wang, L., see Dong, Yu. 788(2003)193
- Wang, L.-h., see Li, H. 788(2003)93
- Weir, D.G., see Sweeney, M.R. 788(2003)187
- Wessinger, W.D., see Hendrickson, H.P. 788(2003)261
- Whigan, D., see Schuster, A. 788(2003)377
- Wiesner, J.L., Sutherland, F.C.W., van Essen, G.H., Hundt, H.K.L., Swart, K.J. and Hundt, A.F.
Selective, sensitive and rapid liquid chromatography–tandem mass spectrometry method for the determination of alfuzosin in human plasma 788(2003)361
- Wu, J.-T., see Zeng, H. 788(2003)331
- Xia, Y.-Q., Bakhtiar, R. and Franklin, R.B.
Automated online dual-column extraction coupled with teicoplanin stationary phase for simultaneous determination of (*R*)- and (*S*)-propranolol in rat plasma using liquid chromatography–tandem mass spectrometry 788(2003)317
- Xie, J., Chen, L., Li, C. and Xu, X.
Selective extraction of functional components derived from herb in plasma by using a molecularly imprinted polymer based on 2,2-bis(hydroxymethyl)butanol trimethacrylate 788(2003)233
- Xu, X., see Xie, J. 788(2003)233

- Yagen, B., see Isoherranen, N. 788(2003)125
- Yakkundi, S., Cannavan, A., Elliott, C.T., Lövgren, T. and Kennedy, D.G.
Development and validation of a method for the confirmation of halofuginone in chicken liver and eggs using electrospray tandem mass spectrometry 788(2003)29
- Yoon, H.-R., Kim, H. and Cho, S.-H.
Quantitative analysis of acyl-lysophosphatidic acid in plasma using negative ionization tandem mass spectrometry 788(2003)85
- Yoshimura, Y., see Kato, K. 788(2003)407
- Yu, K.O., see Narayanan, L. 788(2003)393
- Zendelovska, D., Stafilov, T. and Stefova, M.
Optimization of a solid-phase extraction method for determination of indapamide in biological fluids using high-performance liquid chromatography 788(2003)199
- Zeng, H., Deng, Y. and Wu, J.-T.
Fast analysis using monolithic columns coupled with high-flow on-line extraction and electrospray mass spectrometric detection for the direct and simultaneous quantitation of multiple components in plasma 788(2003)331
- Zhang, H., see Lu, H.-j. 788(2003)291
- Zhang, H.-s., see Li, H. 788(2003)93
- Zhao, R., see Dong, Yu. 788(2003)193