



Compound Index Vol. 788

Acetylcholine

Improved method for the routine determination of acetylcholine and choline in brain microdialysate using a horseradish peroxidase column as the immobilized enzyme reactor 788(2003)193

N-Acetylneuraminic acid

Determination of free *N*-acetylneuraminic acid in urine by high-performance liquid chromatography using 3-[(1-[[4-(5,6-dimethoxy-1-oxoisindolin-2-yl)-2-methoxyphenyl]-sulfonyl]pyrrolidin-2-yl)carbonylamino]phenylboronic acid as a fluorescent labeling reagent 788(2003)401

Acyl-lysophosphatidic acid

Quantitative analysis of acyl-lysophosphatidic acid in plasma using negative ionization tandem mass spectrometry 788(2003)85

Aldehydes

Identification of *N*^ε-(carboxyethyl)lysine, one of the methylglyoxal-derived AGE structures, in glucose-modified protein: mechanism for protein modification by reactive aldehydes 788(2003)75

Alfuzosin

Selective, sensitive and rapid liquid chromatography–tandem mass spectrometry method for the determination of alfuzosin in human plasma 788(2003)361

Amino acid neurotransmitters

Determination of amino acid neurotransmitters in cerebral cortex of rats administered with baicalin prior to cerebral ischemia by capillary electrophoresis–laser-induced fluorescence detection 788(2003)93

γ -Aminobutyric acid

Liquid chromatographic determination of γ -aminobutyric acid in cerebrospinal fluid using 2-hydroxynaphthaldehyde as derivatizing reagent 788(2003)413

7-Aminoflunitrazepam

Automated solid-phase extraction and liquid chromatography–electrospray ionization–mass spectrometry for the determination of flunitrazepam and its metabolites in human urine and plasma samples 788(2003)207

Amprenavir

Sensitive and specific determination of eight antiretroviral agents in plasma by high-performance liquid chromatography–mass spectrometry 788(2003)339

Atazanavir

Quantitative determination of the HIV protease inhibitor atazanavir (BMS-232632) in human plasma by liquid chromatography–tandem mass spectrometry following automated solid-phase extraction 788(2003)377

Baicalin

Determination of amino acid neurotransmitters in cerebral cortex of rats administered with baicalin prior to cerebral ischemia by capillary electrophoresis–laser-induced fluorescence detection 788(2003)93

2,2-Bis(hydroxymethyl)butanoltrimethacrylate

Selective extraction of functional components derived from herb in plasma by using a molecularly imprinted polymer based on 2,2-bis(hydroxymethyl)butanol trimethacrylate 788(2003)233

Boron

New approach for the detection of BSH and its metabolites using capillary electrophoresis and electrospray ionization mass spectrometry 788(2003)9

BSH

New approach for the detection of BSH and its metabolites using capillary electrophoresis and electrospray ionization mass spectrometry 788(2003)9

Carprofen

Detection and identification of carprofen and its in vivo metabolites in greyhound urine by capillary gas chromatography–mass spectrometry 788(2003)297

Catechins

Determination of catechins in human plasma after commercial canned green tea ingestion by high-performance liquid chromatography with electrochemical detection using a microbore column 788(2003)269

Cefaclor

Rapid and sensitive high-performance liquid chromatographic determination of four cephalosporin antibiotics in pharmaceuticals and body fluids 788(2003)147

Cefadroxil

Rapid and sensitive high-performance liquid chromatographic determination of four cephalosporin antibiotics in pharmaceuticals and body fluids 788(2003)147

Cefotaxime

Rapid and sensitive high-performance liquid chromatographic determination of four cephalosporin antibiotics in pharmaceuticals and body fluids 788(2003)147

Cephalexin

Rapid and sensitive high-performance liquid chromatographic determination of four cephalosporin antibiotics in pharmaceuticals and body fluids 788(2003)147

Cephalosporins

Rapid and sensitive high-performance liquid chromatographic determination of four cephalosporin antibiotics in pharmaceuticals and body fluids 788(2003)147

Choline

Improved method for the routine determination of acetylcholine and choline in brain microdialysate using a horseradish peroxidase column as the immobilized enzyme reactor 788(2003)193

Clozapine

High-performance liquid chromatographic method with diode array detection to identify and quantify atypical antipsychotics and haloperidol in plasma after overdose 788(2003)179

Cromolyn sodium

Development and validation of a sensitive liquid chromatographic – tandem mass spectrometric method for the determination of cromolyn sodium in human plasma 788(2003)159

Dehydrotumulosic acid

High-performance liquid chromatographic method for the determination and pharmacokinetic study of dehydrotumulosic acid in the plasma of rats having taken the traditional chinese medicinal preparation Ling-Gui-Zhu-Gan decoction 788(2003)387

N-Desmethylflunitrazepam

Automated solid-phase extraction and liquid chromatography–electrospray ionization-mass spectrometry for the determination of flunitrazepam and its metabolites in human urine and plasma samples 788(2003)207

Dexamethasone

Determination of dexamethasone in urine by gas chromatography with negative chemical ionization mass spectrometry 788(2003)137

Dextromethorphan

Determination of dextromethorphan and its metabolites in rat serum by liquid–liquid extraction and liquid chromatography with fluorescence detection 788(2003)261

Dextrophan

Determination of dextromethorphan and its metabolites in rat serum by liquid–liquid extraction and liquid chromatography with fluorescence detection 788(2003)261

Diclofenac

Liquid chromatographic determination of diclofenac in human synovial fluid 788(2003)57

2-Difluoromethylornithine

High-performance liquid chromatographic method for determination of 2-difluoromethyl-DL-ornithine in plasma and cerebrospinal fluid 788(2003)221

Dopamine

Determination of dopamine and methoxycatecholamines in patient urine by liquid chromatography with electrochemical detection and by capillary electrophoresis coupled with spectrophotometry and mass spectrometry 788(2003)277

Efavirenz

Sensitive and specific determination of eight antiretroviral agents in plasma by high-performance liquid chromatography–mass spectrometry 788(2003)339

Eflornithine

High-performance liquid chromatographic method for determination of 2-difluoromethyl-DL-ornithine in plasma and cerebrospinal fluid 788(2003)221

Epidermal growth factor

Cloning, expression and purification of human epidermal growth factor using different expression systems 788(2003)113

Etoricoxib

Determination of etoricoxib in human plasma by liquid chromatography–tandem mass spectrometry with electrospray ionisation 788(2003)309

Flunitrazepam

Automated solid-phase extraction and liquid chromatography–electrospray ionization-mass spectrometry for the determination of flunitrazepam and its metabolites in human urine and plasma samples 788(2003)207

5-Fluorouracil

Rapid determination of 5-fluorouracil in plasma using capillary electrophoresis 788(2003)291

Folic acid

Measurements of sub-nanomolar concentrations of unmetabolised folic acid in serum 788(2003)187

Glutathione

Analysis of glutathione in rat airway surface liquid by capillary zone electrophoresis with conductivity detection 788(2003)369

Halofuginone

Development and validation of a method for the confirmation of halofuginone in chicken liver and eggs using electrospray tandem mass spectrometry 788(2003)29

Haloperidol

High-performance liquid chromatographic method with diode array detection to identify and quantify atypical antipsychotics and haloperidol in plasma after overdose 788(2003)179

Horseradish peroxidase

Improved method for the routine determination of acetylcholine and choline in brain microdialysate using a horseradish peroxidase column as the immobilized enzyme reactor 788(2003)193

3-Hydroxyflunitrazepam

Automated solid-phase extraction and liquid chromatography–electrospray ionization–mass spectrometry for the determination of flunitrazepam and its metabolites in human urine and plasma samples 788(2003)207

3-Hydroxymorphinan

Determination of dextromethorphan and its metabolites in rat serum by liquid–liquid extraction and liquid chromatography with fluorescence detection 788(2003)261

9-Hydroxyrisperidone

High-performance liquid chromatographic method with diode array detection to identify and quantify atypical antipsychotics and haloperidol in plasma after overdose 788(2003)179

Indapamide

Optimization of a solid-phase extraction method for determination of indapamide in biological fluids using high-performance liquid chromatography 788(2003)199

Indinavir

Sensitive and specific determination of eight antiretroviral agents in plasma by high-performance liquid chromatography–mass spectrometry 788(2003)339

Irinotecan

High-performance liquid chromatographic assay with fluorescence detection for the simultaneous measurement of carboxylate and lactone forms of irinotecan and three metabolites in human plasma 788(2003)65

Lopinavir

Sensitive and specific determination of eight antiretroviral agents in plasma by high-performance liquid chromatography–mass spectrometry 788(2003)339

Malachite green

Determination of residues of malachite green in aquatic animals 788(2003)351

Methoxycatecholamines

Determination of dopamine and methoxycatecholamines in patient urine by liquid chromatography with electrochemical detection and by capillary electrophoresis coupled with spectrophotometry and mass spectrometry 788(2003)277

3-Methoxymorphinan

Determination of dextromethorphan and its metabolites in rat serum by liquid–liquid extraction and liquid chromatography with fluorescence detection 788(2003)261

 α -Naphthylamine

Determination of α -naphthylisothiocyanate and metabolites α -naphthylamine and α -naphthylisocyanate in rat plasma and urine by high-performance liquid chromatography 788(2003)17

 α -Naphthylisocyanate

Determination of α -naphthylisothiocyanate and metabolites α -naphthylamine and α -naphthylisocyanate in rat plasma and urine by high-performance liquid chromatography 788(2003)17

 α -Naphthylisothiocyanate

Determination of α -naphthylisothiocyanate and metabolites α -naphthylamine and α -naphthylisocyanate in rat plasma and urine by high-performance liquid chromatography 788(2003)17

Nelfinavir

Sensitive and specific determination of eight antiretroviral agents in plasma by high-performance liquid chromatography–mass spectrometry 788(2003)339

Nevirapine

Sensitive and specific determination of eight antiretroviral agents in plasma by high-performance liquid chromatography–mass spectrometry 788(2003)339

 N^{ϵ} -(Carboxyethyl)lysine

Identification of N^{ϵ} -(carboxyethyl)lysine, one of the methylglyoxal-derived AGE structures, in glucose-modified protein: mechanism for protein modification by reactive aldehydes 788(2003)75

 N^{ϵ} -(Carboxymethyl)lysine

Identification of N^{ϵ} -(carboxyethyl)lysine, one of the methylglyoxal-derived AGE structures, in glucose-modified protein: mechanism for protein modification by reactive aldehydes 788(2003)75

Nucleotides

Optimization of cellular nucleotide extraction and sample preparation for nucleotide pool analyses using capillary electrophoresis 788(2003)103

Olanzapine

High-performance liquid chromatographic method with diode array detection to identify and quantify atypical antipsychotics and haloperidol in plasma after overdose 788(2003)179

Perchlorate

Sensitive high-performance liquid chromatography method for the determination of low levels of perchlorate in biological samples 788(2003)393

Phenylalanine

Simultaneous measurement of phenylalanine and tyrosine in phenylketonuric plasma and dried blood by high-performance liquid chromatography 788(2003)1

Phthalate monoester

Determination of three phthalate metabolites in human urine using on-line solid-phase extraction–liquid chromatography–tandem mass spectrometry 788(2003)407

Propranolol

Automated online dual-column extraction coupled with teicoplanin stationary phase for simultaneous determination of (*R*)- and (*S*)-propranolol in rat plasma using liquid chromatography–tandem mass spectrometry 788(2003)317

Proteins

Identification of *N*^ε-(carboxyethyl)lysine, one of the methylglyoxal-derived AGE structures, in glucose-modified protein: mechanism for protein modification by reactive aldehydes 788(2003)75

Quercetin

Selective extraction of functional components derived from herb in plasma by using a molecularly imprinted polymer based on 2,2-bis(hydroxymethyl)butanol trimethacrylate 788(2003)233

Ragaglitazar

Determination of ragaglitazar, a novel dual acting peroxisome proliferator-activated receptor (PPAR) α and γ agonist, in human plasma by high-performance liquid chromatography coupled with tandem mass spectrometry 788(2003)45

Risperidone

High-performance liquid chromatographic method with diode array detection to identify and quantify atypical antipsychotics and haloperidol in plasma after overdose 788(2003)179

Ritonavir

Sensitive and specific determination of eight antiretroviral agents in plasma by high-performance liquid chromatography–mass spectrometry 788(2003)339

Rosiglitazone

Liquid chromatographic method for the determination of rosiglitazone in human plasma 788(2003)37

Saquinavir

Sensitive and specific determination of eight antiretroviral agents in plasma by high-performance liquid chromatography–mass spectrometry 788(2003)339

SN-38

High-performance liquid chromatographic assay with fluorescence detection for the simultaneous measurement of carboxylate and lactone forms of irinotecan and three metabolites in human plasma 788(2003)65

Sulfadiazine

Comparison of a liquid chromatographic method with ultraviolet and ion-trap tandem mass spectrometric detection for the simultaneous determination of sulfadiazine and trimethoprim in plasma from dogs 788(2003)167

Synovial fluid

Liquid chromatographic determination of diclofenac in human synovial fluid 788(2003)57

Teicoplanin

Automated online dual-column extraction coupled with teicoplanin stationary phase for simultaneous determination of (*R*)- and (*S*)-propranolol in rat plasma using liquid chromatography–tandem mass spectrometry 788(2003)317

Trimethoprim

Comparison of a liquid chromatographic method with ultraviolet and ion-trap tandem mass spectrometric detection for the simultaneous determination of sulfadiazine and trimethoprim in plasma from dogs 788(2003)167

Tyrosine

Simultaneous measurement of phenylalanine and tyrosine in phenylketonuric plasma and dried blood by high-performance liquid chromatography 788(2003)1

Valproyl taurinamide

Gas chromatographic determination of novel valproyl taurinamide derivatives in mouse and dog plasma 788(2003)125