



Author Index Vol. 792

- Abe, K., see Igarashi, K. 792(2003)55
- Asakawa, N., see Kawano, S.-i. 792(2003)49
- Baetens, D., see Fierens, C. 792(2003)249
- Bailey, C.J., see Oe, T. 792(2003)217
- Bartoletti, C., see Pucci, V. 792(2003)313
- Beaudry, F., see Yang, L. 792(2003)229
- Beijnen, J.H., see Kappelhoff, B.S. 792(2003)353
- Bilke, S., see Muth, A. 792(2003)269
- Bitsch, I., see Rychlik, M. 792(2003)167
- Blair, I.A., see Oe, T. 792(2003)217
- Böhles, H., see Muth, A. 792(2003)269
- Brown, K.K., Cheever, K.L., Butler, M.A., Shaw, P.B. and McLaurin, J.L.
Synthesis, characterization, and use of 2-[²H₉]butoxy]acetic acid and 2-(3-methylbutoxy)acetic acid as an internal standard and an instrument performance surrogate, respectively, for the gas chromatographic–mass spectrometric determination of 2-butoxyacetic acid, a human metabolite of 2-butoxyethanol 792(2003)153
- Bugamelli, F., see Pucci, V. 792(2003)313
- Buszewski, B., Jezierska-Świtala, M. and Kowalska, S.
Stationary phase with specific surface properties for the separation of estradiol diastereoisomers 792(2003)279
- Butler, M.A., see Brown, K.K. 792(2003)153
- Cárdenas, S., see Criado, A. 792(2003)299
- Catlin, D.H., see Starcevic, B. 792(2003)197
- Cheever, K.L., see Brown, K.K. 792(2003)153
- Cheng, J., see Zhang, L. 792(2003)381
- Choi, S.O., see Kim, H. 792(2003)307
- Chung, S.Y., see Kim, H. 792(2003)307
- Cirimele, V., see Villain, M. 792(2003)83
- Clement, R.P., see Yang, L. 792(2003)229
- Conn, G., see Lin, M.-F. 792(2003)205
- Cool, D.R. and DeBrosse, D.
Extraction of oxytocin and arginine–vasopressin from serum and plasma for radioimmunoassay and surface-enhanced laser desorption–ionization time-of-flight mass spectrometry 792(2003)375
- Criado, A., Cárdenas, S., Gallego, M. and Valcárcel, M.
Direct screening of lyophilised biological fluids for bile acids using an evaporative light scattering detector 792(2003)299
- DeBrosse, D., see Cool, D.R. 792(2003)375
- De Leenheer, A.P., see Fierens, C. 792(2003)249
- Deng, C. and Deng, Y.
Diagnosis of maple syrup urine disease by determination of L-valine, L-isoleucine, L-leucine and L-phenylalanine in neonatal blood spots by gas chromatography–mass spectrometry 792(2003)261
- Deng, Y., see Deng, C. 792(2003)261
- Desmoulin, F., Gilard, V., Martino, R. and Malet-Martino, M.
Isolation of an unknown metabolite of capecitabine, an oral 5-fluorouracil prodrug, and its identification by nuclear magnetic resonance and liquid chromatography–tandem mass spectrometry as a glucuroconjugate of 5'-deoxy-5-fluorocytidine, namely 2'-(β-D-glucuronic acid)-5'-deoxy-5-fluorocytidine 792(2003)323
- Di Donato, L., see Yang, L. 792(2003)229
- Dingemanse, J., see Van Giersbergen, P.L.M. 792(2003)369
- DiStefano, E., see Starcevic, B. 792(2003)197
- Eckert, C., see Zur Stadt, U. 792(2003)287
- Fandiño, A.S., see Toennes, S.W. 792(2003)345
- Fierens, C., Stöckl, D., Baetens, D., De Leenheer, A.P. and Thienpont, L.M.
Application of a C-peptide electrospray ionization-isotope dilution–liquid chromatography–tandem mass spectrometry measurement procedure for the evaluation of five C-peptide immunoassays for urine 792(2003)249
- Frank, T., see Rychlik, M. 792(2003)167
- Gallego, M., see Criado, A. 792(2003)299
- Gam, L.-H., Tham, S.-Y. and Latiff, A.
Immunoaffinity extraction and tandem mass spectrometric analysis of human chorionic gonadotropin in doping analysis 792(2003)187
- Gilard, V., see Desmoulin, F. 792(2003)323
- Golta, S., see Zur Stadt, U. 792(2003)287
- Grandmaison, C., see Yang, L. 792(2003)229
- Guo, T., see Sun, Y. 792(2003)147
- Han, S.B., see Kim, H. 792(2003)307
- Hasegawa, Y., see Kimura, M. 792(2003)143
- Hata, I., see Shigematsu, Y. 792(2003)63
- Hata, I., see Yoshino, M. 792(2003)73
- Hayenga, K., see Lin, M.-F. 792(2003)205
- Hesse, F.-J., see Toennes, S.W. 792(2003)345
- Hirano, S., see Shigematsu, Y. 792(2003)63
- Hirose, S., see Shinka, T. 792(2003)99
- Hisamitsu, H., see Miyazaki, A. 792(2003)23
- Horiguchi, T., see Obata, T. 792(2003)131
- Hotta, K., see Igarashi, K. 792(2003)55

- Huang, Z. and Zhang, S.
Confirmation of amphetamine, methamphetamine, MDA and MDMA in urine samples using disk solid-phase extraction and gas chromatography-mass spectrometry after immunoassay screening 792(2003)241
- Huitema, A.D.R., see Kappelhoff, B.S. 792(2003)353
- Igarashi, K., Hotta, K., Kasuya, F., Abe, K. and Sakoda, S.
Determination of cabergoline and L-dopa in human plasma using liquid chromatography-tandem mass spectrometry 792(2003)55
- Ikawa, H., see Inoue, Y. 792(2003)89
- Ikeda, T., see Koyama, R. 792(2003)5
- Inoue, Y., Masuyama, H., Ikawa, H., Mitsubuchi, H. and Kuhara, T.
Monitoring method for pre- and post-liver transplantation in patients with primary hyperoxaluria type I 792(2003)89
- Ishii, A., Tanaka, M., Kurihara, R., Watanabe-Suzuki, K., Kumazawa, T., Seno, H., Suzuki, O. and Katsumata, Y.
Sensitive determination of pethidine in body fluids by gas chromatography-tandem mass spectrometry 792(2003)117
- Ito, T., see Kuhara, T. 792(2003)107
- Jezierska-Świtala, M., see Buszewski, B. 792(2003)279
- Jung, J., see Muth, A. 792(2003)269
- Kabisch, H., see Zur Stadt, U. 792(2003)287
- Kajita, M., see Kimura, M. 792(2003)141
- Kantesaria, B., see Yang, L. 792(2003)229
- Kappelhoff, B.S., Rosing, H., Huitema, A.D.R. and Beijnen, J.H.
Simple and rapid method for the simultaneous determination of the non-nucleoside reverse transcriptase inhibitors efavirenz and nevirapine in human plasma using liquid chromatography 792(2003)353
- Kase, Y., see Obata, T. 792(2003)131
- Kasuya, F., see Igarashi, K. 792(2003)55
- Katsumata, Y., see Ishii, A. 792(2003)117
- Kauert, G.F., see Toennes, S.W. 792(2003)345
- Kawano, S.-i., Murakita, H., Yamamoto, E. and Asakawa, N.
Direct analysis of drugs in plasma by column-switching liquid chromatography-mass spectrometry using a methylcellulose-immobilized reversed-phase pretreatment column 792(2003)49
- Kihara, T., see Minamino, N. 792(2003)33
- Kim, H., Roh, H., Lee, H.J., Chung, S.Y., Choi, S.O., Lee, K.R. and Han, S.B.
Determination of phloroglucinol in human plasma by high-performance liquid chromatography-mass spectrometry 792(2003)307
- Kimura, M., Hasegawa, Y., Nakagawa, K., Kajita, M., Watanabe, K. and Yamaguchi, S.
A sensitive method for 4-hydroxybutyric acid in urine using gas chromatography-mass spectrometry 792(2003)141
- Kimura, M., see Yoshino, M. 792(2003)73
- Kinsella, J., see Talwar, D. 792(2003)333
- Kintz, P., see Villain, M. 792(2003)83
- Kopp, B., see Marchart, E. 792(2003)363
- Kojima, T., see Takamoto, S. 792(2003)145
- Kojima, T., see Yoshino, M. 792(2003)3
- Kowalska, S., see Buszewski, B. 792(2003)279
- Koyama, R., Nakanishi, T., Ikeda, T. and Shimizu, A.
Catalogue of soluble proteins in human vitreous humor by one-dimensional sodium dodecyl sulfate-polyacrylamide gel electrophoresis and electrospray ionization mass spectrometry including seven angiogenesis-regulating factors 792(2003)5
- Kuhara, T., see Inoue, Y. 792(2003)89
- Kuhara, T., see Ohdoi, C. 792(2003)123
- Kuhara, T., Ohdoi, C., Ohse, M., van Kuilenburg, A.B.P., van Gennip, A.H., Sumi, S., Ito, T., Wada, Y. and Matsumoto, I.
Rapid gas chromatographic-mass spectrometric diagnosis of dihydropyrimidine dehydrogenase deficiency and dihydropyrimidinase deficiency 792(2003)107
- Kuhara, T., see Shinka, T. 792(2003)99
- Kumazawa, T., see Ishii, A. 792(2003)117
- Kurihara, R., see Ishii, A. 792(2003)117
- Kuwahara, H., see Minamino, N. 792(2003)33
- Latiff, A., see Gam, L.-H. 792(2003)187
- Lee, H.J., see Kim, H. 792(2003)307
- Lee, K.R., see Kim, H. 792(2003)307
- Li, F., see Sun, Y. 792(2003)147
- Lin, M.-F., Royal, M., Hayenga, K. and Conn, G.
Monitoring EDTA process residuals in recombinant protein manufacturing using liquid chromatography 792(2003)205
- Liu, G., see Liu, Y. 792(2003)177
- Liu, Y., Zhao, R., Shangguan, D., Zhang, H. and Liu, G.
Novel sulfamethazine ligand used for one-step purification of immunoglobulin G from human plasma 792(2003)177
- Ludes, B., see Villain, M. 792(2003)83
- Malet-Martino, M., see Desmoulin, F. 792(2003)323
- Mandrioli, R., see Pucci, V. 792(2003)313
- Marchart, E. and Kopp, B.
Capillary electrophoretic separation and quantification of flavone-O- and C-glycosides in *Achillea setacea* W. et K 792(2003)363
- Martino, R., see Desmoulin, F. 792(2003)323
- Masse, R., see Yang, L. 792(2003)229
- Masuyama, H., see Inoue, Y. 792(2003)89
- Matsubae, M., see Minamino, N. 792(2003)33
- Matsumoto, I., see Kuhara, T. 792(2003)107
- McLaurin, J.L., see Brown, K.K. 792(2003)153
- McMillan, D.C., see Talwar, D. 792(2003)333
- Michael, K., see Zur Stadt, U. 792(2003)287
- Minamino, N., Tanaka, J., Kuwahara, H., Kihara, T., Satomi, Y., Matsubae, M. and Takao, T.
Determination of endogenous peptides in the porcine brain: possible construction of Peptidome, a fact database for endogenous peptides 792(2003)33
- Mitsubuchi, H., see Inoue, Y. 792(2003)89
- Miyazaki, A., Nakanishi, T., Shimizu, A. and Hisamitsu, H.
First case of a single heterozygote of an abnormal hemoglobin, Hb Stanmore, [β 111(G13)Val → Ala] 792(2003)23
- Mosandl, A., see Muth, A. 792(2003)269
- Müller, M., see Zur Stadt, U. 792(2003)287
- Murakita, H., see Kawano, S.-i. 792(2003)49

- Muth, A., Jung, J., Bilke, S., Scharrer, A., Mosandl, A., Sewell, A.C. and Böhles, H.
Simultaneous enantioselective analysis of chiral urinary metabolites in patients with *Zellweger* syndrome 792(2003)269
- Nakagawa, K., see Kimura, M. 792(2003)141
Nakanishi, T., see Koyama, R. 792(2003)5
Nakanishi, T., see Miyazaki, A. 792(2003)23
Netzel, M., see Rychlik, M. 792(2003)167
Niwa, T., see Yoshino, M. 792(2003)3
Nyhan, W.L., see Ohdoi, C. 792(2003)123
Obata, T., Sakurai, Y., Kase, Y., Tanifugi, Y. and Horiguchi, T.
Simultaneous determination of endocannabinoids (arachidonylethanolamide and 2-arachidonylglycerol) and isoprostane (8-epiprostaglandin F_{2α}) by gas chromatography-mass spectrometry-selected ion monitoring for medical samples 792(2003)131
- O'Dwyer, P.J., see Oe, T. 792(2003)217
Oe, T., Tian, Y., O'Dwyer, P.J., Roberts, D.W., Bailey, C.J. and Blair, I.A.
Determination of the platinum drug *cis*-amminatedichloro(2-methylpyridine)platinum(II) in human urine by liquid chromatography-tandem mass spectrometry 792(2003)217
- Ohdoi, C., see Kuhara, T. 792(2003)107
Ohdoi, C., Nyhan, W.L. and Kuhara, T.
Chemical diagnosis of Lesch-Nyhan syndrome using gas chromatography-mass spectrometry detection 792(2003)123
- Ohfу, M., see Shinka, T. 792(2003)99
Ohse, M., see Kuhara, T. 792(2003)107
O'Reilly, D.S.J., see Talwar, D. 792(2003)333
Pfannebecker, I., see Rychlik, M. 792(2003)167
Pucci, V., Bugamelli, F., Mandrioli, R., Bartoletti, C., Rossi, N. and Raggi, M.A.
Liquid chromatographic analysis of the *cis*(Z)- and *trans*(E)-isomers of clopenthixol in human plasma using a novel solid phase extraction procedure 792(2003)313
- Quasim, T., see Talwar, D. 792(2003)333
Qv, S., see Zhang, L. 792(2003)381
Raggi, M.A., see Pucci, V. 792(2003)313
Reyderman, L., see Yang, L. 792(2003)229
Rischewski, J., see Zur Stadt, U. 792(2003)287
Roberts, D.W., see Oe, T. 792(2003)217
Roh, H., see Kim, H. 792(2003)307
Rosing, H., see Kappelhoff, B.S. 792(2003)353
Rossi, N., see Pucci, V. 792(2003)313
Royal, M., see Lin, M.-F. 792(2003)205
Rudewicz, P.J., see Yang, L. 792(2003)229
Rychlik, M., Netzel, M., Pfannebecker, I., Frank, T. and Bitsch, I.
Application of stable isotope dilution assays based on liquid chromatography-tandem mass spectrometry for the assessment of folate bioavailability 792(2003)167
- Sakaguchi, M., see Yoshino, M. 792(2003)73
Sakoda, S., see Igarashi, K. 792(2003)55
Sakura, N., see Shigematsu, Y. 792(2003)63
Sakura, N., see Takamoto, S. 792(2003)145
Sakurai, Y., see Obata, T. 792(2003)131
Satomi, Y., see Minamino, N. 792(2003)33
Scharrer, A., see Muth, A. 792(2003)269
- Schneppenheim, R., see Zur Stadt, U. 792(2003)287
Senо, H., see Ishii, A. 792(2003)117
Sewell, A.C., see Muth, A. 792(2003)269
Shangguan, D., see Liu, Y. 792(2003)177
Shaw, P.B., see Brown, K.K. 792(2003)153
Shigematsu, Y., Hirano, S., Hata, I., Tanaka, Y., Sudo, M., Tajima, T., Sakura, N., Yamaguchi, S. and Takayanagi, M.
Selective screening for fatty acid oxidation disorders by tandem mass spectrometry: difficulties in practical discrimination 792(2003)63
- Shigematsu, Y., see Yoshino, M. 792(2003)73
Shimizu, A.
Complimentary address to Mr. Koichi Tanaka, the winner of Nobel Prize in chemistry 2002 792(2003)1
Shimizu, A., see Koyama, R. 792(2003)5
Shimizu, A., see Miyazaki, A. 792(2003)23
Shinka, T., Ohfu, M., Hirose, S. and Kuhara, T.
Effect of valproic acid on the urinary metabolic profile of a patient with succinic semialdehyde dehydrogenase deficiency 792(2003)99
- Starcevic, B., DiStefano, E., Wang, C. and Catlin, D.H.
Liquid chromatography-tandem mass spectrometry assay for human serum testosterone and trideuterated testosterone 792(2003)197
- Stöckl, D., see Fierens, C. 792(2003)249
Sudo, M., see Shigematsu, Y. 792(2003)63
Sui, Y., see Sun, Y. 792(2003)147
Sumi, S., see Kuhara, T. 792(2003)107
Sun, Y., Guo, T., Sui, Y. and Li, F.
Fingerprint analysis of *Flos Carthami* by capillary electrophoresis 792(2003)147
- Suzuki, O., see Ishii, A. 792(2003)117
Tajima, T., see Shigematsu, Y. 792(2003)63
Takao, T., see Minamino, N. 792(2003)33
Takamoto, S., Sakura, N., Yashiki, M. and Kojima, T.
Erratum to "Inactivation of acrolein by sodium 2-mercaptopethanesulfonate using headspace-solid-phase microextraction gas chromatography and mass spectrometry" [J. Chromatogr. B 791/1-2 (2003) 365-369] 792(2003)333
- Takayanagi, M., see Shigematsu, Y. 792(2003)63
Talwar, D., Quasim, T., McMillan, D.C., Kinsella, J., Williamson, C. and O'Reilly, D.S.J.
Optimisation and validation of a sensitive high-performance liquid chromatography assay for routine measurement of pyridoxal 5-phosphate in human plasma and red cells using pre-column semicarbazide derivatisation 792(2003)333
- Tanaka, J., see Minamino, N. 792(2003)33
Tanaka, M., see Ishii, A. 792(2003)117
Tanaka, Y., see Shigematsu, Y. 792(2003)63
Tanifugi, Y., see Obata, T. 792(2003)131
Tham, S.-Y., see Gam, L.-H. 792(2003)187
Thienpont, L.M., see Fierens, C. 792(2003)249
Tian, Y., see Oe, T. 792(2003)217
Toennes, S.W., Fandiño, A.S., Hesse, F.-J. and Kauert, G.F.
Artifact production in the assay of anhydroecgonine methyl ester in serum using gas chromatography-mass spectrometry 792(2003)345
Tokunaga, Y., see Yoshino, M. 792(2003)73
Valcárcel, M., see Criado, A. 792(2003)299

- van Gennip, A.H., see Kuhara, T. 792(2003)107
van Giersbergen, P.L.M., Wipfli, P. and Dingemanse, J.
Determination of tezosentan, a parenteral endothelin receptor antagonist, in human plasma by liquid chromatography–tandem mass spectrometry 792(2003)369
van Kuilenburg, A.B.P., see Kuhara, T. 792(2003)107
Villain, M., Cirimele, V., Ludes, B. and Kintz, P.
Ultra-rapid procedure to test for γ -hydroxybutyric acid in blood and urine by gas chromatography–mass spectrometry 792(2003)83
Wada, Y., see Kuhara, T. 792(2003)107
Wang, C., see Starcevic, B. 792(2003)197
Wang, Z., see Zhang, L. 792(2003)381
Watanabe, K., see Kimura, M. 792(2003)143
Watanabe, Y., see Yoshino, M. 792(2003)73
Watanabe-Suzuki, K., see Ishii, A. 792(2003)117
Williamson, C., see Talwar, D. 792(2003)333
Wipfli, P., see van Giersbergen, P.L.M. 792(2003)369
Yashiki, M., see Takamoto, S. 792(2003)145
Yamaguchi, S., see Kimura, M. 792(2003)141
Yamaguchi, S., see Shigematsu, Y. 792(2003)63
Yamaguchi, S., see Yoshino, M. 792(2003)73
Yamamoto, E., see Kawano, S.-i. 792(2003)49
Yang, L., Clement, R.P., Kantesaria, B., Reyderman, L.,
Beaudry, F., Grandmaison, C., Di Donato, L., Masse, R.
and Rudewicz, P.J.
Validation of a sensitive and automated 96-well solid-phase extraction liquid chromatography–tandem mass spectrometry method for the determination of desloratadine and 3-hydroxydesloratadine in human plasma 792(2003)229
Yoshida, I., see Yoshino, M. 792(2003)73
Yoshino, M., Niwa, T. and Kojima, T.
Preface 792(2003)3
Yoshino, M., Tokunaga, Y., Watanabe, Y., Yoshida, I.,
Sakaguchi, M., Hata, I., Shigematsu, Y., Kimura, M. and
Yamaguchi, S.
Effect of supplementation with L-carnitine at a small dose on acylcarnitine profiles in serum and urine and the renal handling of acylcarnitines in a patient with multiple acyl-coenzyme A dehydrogenation defect 792(2003)73
Zhang, H., see Liu, Y. 792(2003)177
Zhang, L., Qv, S., Wang, Z. and Cheng, J.
Determination of dopamine in single rat pheochromocytoma cell by capillary electrophoresis with amperometric detection 792(2003)381
Zhang, S., see Huang, Z. 792(2003)241
Zhao, R., see Liu, Y. 792(2003)177
Zur Stadt, U., Eckert, C., Rischewski, J., Michael, K., Golta, S.,
Müller, M., Schneppenheim, R. and Kabisch, H.
Identification and characterisation of clonal incomplete T-cell-receptor V δ 2–D δ 3/D δ 2–D δ 3 rearrangements by denaturing high-performance liquid chromatography and subsequent fragment collection: implications for minimal residual disease monitoring in childhood acute lymphoblastic leukemia 792(2003)287