


## Available online at www.sciencedirect.com



# JOURNAL OF CHROMATOGRAPHY B

Journal of Chromatography B, 792 (2003) 391-394

www.elsevier.com/locate/chromb

# Compound Index Vol. 792

### Acylcarnitine

Effect of supplementation with L-carnitine at a small dose on acylcarnitine profiles in serum and urine and the renal handling of acylcarnitines in a patient with multiple acyl-coenzyme A dehydrogenation defect 792(2003)73

### cis-Amminedichloro(2-methylpyridine)platinum(II)

Determination of the platinum drug *cis*-amminedichloro(2-methylpyridine)platinum(II) in human urine by liquid chromatography—tandem mass spectrometry 792(2003)217

#### **Amphetamines**

Confirmation of amphetamine, methamphetamine, MDA and MDMA in urine samples using disk solid-phase extraction and gas chromatography-mass spectrometry after immunoassay screening 792(2003)241

#### Anandamide

Simultaneous determination of endocannabinoids (arachidonylethanolamide and 2-arachidonylglycerol) and isoprostane (8-epiprostaglandin F2 $\alpha$ ) by gas chromatography—mass spectrometry-selected ion monitoring for medical samples 792(2003)131

# Angiogenesins-regulating factors

Catalogue of soluble proteins in human vitreous humor by onedimensional sodium dodecyl sulfate-polyacrylamide gel electrophoresis and electrospray ionization mass spectrometry including seven angiogenesis-regulating factors 792(2003)5

### Anhydroecgonine methyl ester

Artifact production in the assay of anhydroecgonine methyl ester in serum using gas chromatography-mass spectrometry 792(2003)345

### 2-Arachidonyglycerol

Simultaneous determination of endocannabinoids (arachidonylethanolamide and 2-arachidonylglycerol) and isoprostane (8-epiprostaglandin F2 $\alpha$ ) by gas chromatography—mass spectrometry-selected ion monitoring for medical samples 792(2003)131

### Arginine-vasopressin

Extraction of oxytocin and arginine-vasopressin from serum and plasma for radioimmunoassay and surface-enhanced laser desorption-ionization time-of-flight mass spectrometry 792(2003)375

### Bile acids

Direct screening of lyophilised biological fluids for bile acids using an evaporative light scattering detector 792(2003)299

### 2-Butoxyacetic acid

Synthesis, characterization, and use of  $2-[(^2H_9)butoxy]$  acetic acid and 2-(3-methylbutoxy) acetic acid as an internal standard and an instrument performance surrogate, respectively, for the gas chromatographic—mass spectrometric determination of 2-butoxyacetic acid, a human metabolite of 2-butoxyethanol 792(2003)153

### Cabergoline

Determination of cabergoline and L-dopa in human plasma using liquid chromatography-tandem mass spectrometry 792(2003)55

### Capecitabine

Isolation of an unknown metabolite of capecitabine, an oral 5-fluorouracil prodrug, and its identification by nuclear magnetic resonance and liquid chromatography–tandem mass spectrometry as a glucuroconjugate of 5'-deoxy-5-fluorocytidine, namely 2'-( $\beta$ -p-glucuronic acid)–5'-deoxy-5-fluorocytidine 792(2003)323

#### Carnitine

Effect of supplementation with L-carnitine at a small dose on acylcarnitine profiles in serum and urine and the renal handling of acylcarnitines in a patient with multiple acyl-coenzyme A dehydrogenation defect 792(2003)73

#### Chiral metabolites

Simultaneous enantioselective analysis of chiral urinary metabolites in patients with *Zellweger* syndrome 792(2003)269

### Chorionic gonadotropin

Immunoaffinity extraction and tandem mass spectrometric analysis of human chorionic gonadotropin in doping analysis 792(2003)187

### Clopenthixol

Liquid chromatographic analysis of the *cis*(*Z*)- and *trans*(*E*)-isomers of clopenthixol in human plasma using a novel solid phase extraction procedure 792(2003)313

#### Cocain

Artifact production in the assay of anhydroecgonine methyl ester in serum using gas chromatography-mass spectrometry 792(2003)345

 $doi{:}10.1016/S1570{-}0232(03)00466{-}5$ 

### 5'-Deoxy-5-fluorocytidine

Isolation of an unknown metabolite of capecitabine, an oral 5-fluorouracil prodrug, and its identification by nuclear magnetic resonance and liquid chromatography–tandem mass spectrometry as a glucuroconjugate of 5'-deoxy-5-fluorocytidine, namely 2'-( $\beta$ -D-glucuronic acid)–5'-deoxy-5-fluorocytidine 792(2003)323

#### Desloratadine

Validation of a sensitive and automated 96-well solid-phase extraction liquid chromatography-tandem mass spectrometry method for the determination of desloratadine and 3-hydroxydesloratadine in human plasma 792(2003)229

### Dihydropyrimidinase

Rapid gas chromatographic-mass spectrometric diagnosis of dihydropyrimidine dehydrogenase deficiency and dihydropyrimidinase deficiency 792(2003)107

### Dihydropyrimidine dehydrogenase

Rapid gas chromatographic—mass spectrometric diagnosis of dihydropyrimidine dehydrogenase deficiency and dihydropyrimidinase deficiency 792(2003)107

#### L-Dopa

Determination of cabergoline and L-dopa in human plasma using liquid chromatography—tandem mass spectrometry 792(2003)55

### **Dopamine**

Determination of dopamine in single rat pheochromocytoma cell by capillary electrophoresis with amperometric detection 792(2003)381

### **Efavirenz**

Simple and rapid method for the simultaneous determination of the non-nucleoside reverse transcriptase inhibitors efavirenz and nevirapine in human plasma using liquid chromatography 792(2003)353

### Endocannabinoids

Simultaneous determination of endocannabinoids (arachidonylethanolamide and 2-arachidonylglycerol) and isoprostane (8-epiprostaglandin F2 $\alpha$ ) by gas chromatography—mass spectrometry-selected ion monitoring for medical samples 792(2003)131

### **Enzymes**

Rapid gas chromatographic-mass spectrometric diagnosis of dihydropyrimidine dehydrogenase deficiency and dihydropyrimidinase deficiency 792(2003)107

#### Fetradio

Stationary phase with specific surface properties for the separation of estradiol diastereoisomers 792(2003)279

## Ethylenediaminetetraacetic acid

Monitoring EDTA process residuals in recombinant protein manufacturing using liquid chromatography 792(2003)205

#### Fatty acids

Selective screening for fatty acid oxidation disorders by tandem mass spectrometry: difficulties in practical discrimination 792(2003)63

### Flavone glycosides

Capillary electrophoretic separation and quantification of flavone-*O*- and *C*-glycosides in *Achillea setacea* W. et K 792(2003)363

### 5-Fluorouracil

Isolation of an unknown metabolite of capecitabine, an oral 5-fluorouracil prodrug, and its identification by nuclear magnetic resonance and liquid chromatography–tandem mass spectrometry as a glucuroconjugate of 5'-deoxy-5-fluorocytidine, namely 2'-( $\beta$ -D-glucuronic acid)–5'-deoxy-5-fluorocytidine 792(2003)323

#### **Folates**

Application of stable isotope dilution assays based on liquid chromatography-tandem mass spectrometry for the assessment of folate bioavailability 792(2003)167

### Glycolate

Monitoring method for pre- and post-liver transplantation in patients with primary hyperoxaluria type I 792(2003)89

### Glycoproteins

Immunoaffinity extraction and tandem mass spectrometric analysis of human chorionic gonadotropin in doping analysis 792(2003)187

## Hemoglobins

First case of a single heterozygote of an abnormal hemoglobin, Hb Stanmore, [ $\beta$ 111(G13)Val  $\rightarrow$  Ala] 792(2003)23

### γ-Hydroxybutyric acid

Ultra-rapid procedure to test for γ-hydroxybutyric acid in blood and urine by gas chromatography–mass spectrometry 792(2003)83

### 4-Hydroxybutyric acid

A sensitive method for 4-hydroxybutyric acid in urine using gas chromatography-mass spectrometry 792(2003)141

### 4-Hydroxybutyric aciduria

A sensitive method for 4-hydroxybutyric acid in urine using gas chromatography-mass spectrometry 792(2003)141

# ${\bf 3-Hydroxy desloratadine}$

Validation of a sensitive and automated 96-well solid-phase extraction liquid chromatography-tandem mass spectrometry method for the determination of desloratadine and 3-hydroxydesloratadine in human plasma 792(2003)229

## Hypoxanthine-guanine phosphoribosyltransferase

Chemical diagnosis of Lesch–Nyhan syndrome using gas chromatography-mass spectrometry detection 792(2003)123

### Oxytocin

Extraction of oxytocin and arginine-vasopressin from serum and plasma for radioimmunoassay and surface-enhanced laser desorption-ionization time-of-flight mass spectrometry 792(2003)375

### C-Peptides

Application of a C-peptide electrospray ionization-isotope dilution-liquid chromatography-tandem mass spectrometry measurement procedure for the evaluation of five C-peptide immunoassays for urine 792(2003)249

### Peptides, endogenous

Determination of endogenous peptides in the porcine brain: possible construction of Peptidome, a fact database for endogenous peptides 792(2003)33

### Pethidine

Sensitive determination of pethidine in body fluids by gas chromatography-tandem mass spectrometry 792(2003)117

### Phenylalanine

Diagnosis of maple syrup urine disease by determination of L-valine, L-isoleucine, L-leucine and L-phenylalanine in neonatal blood spots by gas chromatography—mass spectrometry 792(2003)261

### Phloroglucinol

Determination of phloroglucinol in human plasma by highperformance liquid chromatography-mass spectrometry 792(2003)307

## Platinum adduct

Determination of the platinum drug *cis*-amminedichloro(2-methylpyridine)platinum(II) in human urine by liquid chromatography—tandem mass spectrometry 792(2003)217

### **Proteins**

Catalogue of soluble proteins in human vitreous humor by onedimensional sodium dodecyl sulfate–polyacrylamide gel electrophoresis and electrospray ionization mass spectrometry including seven angiogenesis-regulating factors 792(2003)5

### Pyridoxal 5-phosphate

Optimisation and validation of a sensitive high-performance liquid chromatography assay for routine measurement of pyridoxal 5-phosphate in human plasma and red cells using pre-column semicarbazide derivatisation 792(2003)333

### **Recombinant proteins**

Monitoring EDTA process residuals in recombinant protein manufacturing using liquid chromatography 792(2003)205

#### Steroids

Stationary phase with specific surface properties for the separation of estradiol diastereoisomers 792(2003)279

#### Sulfamethazine

Novel sulfamethazine ligand used for one-step purification of immunoglobulin G from human plasma 792(2003)177

#### **Immunoglobulins**

Novel sulfamethazine ligand used for one-step purification of immunoglobulin G from human plasma 792(2003)177

### Isoleucine

Diagnosis of maple syrup urine disease by determination of L-valine, L-isoleucine, L-leucine and L-phenylalanine in neonatal blood spots by gas chromatography—mass spectrometry 792(2003)261

#### **Isoprostane**

Simultaneous determination of endocannabinoids (arachidonylethanolamide and 2-arachidonylglycerol) and isoprostane (8-epiprostaglandin  $F2\alpha$ ) by gas chromatography—mass spectrometry-selected ion monitoring for medical samples 792(2003)131

#### Leucine

Diagnosis of maple syrup urine disease by determination of L-valine, L-isoleucine, L-leucine and L-phenylalanine in neonatal blood spots by gas chromatography—mass spectrometry 792(2003)261

### Methamphetamine

Confirmation of amphetamine, methamphetamine, MDA and MDMA in urine samples using disk solid-phase extraction and gas chromatography-mass spectrometry after immunoassay screening 792(2003)241

#### Methylcellulose

Direct analysis of drugs in plasma by column-switching liquid chromatography-mass spectrometry using a methylcellulose-immobilized reversed-phase pretreatment column 792(2003)49

### 3,4-Methylenedioxyamphetamine

Confirmation of amphetamine, methamphetamine, MDA and MDMA in urine samples using disk solid-phase extraction and gas chromatography—mass spectrometry after immunoassay screening 792(2003)241

### 3,4-Methylenedioxymethamphetamine

Confirmation of amphetamine, methamphetamine, MDA and MDMA in urine samples using disk solid-phase extraction and gas chromatography-mass spectrometry after immunoassay screening 792(2003)241

#### Nevirapine

Simple and rapid method for the simultaneous determination of the non-nucleoside reverse transcriptase inhibitors efavirenz and nevirapine in human plasma using liquid chromatography 792(2003)353

#### Oxalate

Monitoring method for pre- and post-liver transplantation in patients with primary hyperoxaluria type I 792(2003)89

### Testosterone

Liquid chromatography-tandem mass spectrometry assay for human serum testosterone and trideuterated testosterone 792(2003)197

### **Tezosentan**

Determination of tezosentan, a parenteral endothelin receptor antagonist, in human plasma by liquid chromatography-tandem mass spectrometry 792(2003)369

### Valine

Diagnosis of maple syrup urine disease by determination of L-valine, L-isoleucine, L-leucine and L-phenylalanine in neonatal blood spots by gas chromatography—mass spectrometry 792(2003)261

### Valproic acid

Effect of valproic acid on the urinary metabolic profile of a patient with succinic semialdehyde dehydrogenase deficiency 792(2003)99

### Vitamins

Optimisation and validation of a sensitive high-performance liquid chromatography assay for routine measurement of pyridoxal 5-phosphate in human plasma and red cells using pre-column semicarbazide derivatisation 792(2003)333