



ELSEVIER

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

SCIENCE @ DIRECT®

Journal of Chromatography B, 794 (2003) 405–408

JOURNAL OF  
CHROMATOGRAPHY B

[www.elsevier.com/locate/chromb](http://www.elsevier.com/locate/chromb)

## Author Index Vol. 794

- Adams, E., see Dehouck, P. 794(2003)293
- Andrew Spencer, S., see Korchazhkina, O. 794(2003)353
- Aviles, P., see Yin, J. 794(2003)89
- Bae, S.K., Kim, E.J., Kwon, J.W., Kim, W.B. and Lee, M.G.  
High-performance liquid chromatographic analysis of DA-7867, a new oxazolidinone, in human plasma and urine and in rat tissue homogenates 794(2003)397
- Balduini, L., Matoga, M., Cavalli, E., Seilles, E., Riethmuller, D., Thomassin, M. and Guillaume, Y.C.  
Triazinic herbicide determination by gas chromatography–mass spectrometry in breast milk 794(2003)389
- Baran, E.T., Özer, N. and Hasirci, V.  
Solid-phase enzyme modification via affinity chromatography 794(2003)311
- Barr, D.B., see Barr, J.R. 794(2003)137
- Barr, J.R., Maggio, V.L., Barr, D.B., Turner, W.E., Sjödin, A., Sandau, C.D., Pirkle, J.L., Needham, L.L. and Patterson Jr., D.G.  
New high-resolution mass spectrometric approach for the measurement of polychlorinated biphenyls and organochlorine pesticides in human serum 794(2003)137
- Basileo, G., see Breda, M. 794(2003)167
- Berzas, J.J., see Rodríguez Flores, J. 794(2003)381
- Bloch, C., see Castro, M.S. 794(2003)109
- Bolcato, C.A., Frye, R.F., Zemaitis, M.A. and Poloyac, S.M.  
Determination of 20-hydroxyeicosatetraenoic acid in microsomal incubates using high-performance liquid chromatography–mass spectrometry (HPLC–MS) 794(2003)363
- Brazeau, G.A., see Persky, A.M. 794(2003)157
- Breda, M., Basileo, G. and James, C.A.  
Simultaneous determination of JTT-501 and its main metabolite in human plasma by liquid chromatography–ionspray mass spectrometry 794(2003)167
- Bruins, A.P., see van Hout, M.W.J. 794(2003)185
- Calvo, P., see Yin, J. 794(2003)89
- Carvalho, D., see Queiroz, M.E.C. 794(2003)337
- Castañeda, G., see Rodríguez Flores, J. 794(2003)381
- Castro, M.S., Gerhardt, I.R., Orrù, S., Pucci, P. and Bloch, C.  
Purification and characterization of a small (7.3 kDa) putative lipid transfer protein from maize seeds 794(2003)109
- Cavalli, E., see Balduini, L. 794(2003)389
- Chang, S.Y. and Lin, W.-C.  
Determination of vigabatrin by capillary electrophoresis with laser-induced fluorescence detection 794(2003)17
- ChangChien, C.-C., see Liu, Y.-C. 794(2003)67
- Chen, Yu.-L., Hanson, G.D., Weng, N., Powala, C. and Zerler, B.  
Quantification of 6-deoxy-6-demethyl-4-dedimethylaminotetracycline (COL-3) in human plasma using liquid chromatography coupled with electrospray ionization tandem mass spectrometry 794(2003)77
- Cooper, D.P., see Keevil, B.G. 794(2003)329
- Curry, S.M., see Vassallo, J.D. 794(2003)257
- Daston, G.P., see Vassallo, J.D. 794(2003)257
- Deckers, K., see Dehouck, P. 794(2003)293
- Dehouck, P., Van Looy, E., Haghedooren, E., Deckers, K., Vander Heyden, Y., Adams, E., Roets, E. and Hoogmartens, J.  
Analysis of erythromycin and benzoylperoxide in topical gels by liquid chromatography 794(2003)293
- de Jong, G.J., see van Hout, M.W.J. 794(2003)185
- Delwar Hussain, M., see Stith, C. 794(2003)9
- de Zeeuw, R.A., see van Hout, M.W.J. 794(2003)185
- Du, L., Xu, Y. and Musson, D.G.  
Simultaneous determination of clofibrate and its active metabolite clofibric acid in human plasma by reversed-phase high-performance liquid chromatography with ultraviolet absorbance detection 794(2003)343
- Eriksson, K., Östin, A. and Levin, J.-O.  
Quantification of melatonin in human saliva by liquid chromatography–tandem mass spectrometry using stable isotope dilution 794(2003)115
- Erpenbeck, V.J., see Tsikas, D. 794(2003)237
- Exley, C., see Korchazhkina, O. 794(2003)353
- Faircloth, G., see Yin, J. 794(2003)89
- Farias, A., see Queiroz, M.E.C. 794(2003)337
- Fauler, G., see Leis, H.J. 794(2003)205
- Fay, L.B., see Richelle, M. 794(2003)1
- Fliter, K.L., see Vassallo, J.D. 794(2003)257
- Frahner, C., Rao, M.L. and Grasmäder, K.  
Analysis of eighteen antidepressants, four atypical antipsychotics and active metabolites in serum by liquid chromatography: a simple tool for therapeutic drug monitoring 794(2003)35

- Friess, U., Waldner, M., Wahl, H.-G., Lehmann, R., Haring, H.-U., Voelter, W. and Schleicher, E.  
Liquid chromatography-based determination of urinary free and total *N*(epsilon)-(carboxymethyl)lysine excretion in normal and diabetic subjects 794(2003)273
- Frölich, J.C., see Tsikas, D. 794(2003)237
- Frye, R.F., see Bolcato, C.A. 794(2003)363
- Furuta, T., see Ishii, K. 794(2003)49
- Furuta, T., see Suzuki, A. 794(2003)373
- García-Algar, O., see Pichini, S. 794(2003)281
- Geng, Q., see Li, C. 794(2003)227
- Gerhardt, I.R., see Castro, M.S. 794(2003)109
- Gonzalo-Lumbreras, R. and Izquierdo-Hornillos, R.  
Method development for corticosteroids and anabolic steroids by micellar liquid chromatography 794(2003)215
- Grasmäder, K., see Frahnert, C. 794(2003)35
- Greibrokk, T., see Holm, A. 794(2003)175
- Guillaume, Y.C., see Balduini, L. 794(2003)389
- Guillen, M.J., see Yin, J. 794(2003)89
- Gunaratna, C. and Zhang, T.  
Application of liquid chromatography–electrospray ionization-ion trap mass spectrometry to investigate the metabolism of silibinin in human liver microsomes 794(2003)303
- Gutzki, F.-M., see Tsikas, D. 794(2003)237
- Haghedooren, E., see Dehouck, P. 794(2003)293
- Hanson, G.D., see Chen, Yu.-L. 794(2003)77
- Haring, H.-U., see Friess, U. 794(2003)273
- Hasirci, V., see Baran, E.T. 794(2003)311
- Hochhaus, G., see Persky, A.M. 794(2003)157
- Hofland, C.M., see van Hout, M.W.J. 794(2003)185
- Hohlfeld, J.M., see Tsikas, D. 794(2003)237
- Holm, A., Molander, P., Lundanes, E., Øvrebø, S. and Greibrokk, T.  
Fast and sensitive determination of urinary 1-hydroxypyrene by packed capillary column switching liquid chromatography coupled to micro-electrospray time-of-flight mass spectrometry 794(2003)175
- Hoogmartens, J., see Dehouck, P. 794(2003)293
- Ishii, K., Furuta, T. and Kasuya, Y.  
High-performance liquid chromatographic determination of quercetin in human plasma and urine utilizing solid-phase extraction and ultraviolet detection 794(2003)49
- Izquierdo-Hornillos, R., see Gonzalo-Lumbreras, R. 794(2003)215
- James, C.A., see Breda, M. 794(2003)167
- Kamimori, H., see Sano, M. 794(2003)149
- Kasuya, Y., see Ishii, K. 794(2003)49
- Kasuya, Y., see Suzuki, A. 794(2003)373
- Keevil, B.G., Lockhart, S.J. and Cooper, D.P.  
Determination of tobramycin in serum using liquid chromatography–tandem mass spectrometry and comparison with a fluorescence polarisation assay 794(2003)329
- Kim, E.J., see Bae, S.K. 794(2003)397
- Kim, W.B., see Bae, S.K. 794(2003)397
- Klíma, J., see Ptáček, P. 794(2003)323
- Kline, W.F., see Vallano, P.T. 794(2003)23
- Korchazhkina, O., Exley, C. and Andrew Spencer, S.  
Measurement by reversed-phase high-performance liquid chromatography of malondialdehyde in normal human urine following derivatisation with 2,4-dinitrophenylhydrazine 794(2003)353
- Kwon, J.W., see Bae, S.K. 794(2003)397
- Lakso, H.-Å. and Norström, Å.  
Determination of dextropropoxyphene and nordextropropoxyphene in urine by liquid chromatography–electrospray ionization mass spectrometry 794(2003)57
- Lanças, F.M., see Queiroz, M.E.C. 794(2003)337
- Lee, M.G., see Bae, S.K. 794(2003)397
- Lee, W., see Yin, J. 794(2003)89
- Lehman-McKeeman, L.D., see Vassallo, J.D. 794(2003)257
- Lehmann, R., see Friess, U. 794(2003)273
- Leis, H.J., Fauler, G., Rechberger, G.N. and Windischhofer, W.  
Quantitative trace analysis of estriol in human plasma by negative ion chemical ionization gas chromatography–mass spectrometry using a deuterated internal standard 794(2003)205
- Levin, J.-O., see Eriksson, K. 794(2003)115
- Li, C., Geng, Q., Nicolau, D.P. and Nightingale, C.H.  
Simultaneous determination of ticarcillin and clavulanate in rabbit serum and tissue cage fluid by liquid chromatography 794(2003)227
- Lin, W.-C., see Chang, S.Y. 794(2003)17
- Liu, Y.-C., ChangChien, C.-C. and Suen, S.-Y.  
Purification of penicillin G acylase using immobilized metal affinity membranes 794(2003)67
- Lockhart, S.J., see Keevil, B.G. 794(2003)329
- Lundanes, E., see Holm, A. 794(2003)175
- Ly, C., see Yin, J. 794(2003)89
- Macek, J., see Ptáček, P. 794(2003)323
- Maggio, V.L., see Barr, J.R. 794(2003)137
- Manzanares, I., see Yin, J. 794(2003)89
- Marchei, E., see Pichini, S. 794(2003)281
- Matoga, M., see Balduini, L. 794(2003)389
- Matuszewski, B.K., see Vallano, P.T. 794(2003)23
- Molander, P., see Holm, A. 794(2003)175
- Morrall, S.W., see Vassallo, J.D. 794(2003)257
- Musson, D.G., see Du, L. 794(2003)343
- Needham, L.L., see Barr, J.R. 794(2003)137
- Nicolau, D.P., see Li, C. 794(2003)227
- Niederländer, H.A.G., see van Hout, M.W.J. 794(2003)185
- Niemann, J., see Tsikas, D. 794(2003)237
- Nightingale, C.H., see Li, C. 794(2003)227
- Norström, Å., see Lakso, H.-Å. 794(2003)57
- O'Connor, G., see Stokes, P. 794(2003)125
- Orrù, S., see Castro, M.S. 794(2003)109
- Östin, A., see Eriksson, K. 794(2003)115
- Øvrebø, S., see Holm, A. 794(2003)175
- Özer, N., see Baran, E.T. 794(2003)311
- Pacifici, R., see Pichini, S. 794(2003)281
- Patel, S., see Rodriguez Rosas, M.E. 794(2003)99
- Patterson Jr., D.G., see Barr, J.R. 794(2003)137
- Pellegrini, M., see Pichini, S. 794(2003)281
- Peng, S.Q., see Qin, Y. 794(2003)193
- Pérez-Alarcón, E., see Pichini, S. 794(2003)281

- Persky, A.M., Hochhaus, G. and Brazeau, G.A.  
Validation of a simple liquid chromatography assay for creatine suitable for pharmacokinetic applications, determination of plasma protein binding and verification of percent labeled claim of various creatine products 794(2003)157
- Pichini, S., Pacifici, R., Pellegrini, M., Marchei, E., Pérez-Alarcón, E., Puig, C., Vall, O. and García-Algar, O.  
Development and validation of a liquid chromatography–mass spectrometry assay for the determination of opiates and cocaine in meconium 794(2003)281
- Pirkle, J.L., see Barr, J.R. 794(2003)137
- Poloyac, S.M., see Bolcato, C.A. 794(2003)363
- Powala, C., see Chen, Yu.-L. 794(2003)77
- Ptáček, P., Klíma, J. and Macek, J.  
Determination of mirtazapine in human plasma by liquid chromatography 794(2003)323
- Pucci, P., see Castro, M.S. 794(2003)109
- Puig, C., see Pichini, S. 794(2003)281
- Qin, Y., Wang, X.B., Wang, C., Zhao, M., Wu, M.T., Xu, Y.X. and Peng, S.Q.  
Application of high-performance liquid chromatography–mass spectrometry to detection of diuretics in human urine 794(2003)193
- Queiroz, M.E.C., Valadão, C.A.A., Farias, A., Carvalho, D. and Lanças, F.M.  
Determination of amitraz in canine plasma by solid-phase microextraction–gas chromatography with thermionic specific detection 794(2003)337
- Rao, M.L., see Frahnert, C. 794(2003)35
- Rechberger, G.N., see Leis, H.J. 794(2003)205
- Richelle, M., Tavazzi, I. and Fay, L.B.  
Simultaneous determination of deuterated and non-deuterated  $\alpha$ -tocopherol in human plasma by high-performance liquid chromatography 794(2003)1
- Riethmuller, D., see Balduini, L. 794(2003)389
- Rodríguez Flores, J., Berzas, J.J., Castañeda, G. and Rodríguez, N.  
Direct and fast capillary zone electrophoretic method for the determination of Gleevec and its main metabolite in human urine 794(2003)381
- Rodríguez, N., see Rodríguez Flores, J. 794(2003)381
- Rodríguez Rosas, M.E., Patel, S. and Wainer, I.W.  
Determination of the enantiomers of ketamine and norketamine in human plasma by enantioselective liquid chromatography–mass spectrometry 794(2003)99
- Roets, E., see Dehouck, P. 794(2003)293
- Sandau, C.D., see Barr, J.R. 794(2003)137
- Sano, M., Ueno, K. and Kamimori, H.  
Enzyme assay for protein kinase using micellar electrokinetic chromatography with laser-induced fluorescence detection 794(2003)149
- Schleicher, E., see Friess, U. 794(2003)273
- Schwedhelm, E., see Tsikas, D. 794(2003)237
- Seilles, E., see Balduini, L. 794(2003)389
- Shibasaki, H., see Suzuki, A. 794(2003)373
- Shugarts, S.B., see Vallano, P.T. 794(2003)23
- Sjödín, A., see Barr, J.R. 794(2003)137
- Stith, C. and Delwar Hussain, M.  
Determination of mifepristone levels in wild canid serum using liquid chromatography 794(2003)9
- Stokes, P. and O'Connor, G.  
Development of a liquid chromatography–mass spectrometry method for the high-accuracy determination of creatinine in serum 794(2003)125
- Suchy, M.-T., see Tsikas, D. 794(2003)237
- Suen, S.-Y., see Liu, Y.-C. 794(2003)67
- Surdacki, A., see Tsikas, D. 794(2003)237
- Suzuki, A., Shibasaki, H., Kasuya, Y. and Furuta, T.  
Simultaneous determination of endogenous and stable isotope-labelled  $6\beta$ -hydroxycortisols in human urine by stable isotope dilution mass spectrometry 794(2003)373
- Tavazzi, I., see Richelle, M. 794(2003)1
- Thomassin, M., see Balduini, L. 794(2003)389
- Tsikak, D., Schwedhelm, E., Suchy, M.-T., Niemann, J., Gutzki, F.-M., Erpenbeck, V.J., Hohlfeld, J.M., Surdacki, A. and Frölich, J.C.  
Divergence in urinary 8-*iso*-PGF<sub>2 $\alpha$</sub>  (iPF<sub>2 $\alpha$</sub> -III, 15-F<sub>2 $\alpha$</sub> -IsoP) levels from gas chromatography–tandem mass spectrometry quantification after thin-layer chromatography and immunoaffinity column chromatography reveals heterogeneity of 8-*iso*-PGF<sub>2 $\alpha$</sub> . Possible methodological, mechanistic and clinical implications 794(2003)237
- Turner, W.E., see Barr, J.R. 794(2003)137
- Ueno, K., see Sano, M. 794(2003)149
- Valadão, C.A.A., see Queiroz, M.E.C. 794(2003)337
- Vall, O., see Pichini, S. 794(2003)281
- Vallano, P.T., Shugarts, S.B., Kline, W.F., Woolf, E.J. and Matuszewski, B.K.  
Determination of risidronate in human urine by column-switching ion-pair high-performance liquid chromatography with ultraviolet detection 794(2003)23
- Vander Heyden, Y., see Dehouck, P. 794(2003)293
- van Hout, M.W.J., Hofland, C.M., Niederländer, H.A.G., Bruins, A.P., de Zeeuw, R.A. and de Jong, G.J.  
On-line coupling of solid-phase extraction with mass spectrometry for the analysis of biological samples. III. Determination of prednisolone in serum 794(2003)185
- Van Looy, E., see Dehouck, P. 794(2003)293
- Vassallo, J.D., Morrall, S.W., Fliter, K.L., Curry, S.M., Daston, G.P. and Lehman-McKeeman, L.D.  
Liquid chromatographic determination of the glutathione conjugate and ring-opened metabolites formed from coumarin epoxidation 794(2003)257
- Voelter, W., see Friess, U. 794(2003)273
- Wahl, H.-G., see Friess, U. 794(2003)273
- Wainer, I.W., see Rodríguez Rosas, M.E. 794(2003)99
- Waldner, M., see Friess, U. 794(2003)273
- Wang, C., see Qin, Y. 794(2003)193
- Wang, X.B., see Qin, Y. 794(2003)193
- Weng, N., see Chen, Yu.-L. 794(2003)77
- Windischhofer, W., see Leis, H.J. 794(2003)205
- Woolf, E.J., see Vallano, P.T. 794(2003)23
- Wu, M.T., see Qin, Y. 794(2003)193
- Xu, Y., see Du, L. 794(2003)343
- Xu, Y.X., see Qin, Y. 794(2003)193

- Yin, J., Aviles, P., Lee, W., Ly, C., Guillen, M.J., Calvo, P.,  
Manzanares, I. and Faircloth, G.  
Validation of a sensitive assay for thiocoraline in mouse  
plasma using liquid chromatography–tandem mass  
spectrometry 794(2003)89
- Zemaitis, M.A., see Bolcato, C.A. 794(2003)363  
Zerler, B., see Chen, Yu.-L. 794(2003)77  
Zhang, T., see Gunaratna, C. 794(2003)303  
Zhao, M., see Qin, Y. 794(2003)193