



Compound Index Vol. 794

Amitraz

Determination of amitraz in canine plasma by solid-phase microextraction–gas chromatography with thermionic specific detection 794(2003)337

Anabolic steroids

Method development for corticosteroids and anabolic steroids by micellar liquid chromatography 794(2003)215

Antidepressants

Analysis of eighteen antidepressants, four atypical antipsychotics and active metabolites in serum by liquid chromatography: a simple tool for therapeutic drug monitoring 794(2003)35

Antipsychotics, atypical

Analysis of eighteen antidepressants, four atypical antipsychotics and active metabolites in serum by liquid chromatography: a simple tool for therapeutic drug monitoring 794(2003)35

Arachidonic acid

Determination of 20-hydroxyeicosatetraenoic acid in microsomal incubates using high-performance liquid chromatography–mass spectrometry (HPLC–MS) 794(2003)363

L-asparaginase

Solid-phase enzyme modification via affinity chromatography 794(2003)311

Benzoylperoxide

Analysis of erythromycin and benzoylperoxide in topical gels by liquid chromatography 794(2003)293

N(ε)-(Carboxymethyl)lysine

Liquid chromatography-based determination of urinary free and total N(epsilon)-(carboxymethyl)lysine excretion in normal and diabetic subjects 794(2003)273

Clavulanate

Simultaneous determination of ticarcillin and clavulanate in rabbit serum and tissue cage fluid by liquid chromatography 794(2003)227

Clofibrate

Simultaneous determination of clofibrate and its active metabolite clofibric acid in human plasma by reversed-phase high-performance liquid chromatography with ultraviolet absorbance detection 794(2003)343

Clofibric acid

Simultaneous determination of clofibrate and its active metabolite clofibric acid in human plasma by reversed-phase high-performance liquid chromatography with ultraviolet absorbance detection 794(2003)343

Cocaine

Development and validation of a liquid chromatography–mass spectrometry assay for the determination of opiates and cocaine in meconium 794(2003)281

Corticosteroids

Method development for corticosteroids and anabolic steroids by micellar liquid chromatography 794(2003)215

Coumarin

Liquid chromatographic determination of the glutathione conjugate and ring-opened metabolites formed from coumarin epoxidation 794(2003)257

Creatine

Validation of a simple liquid chromatography assay for creatine suitable for pharmacokinetic applications, determination of plasma protein binding and verification of percent labeled claim of various creatine products 794(2003)157

Creatinine

Development of a liquid chromatography–mass spectrometry method for the high-accuracy determination of creatinine in serum 794(2003)125

CYP4A

Determination of 20-hydroxyeicosatetraenoic acid in microsomal incubates using high-performance liquid chromatography–mass spectrometry (HPLC–MS) 794(2003)363

DA-7867

High-performance liquid chromatographic analysis of DA-7867, a new oxazolidinone, in human plasma and urine and in rat tissue homogenates 794(2003)397

6-Deoxy-6-demethyl-4-dedimethylaminotetracycline

Quantification of 6-deoxy-6-demethyl-4-dedimethylaminotetracycline (COL-3) in human plasma using liquid chromatography coupled with electrospray ionization tandem mass spectrometry 794(2003)77

Dextropropoxyphene

Determination of dextropropoxyphene and nordextropropoxyphene in urine by liquid chromatography–electrospray ionization mass spectrometry 794(2003)57

2,4-Dinitrophenylhydrazine

Measurement by reversed-phase high-performance liquid chromatography of malondialdehyde in normal human urine following derivatisation with 2,4-dinitrophenylhydrazine 794(2003)353

Diuretics

Application of high-performance liquid chromatography–mass spectrometry to detection of diuretics in human urine 794(2003)193

Enzymes

Purification of penicillin G acylase using immobilized metal affinity membranes 794(2003)67

Enzyme assay for protein kinase using micellar electrokinetic chromatography with laser-induced fluorescence detection 794(2003)149

Solid-phase enzyme modification via affinity chromatography 794(2003)311

Erythromycin

Analysis of erythromycin and benzoylperoxide in topical gels by liquid chromatography 794(2003)293

Estriol

Quantitative trace analysis of estriol in human plasma by negative ion chemical ionization gas chromatography–mass spectrometry using a deuterated internal standard 794(2003)205

Gleevec

Direct and fast capillary zone electrophoretic method for the determination of Gleevec and its main metabolite in human urine 794(2003)381

Glutathione

Liquid chromatographic determination of the glutathione conjugate and ring-opened metabolites formed from coumarin epoxidation 794(2003)257

6 β -Hydroxycortisols

Simultaneous determination of endogenous and stable isotope-labelled 6 β -hydroxycortisols in human urine by stable isotope dilution mass spectrometry 794(2003)373

20-Hydroxyeicosatetraenoic acid

Determination of 20-hydroxyeicosatetraenoic acid in microsomal incubates using high-performance liquid chromatography–mass spectrometry (HPLC–MS) 794(2003)363

1-Hydroxypyrene

Fast and sensitive determination of urinary 1-hydroxypyrene by packed capillary column switching liquid chromatography coupled to micro-electrospray time-of-flight mass spectrometry 794(2003)175

Imatinib mesylate

Direct and fast capillary zone electrophoretic method for the determination of Gleevec and its main metabolite in human urine 794(2003)381

JTP-20604

Simultaneous determination of JTT-501 and its main metabolite in human plasma by liquid chromatography–ionspray mass spectrometry 794(2003)167

JTT-501

Simultaneous determination of JTT-501 and its main metabolite in human plasma by liquid chromatography–ionspray mass spectrometry 794(2003)167

Ketamine

Determination of the enantiomers of ketamine and norketamine in human plasma by enantioselective liquid chromatography–mass spectrometry 794(2003)99

Lipid transfer proteins

Purification and characterization of a small (7.3 kDa) putative lipid transfer protein from maize seeds 794(2003)109

Malondialdehyde

Measurement by reversed-phase high-performance liquid chromatography of malondialdehyde in normal human urine following derivatisation with 2,4-dinitrophenylhydrazine 794(2003)353

Melatonin

Quantification of melatonin in human saliva by liquid chromatography–tandem mass spectrometry using stable isotope dilution 794(2003)115

Mifepristone

Determination of mifepristone levels in wild canid serum using liquid chromatography 794(2003)9

Mirtazapine

Determination of mirtazapine in human plasma by liquid chromatography 794(2003)323

Nordextropropoxyphene

Determination of dextropropoxyphene and nordextropropoxyphene in urine by liquid chromatography–electrospray ionization mass spectrometry 794(2003)57

Norketamine

Determination of the enantiomers of ketamine and norketamine in human plasma by enantioselective liquid chromatography–mass spectrometry 794(2003)99

Opiates

Development and validation of a liquid chromatography–mass spectrometry assay for the determination of opiates and cocaine in meconium 794(2003)281

Organochlorine pesticides

New high-resolution mass spectrometric approach for the measurement of polychlorinated biphenyls and organochlorine pesticides in human serum 794(2003)137

Oxazolidinones

High-performance liquid chromatographic analysis of DA-7867, a new oxazolidinone, in human plasma and urine and in rat tissue homogenates 794(2003)397

Penicillin G acylase

Purification of penicillin G acylase using immobilized metal affinity membranes 794(2003)67

Polychlorinated biphenyls

New high-resolution mass spectrometric approach for the measurement of polychlorinated biphenyls and organochlorine pesticides in human serum 794(2003)137

Prednisolone

On-line coupling of solid-phase extraction with mass spectrometry for the analysis of biological samples. III. Determination of prednisolone in serum 794(2003)185

Prostaglandins

Divergence in urinary 8-*iso*-PGF_{2α} (iPF_{2α}-III, 15-F_{2t}-IsoP) levels from gas chromatography–tandem mass spectrometry quantification after thin-layer chromatography and immunoaffinity column chromatography reveals heterogeneity of 8-*iso*-PGF_{2α}. Possible methodological, mechanistic and clinical implications 794(2003)237

Protein kinase

Enzyme assay for protein kinase using micellar electrokinetic chromatography with laser-induced fluorescence detection 794(2003)149

Quercetin

High-performance liquid chromatographic determination of quercetin in human plasma and urine utilizing solid-phase extraction and ultraviolet detection 794(2003)49

Risedronate

Determination of risedronate in human urine by column-switching ion-pair high-performance liquid chromatography with ultraviolet detection 794(2003)23

L-asparaginase

Solid-phase enzyme modification via affinity chromatography 794(2003)311

Silibinin

Application of liquid chromatography–electrospray ionization trap mass spectrometry to investigate the metabolism of silibinin in human liver microsomes 794(2003)303

2-Thiobarbituric acid

Measurement by reversed-phase high-performance liquid chromatography of malondialdehyde in normal human urine following derivatisation with 2,4-dinitrophenylhydrazine 794(2003)353

Thiocoraline

Validation of a sensitive assay for thiocoraline in mouse plasma using liquid chromatography–tandem mass spectrometry 794(2003)89

Ticarcillin

Simultaneous determination of ticarcillin and clavulanate in rabbit serum and tissue cage fluid by liquid chromatography 794(2003)227

Tobramycin

Determination of tobramycin in serum using liquid chromatography–tandem mass spectrometry and comparison with a fluorescence polarisation assay 794(2003)329

α-Tocopherol

Simultaneous determination of deuterated and non-deuterated α-tocopherol in human plasma by high-performance liquid chromatography 794(2003)1

Triazines

Triazinic herbicide determination by gas chromatography–mass spectrometry in breast milk 794(2003)389

Vigabatrin

Determination of vigabatrin by capillary electrophoresis with laser-induced fluorescence detection 794(2003)17