



Available online at www.sciencedirect.com



JOURNAL OF
CHROMATOGRAPHY B

Journal of Chromatography B, 795 (2003) 405–408

www.elsevier.com/locate/chromb

Author Index Vol. 795

- Acampora, A., see Pieri, M. 795(2003)347
Agrawal, Y.K., see Patel, G. 795(2003)157
Ahmadiani, A., see Amini, H. 795(2003)209
Alawode, O.A., see Babalola, C.P. 795(2003)265
Alexander, G., see Karlsen, A. 795(2003)17
Alkan, M., see Denizli, A. 795(2003)93
Alvarez García, C., see Flores Pérez, C. 795(2003)141
Amini, H. and Ahmadiani, A.
 Simple determination of cyclosporine in human whole blood by high-performance liquid chromatography 795(2003)209
Amini, N. and Crescenzi, C.
 Feasibility of an on-line restricted access material/liquid chromatography/tandem mass spectrometry method in the rapid and sensitive determination of organophosphorus triesters in human blood plasma 795(2003)245
Arnold, M., see Xue, Y.-J. 795(2003)215
Babalola, C.P., Scriba, G.K.E., Sowunmi, A. and Alawode, O.A.
 Liquid chromatographic determination of pyronaridine in human plasma and oral dosage form 795(2003)265
Berger-Preiss, E., see Elflein, L. 795(2003)195
Berovič, M., see Vodopivec, M. 795(2003)105
B'Hymer, C., Cheever, K.L., Butler, M.A. and Brown, K.K.
 Procedure for the quantification of the biomarker (2-methoxyethoxy)acetic acid in human urine samples 795(2003)145
Bieniek, G.
 Simultaneous determination of 2-methoxyphenol, 2-methoxy-4-methylphenol, 2,6-dimethoxyphenol and 4'-hydroxy-3'-methoxyacetophenone in urine by capillary gas chromatography 795(2003)389
Blomhoff, R., see Karlsen, A. 795(2003)17
Boddy, A.V., see Veal, G.J. 795(2003)237
Bonato, P.S., see Orlando, R.M. 795(2003)227
Brown, K.K., see B'Hymer, C. 795(2003)145
Büchele, B. and Simmet, T.
 Analysis of 12 different pentacyclic triterpenic acids from frankincense in human plasma by high-performance liquid chromatography and photodiode array detection 795(2003)355
Bucheli, F., see Heinig, K. 795(2003)337
Burke, T.G., see Zhang, J. 795(2003)309
Butler, M.A., see B'Hymer, C. 795(2003)145
Cebrián-Pérez, J.A., see Grasa, P. 795(2003)83
Cello, D., see Christiaens, B. 795(2003)73
Cetta, G., see Lupi, A. 795(2003)133
Chang, H.-Y., see Chien, C.M. 795(2003)1
Chang, W.-T., see Chien, C.M. 795(2003)1
Chang, Y.-H., see Chien, C.M. 795(2003)1
Cheever, K.L., see B'Hymer, C. 795(2003)145
Chen, S.-H., see Huang, W.-S. 795(2003)329
Chen, S.-T., see Chien, C.M. 795(2003)1
Chen, Y.-H., see Fung, E.N. 795(2003)187
Cheng, J.-L., see Chien, C.M. 795(2003)1
Chiap, P., see Christiaens, B. 795(2003)73
Chien, C.M., Cheng, J.-L., Chang, W.-T., Tien, M.-H., Wu, W.-Y.,
 Chang, Y.-H., Chang, H.-Y. and Chen, S.-T.
 Cell phenotype analysis using a cell fluid-based microchip with high sensitivity and accurate quantitation 795(2003)1
Cho, J.Y., Lim, H.S., Yu, K.S., Shim, H.J., Jang, I.J. and Shin, S.G.
 Sensitive liquid chromatography assay with ultraviolet detection for a new phosphodiesterase V inhibitor, DA-8159, in human plasma and urine 795(2003)179
Christiaens, B., Chiap, P., Rbeida, O., Cello, D., Crommen, J. and Hubert, Ph.,
 Fully automated method for the liquid chromatographic determination of cyproterone acetate in plasma using restricted access material for sample pre-treatment 795 (2003) 73
Chu, C.K., see Kong, L. 795(2003)371
Chu, D., Gu, J., Liu, W., Paul Fawcett, J. and Dong, Q.
 Sensitive liquid chromatographic assay for the simultaneous determination of 5-fluorouracil and its prodrug, tegafur, in beagle dog plasma 795(2003)377
Closas, N., see Ventura, R. 795(2003)167
Cooperwood, J.S., see Kong, L. 795(2003)371
Crescenzi, C., see Amini, N. 795(2003)245
Crommen, J., see Christiaens, B. 795(2003)73
de Bruijn, P., see de Jong, F.A. 795(2003)383
de Jong, F.A., Mathijssen, R.H.J., de Bruijn, P., Loos, W.J., Verweij, J. and Sparreboom, A.
 Determination of irinotecan (CPT-11) and SN-38 in human whole blood and red blood cells by liquid chromatography with fluorescence detection 795(2003)383
De la Torre, R., see Ventura, R. 795(2003)167
Della Torre, S., see Lupi, A. 795(2003)133
Denizli, A., Alkan, M., Garipcan, B., Özkar, S. and Pişkin, E.
 Novel metal-chelate affinity adsorbent for purification of immunoglobulin-G from human plasma 795(2003)93

- Dong, Q., see Chu, D. 795(2003)377
- Douglas Boudinot, F. see Kong, L. 795(2003)371
- Ehrsson, H. and Wallin, I.
- Liquid chromatographic determination of oxaliplatin in blood using post-column derivatization in a microwave field followed by photometric detection 795(2003)291
- Elend, M., see Elflein, L. 795(2003)195
- Elflein, L., Berger-Preiss, E., Preiss, A., Elend, M., Levsen, K. and Wünsch, G.
- Human biomonitoring of pyrethrum and pyrethroid insecticides used indoors: Determination of the metabolites *E-cis/trans-chrysanthemumdicarboxylic acid* in human urine by gas chromatography-mass spectrometry with negative chemical ionization 795(2003)195
- Emmrich, M., Floss, H., Zühlendorf, B. and Martiny, H.
- Automated method for determination of glutardialdehyde residues in flexible endoscopes after disinfection 795(2003)363
- Errington, J., see Veal, G.J. 795(2003)237
- Flores Pérez, C., Juárez Olguín, H., Flores Pérez, J., Toledo López, A., Lares Asseff, I. and Alvarez García, C.
- Reliable method for the determination of ranitidine by liquid chromatography using a microvolume of plasma 795(2003)141
- Flores Pérez, J., see Flores Pérez, C. 795(2003)141
- Floss, H., see Emmrich, M. 795(2003)363
- Forfar-Bares, I., see Garay Garcia, L. 795(2003)257
- Forlino, A., see Lupi, A. 795(2003)133
- Fung, E.N., Chen, Y.-H. and Lau, Y.Y.
- Semi-automatic high-throughput determination of plasma protein binding using a 96-well plate filtrate assembly and fast liquid chromatography-tandem mass spectrometry 795(2003)187
- Gao, R., see Kong, Y. 795(2003)9
- Garay Garcia, L., Forfar-Bares, I., Pehourcq, F. and Jarry, C.
- Simultaneous determination of four antipsychotic drugs in plasma by high-performance liquid chromatography. Application to management of acute intoxications 795(2003)257
- Garipcan, B., see Denizli, A. 795(2003)93
- Gatz, M., see Jemal, M. 795(2003)273
- Genovese, G., see Pieri, M. 795(2003)347
- Gergov, M., Ojanperä, I. and Vuori, E.
- Simultaneous screening for 238 drugs in blood by liquid chromatography-ionspray tandem mass spectrometry with multiple-reaction monitoring 795(2003)41
- Gerson, S.L., see Yang, S. 795(2003)295
- Goldiner, I., Overmars, H., Groen, A.K. and Kulik, W.
- Method for the quantitative assay of fatty acid-bile acid conjugates by tandem mass spectrometry 795(2003)35
- Grasa, P., Martí, J.I., Muñoz-Blanco, T. and Cebrán-Pérez, J.A.
- Different functional states of ram spermatozoa analysed by partition in an aqueous two-phase system 795(2003)83
- Griffin, M.J., see Veal, G.J. 795(2003)237
- Groen, A.K., see Goldiner, I. 795(2003)35
- Grosset, C., see Slama, I. 795(2003)115
- Gu, J., see Chu, D. 795(2003)377
- Gundersen, T.E., see Karlsson, A. 795(2003)17
- Guo, W. and Ruckenstein, E.
- Crosslinked glass fiber affinity membrane chromatography and its application to fibronectin separation 795(2003)61
- Gustafsson, L.L., see Jansson, A. 795(2003)151
- Hale, J., see Veal, G.J. 795(2003)237
- Hayasaka, S., see Sano, K. 795(2003)25
- Heinig, K. and Bucheli, F.
- Ultra-fast quantitative bioanalysis of a pharmaceutical compound using liquid chromatography-tandem mass spectrometry 795(2003)337
- Huang, W.-S., Lin, S.-J., Wu, H.L. and Chen, S.-H.
- Simultaneous determination of theophylline and dyphylline by micellar electrokinetic chromatography and application in drug formulations 795(2003)329
- Hubert, h.h., see Christiaens, B. 795 (2003) 73
- Ikegami, Y., see Sano, K. 795(2003)25
- Ishikawa, T., see Sano, K. 795(2003)25
- Jang, I.J., see Cho, J.Y. 795(2003)179
- Jansson, Å., Gustafsson, L.L. and Mirghani, R.A.
- High-performance liquid chromatographic method for the determination of quinine and 3-hydroxyquinine in blood samples dried on filter paper 795(2003)151
- Jarry, C., see Garay Garcia, L. 795(2003)257
- Jemal, M., Rao, S., Gatz, M. and Whigan, D.
- Liquid chromatography-tandem mass spectrometric quantitative determination of the HIV protease inhibitor atazanavir (BMS-232632) in human peripheral blood mononuclear cells (PBMC): practical approaches to PBMC preparation and PBMC assay design for high-throughput analysis 795(2003)273
- Jiménez, C., see Ventura, R. 795(2003)167
- Jourdan, E., see Slama, I. 795(2003)115
- Juárez Olguín, H., see Flores Pérez, C. 795(2003)141
- Karlsson, A., Alexander, G., Blomhoff, R. and Gundersen, T.E.
- Capillary high-performance liquid chromatographic determination of lutein and zeaxanthin in aqueous humor from a single mouse eye 795(2003)17
- Kataoka, M. and Seto, Y.
- Discriminative determination of alkyl methylphosphonates and methylphosphonate in blood plasma and urine by gas chromatography-mass spectrometry after *tert*-butyldimethylsilylation 795(2003)123
- Kong, L., Cooperwood, J.S., Oh, C.H., Chu, C.K. and Douglas Boudinot, F.
- Simultaneous determination of 3'-azido-2',3'-dideoxyuridine and novel prodrugs in rat plasma by liquid chromatography 795(2003)371
- Kong, Y., Zheng, N., Zhang, Z. and Gao, R.
- Optimization stacking by transient pseudo-isotachophoresis for capillary electrophoresis: example analysis of plasma glutathione 795(2003)9
- Kulik, W., see Goldiner, I. 795(2003)35
- Lares Asseff, I., see Flores Pérez, C. 795(2003)141
- Latus, L.J., see Zhang, J. 795(2003)309
- Lau, Y.Y., see Fung, E.N. 795(2003)187
- Levsen, K., see Elflein, L. 795(2003)195

- Lim, H.S., see Cho, J.Y. 795(2003)179
 Lin, S.-J., see Huang, W.-S. 795(2003)329
 Liu, L., see Yang, S. 795(2003)295
 Liu, W., see Chu, D. 795(2003)377
 Loos, W.J., see de Jong, F.A. 795(2003)383
 Lupi, A., Della Torre, S., Rossi, A., Cetta, G. and Forlino, A.
 Optimization of a capillary electrophoretic method to detect
 and quantify the Gly-Pro dipeptide in complex matrices
 from long term cultured prolidase deficiency fibroblasts
 795(2003)133
 Lv, S., see Zhao, C. 795(2003)55
 Ma, J., see Zhao, C. 795(2003)55
 Macone, A., see Nardini, M. 795(2003)319
 Martí, J.I., see Grasa, P. 795(2003)83
 Martiny, H., see Emmrich, M. 795(2003)363
 Matarese, R.M., see Nardini, M. 795(2003)319
 Mathijssen, R.H.J., see de Jong, F.A. 795(2003)383
 Meeker, J.B., see Xue, Y.-J. 795(2003)215
 Miraglia, N., see Pieri, M. 795(2003)347
 Mirghani, R.A., see Jansson, A. 795(2003)151
 Muñoz-Blanco, T., see Grasa, P. 795(2003)83
 Nardini, M., Macone, A. and Matarese, R.M.
 Determination of aminoethylcysteine ketimine decarboxylated
 dimer in human plasma and cultured cells by high-performance
 liquid chromatography with electrochemical detection
 795(2003)319
 Oh, C.H., see Kong, L. 795(2003)371
 Ojanperä, I., see Gergov, M. 795(2003)41
 Orlando, R.M. and Bonato, P.S.
 Simple and efficient method for enantioselective determination
 of omeprazole in human plasma 795(2003)227
 Overmars, H., see Goldiner, I. 795(2003)35
 Özkar, S., see Denizli, A. 795(2003)93
 Parry, A., see Veal, G.J. 795(2003)237
 Patel, G. and Agrawal, Y.K.
 Separation and trace estimation of benzidine and its macro-
 molecular adducts using supercritical fluid chromatogra-
 phy 795(2003)157
 Paul Fawcett, J., see Chu, D. 795(2003)377
 Pearson, A.D.J., see Veal, G.J. 795(2003)237
 Pehourcq, F., see Garay Garcia, L. 795(2003)257
 Peyrin, E., see Slama, I. 795(2003)115
 Pieri, M., Miraglia, N., Acampora, A., Genovese, G., Soleo, L. and
 Sannolo, N.
 Determination of urinary S-phenylmercapturic acid by liquid
 chromatography-tandem mass spectrometry 795(2003)347
 Pişkin, E., see Denizli, A. 795(2003)93
 Podgornik, A., see Vodopivec, M. 795(2003)105
 Preiss, A., see Elflein, L. 795(2003)195
 Price, L., see Veal, G.J. 795(2003)237
 Pursley, J., see Xue, Y.-J. 795(2003)215
 Rao, S., see Jemal, M. 795(2003)273
 Ravel, A., see Slama, I. 795(2003)115
 Rbeida, O., see Christiaens, B. 795(2003)73
 Rossi, A., see Lupi, A. 795(2003)133
 Ruckenstein, E., see Guo, W. 795(2003)61
 Sannolo, N., see Pieri, M. 795(2003)347
 Sano, K., Yoshikawa, M., Hayasaka, S., Satake, K., Ikegami, Y.,
 Yoshida, H., Ishikawa, T., Sawada, S. and Tanabe, S.
 Simple non-ion-paired high-performance liquid chromatographic
 method for simultaneous quantitation of carboxylate
 and lactone forms of 14 new camptothecin derivatives
 795(2003)25
 Satake, K., see Sano, K. 795(2003)25
 Sawada, S., see Sano, K. 795(2003)25
 Scriba, G.K.E., see Babalola, C.P. 795(2003)265
 Segura, J., see Ventura, R. 795(2003)167
 Seto, Y., see Kataoka, M. 795(2003)123
 Shi, X., see Zhao, C. 795(2003)55
 Shim, H.J., see Cho, J.Y. 795(2003)179
 Shin, S.G., see Cho, J.Y. 795(2003)179
 Simmet, T., see Büchele, B. 795(2003)355
 Slama, I., Jourdan, E., Grosset, C., Ravel, A., Villet, A. and Peyrin,
 E.
 Role of the vancomycin-ristocetin heterodimerization on the
 enantioselectivity of D,L-tryptophan and D,L-dansyl trypto-
 phan 795(2003)115
 Sludden, J., see Veal, G.J. 795(2003)237
 Soleo, L., see Pieri, M. 795(2003)347
 Sowunmi, A., see Babalola, C.P. 795(2003)265
 Sparreboom, A., see de Jong, F.A. 795(2003)383
 Štrancar, A., see Vodopivec, M. 795(2003)105
 Tanabe, S., see Sano, K. 795(2003)25
 Tien, M.-H., see Chien, C.M. 795(2003)1
 Toledo López, A., see Flores Pérez, C. 795(2003)141
 Turner, K.C., see Xue, Y.-J. 795(2003)215
 Unger, S., see Xue, Y.-J. 795(2003)215
 Veal, G.J., Errington, J., Sludden, J., Griffin, M.J., Price, L., Parry,
 A., Hale, J., Pearson, A.D.J. and Boddy, A.V.
 Determination of anti-cancer drug actinomycin D in human
 plasma by liquid chromatography-mass spectro-
 metry 795(2003)237
 Ventura, R., Jiménez, C., Closas, N., Segura, J. and De la Torre, R.
 Stability studies of selected doping agents in urine:
 caffeine 795(2003)167
 Verweij, J., see de Jong, F.A. 795(2003)383
 Villet, A., see Slama, I. 795(2003)115
 Vodopivec, M., Podgornik, A., Berovič, M. and Štrancar, A.
 Characterization of CIM monoliths as enzyme reac-
 tors 795(2003)105
 Vuori, E., see Gergov, M. 795(2003)41
 Wallin, I., see Ehrsson, H. 795(2003)291
 Whigan, D., see Jemal, M. 795(2003)273
 Wu, H.L., see Huang, W.-S. 795(2003)329
 Wu, W.-Y., see Chien, C.M. 795(2003)1
 Wünsch, G., see Elflein, L. 795(2003)195
 Xu, G., see Zhao, C. 795(2003)55
 Xu, Y., see Yang, S. 795(2003)295
 Xue, Y.-J., Turner, K.C., Meeker, J.B., Pursley, J., Arnold, M. and
 Unger, S.
 Quantitative determination of pioglitazone in human serum by
 direct-injection high-performance liquid chromatography mass
 spectrometry and its application to a bioequivalence
 study 795(2003)215

- Yang, Q., see Zhao, C. 795(2003)55
- Yang, S., Liu, L., Gerson, S.L. and Xu, Y.
Measurement of anti-cancer agent methoxyamine in plasma by tandem mass spectrometry with on-line sample extraction
795(2003)295
- Yoshida, H., see Sano, K. 795(2003)25
- Yoshikawa, M., see Sano, K. 795(2003)25
- Yu, K.S., see Cho, J.Y. 795(2003)179
- Zhang, J., Burke, T.G. and Latus, L.J.
Determination of 9-nitrocamptothecin by precolumn derivatization and its metabolite 9-aminocamptothecin in a biological fluid using reversed-phase high-performance liquid chromatography with fluorescence detection 795(2003)309
- Zhang, Y., see Zhao, C. 795(2003)55
- Zhang, Z., see Kong, Y. 795(2003)9
- Zhao, C., Xu, G., Shi, X., Ma, J., Zhang, Y., Lv, S. and Yang, Q.
Simultaneous genotyping of multiplex single nucleotide polymorphisms of the K-ras gene with a home-made kit
795(2003)55
- Zheng, N., see Kong, Y. 795(2003)9
- Zühlendorf, B., see Emmrich, M. 795(2003)363