

### Available online at www.sciencedirect.com



JOURNAL OF CHROMATOGRAPHY B

Journal of Chromatography B, 795 (2003) 409-411

www.elsevier.com/locate/chromb

# Compound Index Vol. 795

### Actinomycin D

Determination of anti-cancer drug actinomycin D in human plasma by liquid chromatography–mass spectrometry 795(2003)237

### Alkyl methylphosphonates

Discriminative determination of alkyl methylphosphonates and methylphosphonate in blood plasma and urine by gas chromatography—mass spectrometry after *tert*.-butyldimethylsilylation 795(2003)123

#### 9-Aminocamptothecin

Determination of 9-nitrocamptothecin by precolumn derivatization and its metabolite 9-aminocamptothecin in a biological fluid using reversed-phase high-performance liquid chromatography with fluorescence detection 795(2003)309

### Aminoethylcysteine ketimine decarboxylated dimer

Determination of aminoethylcysteine ketimine decarboxylated dimer in human plasma and cultured cells by high-performance liquid chromatography with electrochemical detection 795(2003)319

### Arachidyl amido cholanoic acid

Method for the quantitative assay of fatty acid-bile acid conjugates by tandem mass spectrometry 795(2003)35

#### Atazanavir

Liquid chromatography-tandem mass spectrometric quantitative determination of the HIV protease inhibitor atazanavir (BMS-232632) in human peripheral blood mononuclear cells (PBMC): practical approaches to PBMC preparation and PBMC assay design for high-throughput analysis 795(2003)273

### 3'-Azido-2',3'-dideoxyuridine

Simultaneous determination of 3'-azido-2',3'-dideoxyuridine and novel prodrugs in rat plasma by liquid chromatography 795(2003)371

### Benzidine

Separation and trace estimation of benzidine and its macromolecular adducts using supercritical fluid chromatography 795(2003)157

#### Caffeine

Stability studies of selected doping agents in urine: caffeine 795(2003)167

### Camptothecin

Simple non-ion-paired high-performance liquid chromatographic method for simultaneous quantitation of carboxylate and lactone forms of 14 new camptothecin derivatives 795(2003)25

### Chrysanthemumdicarboxylic acid

Human biomonitoring of pyrethrum and pyrethroid insecticides used indoors:. Determination of the metabolites *E-cis/trans*-chrysanthemumdicarboxylic acid in human urine by gas chromatography-mass spectrometry with negative chemical ionization 795(2003)195

### Clozapine

Simultaneous determination of four antipsychotic drugs in plasma by high-performance liquid chromatography. Application to management of acute intoxications 795(2003)257

### CPT-11

Simple non-ion-paired high-performance liquid chromatographic method for simultaneous quantitation of carboxylate and lactone forms of 14 new camptothecin derivatives 795(2003)25

Determination of irinotecan (CPT-11) and SN-38 in human whole blood and red blood cells by liquid chromatography with fluorescence detection 795(2003)383

#### Cyclosporine

Simple determination of cyclosporine in human whole blood by high-performance liquid chromatography 795(2003)209

#### Cyproterone acetate

Fully automated method for the liquid chromatographic determination of cyproterone acetate in plasma using restricted access material for sample pre-treatment 795(2003)73

### DA-8159

Sensitive liquid chromatography assay with ultraviolet detection for a new phosphodiesterase V inhibitor, DA-8159, in human plasma and urine 795(2003)179

### Dansyltryptophan

Role of the vancomycin-ristocetin heterodimerization on the enantioselectivity of D,L-tryptophan and D,L-dansyl tryptophan 795(2003)115

### Diacetylbenzidine

Separation and trace estimation of benzidine and its macromolecular adducts using supercritical fluid chromatography 795(2003)157

### 2,6-Dimethoxyphenol

Simultaneous determination of 2-methoxyphenol, 2-methoxy-4-methylphenol, 2,6-dimethoxyphenol and 4'-hydroxy-3'-methoxyacetophenone in urine by capillary gas chromatography 795(2003)389

### Dipeptide

Optimization of a capillary electrophoretic method to detect and quantify the Gly–Pro dipeptide in complex matrices from long term cultured prolidase deficiency fibroblasts 795(2003)133

### Dyphylline

Simultaneous determination of theophylline and dyphylline by micellar electrokinetic chromatography and application in drug formulations 795(2003)329

### Fatty acid-bile acid conjugates

Method for the quantitative assay of fatty acid-bile acid conjugates by tandem mass spectrometry 795(2003)35

#### Fibronectin

Crosslinked glass fiber affinity membrane chromatography and its application to fibronectin separation 795(2003)61

#### 5-Fluorouracil

Sensitive liquid chromatographic assay for the simultaneous determination of 5-fluorouracil and its prodrug, tegafur, in beagle dog plasma 795(2003)377

#### Flupenthixol

Simultaneous determination of four antipsychotic drugs in plasma by high-performance liquid chromatography. Application to management of acute intoxications 795(2003)257

#### Gelatin

Crosslinked glass fiber affinity membrane chromatography and its application to fibronectin separation 795(2003)61

### Glutardialdehyde

Automated method for determination of glutardial dehyde residues in flexible endoscopes after disinfection 795(2003)363

# Glutathione

Optimization stacking by transient pseudo-isotachophoresis for capillary electrophoresis: example analysis of plasma glutathione 795(2003)9

### Heparin

Crosslinked glass fiber affinity membrane chromatography and its application to fibronectin separation 795(2003)61

# 4'-Hydroxy-3'-methoxyacetophenone

Simultaneous determination of 2-methoxyphenol, 2-methoxy-4-methylphenol, 2,6-dimethoxyphenol and 4'-hydroxy-3'-methoxyacetophenone in urine by capillary gas chromatography 795(2003)389

#### 3-Hydroxyquinine

High-performance liquid chromatographic method for the determination of quinine and 3-hydroxyquinine in blood samples dried on filter paper 795(2003)151

### Immunoglobulin G

Novel metal-chelate affinity adsorbent for purification of immunoglobulin-G from human plasma 795(2003)93

#### Irinotecan

Determination of irinotecan (CPT-11) and SN-38 in human whole blood and red blood cells by liquid chromatography with fluorescence detection 795(2003)383

### Loxapine

Simultaneous determination of four antipsychotic drugs in plasma by high-performance liquid chromatography. Application to management of acute intoxications 795(2003)257

#### Lutein

Capillary high-performance liquid chromatographic determination of lutein and zeaxanthin in aqueous humor from a single mouse eye 795(2003)17

### Methoxyamine

Measurement of anti-cancer agent methoxyamine in plasma by tandem mass spectrometry with on-line sample extraction 795(2003)295

### (2-Methoxyethoxy)acetic acid

Procedure for the quantification of the biomarker (2-methoxyethoxy)acetic acid in human urine samples 795(2003)145

### 2-Methoxy-4-methylphenol

Simultaneous determination of 2-methoxyphenol, 2-methoxy-4-methylphenol, 2,6-dimethoxyphenol and 4'-hydroxy-3'-methoxyacetophenone in urine by capillary gas chromatography 795(2003)389

### 2-Methoxyphenol

Simultaneous determination of 2-methoxyphenol, 2-methoxy-4-methylphenol, 2,6-dimethoxyphenol and 4'-hydroxy-3'-methoxyacetophenone in urine by capillary gas chromatography 795(2003)389

### Methylphosphonates

Discriminative determination of alkyl methylphosphonates and methylphosphonate in blood plasma and urine by gas chromatography—mass spectrometry after *tert.*-butyldimethylsilylation 795(2003)123

### 4-(N,N-diethylamino)benzaldehyde

Measurement of anti-cancer agent methoxyamine in plasma by tandem mass spectrometry with on-line sample extraction 795(2003)295

### 9-Nitrocamptothecin

Determination of 9-nitrocamptothecin by precolumn derivatization and its metabolite 9-aminocamptothecin in a biological fluid using reversed-phase high-performance liquid chromatography with fluorescence detection 795(2003)309

### **Omeprazole**

Simple and efficient method for enantioselective determination of omeprazole in human plasma 795(2003)227

#### Organic acids

Characterization of CIM monoliths as enzyme reactors 795(2003)105

# Organophosphorus triesters

Feasibility of an on-line restricted access material/liquid chromatography/tandem mass spectrometry method in the rapid and sensitive determination of organophosphorus triesters in human blood plasma 795(2003)245

#### **Oxaliplatin**

Liquid chromatographic determination of oxaliplatin in blood using post-column derivatization in a microwave field followed by photometric detection 795(2003)291

### Pentacyclic triterpenic acids

Analysis of 12 different pentacyclic triterpenic acids from frankincense in human plasma by high-performance liquid chromatography and photodiode array detection 795(2003)355

### Pioglitazone

Quantitative determination of pioglitazone in human serum by direct-injection high-performance liquid chromatography mass spectrometry and its application to a bioequivalence study 795(2003)215

### **Proteins**

Semi-automatic high-throughput determination of plasma protein binding using a 96-well plate filtrate assembly and fast liquid chromatography-tandem mass spectrometry 795(2003)187

# Pyrethroid insecticides

Human biomonitoring of pyrethrum and pyrethroid insecticides used indoors:. Determination of the metabolites *E-cis/trans*-chrysanthemumdicarboxylic acid in human urine by gas chromatography-mass spectrometry with negative chemical ionization 795(2003)195

### **Pyrethrum**

Human biomonitoring of pyrethrum and pyrethroid insecticides used indoors:. Determination of the metabolites *E-cis/trans*-chrysanthemumdicarboxylic acid in human urine by gas chromatography-mass spectrometry with negative chemical ionization 795(2003)195

#### Pyronaridine

Liquid chromatographic determination of pyronaridine in human plasma and oral dosage form 795(2003)265

#### Ouinine

High-performance liquid chromatographic method for the determination of quinine and 3-hydroxyquinine in blood samples dried on filter paper 795(2003)151

#### Ranitidine

Reliable method for the determination of ranitidine by liquid chromatography using a microvolume of plasma 795(2003)141

### SN-38

Simple non-ion-paired high-performance liquid chromatographic method for simultaneous quantitation of carboxylate and lactone forms of 14 new camptothecin derivatives 795(2003)25

Determination of irinotecan (CPT-11) and SN-38 in human whole blood and red blood cells by liquid chromatography with fluorescence detection 795(2003)383

### S-Phenylmercapturic acid

Determination of urinary S-phenylmercapturic acid by liquid chromatography-tandem mass spectrometry 795(2003)347

### **Tegafur**

Sensitive liquid chromatographic assay for the simultaneous determination of 5-fluorouracil and its prodrug, tegafur, in beagle dog plasma 795(2003)377

#### Theophylline

Simultaneous determination of theophylline and dyphylline by micellar electrokinetic chromatography and application in drug formulations 795(2003)329

#### **Trypsin**

Crosslinked glass fiber affinity membrane chromatography and its application to fibronectin separation 795(2003)61

### Tryptophan

Role of the vancomycin-ristocetin heterodimerization on the enantioselectivity of  $_{D,L}$ -tryptophan and  $_{D,L}$ -dansyl tryptophan 795(2003)115

### Vancomycin-ristocetin

Role of the vancomycin-ristocetin heterodimerization on the enantioselectivity of  $_{D,L}$ -tryptophan and  $_{D,L}$ -dansyl tryptophan 795(2003)115

### Zeaxanthin

Capillary high-performance liquid chromatographic determination of lutein and zeaxanthin in aqueous humor from a single mouse eye 795(2003)17

# Zuclopenthixol

Simultaneous determination of four antipsychotic drugs in plasma by high-performance liquid chromatography. Application to management of acute intoxications 795(2003)257