



Author Index Vol. 798

- AbuRuz, S., Millership, J. and McElnay, J.
Determination of metformin in plasma using a new ion pair solid phase extraction technique and ion pair liquid chromatography 798(2003)203
- AbuRuz, S., Millership, J., Heaney, L. and McElnay, J.
Simple liquid chromatography method for the rapid simultaneous determination of prednisolone and cortisol in plasma and urine using hydrophilic lipophilic balanced solid phase extraction cartridges 798(2003)193
- Adlercreutz, H., see Nurmi, T. 798(2003)101
- Akiyama, T., see Tokunaga, N. 798(2003)163
- Alvarez, L., see Mottier, L. 798(2003)117
- Ameno, K., see Jamal, M. 798(2003)155
- Ameno, S., see Jamal, M. 798(2003)155
- Andre, C., see Guillaume, Y. 798(2003)217
- Arab, K., see Steghens, J.-P. 798(2003)343
- Aubin, F., see Guillaume, Y. 798(2003)217
- Ballesteros, O., Toro, I., Sanz-Nebot, V., Navalón, A., Vílchez, J.L. and Barbosa, J.
Determination of fluoroquinolones in human urine by liquid chromatography coupled to pneumatically assisted electrospray ionization mass spectrometry 798(2003)137
- Barbosa, J., see Ballesteros, O. 798(2003)137
- Barbosa, J., see Sanz-Nebot, V. 798(2003)1
- Barnes, A., see Gustafson, R.A. 798(2003)145
- Barré, J., see Hervé, F. 798(2003)283
- Beijnen, J.H., see Kemper, E.M. 798(2003)63
- Beland, F.A., see Williams, L.D. 798(2003)55
- Berg, J.D., see Ford, L.T. 798(2003)111
- Bode-Böger, S.M., see Martens-Lobenhoffer, J. 798(2003)231
- Borlak, J., see Walles, M. 798(2003)265
- Bräutigam, L., Seegel, M., Tegeder, I., Schmidt, H., Meier, S., Podda, M., Kaufmann, R., Grundmann-Kollmann, M. and Geisslinger, G.
Determination of 8-methoxysoralen in human plasma, and microdialysates using liquid chromatography–tandem mass spectrometry 798(2003)223
- Cass, Q.B., Lima, V.V., Oliveira, R.V., Cassiano, N.M., Degani, A.L.G. and Pedrazzoli Jr., J.
Enantiomeric determination of the plasma levels of omeprazole by direct plasma injection using high-performance liquid chromatography with achiral–chiral column-switching 798(2003)275
- Cassiano, N.M., see Cass, Q.B. 798(2003)275
- Cho, H.-Y., Jeong, T.-J. and Lee, Y.-B.
Simultaneous determination of triflusul and its major active metabolite, 2-hydroxy-4-trifluoromethyl benzoic acid, in rat and human plasma by high-performance liquid chromatography 798(2003)257
- Chou, S.-H., see Lin, L.-C. 798(2003)241
- Cirimele, V., see Villain, M. 798(2003)351
- Collombel, C., see Steghens, J.-P. 798(2003)343
- Da, S., see Zhang, W. 798(2003)323
- d'Athis, P., see Hervé, F. 798(2003)283
- de la Torre, R., see Pujadas, M. 798(2003)249
- de Moraes Moreau, R.L., see de Toledo, F.C.P. 798(2003)361
- de Toledo, F.C.P., Yonamine, M., de Moraes Moreau, R.L. and Silva, O.A.
Determination of cocaine, benzoylegonine and cocaethylene in human hair by solid-phase microextraction and gas chromatography–mass spectrometry 798(2003)361
- Degani, A.L.G., see Cass, Q.B. 798(2003)275
- Doerge, D.R., see Williams, L.D. 798(2003)55
- Domijan, A.-M., Peraica, M., Miletic-Medved, M., Lucić, A. and Fuchs, R.
Two different clean-up procedures for liquid chromatographic determination of ochratoxin A in urine 798(2003)317
- Farré, M., see Pujadas, M. 798(2003)249
- Farruggia, B., Nerli, B. and Picó, G.
Study of the serum albumin-polyethyleneglycol interaction to predict the protein partitioning in aqueous two-phase systems 798(2003)25
- Feng, Y., see Zhang, W. 798(2003)323
- Flourié, F., see Steghens, J.-P. 798(2003)343
- Ford, L.T. and Berg, J.D.
Determination of thiopurine S-methyltransferase activity in erythrocytes using 6-thioguanine as substrate and a non-extraction liquid chromatographic technique 798(2003)111
- Frölich, J.C., see Tsikas, D. 798(2003)87
- Fuchs, R., see Domijan, A.-M. 798(2003)317
- Funakoshi, Y., see Inoue, K. 798(2003)17
- Galera, R., see Pérez-Ruiz, T. 798(2003)303
- Gallo, J.M., see Guo, P. 798(2003)79
- Gehin, A., see Guillaume, Y. 798(2003)217
- Geisslinger, G., see Bräutigam, L. 798(2003)223
- González, P., see Sanz-Nebot, V. 798(2003)1
- Gonzalo-Lumbrales, R., see Izquierdo-Hornillos, R. 798(2003)69
- Gowda, B.G., see Nagaralli, B.S. 798(2003)49
- Grundmann-Kollmann, M., see Bräutigam, L. 798(2003)223
- Guillaume, Y., Andre, C., Simon, N., Gehin, A., Guyon, C., Thomassin, M., Ismaili, L., Aubin, F. and Nicod, L.
Chromatographic determination of the association constant between 8-methoxysoralen and modified β-cyclodextrin: protective effect of hydroxypropyl-β-cyclodextrin on 8-methoxysoralen toxicity in human keratinocytes 798(2003)217
- Guo, P., Ma, J., Li, S. and Gallo, J.M.
Determination of paclitaxel in mouse plasma and brain tissue by liquid chromatography–mass spectrometry 798(2003)79
- Gustafson, R.A., Moolchan, E.T., Barnes, A., Levine, B. and Huestis, M.A.
Validated method for the simultaneous determination of Δ⁹-tetrahydrocannabinol (THC), 11-hydroxy-THC and 11-nor-9-carboxy-THC in human plasma using solid phase extraction and gas chromatography–mass spectrometry with positive chemical ionization 798(2003)145

- Gutzki, F.-M., see Tsikas, D. 798(2003)87
 Guyon, C., see Guillaume, Y. 798(2003)217
- Hasegawa, T., see Ueyama, J. 798(2003)35
 Hasselstrøm, J. and Linnet, K.
 Fully automated on-line quantification of quetiapine in human serum by solid phase extraction and liquid chromatography 798(2003)9
- He, H., see Zhang, W. 798(2003)323
 Heaney, L., see AbuRuz, S. 798(2003)193
 Hervé, F., d'Athis, P., Tremblay, D., Tillement, J.-P. and Barré, J.
 Glycosylation study of the major genetic variants of human α_1 -acid glycoprotein and of their pharmacokinetics in the rat 798(2003)283
- Huestis, M.A., see Gustafson, R.A. 798(2003)145
- Ijiri, I., see Jamal, M. 798(2003)155
 Inoue, K., Kawaguchi, M., Funakoshi, Y. and Nakazawa, H.
 Size-exclusion flow extraction of bisphenol A in human urine for liquid chromatography-mass spectrometry 798(2003)17
- Ismaili, L., see Guillaume, Y. 798(2003)217
 Iwase, M., see Ueyama, J. 798(2003)35
 Izquierdo-Hornillos, R. and Gonzalo-Lumbrieras, R.
 Optimization of the separation of a complex mixture of natural and synthetic anabolic steroids by micellar liquid chromatography 798(2003)69
- Jamal, M., Ameno, K., Kumihashi, M., Ameno, S., Kubota, T., Wang, W. and Ijiri, I.
 Microdialysis for the determination of acetaldehyde and ethanol concentrations in the striatum of freely moving rats 798(2003)155
- Jeong, T.-J., see Cho, H.-Y. 798(2003)257
 Jin, W., see Wang, W. 798(2003)175
 Johnson, D.W., Trinh, M.-U. and Oe, T.
 Measurement of plasma pristanic, phytanic and very long chain fatty acids by liquid chromatography-electrospray tandem mass spectrometry for the diagnosis of peroxisomal disorders 798(2003)159
- Kakinoki, S., see Machida, M. 798(2003)187
 Kaufmann, R., see Bräutigam, L. 798(2003)223
 Kawaguchi, M., see Inoue, K. 798(2003)17
 Kays, M.B., see Overholser, B.R. 798(2003)167
 Kemper, E.M., Ouwehand, M., Beijnen, J.H. and van Tellingen, O.
 Bioanalysis of zosuquidar trihydrochloride (LY335979) in small volumes of human and murine plasma by ion-pairing reversed-phase high-performance liquid chromatography 798(2003)63
- Kintz, P., see Villain, M. 798(2003)351
 Kitaichi, K., see Ueyama, J. 798(2003)35
 Klinker, H., see Zilly, M. 798(2003)179
 Krogh, M., see Ugland, H.G. 798(2003)127
 Kubota, T., see Jamal, M. 798(2003)155
 Kumihashi, M., see Jamal, M. 798(2003)155
- Langmann, P., see Zilly, M. 798(2003)179
 Lanusse, C., see Mottier, L. 798(2003)117
 Lee, Y.-B., see Cho, H.-Y. 798(2003)257
 Lenker, U., see Zilly, M. 798(2003)179
 Levine, B., see Gustafson, R.A. 798(2003)145
 Levsen, K., see Walles, M. 798(2003)265
 Li, S., see Guo, P. 798(2003)79
 Lima, V.V., see Cass, Q.B. 798(2003)275
 Lin, C.-H., see Lin, L.-C. 798(2003)241
 Lin, L.-C., Liu, J.-T., Chou, S.-H. and Lin, C.-H.
 Identification of 2,5-dimethoxy-4-ethylthiophenethylamine and its metabolites in the urine of rats by gas chromatography-mass spectrometry 798(2003)241
- Linnet, K., see Hasselstrøm, J. 798(2003)9
 Liu, C., see Zhou, M. 798(2003)43
 Liu, J.-T., see Lin, L.-C. 798(2003)241
- Liu, Y., see Zhou, M. 798(2003)43
 Lu, L., see Zhou, M. 798(2003)43
 Lucić, A., see Domijan, A.-M. 798(2003)317
 Ludes, B., see Villain, M. 798(2003)351
- Ma, J., see Guo, P. 798(2003)79
 Machida, M., Watanabe, M., Takechi, S., Kakinoki, S. and Nomura, A.
 Measurement of carvedilol in plasma by high-performance liquid chromatography with electrochemical detection 798(2003)187
- Martens-Lobenhoffer, J. and Bode-Böger, S.M.
 Simultaneous detection of arginine, asymmetric dimethylarginine, symmetric dimethylarginine and citrulline in human plasma and urine applying liquid chromatography-mass spectrometry with very straightforward sample preparation 798(2003)231
- Martínez-Lozano, C., see Pérez-Ruiz, T. 798(2003)303
 Maurer, H.H., see Staack, R.F. 798(2003)333
 McElnay, J., see AbuRuz, S. 798(2003)193
 McElnay, J., see AbuRuz, S. 798(2003)203
 Meier, S., see Bräutigam, L. 798(2003)223
 Melwanki, M.B., see Nagaralli, B.S. 798(2003)49
 Menoyo, E., see Pujadas, M. 798(2003)249
 Miletic-Medved, M., see Domijan, A.-M. 798(2003)317
 Millership, J., see AbuRuz, S. 798(2003)193
 Millership, J., see AbuRuz, S. 798(2003)203
 Moolchan, E.T., see Gustafson, R.A. 798(2003)145
 Morgan, P.E., Tapper, J. and Spencer, E.P.
 Measurement of total mirtazapine and normirtazapine in plasma/serum by liquid chromatography with fluorescence detection 798(2003)211
- Mori, H., see Tokunaga, N. 798(2003)163
 Mottier, L., Alvarez, L. and Lanusse, C.
 Quantitative chromatographic determination of several benzimidazole anthelmintic molecules in parasite material 798(2003)117
- Nagaralli, B.S., Seetharamappa, J., Gowda, B.G. and Melwanki, M.B.
 Liquid chromatographic determination of ceterizine hydrochloride and paracetamol in human plasma and pharmaceutical formulations 798(2003)49
- Nakazawa, H., see Inoue, K. 798(2003)17
 Navalón, A., see Ballesteros, O. 798(2003)137
 Neirinck, L., see Tessier, E. 798(2003)295
 Nerli, B., see Farruggia, B. 798(2003)25
 Nicod, L., see Guillaume, Y. 798(2003)217
 Nisar, U.-R., see Wong, J.W. 798(2003)355
 Nomura, A., see Machida, M. 798(2003)187
 Nurmi, T., Voutilainen, S., Nyysönen, K., Adlercreutz, H. and Salonen, J.T.
 Liquid chromatography method for plant and mammalian lignans in human urine 798(2003)101
- Nyysönen, K., see Nurmi, T. 798(2003)101
- Oe, T., see Johnson, D.W. 798(2003)159
 Oliveira, R.V., see Cass, Q.B. 798(2003)275
 Ouwehand, M., see Kemper, E.M. 798(2003)63
 Overholser, B.R., Kays, M.B. and Sowinski, K.M.
 Determination of gatifloxacin in human serum and urine by high-performance liquid chromatography with ultraviolet detection 798(2003)167
- Pedrazzoli Jr., J., see Cass, Q.B. 798(2003)275
 Peraica, M., see Domijan, A.-M. 798(2003)317
 Pérez-Ruiz, T., Martínez-Lozano, C., Tomás, V. and Galera, R.
 Development of a capillary electrophoresis method for the determination of allopurinol and its active metabolite oxypurinol 798(2003)303
- Pichini, S., see Pujadas, M. 798(2003)249
 Picó, G., see Farruggia, B. 798(2003)25
 Podda, M., see Bräutigam, L. 798(2003)223

- Poudevida, S., see Pujadas, M. 798(2003)249
- Pujadas, M., Pichini, S., Poudevida, S., Menoyo, E., Zuccaro, P., Farré, M. and de la Torre, R. Development and validation of a gas chromatography-mass spectrometry assay for hair analysis of amphetamine, methamphetamine and methylenedioxy derivatives 798(2003)249
- Reubaet, L., see Ugland, H.G. 798(2003)127
- Ribes, A., see Sanz-Nebot, V. 798(2003)1
- Ricaut, F.X., see Villain, M. 798(2003)351
- Rühl, R. and Schweigert, F.J. Automated solid-phase extraction and liquid chromatographic method for retinoid determination in biological samples 798(2003)309
- Salonen, J.T., see Nurmi, T. 798(2003)101
- Sandmann, J., see Tsikas, D. 798(2003)87
- Sanz-Nebot, V., González, P., Toro, I., Ribes, A. and Barbosa, J. Characterization of human transferrin glycoforms by capillary electrophoresis and electrospray ionization mass spectrometry 798(2003)1
- Sanz-Nebot, V., see Ballesteros, O. 798(2003)137
- Satzinger, V., see Zilly, M. 798(2003)179
- Schirmer, D., see Zilly, M. 798(2003)179
- Schmidt, H., see Bräutigam, L. 798(2003)223
- Schubert, B., see Tsikas, D. 798(2003)87
- Schweigert, F.J., see Rühl, R. 798(2003)309
- Seegel, M., see Bräutigam, L. 798(2003)223
- Seetharamappa, J., see Nagaralli, B.S. 798(2003)49
- Silva, O.A., see de Toledo, F.C.P. 798(2003)361
- Simon, N., see Guillaume, Y. 798(2003)217
- Sowinski, K.M., see Overholser, B.R. 798(2003)167
- Spencer, E.P., see Morgan, P.E. 798(2003)211
- Staack, R.F. and Maurer, H.H. Toxicological detection of the new designer drug 1-(4-methoxyphenyl)piperazine and its metabolites in urine and differentiation from an intake of structurally related medicaments using gas chromatography-mass spectrometry 798(2003)333
- Steghens, J.-P., Flourié, F., Arab, K. and Collombel, C. Fast liquid chromatography-mass spectrometry glutathione measurement in whole blood: micromolar GSSG is a sample preparation artifact 798(2003)343
- Sun, X., see Wang, W. 798(2003)175
- Sun, Y., see Zhou, M. 798(2003)43
- Takagi, K., see Ueyama, J. 798(2003)35
- Takechi, S., see Machida, M. 798(2003)187
- Tapper, J., see Morgan, P.E. 798(2003)211
- Tegeder, I., see Bräutigam, L. 798(2003)223
- Tessier, E., Neirinck, L. and Zhu, Z. High-performance liquid chromatographic mass spectrometric method for the determination of ursodeoxycholic acid and its glycine and taurine conjugates in human plasma 798(2003)295
- Thomassin, M., see Guillaume, Y. 798(2003)217
- Thum, T., see Walles, M. 798(2003)265
- Tillement, J.-P., see Hervé, F. 798(2003)283
- Tokunaga, N., Yamazaki, T., Akiyama, T. and Mori, H. Detection of 3-methoxy-4-hydroxyphenylglycol in rabbit skeletal muscle microdialysate 798(2003)163
- Tomás, V., see Pérez-Ruiz, T. 798(2003)303
- Toro, I., see Ballesteros, O. 798(2003)137
- Toro, I., see Sanz-Nebot, V. 798(2003)1
- Tracqui, A., see Villain, M. 798(2003)351
- Tremblay, D., see Hervé, F. 798(2003)283
- Trinh, M.-U., see Johnson, D.W. 798(2003)159
- Tsikas, D., Schubert, B., Gutzki, F.-M., Sandmann, J. and Frölich, J.C. Quantitative determination of circulating and urinary asymmetric dimethylarginine (ADMA) in humans by gas chromatography-tandem mass spectrometry as methyl ester tri(*N*-pentafluoropropionyl) derivative 798(2003)87
- Ueyama, J., Kitaichi, K., Iwase, M., Takagi, K., Takagi, K. and Hasegawa, T. Application of ultrafiltration method to measurement of catecholamines in plasma of human and rodents by high-performance liquid chromatography 798(2003)35
- Ugland, H.G., Krogh, M. and Reubaet, L. Three-phase liquid-phase microextraction of weakly basic drugs from whole blood 798(2003)127
- van Tellingen, O., see Kemper, E.M. 798(2003)63
- Villain, M., Cirimele, V., Tracqui, A., Ricaut, F.X., Ludes, B. and Kintz, P. Testing for kavain in human hair using gas chromatography-tandem mass spectrometry 798(2003)351
- Vilchez, J.L., see Ballesteros, O. 798(2003)137
- Von Tuneln, L.S., see Williams, L.D. 798(2003)55
- Voutilainen, S., see Nurmi, T. 798(2003)101
- Walles, M., Thum, T., Levsen, K. and Borlak, J. Metabolism of verapamil: 24 new phase I and phase II metabolites identified in cell cultures of rat hepatocytes by liquid chromatography-tandem mass spectrometry 798(2003)265
- Wang, W., see Jamal, M. 798(2003)155
- Wang, W., Sun, X. and Jin, W. Determination of lactate dehydrogenase in human erythrocytes by capillary electrophoresis with electrochemical detection 798(2003)175
- Watanabe, M., see Machida, M. 798(2003)187
- Wei, G., see Zhou, M. 798(2003)43
- Williams, L.D., Von Tuneln, L.S., Beland, F.A. and Doerge, D.R. Liquid chromatographic-mass spectrometric determination of the metabolism and disposition of the anti-retroviral nucleoside analogs zidovudine and lamivudine in C57BL/6N and B6C3F1 mice 798(2003)55
- Wong, J.W., Nisar, U.-R. and Yuen, K.H. Liquid chromatographic method for the determination of plasma itraconazole and its hydroxy metabolite in pharmacokinetic/bioavailability studies 798(2003)355
- Xiao, S., see Zhou, M. 798(2003)43
- Yamazaki, T., see Tokunaga, N. 798(2003)163
- Yonamine, M., see de Toledo, F.C.P. 798(2003)361
- Yuen, K.H., see Wong, J.W. 798(2003)355
- Zhang, W., He, H., Feng, Y. and Da, S. Separation and purification of phosphatidylcholine and phosphatidylethanolamine from soybean degummed oil residues by using solvent extraction and column chromatography 798(2003)323
- Zhong, D., see Zhou, M. 798(2003)43
- Zhou, M., Wei, G., Liu, Y., Sun, Y., Xiao, S., Lu, L., Liu, C. and Zhong, D. Determination of vertilmicin in rat serum by high-performance liquid chromatography using 1-fluoro-2,4-dinitrobenzene derivatization 798(2003)43
- Zhu, Z., see Tessier, E. 798(2003)295
- Zilly, M., Langmann, P., Lenker, U., Satzinger, V., Schirmer, D. and Klinker, H. Highly sensitive gas chromatographic determination of ethanol in human urine samples 798(2003)179
- Zuccaro, P., see Pujadas, M. 798(2003)249