

Compound Index Vol. 800

Amino acids

Micellar electrokinetic chromatography with polyelectrolyte complexes as micellar pseudo-stationary phases 800(2004)91

Simultaneous determination of fatty, dicarboxylic and amino acids based on derivatization with isobutyl chloroformate followed by gas chromatography—positive ion chemical ionization mass spectrometry 800(2004)101

3-Amino derivative of β -cyclodextrin: thermodynamics of copper(II) complexes and exploitation of its enantioselectivity in the separation of amino acid racemates by ligand exchange capillary electrophoresis 800(2004)127

Determination of amino acids in fodders and raw materials using capillary zone electrophoresis 800(2004)135

Anti-cefuroxime axetil

Investigation of chromatographic conditions for the separation of cefuroxime axetil and its geometric isomer 800(2004)175

Barbiturates

Simultaneous effect of organic modifier and physicochemical parameters of barbiturates on their retention on a narrow-bore PGC column 800(2004)259

Benzene

Needle concentrator for gas chromatographic determination of BTEX in aqueous samples 800(2004)295

Bromide

Simultaneous determination of fluoride, chloride, nitrite, bromide, nitrate, phosphate and sulfate in aqueous solutions at 10^{-9} to $10^{-8}\%$ level by ion chromatography 800(2004)321

Carbendazim

Optimization of a matrix solid-phase dispersion method for the determination analysis of carbendazim residue in plant material 800(2004)309

Cefuroxime axetil

Investigation of chromatographic conditions for the separation of cefuroxime axetil and its geometric isomer 800(2004)175

Chamomilla recutita

New terpenoids in cultivated and wild chamomile (in vivo and in vitro) 800(2004)231

Chemical warfare agents

Express analysis of explosives, chemical warfare agents and drugs with multicapillary column gas chromatography and ion mobility increment spectrometry 800(2004)75

Chitosan

Bionanocompositional chitosan-silica sorbent for liquid chromatography 800(2004)49

Chloride

Simultaneous determination of fluoride, chloride, nitrite, bromide, nitrate, phosphate and sulfate in aqueous solutions at 10^{-9} to $10^{-8}\%$ level by ion chromatography 800(2004)321

Cocaine

Express analysis of explosives, chemical warfare agents and drugs with multicapillary column gas chromatography and ion mobility increment spectrometry 800(2004)75

Colloids

Separation and analysis of colloidal/nano-particles including microorganisms by capillary electrophoresis: a fundamental review 800(2004)7

Copper(II) complexes

3-Amino derivative of β -cyclodextrin: thermodynamics of copper(II) complexes and exploitation of its enantioselectivity in the separation of amino acid racemates by ligand exchange capillary electrophoresis 800(2004)127

Crack

Express analysis of explosives, chemical warfare agents and drugs with multicapillary column gas chromatography and ion mobility increment spectrometry 800(2004)75

β -Cyclodextrins

3-Amino derivative of β -cyclodextrin: thermodynamics of copper(II) complexes and exploitation of its enantioselectivity in the separation of amino acid racemates by ligand exchange capillary electrophoresis 800(2004)127

Derivatization, CE

Determination of amino acids in fodders and raw materials using capillary zone electrophoresis 800(2004)135

Dicarboxylic acids

Simultaneous determination of fatty, dicarboxylic and amino acids based on derivatization with isobutyl chloroformate followed by gas chromatography—positive ion chemical ionization mass spectrometry 800(2004)101

Dihydrostreptomycin

Capillary electrophoresis method for simultaneous determination of penicillin G, procaine and dihydrostreptomycin in veterinary drugs 800(2004)203

Dithiothreitol

Liquid chromatographic determination of total homocysteine in blood plasma with photometric detection 800(2004)275

Enzymes, steroid-converting

Application of liquid chromatography–electrospray ionization mass spectrometry for study of steroid-converting enzymes 800(2004)145

Ethylbenzene

Needle concentrator for gas chromatographic determination of BTEX in aqueous samples 800(2004)295

Explosives

Express analysis of explosives, chemical warfare agents and drugs with multicapillary column gas chromatography and ion mobility increment spectrometry 800(2004)75

Fatty acids

Simultaneous determination of fatty, dicarboxylic and amino acids based on derivatization with isobutyl chloroformate followed by gas chromatography—positive ion chemical ionization mass spectrometry 800(2004)101

Multivariate analysis of fatty acids in spores of higher basidiomycetes: a new method for chemotaxonomical classification of fungi 800(2004)303

Fluorescein isothiocyanate amino acid derivatives

Plastic substrates based separation channels in electromigration techniques 800(2004)83

Fluoride

Simultaneous determination of fluoride, chloride, nitrite, bromide, nitrate, phosphate and sulfate in aqueous solutions at 10^{-9} to $10^{-8}\%$ level by ion chromatography 800(2004)321

Fodder

Determination of amino acids in fodders and raw materials using capillary zone electrophoresis 800(2004)135

Furanocoumarins

Influence of the extraction mode on the yield of some furanocoumarins from *Pastinaca sativa* fruits 800(2004)181

Glutathione

Liquid chromatographic determination of total homocysteine in blood plasma with photometric detection 800(2004)275

Heptanesulfonic acid

Capillary electrophoretic separation of proteins and peptides by ion-pairing with heptanesulfonic acid 800(2004)161

Heroin

Express analysis of explosives, chemical warfare agents and drugs with multicapillary column gas chromatography and ion mobility increment spectrometry 800(2004)75

Homocysteine

Liquid chromatographic determination of total homocysteine in blood plasma with photometric detection 800(2004)275

 γ -Hydroxybutyric acid

Determination of γ -hydroxybutyric acid in biological fluids by using capillary electrophoresis with indirect detection 800(2004)239

3-Hydroxyflavone

Selective reversed-phase liquid chromatography method for the kinetic investigation of 3-hydroxyflavone photostability 800(2004)245

Hydroxymesocarb

Liquid chromatography—electrospray ionization ion trap mass spectrometry for analysis of mesocarb and its metabolites in human urine 800(2004)281

Imatinib mesylate

Reversed-phase liquid chromatography analysis of imatinib mesylate and impurity product in Glivec[®] capsules 800(2004)253

Isobutyl chloroformate

Simultaneous determination of fatty, dicarboxylic and amino acids based on derivatization with isobutyl chloroformate followed by gas chromatography—positive ion chemical ionization mass spectrometry 800(2004)101

Isosorbide mononitrate

Determination of isosorbide-5-mononitrate in human plasma by high-resolution gas chromatography 800(2004)271

Lanthanide complexes

Cleavage of double stranded plasmid DNA by lanthanide complexes 800(2004)169

Lysine

Use of the affinity chromatography principle in creating new thromborestant materials 800(2004)263

Mefenamic acid

Liquid chromatography method for determination of mefenamic acid in human serum 800(2004)189

Mesocarb

Liquid chromatography—electrospray ionization ion trap mass spectrometry for analysis of mesocarb and its metabolites in human urine 800(2004)281

Methacrylates

Magnetic hydrophilic methacrylate-based polymer microspheres designed for polymerase chain reactions applications 800(2004)27

Microbes

Separation and analysis of colloidal/nano-particles including microorganisms by capillary electrophoresis: a fundamental review 800(2004)7

Microcystin

Reversed-phase liquid chromatographic–mass spectrometric determination of microcystin-LR in cyanobacteria blooms under alkaline conditions 800(2004)315

Nano-particles

Separation and analysis of colloidal/nano-particles including microorganisms by capillary electrophoresis: a fundamental review 800(2004)7

Nitrate

Simultaneous determination of fluoride, chloride, nitrite, bromide, nitrate, phosphate and sulfate in aqueous solutions at 10^{-9} to $10^{-8}\%$ level by ion chromatography 800(2004)321

Nitrite

Simultaneous determination of fluoride, chloride, nitrite, bromide, nitrate, phosphate and sulfate in aqueous solutions at 10^{-9} to $10^{-8}\%$ level by ion chromatography 800(2004)321

Nuclear RNA polymerases

Heterologous overexpression and purification of four common subunits of nuclear RNA polymerases I, II and III of *Schizosaccharomyces pombe* 800(2004)121

Penicillin G

Capillary electrophoresis method for simultaneous determination of penicillin G, procaine and dihydrostreptomycin in veterinary drugs 800(2004)203

Peptides

Optimum separation condition of peptides in reversed-phase liquid chromatography 800(2004)115

Capillary electrophoretic separation of proteins and peptides by ion-pairing with heptanesulfonic acid 800(2004)161

Phosphate

Simultaneous determination of fluoride, chloride, nitrite, bromide, nitrate, phosphate and sulfate in aqueous solutions at 10^{-9} to $10^{-8}\%$ level by ion chromatography 800(2004)321

Plasmid DNA pBR322

Cleavage of double stranded plasmid DNA by lanthanide complexes 800(2004)169

Plasminogen

Use of the affinity chromatography principle in creating new thrombore-sistant materials 800(2004)263

Pluronic F127

Peptide mapping by capillary electrophoresis with Pluronic F127 800(2004)155

Poly(ethylene glycol)

Evaluation of liquid chromatography column retentivity using macromolecular probes. IV. Poly(ethylene glycol) bonded phase 800(2004)69

Polyacrylic acid

Micellar electrokinetic chromatography with polyelectrolyte complexes as micellar pseudo-stationary phases 800(2004)91

Polyelectrolyte complexes

Micellar electrokinetic chromatography with polyelectrolyte complexes as micellar pseudo-stationary phases 800(2004)91

Porcine pepsin

Affinity chromatography of porcine pepsin and pepsinogen using immobilized ligands derived from the specific substrate for this enzyme 800(2004)109

Porcine pepsinogen

Affinity chromatography of porcine pepsin and pepsinogen using immobilized ligands derived from the specific substrate for this enzyme 800(2004)109

Porous graphitized carbon

Simultaneous effect of organic modifier and physicochemical parameters of barbiturates on their retention on a narrow-bore PGC column 800(2004)259

Primaquine

Nature of the main contaminant in the anti malaria drug primaquine diphosphate: a qualitative isomer analysis 800(2004)211

Procaine

Capillary electrophoresis method for simultaneous determination of penicillin G, procaine and dihydrostreptomycin in veterinary drugs 800(2004)203

Proteins

Capillary electrophoretic separation of proteins and peptides by ion-pairing with heptanesulfonic acid 800(2004)161

Quinocide

Nature of the main contaminant in the anti malaria drug primaquine diphosphate: a qualitative isomer analysis 800(2004)211

Retinol

Direct liquid chromatography method for retinol, α - and γ -tocopherols in rat plasma 800(2004)225

Sarin

Standardless screening of chemical warfare agents based on gas chromatographic data 800(2004)291

Silica

Bionanocompositional chitosan-silica sorbent for liquid chromatography 800(2004)49

Soman

Standardless screening of chemical warfare agents based on gas chromatographic data 800(2004)291

Steroids

Application of liquid chromatography–electrospray ionization mass spectrometry for study of steroid-converting enzymes 800(2004)145

Sulfur mustard

Standardless screening of chemical warfare agents based on gas chromatographic data 800(2004)291

Sulphate

Simultaneous determination of fluoride, chloride, nitrite, bromide, nitrate, phosphate and sulfate in aqueous solutions at 10^{-9} to $10^{-8}\%$ level by ion chromatography 800(2004)321

Terpenoids

New terpenoids in cultivated and wild chamomile (in vivo and in vitro) 800(2004)231

Thyroxine

Direct separation and quantitative analysis of thyroxine and triiodothyronine enantiomers in pharmaceuticals by high-performance liquid chromatography 800(2004)193

Tocopherols

Direct liquid chromatography method for retinol, α - and γ -tocopherols in rat plasma 800(2004)225

Toluene

Needle concentrator for gas chromatographic determination of BTEX in aqueous samples 800(2004)295

Triiodothyronine

Direct separation and quantitative analysis of thyroxine and triiodothyronine enantiomers in pharmaceuticals by high-performance liquid chromatography 800(2004)193

Vitamins

Direct liquid chromatography method for retinol, α - and γ -tocopherols in rat plasma 800(2004)225

Volatile organic compounds

Gas chromatography–mass spectrometry with headspace for the analysis of volatile organic compounds in waste water 800(2004)325

Xylene

Needle concentrator for gas chromatographic determination of BTEX in aqueous samples 800(2004)295