

Compound Index Vol. 801

3-Amino-5-mercapto-1,2,4-triazole

Determination of 3-amino-5-mercapto-1,2,4-triazole in serum
801(2004)359

Amitriptyline

Urine sample preparation of tricyclic antidepressants by means of a supported liquid membrane technique for high-performance liquid chromatographic analysis 801(2004)213

Amphetamine-like drugs

Rapid screening procedure based on headspace solid-phase microextraction and gas chromatography–mass spectrometry for the detection of many recreational drugs in hair 801(2004)289

Anaesthetics

New trend in sample preparation: on-line microextraction in packed syringe for liquid and gas chromatography applications. I. Determination of local anaesthetics in human plasma samples using gas chromatography–mass spectrometry 801(2004)317

Androsta-1,4-diene-3,17-dione

Confirmatory analysis of 17 β -boldenone, 17 α -boldenone and androsta-1,4-diene-3,17-dione in bovine urine, faeces, feed and skin swab samples by liquid chromatography–electrospray ionisation tandem mass spectrometry 801(2004)273

Astragaloside IV

Determination of Astragaloside IV in rat plasma by liquid chromatography electrospray ionization mass spectrometry 801(2004)285

Aurones

Comparison of measured and calculated lipophilicity of substituted aurones and related compounds 801(2004)229

Baclofen

Simple and sensitive liquid chromatography–tandem mass spectrometry method for determination of the *S*(+)- and *R*(-)-enantiomers of baclofen in human plasma and cerebrospinal fluid 801(2004)257

Bisoprolol

Confirmatory analysis of 17 β -boldenone, 17 α -boldenone and androsta-1,4-diene-3,17-dione in bovine urine, faeces, feed and skin swab samples by liquid chromatography–electrospray ionisation tandem mass spectrometry 801(2004)339

Boldenone

Confirmatory analysis of 17 β -boldenone, 17 α -boldenone and androsta-1,4-diene-3,17-dione in bovine urine, faeces, feed and skin swab samples by liquid chromatography–electrospray ionisation tandem mass spectrometry 801(2004)273

Camptothecin

Validation study of assay method for DE-310, a novel polymer-bound camptothecin derivative, and the free drug in mouse plasma by liquid chromatography with fluorimetric detection 801(2004)157

Catecholamines

Analysis of catecholamines and related substances using porous graphitic carbon as separation media in liquid chromatography–tandem mass spectrometry 801(2004)323

Celiprolol

Simultaneous determination of the acid/base antihypertensive drugs celiprolol, bisoprolol and irbesartan in human plasma by liquid chromatography 801(2004)339

Cocaine

Rapid screening procedure based on headspace solid-phase microextraction and gas chromatography–mass spectrometry for the detection of many recreational drugs in hair 801(2004)289

Corticosterone

Determination of corticosterone and 17-hydroxycorticosterone in plasma and urine samples by sweeping techniques using micellar electrokinetic chromatography 801(2004)347

Cortisol

Simultaneous determination of 6 β -hydroxycortisol and cortisol in human urine by liquid chromatography with ultraviolet absorbance detection for phenotyping the CYP3A activity determined by the cortisol 6 β -hydroxylation clearance 801(2004)165

DE-310

Validation study of assay method for DE-310, a novel polymer-bound camptothecin derivative, and the free drug in mouse plasma by liquid chromatography with fluorimetric detection 801(2004)157

Diethazine

Urine sample preparation of tricyclic antidepressants by means of a supported liquid membrane technique for high-performance liquid chromatographic analysis 801(2004)213

3,4-Dihydroxyphenylglycol

Method for simultaneous measurement of norepinephrine, 3-methoxy-4-hydroxyphenylglycol and 3,4-dihydroxyphenylglycol by liquid chromatography with electrochemical detection: application in rat cerebral cortex and plasma after lithium chloride treatment 801(2004)205

L-DOPA

Analysis of catecholamines and related substances using porous graphitic carbon as separation media in liquid chromatography–tandem mass spectrometry 801(2004)323

Dopamine

Analysis of catecholamines and related substances using porous graphitic carbon as separation media in liquid chromatography–tandem mass spectrometry 801(2004)323

Flunixin

Quantification and confirmation of flunixin in equine plasma by liquid chromatography–quadrupole time-of-flight tandem mass spectrometry 801(2004)173

Galactonate

Galactonate determination in urine by stable isotope dilution gas chromatography–mass spectrometry 801(2004)249

Glipizide

Simultaneous determination of glipizide and rosiglitazone unbound drug concentrations in plasma by equilibrium dialysis and liquid chromatography–tandem mass spectrometry 801(2004)265

Glucose

Quantitative analysis of human salivary glucose by gas chromatography–mass spectrometry 801(2004)355

Hesperetin

Validated high-performance liquid chromatographic method utilizing solid-phase extraction for the simultaneous determination of naringenin and hesperetin in human plasma 801(2004)363

Human serum albumin

Anti-coagulant rodenticide binding properties of human serum albumin: a biochromatographic approach 801(2004)221

17-Hydroxycorticosterone

Determination of corticosterone and 17-hydroxycorticosterone in plasma and urine samples by sweeping techniques using micellar electrokinetic chromatography 801(2004)347

6 β -Hydroxycortisol

Simultaneous determination of 6 β -hydroxycortisol and cortisol in human urine by liquid chromatography with ultraviolet absorbance detection for phenotyping the CYP3A activity determined by the cortisol 6 β -hydroxylation clearance 801(2004)165

Irbesartan

Simultaneous determination of the acid/base antihypertensive drugs celi-prolol, bisoprolol and irbesartan in human plasma by liquid chromatography 801(2004)339

Lithium chloride

Method for simultaneous measurement of norepinephrine, 3-methoxy-4-hydroxyphenylglycol and 3,4-dihydroxyphenylglycol by liquid chromatography with electrochemical detection: application in rat cerebral cortex and plasma after lithium chloride treatment 801(2004)205

3-Methoxy-4-hydroxyphenylglycol

Method for simultaneous measurement of norepinephrine, 3-methoxy-4-hydroxyphenylglycol and 3,4-dihydroxyphenylglycol by liquid chromatography with electrochemical detection: application in rat cerebral cortex and plasma after lithium chloride treatment 801(2004)205

Molecularly imprinted polymers

Multidimensional on-line sample preparation of verapamil and its metabolites by a molecularly imprinted polymer coupled to liquid chromatography–mass spectrometry 801(2004)297

Monoamine receptor

Role of hydrophobicity on the monoamine receptor binding affinities of central nervous system drugs: a quantitative retention–activity relationships analysis using biopartitioning micellar chromatography 801(2004)185

Naphthol

Simultaneous determination of 1- and 2-naphthol in human urine using on-line clean-up column-switching liquid chromatography–fluorescence detection 801(2004)307

Naringenin

Validated high-performance liquid chromatographic method utilizing solid-phase extraction for the simultaneous determination of naringenin and hesperetin in human plasma 801(2004)363

Norepinephrine

Method for simultaneous measurement of norepinephrine, 3-methoxy-4-hydroxyphenylglycol and 3,4-dihydroxyphenylglycol by liquid chromatography with electrochemical detection: application in rat cerebral cortex and plasma after lithium chloride treatment 801(2004)205

Noxiptyline

Urine sample preparation of tricyclic antidepressants by means of a supported liquid membrane technique for high-performance liquid chromatographic analysis 801(2004)213

Opipramol

Urine sample preparation of tricyclic antidepressants by means of a supported liquid membrane technique for high-performance liquid chromatographic analysis 801(2004)213

Plasmid DNA

Application of short monolithic columns for fast purification of plasmid DNA 801(2004)331

Porous graphitic carbon

Analysis of catecholamines and related substances using porous graphitic carbon as separation media in liquid chromatography–tandem mass spectrometry 801(2004)323

Queuosine

Determination of queuosine derivatives by reverse-phase liquid chromatography for the hypomodification study of Q-bearing tRNAs from various mammal liver cells 801(2004)237

Rodenticide

Anti-coagulant rodenticide binding properties of human serum albumin: a biochromatographic approach 801(2004)221

Rosiglitazone

Simultaneous determination of glipizide and rosiglitazone unbound drug concentrations in plasma by equilibrium dialysis and liquid chromatography–tandem mass spectrometry 801(2004)265

Stavudine

Development and validation of a reversed-phase liquid chromatographic method for analysis of D4T (Stavudine) in rat plasma 801(2004)199

tRNA

Determination of queuosine derivatives by reverse-phase liquid chromatography for the hypomodification study of Q-bearing tRNAs from various mammal liver cells 801(2004)237

Verapamil

Multidimensional on-line sample preparation of verapamil and its metabolites by a molecularly imprinted polymer coupled to liquid chromatography–mass spectrometry 801(2004)297