



Author Index Vol. 802

- Afshar, M., Rouini, M.-R. and Amini, M.
Simple chromatography method for simultaneous determination of dextromethorphan and its main metabolites in human plasma with fluorimetric detection 802(2004)317
- Airoldi, L., Magagnotti, C., Pastorelli, R. and Fanelli, R.
Enzyme polymorphisms influencing the metabolism of heterocyclic aromatic amines 802(2004)175
- Amini, M., see Afshar, M. 802(2004)317
- Andrieux, C., see Humblot, C. 802(2004)231
- Barceló-Barrachina, E., Moyano, E., Puignou, L. and Galceran, M.T.
Evaluation of reversed-phase columns for the analysis of heterocyclic aromatic amines by liquid chromatography—electrospray mass spectrometry 802(2004)45
- Barceló-Barrachina, E., see Bermudo, E. 802(2004)61
- Barceló-Barrachina, E., see Santos, F.J. 802(2004)69
- Baumann, P., see Eap, C.B. 802(2004)339
- Bensaada, M., see Humblot, C. 802(2004)231
- Bermudo, E., Busquets, R., Barceló-Barrachina, E., Puignou, L., Santos, F.J. and Galceran, M.T.
Preparation of a beef-extract as a laboratory reference material for the determination of heterocyclic amines 802(2004)61
- Berrie, C.P., see Dragani, L.K. 802(2004)283
- B'Hymer, C. and Cheever, K.L.
Development of a gas chromatographic test for the quantification of the biomarker 3-bromopropionic acid in human urine 802(2004)361
- Blaszczyk, U., see Warzecha, L. 802(2004)95
- Bodzek, D., see Warzecha, L. 802(2004)95
- Bogen, K.T., see Keating, G.A. 802(2004)127
- Boison, J.O., see Fedeniuk, R.W. 802(2004)307
- Bordas, M., Moyano, E., Puignou, L. and Galceran, M.T.
Formation and stability of heterocyclic amines in a meat flavour model system. Effect of temperature, time and precursors 802(2004)11
- Bordas, M., see Busquets, R. 802(2004)79
- Bouchoux, G., see Eap, C.B. 802(2004)339
- Boyce, A., Doehmer, J. and Goonderham, N.J.
Phytoalexin resveratrol attenuates the mutagenicity of the heterocyclic amines 2-amino-1-methyl-6-phenylimidazo[4,5-*b*]pyridine and 2-amino-3,8-dimethylimidazo[4,5-*f*]quinoxaline 802(2004)217
- Bruneau, A., see Humblot, C. 802(2004)231
- Bruneau, A., see Kassie, F. 802(2004)211
- Busquets, R., Bordas, M., Toribio, F., Puignou, L. and Galceran, M.T.
Occurrence of heterocyclic amines in several home-cooked meat dishes of the Spanish diet 802(2004)79
- Busquets, R., see Bermudo, E. 802(2004)61
- Cacho, C., Turiel, E., Martín-Esteban, A., Pérez-Conde, C. and Cámará, C.
Characterisation and quality assessment of binding sites on a propazine-imprinted polymer prepared by precipitation polymerisation 802(2004)347
- Cai, X., Zhang, D., Ju, H., Wu, G. and Liu, X.
Fast detection of fluoroacetamide in body fluid using gas chromatography—mass spectrometry after solid-phase microextraction 802(2004)239
- Cámará, C., see Cacho, C. 802(2004)347
- Chakraborty, A., see Uhl, M. 802(2004)225
- Cheever, K.L., see B'Hymer, C. 802(2004)361
- Chen, B.H., see Lan, C.M. 802(2004)27
- Chen, X., Gu, Q., Qiu, F. and Zhong, D.
Rapid determination of metformin in human plasma by liquid chromatography—tandem mass spectrometry method 802(2004)377
- Chen, X., see Qiu, F. 802(2004)291
- Cheng, Z., see Zhou, Z. 802(2004)257
- Cichna, M., see Gerbl, U. 802(2004)107
- Cichna, M., see Ristic, A. 802(2004)87
- Corda, D., see Dragani, L.K. 802(2004)283
- Costa-Bauzá, A., see Perelló, J. 802(2004)367
- Darroudi, F., see Majer, B.J. 802(2004)167
- Del Rio, G., see Venneri, M.G. 802(2004)247
- Ding, Y., see He, X. 802(2004)277
- Dobosz, C., see Warzecha, L. 802(2004)95
- Doctor, P.B., Gokani, V.N., Kulkarni, P.K., Parikh, J.R. and Saiyed, H.N.
Determination of nicotine and cotinine in tobacco harvesters' urine by solid-phase extraction and liquid chromatography 802(2004)323
- Doehmer, J., see Boyce, A. 802(2004)217
- Dragani, L.K., Berrie, C.P., Corda, D. and Rotilio, D.
Analysis of glycerophosphoinositol by liquid chromatography—electrospray ionisation tandem mass spectrometry using a β -cyclodextrin-bonded column 802(2004)283
- Du, L., see He, X. 802(2004)277
- Duc, R. and Leong-Morgenthaler, P.-M.
Role of p53 and mismatch repair in PhIP-induced perturbations of the cell cycle 802(2004)183
- Durao, J., see Humblot, C. 802(2004)231
- Eap, C.B., Bouchoux, G., Powell Golay, K. and Baumann, P.
Determination of picogram levels of midazolam, and 1- and 4-hydroxymidazolam in human plasma by gas chromatography—negative chemical ionization—mass spectrometry 802(2004)339
- Fakhry, I., see Farthing, D. 802(2004)355
- Fanelli, R., see Airoldi, L. 802(2004)175
- Farthing, D., Larus, T., Fakhry, I., Gehr, T., Prats, J. and Sica, D.
Liquid chromatography method for determination of bivalirudin in human plasma and urine using automated *ortho*-phthalaldehyde derivatization and fluorescence detection 802(2004)355
- Fedeniuk, R.W., Boison, J.O. and MacNeil, J.D.
Validation of a gas chromatography—mass spectrometry method for the determination of pg/ml levels of 17 β -estradiol and 17 β -trenbolone in bovine serum 802(2004)307
- Felton, J.S., see Kulp, K.S. 802(2004)143

- Ferguson, L.R., see Kestell, P. 802(2004)201
 Ferk, F., see Kassie, F. 802(2004)211
 Fogliano, V., see Vitaglione, P. 802(2004)189
 Fowler, N.D., see Kulp, K.S. 802(2004)143
 Frerichs, V.A. and Tornatore, K.M.
 Determination of the glucocorticoids prednisone, prednisolone, dexamethasone, and cortisol in human serum using liquid chromatography coupled to tandem mass spectrometry 802(2004)329
- Galceran, M.T., see Barceló-Barrachina, E. 802(2004)45
 Galceran, M.T., see Bermudo, E. 802(2004)61
 Galceran, M.T., see Bordas, M. 802(2004)11
 Galceran, M.T., see Busquets, R. 802(2004)79
 Galceran, M.T., see Santos, F.J. 802(2004)69
 Gehr, T., see Farthing, D. 802(2004)355
 Gerbl, U., Cichna, M., Zsivkovits, M., Knasmüller, S. and Sontag, G.
 Determination of heterocyclic aromatic amines in beef extract, cooked meat and rat urine by liquid chromatography with coulometric electrode array detection 802(2004)107
 Glatt, H., see Majer, B.J. 802(2004)167
 Gloux, K., see Humblot, C. 802(2004)231
 Gokani, V.N., see Doctor, P.B. 802(2004)323
 Gooderham, N.J., see Boyce, A. 802(2004)217
 Grases, F., see Perelló, J. 802(2004)367
 Grasl-Kraupp, B., see Uhl, M. 802(2004)225
 Grem, J.L., see Xu, Y. 802(2004)263
 Gu, Q., see Chen, X. 802(2004)377
 He, X., Xing, D., Ding, Y., Li, Y., Xiang, L., Wang, W. and Du, L.
 Determination of paeoniflorin in rat hippocampus by high-performance liquid chromatography after intravenous administration of *Paeoniae Radix* extract 802(2004)277
 Humblot, C., Lhoste, E., Knasmüller, S., Gloux, K., Bruneau, A., Bensaada, M., Durao, J., Rabot, S., Andrieux, C. and Kassie, F.
 Protective effects of Brussels sprouts, oligosaccharides and fermented milk towards 2-amino-3-methylimidazo[4,5-f]quinoline (IQ)-induced genotoxicity in the human flora associated F344 rat: role of xenobiotic metabolising enzymes and intestinal microflora 802(2004)231
- Isern, B., see Perelló, J. 802(2004)367
 Janoszka, B., see Warzecha, L. 802(2004)95
 Ju, H., see Cai, X. 802(2004)239
 Kao, T.H., see Lan, C.M. 802(2004)27
 Kassie, F., Lhoste, E.F., Bruneau, A., Zsivkovits, M., Ferk, F., Uhl, M., Zidek, T. and Knasmüller, S.
 Effect of intestinal microfloras from vegetarians and meat eaters on the genotoxicity of 2-amino-3-methylimidazo[4,5-f]quinoline, a carcinogenic heterocyclic amine 802(2004)211
 Kassie, F., see Humblot, C. 802(2004)231
 Kassie, F., see Majer, B.J. 802(2004)167
 Kassie, F., see Uhl, M. 802(2004)225
 Keating, G.A. and Bogen, K.T.
 Estimates of heterocyclic amine intake in the US population 802(2004)127
 Keith, B., see Xu, Y. 802(2004)263
 Kestell, P., Zhu, S. and Ferguson, L.R.
 Mechanisms by which resistant starches and non-starch polysaccharide sources affect the metabolism and disposition of the food carcinogen, 2-amino-3-methylimidazo[4,5-f]quinoline 802(2004)201
 Knasmüller, S., Murkovic, M., Pfau, W. and Sontag, G.
 Heterocyclic aromatic amines—still a challenge for scientists 802(2004)1
 Knasmüller, S., see Gerbl, U. 802(2004)107
 Knasmüller, S., see Humblot, C. 802(2004)231
 Knasmüller, S., see Kassie, F. 802(2004)211
 Knasmüller, S., see Majer, B.J. 802(2004)167
 Knasmüller, S., see Uhl, M. 802(2004)225
 Knize, M.G., see Kulp, K.S. 802(2004)143
 Koteswara, M., see Ramakrishna, N.V.S. 802(2004)271
 Kulkarni, P.K., see Doctor, P.B. 802(2004)323
 Kulp, K.S., Knize, M.G., Fowler, N.D., Salmon, C.P. and Felton, J.S.
 PhIP metabolites in human urine after consumption of well-cooked chicken 802(2004)143
 Kundi, M., see Uhl, M. 802(2004)225
 Laky, B., see Uhl, M. 802(2004)225
 Lan, C.M., Kao, T.H. and Chen, B.H.
 Effects of heating time and antioxidants on the formation of heterocyclic amines in marinated foods 802(2004)27
 Larus, T., see Farthing, D. 802(2004)355
 Leong-Morgenthaler, P.-M., see Duc, R. 802(2004)183
 Lhoste, E., see Humblot, C. 802(2004)231
 Lhoste, E.F., see Kassie, F. 802(2004)211
 Li, H., see Zhou, Z. 802(2004)257
 Li, K., see Zhou, Z. 802(2004)257
 Li, X., see Qiu, F. 802(2004)291
 Li, X., see Zhou, Z. 802(2004)257
 Li, Y., see He, X. 802(2004)277
 Liu, X., see Cai, X. 802(2004)239
 MacNeil, J.D., see Fedeniuk, R.W. 802(2004)307
 Magagnotti, C., see Airolidi, L. 802(2004)175
 Majer, B.J., Kassie, F., Sasaki, Y., Pfau, W., Glatt, H., Meini, W., Darroudi, F. and Knasmüller, S.
 Investigation of the genotoxic effects of 2-amino-9H-pyrido[2,3-b]indole in different organs of rodents and in human derived cells 802(2004)167
 Martin-Esteban, A., see Cacho, C. 802(2004)347
 Masuda, N., see Sacher, C. 802(2004)299
 Meini, W., see Majer, B.J. 802(2004)167
 Messner, C. and Murkovic, M.
 Evaluation of a new model system for studying the formation of heterocyclic amines 802(2004)19
 Messner, C., see Santos, F.J. 802(2004)69
 Moyano, E., see Barceló-Barrachina, E. 802(2004)45
 Moyano, E., see Bordas, M. 802(2004)11
 Murkovic, M.
 Formation of heterocyclic aromatic amines in model systems 802(2004)3
 Murkovic, M., see Knasmüller, S. 802(2004)1
 Murkovic, M., see Messner, C. 802(2004)19
 Murkovic, M., see Santos, F.J. 802(2004)69
 Nabinger, U., see Santos, F.J. 802(2004)69
 Nagae, Y., see Sacher, C. 802(2004)299
 Nakashima, A., see Sacher, C. 802(2004)299
 Niina, M., see Sacher, C. 802(2004)299
 Nishigaki, R., see Totsuka, Y. 802(2004)135
 Parikh, J.R., see Doctor, P.B. 802(2004)323
 Pastorelli, R., see Airolidi, L. 802(2004)175
 Peng, W., see Zhou, Z. 802(2004)257
 Perelló, J., Isern, B., Costa-Bauzá, A. and Grases, F.
 Determination of myo-inositol in biological samples by liquid chromatography–mass spectrometry 802(2004)367
 Pérez-Conde, C., see Cacho, C. 802(2004)347
 Persson, E., see Santos, F.J. 802(2004)69
 Pfau, W. and Skog, K.
 Exposure to β-carbolines norharman and harman 802(2004)115
 Pfau, W., see Knasmüller, S. 802(2004)1
 Pfau, W., see Majer, B.J. 802(2004)167
 Powell Golay, K., see Eap, C.B. 802(2004)339
 Prats, J., see Farthing, D. 802(2004)355

- Puignou, L., see Barceló-Barrachina, E. 802(2004)45
 Puignou, L., see Bermudo, E. 802(2004)61
 Puignou, L., see Bordas, M. 802(2004)11
 Puignou, L., see Busquets, R. 802(2004)79
 Puignou, L., see Santos, F.J. 802(2004)69
- Qiu, F., Chen, X., Li, X. and Zhong, D.
 Determination of nimodipine in human plasma by a sensitive and selective liquid chromatography–tandem mass spectrometry method 802(2004)291
- Qiu, F., see Chen, X. 802(2004)377
- Rabot, S., see Humblot, C. 802(2004)231
 Rabot, S., see Uhl, M. 802(2004)225
- Ramakrishna, N.V.S., Vishwottam, K.N., Wishu, S. and Koteshwara, M.
 Quantitation of Valdecoxib in human plasma by high-performance liquid chromatography with ultraviolet absorbance detection using liquid–liquid extraction 802(2004)271
- Ramesh, A. and Ravi, P.E.
 Electron ionization gas chromatography–mass spectrometric determination of residues of thirteen pyrethroid insecticides in whole blood 802(2004)371
- Ravi, P.E., see Ramesh, A. 802(2004)371
 Ristic, A., Cichna, M. and Sontag, G.
 Determination of less polar heterocyclic aromatic amines in standardised beef extracts and cooked meat consumed in Austria by liquid chromatography and fluorescence detection 802(2004)87
- Ristic, A., see Santos, F.J. 802(2004)69
 Rotilio, D., see Dragani, L.K. 802(2004)283
 Rouini, M.-R., see Afshar, M. 802(2004)317
- Saiyed, H.N., see Doctor, P.B. 802(2004)323
 Salmon, C.P., see Kulp, K.S. 802(2004)143
 Santos, F.J., Barceló-Barrachina, E., Toribio, F., Puignou, L., Galceran, M.T., Persson, E., Skog, K., Messner, C., Murkovic, M., Nabinger, U. and Ristic, A.
 Analysis of heterocyclic amines in food products: interlaboratory studies 802(2004)69
- Santos, F.J., see Bermudo, E. 802(2004)61
 Sasaki, Y., see Majer, B.J. 802(2004)167
 Saxer, C., Niina, M., Nakashima, A., Nagae, Y. and Masuda, N.
 Simultaneous determination of levodopa and 3-O-methyldopa in human plasma by liquid chromatography with electrochemical detection 802(2004)299
- Sica, D., see Farthing, D. 802(2004)355
 Skog, K.
 Blue cotton, Blue Rayon and Blue Chitin in the analysis of heterocyclic aromatic amines—a review 802(2004)39
- Skog, K., see Pfau, W. 802(2004)115
 Skog, K., see Santos, F.J. 802(2004)69
 Sontag, G., see Gerbl, U. 802(2004)107
 Sontag, G., see Knasmüller, S. 802(2004)1
 Sontag, G., see Ristic, A. 802(2004)87
 Strózyk, M., see Warzecha, L. 802(2004)95
 Sugimura, T., see Totsuka, Y. 802(2004)135
- Takamura-Enya, T., see Totsuka, Y. 802(2004)135
 Toribio, F., see Busquets, R. 802(2004)79
 Toribio, F., see Santos, F.J. 802(2004)69
- Tornatore, K.M., see Frerichs, V.A. 802(2004)329
 Totsuka, Y., Takamura-Enya, T., Nishigaki, R., Sugimura, T. and Wakabayashi, K.
 Mutagens formed from β-carbolines with aromatic amines 802(2004)135
- Turesky, R.J. and Vouros, P.
 Formation and analysis of heterocyclic aromatic amine–DNA adducts in vitro and in vivo 802(2004)155
- Turiel, E., see Cacho, C. 802(2004)347
- Uhl, M., Kassie, F., Rabot, S., Grasl-Kraupp, B., Chakraborty, A., Laky, B., Kundi, M. and Knasmüller, S.
 Effect of common *Brassica* vegetables (Brussels sprouts and red cabbage) on the development of preneoplastic lesions induced by 2-amino-3-methylimidazo[4,5-f]quinoline (IQ) in liver and colon of Fischer 344 rats 802(2004)225
- Uhl, M., see Kassie, F. 802(2004)211
- Venneri, M.G. and Del Rio, G.
 Systematic study of long-term stability of 3,4-dihydroxyphenylglycol in plasma for subsequent determination with liquid chromatography 802(2004)247
- Vishwottam, K.N., see Ramakrishna, N.V.S. 802(2004)271
 Vitagliano, P. and Fogliano, V.
 Use of antioxidants to minimize the human health risk associated to mutagenic/carcinogenic heterocyclic amines in food 802(2004)189
- Vouros, P., see Turesky, R.J. 802(2004)155
- Wakabayashi, K., see Totsuka, Y. 802(2004)135
 Wang, F., see Zhou, Z. 802(2004)257
 Wang, W., see He, X. 802(2004)277
- Warzecha, L., Janoszka, B., Blaszczyk, U., Strózyk, M., Bodzek, D. and Dobosz, C.
 Determination of heterocyclic aromatic amines (HAs) content in samples of household-prepared meat dishes 802(2004)95
- Wishu, S., see Ramakrishna, N.V.S. 802(2004)271
 Wu, G., see Cai, X. 802(2004)239
- Xiang, L., see He, X. 802(2004)277
 Xie, Z., see Zhou, Z. 802(2004)257
 Xing, D., see He, X. 802(2004)277
 Xu, Y., Keith, B. and Grem, J.L.
 Measurement of the anticancer agent gemcitabine and its deaminated metabolite at low concentrations in human plasma by liquid chromatography–mass spectrometry 802(2004)263
- Zhang, D., see Cai, X. 802(2004)239
 Zhong, D., see Chen, X. 802(2004)377
 Zhong, D., see Qiu, F. 802(2004)291
 Zhou, Z., Li, X., Li, K., Xie, Z., Cheng, Z., Peng, W., Wang, F., Zhu, R. and Li, H.
 Simultaneous determination of clozapine, olanzapine, risperidone and quetiapine in plasma by high-performance liquid chromatography–electrospray ionization mass spectrometry 802(2004)257
- Zhu, R., see Zhou, Z. 802(2004)257
 Zhu, S., see Kestell, P. 802(2004)201
 Zidek, T., see Kassie, F. 802(2004)211
 Zsivkovits, M., see Gerbl, U. 802(2004)107
 Zsivkovits, M., see Kassie, F. 802(2004)211