

#### Available online at www.sciencedirect.com



JOURNAL OF CHROMATOGRAPHY B

Journal of Chromatography B, 802 (2004) 387-389

www.elsevier.com/locate/chromb

# Compound Index Vol. 802

## 2-Amino-3,8-dimethylimidazo[4,5-f]quinoxaline

Phytoalexin resveratrol attenuates the mutagenicity of the heterocyclic amines 2-amino-1-methyl-6-phenylimidazo[4,5-*b*]pyridine and 2-amino-3,8-dimethylimidazo[4,5-*f*]quinoxaline 802(2004)217

#### Aminoazaarenes

Determination of heterocyclic aromatic amines (HAs) content in samples of household-prepared meat dishes 802(2004)95

#### 2-Amino-9H-pyrido[2,3-b]indole

Investigation of the genotoxic effects of 2-amino-9H-pyrido[2,3-b]indole in different organs of rodents and in human derived cells 802(2004)167

## 2-Amino-3-methylimidazo[4,5-f]quinoline

Mechanisms by which resistant starches and non-starch polysaccharide sources affect the metabolism and disposition of the food carcinogen, 2-amino-3-methylimidazo[4,5-f]quinoline 802(2004)201

Effect of intestinal microfloras from vegetarians and meat eaters on the genotoxicity of 2-amino-3-methylimidazo[4,5-f]quinoline, a carcinogenic heterocyclic amine 802(2004)211

Effect of common *Brassica* vegetables (Brussels sprouts and red cabbage) on the development of preneoplastic lesions induced by 2-amino-3-methylimidazo[4,5-f]quinoline (IQ) in liver and colon of Fischer 344 rats 802(2004)225

Protective effects of Brussels sprouts, oligosaccharides and fermented milk towards 2-amino-3-methylimidazo[4,5-f]quinoline (IQ)-induced genotoxicity in the human flora associated F344 rat: role of xenobiotic metabolising enzymes and intestinal microflora 802(2004)231

# 2-Amino-1-methyl-6-phenylimidazo[4,5-b]pyridine

Evaluation of a new model system for studying the formation of heterocyclic amines 802(2004)19

PhIP metabolites in human urine after consumption of well-cooked chicken 802(2004)143

Role of p53 and mismatch repair in PhIP-induced perturbations of the cell cycle 802(2004)183

Phytoalexin resveratrol attenuates the mutagenicity of the heterocyclic amines 2-amino-1-methyl-6-phenylimidazo[4,5-*b*]pyridine and 2-amino-3,8-dimethylimidazo[4,5-*f*]quinoxaline 802(2004)217

## Aniline

Mutagens formed from  $\beta$ -carbolines with aromatic amines 802(2004)135

#### Antioxidants

Evaluation of a new model system for studying the formation of heterocyclic amines 802(2004)19

Effects of heating time and antioxidants on the formation of heterocyclic amines in marinated foods 802(2004)27

Use of antioxidants to minimize the human health risk associated to mutagenic/carcinogenic heterocyclic amines in food 802(2004)189

#### Bivalirudin

Liquid chromatography method for determination of bivalirudin in human plasma and urine using automated *ortho*-phthalaldehyde derivatization and fluorescence detection 802(2004)355

#### 1-Bromopropane

Development of a gas chromatographic test for the quantification of the biomarker 3-bromopropionic acid in human urine 802(2004)361

# 3-Bromopropionic acid

Development of a gas chromatographic test for the quantification of the biomarker 3-bromopropionic acid in human urine 802(2004)361

## **B-Carbolines**

Exposure to β-carbolines norharman and harman (Review) 802(2004)115

Mutagens formed from  $\beta$ -carbolines with aromatic amines 802(2004)135

# Clozapine

Simultaneous determination of clozapine, olanzapine, risperidone and quetiapine in plasma by high-performance liquid chromatography-electrospray ionization mass spectrometry 802(2004)257

# Cortisol

Determination of the glucocorticoids prednisone, prednisolone, dexamethasone, and cortisol in human serum using liquid chromatography coupled to tandem mass spectrometry 802(2004)329

## Cotinine

Determination of nicotine and cotinine in tobacco harvesters' urine by solidphase extraction and liquid chromatography 802(2004)323

## Dexamethasone

Determination of the glucocorticoids prednisone, prednisolone, dexamethasone, and cortisol in human serum using liquid chromatography coupled to tandem mass spectrometry 802(2004)329

# Dextromethorphan

Simple chromatography method for simultaneous determination of dextromethorphan and its main metabolites in human plasma with fluorimetric detection 802(2004)317

## Dextrorphan

Simple chromatography method for simultaneous determination of dextromethorphan and its main metabolites in human plasma with fluorimetric detection 802(2004)317

#### 2',2'-Difluoro-2'-deoxyuridine

Measurement of the anticancer agent gemcitabine and its deaminated metabolite at low concentrations in human plasma by liquid chromatography-mass spectrometry 802(2004)263

## 3,4-Dihydroxyphenylglycol

Systematic study of long-term stability of 3,4-dihydroxyphenylglycol in plasma for subsequent determination with liquid chromatography 802(2004)247

## DNA

Formation and analysis of heterocyclic aromatic amine–DNA adducts in vitro and in vivo (Review) 802(2004)155

Investigation of the genotoxic effects of 2-amino-9H-pyrido[2,3-b]indole in different organs of rodents and in human derived cells 802(2004)167

#### 17β-Estradiol

Validation of a gas chromatography–mass spectrometry method for the determination of pg/ml levels of  $17\beta$ -estradiol and  $17\beta$ -trenbolone in bovine serum 802(2004)307

#### Fluoroacetamide

Fast detection of fluoroacetamide in body fluid using gas chromatography mass spectrometry after solid-phase microextraction 802(2004)239

#### Food mutagens

Evaluation of a new model system for studying the formation of heterocyclic amines 802(2004)19

## Gemcitabine

Measurement of the anticancer agent gemcitabine and its deaminated metabolite at low concentrations in human plasma by liquid chromatography-mass spectrometry 802(2004)263

# Glycerophosphoinositol

Analysis of glycerophosphoinositol by liquid chromatography–electrospray ionisation tandem mass spectrometry using a  $\beta$ -cyclodextrin-bonded column 802(2004)283

## Harman

Exposure to β-carbolines norharman and harman (Review) 802(2004)115

# Heterocyclic aromatic amines

Formation of heterocyclic aromatic amines in model systems 802(2004)3

Formation and stability of heterocyclic amines in a meat flavour model system. Effect of temperature, time and precursors 802(2004)11

Evaluation of a new model system for studying the formation of heterocyclic amines 802(2004)19

Effects of heating time and antioxidants on the formation of heterocyclic amines in marinated foods 802(2004)27

Blue cotton, Blue Rayon and Blue Chitin in the analysis of heterocyclic aromatic amines (Review) 802(2004)39

Evaluation of reversed-phase columns for the analysis of heterocyclic aromatic amines by liquid chromatography—electrospray mass spectrometry 802(2004)45

Preparation of a beef-extract as a laboratory reference material for the determination of heterocyclic amines 802(2004)61

Analysis of heterocyclic amines in food products: interlaboratory studies 802(2004)69

Occurrence of heterocyclic amines in several home-cooked meat dishes of the Spanish diet 802(2004)79

Determination of less polar heterocyclic aromatic amines in standardised beef extracts and cooked meat consumed in Austria by liquid chromatography and fluorescence detection 802(2004)87

Determination of heterocyclic aromatic amines (HAs) content in samples of household-prepared meat dishes 802(2004)95

Determination of heterocyclic aromatic amines in beef extract, cooked meat and rat urine by liquid chromatography with coulometric electrode array detection 802(2004)107

PhIP metabolites in human urine after consumption of well-cooked chicken 802(2004)143

Use of antioxidants to minimize the human health risk associated to mutagenic/carcinogenic heterocyclic amines in food 802(2004)189

Effect of common *Brassica* vegetables (Brussels sprouts and red cabbage) on the development of preneoplastic lesions induced by 2-amino-3-methylimidazo[4,5-f]quinoline (IQ) in liver and colon of Fischer 344 rats 802(2004)225

## Hydroxymidazolam

Determination of picogram levels of midazolam, and 1- and 4-hydroxymidazolam in human plasma by gas chromatography–negative chemical ionization–mass spectrometry 802(2004)339

# Hydroxymorphinan

Simple chromatography method for simultaneous determination of dextromethorphan and its main metabolites in human plasma with fluorimetric detection 802(2004)317

## Levodopa

Simultaneous determination of levodopa and 3-O-methyldopa in human plasma by liquid chromatography with electrochemical detection 802(2004)299

## Metformin

Rapid determination of metformin in human plasma by liquid chromatography-tandem mass spectrometry method 802(2004)377

## 3-O-Methyldopa

Simultaneous determination of levodopa and 3-O-methyldopa in human plasma by liquid chromatography with electrochemical detection 802(2004)299

# Midazolam

Determination of picogram levels of midazolam, and 1- and 4-hydroxymidazolam in human plasma by gas chromatography–negative chemical ionization–mass spectrometry 802(2004)339

# Myo-inositol

Determination of myo-inositol in biological samples by liquid chromatography-mass spectrometry 802(2004)367

#### Nicotine

Determination of nicotine and cotinine in tobacco harvesters' urine by solidphase extraction and liquid chromatography 802(2004)323

## Nimodipine

Determination of nimodipine in human plasma by a sensitive and selective liquid chromatography–tandem mass spectrometry method 802(2004)291

## Non-starch polysaccharides

Mechanisms by which resistant starches and non-starch polysaccharide sources affect the metabolism and disposition of the food carcinogen, 2-amino-3-methylimidazo[4,5-f]quinoline 802(2004)201

#### Norharman

Exposure to  $\beta$ -carbolines norharman and harman (Review) 802(2004)115

Mutagens formed from  $\beta$ -carbolines with aromatic amines 802(2004)135

#### Olanzapine

Simultaneous determination of clozapine, olanzapine, risperidone and quetiapine in plasma by high-performance liquid chromatography-electrospray ionization mass spectrometry 802(2004)257

#### Oligosaccharides

Protective effects of Brussels sprouts, oligosaccharides and fermented milk towards 2-amino-3-methylimidazo[4,5-f]quinoline (IQ)-induced genotoxicity in the human flora associated F344 rat: role of xenobiotic metabolising enzymes and intestinal microflora 802(2004)231

#### p53

Role of p53 and mismatch repair in PhIP-induced perturbations of the cell cycle 802(2004)183

# Paeoniflorin

Determination of paeoniflorin in rat hippocampus by high-performance liquid chromatography after intravenous administration of *Paeoniae* Radix extract 802(2004)277

## Prednisolone

Determination of the glucocorticoids prednisone, prednisolone, dexamethasone, and cortisol in human serum using liquid chromatography coupled to tandem mass spectrometry 802(2004)329

#### Prednisone

Determination of the glucocorticoids prednisone, prednisolone, dexamethasone, and cortisol in human serum using liquid chromatography coupled to tandem mass spectrometry 802(2004)329

#### Propazine

Characterisation and quality assessment of binding sites on a propazineimprinted polymer prepared by precipitation polymerisation 802(2004)347

#### Pyrethroid insecticides

Electron ionization gas chromatography—mass spectrometric determination of residues of thirteen pyrethroid insecticides in whole blood 802(2004)371

# Quetiapine

Simultaneous determination of clozapine, olanzapine, risperidone and quetiapine in plasma by high-performance liquid chromatography–electrospray ionization mass spectrometry 802(2004)257

#### Resistant starches

Mechanisms by which resistant starches and non-starch polysaccharide sources affect the metabolism and disposition of the food carcinogen, 2-amino-3-methylimidazo[4,5-f]quinoline 802(2004)201

#### Resveratrol

Phytoalexin resveratrol attenuates the mutagenicity of the heterocyclic amines 2-amino-1-methyl-6-phenylimidazo[4,5-*b*]pyridine and 2-amino-3,8-dimethylimidazo[4,5-*f*]quinoxaline 802(2004)217

#### Risperidone

Simultaneous determination of clozapine, olanzapine, risperidone and quetiapine in plasma by high-performance liquid chromatography–electrospray ionization mass spectrometry 802(2004)257

# 17β-Trenbolone

Validation of a gas chromatography–mass spectrometry method for the determination of pg/ml levels of  $17\beta$ -estradiol and  $17\beta$ -trenbolone in bovine serum 802(2004)307

## Valdecoxib

Quantitation of Valdecoxib in human plasma by high-performance liquid chromatography with ultraviolet absorbance detection using liquid–liquid extraction 802(2004)271