

Available online at www.sciencedirect.com



Journal of Chromatography B, 804 (2004) 449-451

JOURNAL OF CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

# Compound Index Vol. 804

## Acetamiprid

Assessment of potential (inhalation and dermal) and actual exposure to acetamiprid by greenhouse applicators using liquid chromatography–tandem mass spectrometry 804(2004)269

# β-Agonists

Evaluation of MISPE for the multi-residue extraction of  $\beta\mbox{-}agonists$  from calves urine -804(2004)85

#### Alfentanil

Highly sensitive gas chromatographic—mass spectrometric screening method for the determination of picogram levels of fentanyl, sufentanil and alfentanil and their major metabolites in urine of opioid exposed workers 804(2004)375

#### Aminophosphate

Performance analysis of molecularly imprinted polymers for carboxylate and aminophosphate templates using commercially available basic functional monomers 804(2004)203

## Astaxanthin

Separation and determination of astaxanthin from microalgal and yeast samples by molecularly imprinted microspheres 804(2004)25

#### Atazanavir

Simultaneous quantification of the new HIV protease inhibitors atazanavir and tipranavir in human plasma by high-performance liquid chromatography coupled with electrospray ionization tandem mass spectrometry 804(2004)359

## Benzene

Urinary benzene determination by SPME/GC–MS. A study of variables by fractional factorial design and response surface methodology 804(2004)255

# **Bisphenol A**

Covalent molecular imprinting of bisphenol A using its diesters followed by the reductive cleavage with  $LiAlH_4 = 804(2004)197$ 

## Brompheniramine

Retentivity and enantioselectivity of uniformly sized molecularly imprinted polymers for *d*-chlorpheniramine and -brompheniramine in hydro-organic mobile phases 804(2004)19

# Bupropion

High-throughput liquid chromatography-tandem mass spectrometry determination of bupropion and its metabolites in human, mouse and rat plasma using a monolithic column 804(2004)277

# Calmodulin

Using capillary electrophoresis with laser-induced fluorescence to study the interaction of green fluorescent protein-labeled calmodulin with Ca<sup>2+</sup>- and calmodulin-binding protein 804(2004)413

## Carboxylate

Performance analysis of molecularly imprinted polymers for carboxylate and aminophosphate templates using commercially available basic functional monomers 804(2004)203

## Chlorpheniramine

Retentivity and enantioselectivity of uniformly sized molecularly imprinted polymers for *d*-chlorpheniramine and -brompheniramine in hydro-organic mobile phases 804(2004)19

## Cholesterol

Enhanced capacities and selectivities for cholesterol in aqueous media by molecular imprinting: role of novel cross-linkers 804(2004)211

## Cinchonidine

Short columns with molecularly imprinted monolithic stationary phases for rapid separation of diastereomers and enantiomers 804(2004)13

Synthetic cinchonidine receptors obtained by cross-linking linear poly-(methacrylic acid) derivatives as an alternative molecular imprinting technique 804(2004)223

# Cinchonine

Short columns with molecularly imprinted monolithic stationary phases for rapid separation of diastereomers and enantiomers 804(2004)13

## cis-9,10-Epoxyoctadecanoic acid

Gas chromatography–mass spectrometry of *cis*-9,10-epoxyoctadecanoic acid (*cis*-EODA). II. Quantitative determination of *cis*-EODA in human plasma 804(2004)403

## Cytochrome P450

Simultaneous determination of dexamethasone and 6β-hydroxydexamethasone in urine using solid-phase extraction and liquid chromatography: applications to in vivo measurement of cytochrome P450 3A4 activity 804(2004)421

# Dexamethasone

Simultaneous determination of dexamethasone and 6β-hydroxydexamethasone in urine using solid-phase extraction and liquid chromatography: applications to in vivo measurement of cytochrome P450 3A4 activity 804(2004)421

## Di(2-ethylhexyl)phthalate

Determination of di(2-ethylhexyl)phthalate and mono(2-ethylhexyl) phthalate in human serum using liquid chromatography-tandem mass spectrometry 804(2004)397

## Docetaxel

Simple and rapid docetaxel assay in plasma by protein precipitation and high-performance liquid chromatography-tandem mass spectrometry 804(2004)263

## Enalapril

# Synthesis and evaluation of molecularly imprinted polymers for enalapril and lisinopril, two synthetic peptide anti-hypertensive drugs 804(2004)43

## d<sub>1</sub>-N-Ethyltramadol

Synthesis of  $d_1$ -*N*-ethyltramadol as an internal standard for the quantitative determination of tramadol in human plasma by gas chromatography–mass spectrometry 804(2004)369

## Fentanyl

Highly sensitive gas chromatographic—mass spectrometric screening method for the determination of picogram levels of fentanyl, sufentanil and alfentanil and their major metabolites in urine of opioid exposed workers 804(2004)375

# Fipexide

Studies on the metabolism and the toxicological analysis of the nootropic drug fipexide in rat urine using gas chromatography–mass spectrometry 804(2004)337

# Flavoenzymes

Immobilized enzyme reactors based upon the flavoenzymes monoamine oxidase A and B 804(2004)295

#### 5-Fluorouracil

Validated liquid chromatographic determination of 5-fluorouracil in human plasma 804(2004)435

# Fluoxetine

Rapid quantitation of fluoxetine and norfluoxetine in serum by micro-disc solid-phase extraction with high-performance liquid chromatography–ultraviolet absorbance detection 804(2004)319

# Histone deacetylase inhibitor

Determination of MS-275, a novel histone deacetylase inhibitor, in human plasma by liquid chromatography–electrospray mass spectrometry 804(2004)289

## Hydroxybupropion

High-throughput liquid chromatography-tandem mass spectrometry determination of bupropion and its metabolites in human, mouse and rat plasma using a monolithic column 804(2004)277

# **6β-Hydroxydexamethasone**

Simultaneous determination of dexamethasone and  $6\beta$ -hydroxydexamethasone in urine using solid-phase extraction and liquid chromatography: applications to in vivo measurement of cytochrome P450 3A4 activity 804(2004)421

## 5-Hydroxylansoprazole

Simultaneous determination of lansoprazole enantiomers and their metabolites in plasma by liquid chromatography with solid-phase extraction 804(2004)389

## Hydroxyproline

Quantitation of hydroxyproline in bone by gas chromatography-mass spectrometry 804(2004)345

## threo-Hydrobupropion

High-throughput liquid chromatography-tandem mass spectrometry determination of bupropion and its metabolites in human, mouse and rat plasma using a monolithic column 804(2004)277

# Imatinib

Development and validation of a simple liquid chromatographic method with ultraviolet detection for the determination of imatinib in biological samples 804(2004)431

#### Lansoprazole

Simultaneous determination of lansoprazole enantiomers and their metabolites in plasma by liquid chromatography with solid-phase extraction 804(2004)389

## Lansoprazole sulfone

Simultaneous determination of lansoprazole enantiomers and their metabolites in plasma by liquid chromatography with solid-phase extraction 804(2004)389

#### Lisinopril

Synthesis and evaluation of molecularly imprinted polymers for enalapril and lisinopril, two synthetic peptide anti-hypertensive drugs 804(2004)43

# Molecular imprinting polymers

Influence of polymerization temperature on the molecular recognition of imprinted polymers 804(2004)53

#### Molecularly imprinted monoliths

Short columns with molecularly imprinted monolithic stationary phases for rapid separation of diastereomers and enantiomers 804(2004)13

# Molecularly imprinted polymers

Molecularly imprinted polymer formats for capillary electrochromatography 804(2004)3

Retentivity and enantioselectivity of uniformly sized molecularly imprinted polymers for *d*-chlorpheniramine and -brompheniramine in hydro-organic mobile phases 804(2004)19

Multivariate analysis of the selectivity for a pentachlorophenol-imprinted polymer 804(2004)31

Synthesis and evaluation of molecularly imprinted polymers for enalapril and lisinopril, two synthetic peptide anti-hypertensive drugs 804(2004)43

Separation and screening of compounds of biological origin using molecularly imprinted polymers 804(2004)61

Molecularly imprinted polymers for the determination of a pharmaceutical development compound in plasma using 96-well MISPE technology 804(2004)71

Retention mechanism of analytes in the solid-phase extraction process using molecularly imprinted polymers. Application to the extraction of triazines from complex matrices 804(2004)93

Molecularly imprinted polymer-assisted sample clean-up of ochratoxin A from red wine: merits and limitations 804(2004)103

Membrane separations using molecularly imprinted polymers 804(2004)113

Screening combinatorial libraries of molecularly imprinted polymer films casted on membranes in single-use membrane modules 804(2004)135

Characterization of the heterogeneous binding site affinity distributions in molecularly imprinted polymers 804(2004)141

Molecularly imprinted polymers in pseudoimmunoassay 804(2004)151

Binding assays with molecularly imprinted polymers—why do they work? 804(2004)167

Molecularly imprinted polymers: synthesis and characterisation 804(2004)173

Performance analysis of molecularly imprinted polymers for carboxylate and aminophosphate templates using commercially available basic functional monomers 804(2004)203

Molecularly imprinted polymers for drug delivery 804(2004)231

# Mono(2-ethylhexyl)phthalate

Determination of di(2-ethylhexyl)phthalate and mono(2-ethylhexyl) phthalate in human serum using liquid chromatography-tandem mass spectrometry 804(2004)397

# Monoamine oxidases

Immobilized enzyme reactors based upon the flavoenzymes monoamine oxidase A and B 804(2004)295

## **MS-275**

Determination of MS-275, a novel histone deacetylase inhibitor, in human plasma by liquid chromatography–electrospray mass spectrometry 804(2004)289

## Nafcillin

Assessment of molecularly imprinted sol-gel materials for selective room temperature phosphorescence recognition of nafcillin 804(2004)247

#### Nimesulide

Rapid determination of nimesulide in rabbit aqueous humor by liquid chromatography 804(2004)441

# Norfluoxetine

Rapid quantitation of fluoxetine and norfluoxetine in serum by micro-disc solid-phase extraction with high-performance liquid chromatography–ultraviolet absorbance detection 804(2004)319

## Norverapamil

Simultaneous quantification of the enantiomers of verapamil and its Ndemethylated metabolite in human plasma using liquid chromatography– tandem mass spectrometry 804(2004)303

#### **Ochratoxin A**

Molecularly imprinted polymer-assisted sample clean-up of ochratoxin A from red wine: merits and limitations 804(2004)103

Determination of Ochratoxin A in small volumes of human blood serum 804(2004)313

## Oleic acid

Gas chromatography–mass spectrometry of *cis*-9,10-epoxyoctadecanoic acid (*cis*-EODA). II. Quantitative determination of *cis*-EODA in human plasma 804(2004)403

## Pentachlorophenol

Multivariate analysis of the selectivity for a pentachlorophenol-imprinted polymer 804(2004)31

## Plasmid DNA

Purification of pharmaceutical-grade plasmid DNA by anion-exchange chromatography in an RNase-free process 804(2004)327

# Poly(methacrylic acid)

Synthetic cinchonidine receptors obtained by cross-linking linear poly-(methacrylic acid) derivatives as an alternative molecular imprinting technique 804(2004)223

#### Polysaccharides

Determination of lipid profile in meningococcal polysaccharide using reversed-phase liquid chromatography 804(2004)353

## Propazine

Characterisation and quality assessment of binding sites on a propazineimprinted polymer prepared by precipitation polymerisation 804(2004)83

## Proteins

Using capillary electrophoresis with laser-induced fluorescence to study the interaction of green fluorescent protein-labeled calmodulin with  $Ca^{2+}$  and calmodulin-binding protein 804(2004)413

# RNase

Purification of pharmaceutical-grade plasmid DNA by anion-exchange chromatography in an RNase-free process 804(2004)327

#### Sufentanil

Highly sensitive gas chromatographic—mass spectrometric screening method for the determination of picogram levels of fentanyl, sufentanil and alfentanil and their major metabolites in urine of opioid exposed workers 804(2004)375

# **Templated polymers**

Designing selective sites in templated polymers utilizing coordinative bonds 804(2004)183

# Tipranavir

Simultaneous quantification of the new HIV protease inhibitors atazanavir and tipranavir in human plasma by high-performance liquid chromatography coupled with electrospray ionization tandem mass spectrometry 804(2004)359

#### Tramadol

Synthesis of  $d_1$ -*N*-ethyltramadol as an internal standard for the quantitative determination of tramadol in human plasma by gas chromatography–mass spectrometry 804(2004)369

## Triazines

Retention mechanism of analytes in the solid-phase extraction process using molecularly imprinted polymers. Application to the extraction of triazines from complex matrices 804(2004)93

#### Uracil

Molecularly imprinted copolymer membranes functionalized by phase inversion imprinting for uracil recognition and permselective binding 804(2004)127

# Verapamil

Simultaneous quantification of the enantiomers of verapamil and its Ndemethylated metabolite in human plasma using liquid chromatographytandem mass spectrometry 804(2004)303