

Available online at www.sciencedirect.com



Journal of Chromatography B, 805 (2004) 375-377

JOURNAL OF CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Compound Index Vol. 805

ABT-578

96-Well liquid–liquid extraction liquid chromatography-tandem mass spectrometry method for the quantitative determination of ABT-578 in human blood samples 805(2004)67

Acetate

Simultaneous determination of formate and acetate in whole blood and urine from humans using gas chromatography-mass spectrometry 805(2004)113

Acetic acid

High-performance liquid chromatographic assay of lactic, pyruvic and acetic acids and lactic acid stereoisomers in calf feces, rumen fluid and urine 805(2004)347

Acetone

Rapid determination of acetone in human plasma by gas chromatographymass spectrometry and solid-phase microextraction with on-fiber derivatization 805(2004)235

Albendazole 2-aminosulphone

Reversed-phase liquid chromatographic method with fluorescence detection for the simultaneous determination of albendazole sulphoxide, albendazole sulphone and albendazole 2-aminosulphone in sheep plasma 805(2004)267

Albendazole sulphone

Reversed-phase liquid chromatographic method with fluorescence detection for the simultaneous determination of albendazole sulphoxide, albendazole sulphone and albendazole 2-aminosulphone in sheep plasma 805(2004)267

Albendazole sulphoxide

Reversed-phase liquid chromatographic method with fluorescence detection for the simultaneous determination of albendazole sulphoxide, albendazole sulphone and albendazole 2-aminosulphone in sheep plasma 805(2004)267

6-Aminobutylphthalide

Microdialysis combined with liquid chromatography-tandem mass spectrometry for the determination of 6-aminobutylphthalide and its main metabolite in the brains of awake freely-moving rats 805(2004)93

Amphetamine

Sensitive and simple gas chromatographic-mass spectrometric determination for amphetamine in microdialysate and ultrafiltrate samples 805(2004)27

Angiogenesis inhibitor

Determination of SU5416, a novel angiogenesis inhibitor, in human plasma by liquid chromatography 805(2004)135

L-Arginine

Determination of L-arginine and N^G , N^G - and N^G , $N^{G'}$ - dimethyl-L-arginine in plasma by liquid chromatography as AccQ-FluorTM fluorescent derivatives 805(2004)325

Astilbin

Quantitative determination of astilbin in rabbit plasma by liquid chromatography 805(2004)357

Beclomethasone propionates

Simultaneous quantification of beclomethasone dipropionate and its metabolite, beclomethasone 17-monopropionate in rat and human plasma and different rat tissues by liquid chromatography–positive electrospray ionization tandem mass spectrometry 805(2004)203

Benidipine

Determination of benidipine in human plasma using liquid chromatography-tandem mass spectrometry 805(2004)311

Bilirubin

Liquid chromatographic method for the determination of lidocaine and monoethylglycine xylidide in human serum containing various concentrations of bilirubin for the assessment of liver function 805(2004)1

Bisphenol A

Determination of bisphenol A in river water and body fluid samples by stir bar sorptive extraction with in situ derivatization and thermal desorption-gas chromatography-mass spectrometry 805(2004)41

Bromperidol

Simultaneous determination of haloperidol and bromperidol and their reduced metabolites by liquid–liquid extraction and automated column-switching high-performance liquid chromatography 805(2004)175

Busulfan

Improved assay for determination of busulfan by liquid chromatography using postcolumn photolysis 805(2004)147

Catecholamines

Simultaneous determination of catecholamines and polyamines in PC-12 cell extracts by micellar electrokinetic capillary chromatography with ultraviolet absorbance detection 805(2004)281

Chloralose

Determination of chloralose residues in animal tissues by liquid chromatography-electrospray ionisation tandem mass spectrometry 805(2004)303

2-Chlorodeoxyadenosine

Determination of the deoxycytidine kinase activity in cell homogenates with a non-radiochemical assay using reversed-phase high performance liquid

chromatography. Identification of a novel metabolite of 2-chlorodeoxyadenosine 805(2004)339

α-Cobratoxin

Affinity adsorbent based on combinatorial phage display peptides that bind α -cobratoxin 805(2004)361

Coenzyme Q₁₀

Analysis of coenzyme Q₁₀ in human plasma by column-switching liquid chromatography 805(2004)297

Combinatorial phage display peptides

Affinity adsorbent based on combinatorial phage display peptides that bind α -cobratoxin 805(2004)361

Cyclooxygenase II inhibitor

Determination of a cyclooxygenase II inhibitor in human plasma by capillary gas chromatography with mass spectrometric detection 805(2004)21

Cyclosporin A

Simultaneous determination of four immunosuppressants by means of high speed and robust on-line solid phase extraction–high performance liquid chromatography–tandem mass spectrometry 805(2004)215

Deoxycytidine kinase

Determination of the deoxycytidine kinase activity in cell homogenates with a non-radiochemical assay using reversed-phase high performance liquid chromatography. Identification of a novel metabolite of 2-chlorodeoxyadenosine 805(2004)339

Dexamethasone

Quantitative determination of dexamethasone in bovine milk by liquid chromatography-atmospheric pressure chemical ionization-tandem mass spectrometry 805(2004)57

Dexamethasone sodium phosphate

Separation and determination of dexamethasone sodium phosphate in cochlear perilymph fluid by liquid chromatography with ultraviolet monitoring and electrospray ionization mass spectrometry characterization 805(2004)255

3,4-Diaminopyridine

Determination of A 3,4-diaminopyridine in plasma by liquid chromatography with electrochemical detection using solid-phase extraction 805(2004)261

Dicloxacillin

Liquid chromatographic assay for dicloxacillin in plasma 805(2004)353

Dimethyl-L-arginine

Determination of L-arginine and N^{G} , N^{G} - and N^{G} , $N^{G'}$ -dimethyl-L-arginine in plasma by liquid chromatography as AccQ-FluorTM fluorescent derivatives 805(2004)325

Dye-ligands

Affinity membrane chromatography: relationship of dye-ligand type to surface polarity and their effect on lysozyme separation and purification 805(2004)315

Enzymes

Determination of the deoxycytidine kinase activity in cell homogenates with a non-radiochemical assay using reversed-phase high performance liquid chromatography. Identification of a novel metabolite of 2-chlorodeoxyadenosine 805(2004)339

Esmolol

Simultaneous determination of the enantiomers of esmolol and its acid metabolite in human plasma by reversed phase liquid chromatography with solid-phase extraction 805(2004)249

Ethanol

Accurate assignment of ethanol origin in postmortem urine: liquid chromatographic-mass spectrometric determination of serotonin metabolites 805(2004)223

Everolimus

Simultaneous determination of four immunosuppressants by means of high speed and robust on-line solid phase extraction-high performance liquid chromatography-tandem mass spectrometry 805(2004)215

Formate

Simultaneous determination of formate and acetate in whole blood and urine from humans using gas chromatography-mass spectrometry 805(2004)113

Globotriaosylceramide

Globotriaosylceramide isoform profiles in human plasma by liquid chromatography-tandem mass spectrometry 805(2004)127

Optimisation of the separation of four major neutral glycosphingolipids: application to a rapid and simple detection of urinary globotriaosylceramide in Fabry disease 805(2004)331

Glucosyltransferase

Purification of glucosyltransferase from cell-lysate of *Streptococcus mutans* by counter-current chromatography using aqueous polymer two-phase system 805(2004)155

Glycosphingolipids

Optimisation of the separation of four major neutral glycosphingolipids: application to a rapid and simple detection of urinary globotriaosylceramide in Fabry disease 805(2004)331

Haloperidol

Simultaneous determination of haloperidol and bromperidol and their reduced metabolites by liquid–liquid extraction and automated column-switching high-performance liquid chromatography 805(2004)175

HepG2

Determination of malondialdehyde by liquid chromatography as the 2,4dinitrophenylhydrazone derivative. A marker for oxidative stress in cell cultures of human hepatoma HepG2 805(2004)33

HIV protease inhibitors

High-performance liquid chromatography assay for the quantification of HIV protease inhibitors and non-nucleoside reverse transcriptase inhibitors in human plasma 805(2004)241

Hydroxyperhexiline

Determination of perhexiline and hydroxyperhexiline in plasma by liquid chromatography-mass spectrometry 805(2004)87

1-Hydroxypyrene

Determination of 1-hydroxypyrene in children urine using columnswitching liquid chromatography and fluorescence detection 805(2004)187

Lactic acid

High-performance liquid chromatographic assay of lactic, pyruvic and acetic acids and lactic acid stereoisomers in calf feces, rumen fluid and urine 805(2004)347

Levo-a-acetylmethadol

Determination of human plasma levels of levo- α -acetylmethadol and its metabolites by gas chromatography-mass spectrometry 805(2004)141

Lidocaine

Liquid chromatographic method for the determination of lidocaine and monoethylglycine xylidide in human serum containing various concentrations of bilirubin for the assessment of liver function 805(2004)1

Lipids

Globotriaosylceramide isoform profiles in human plasma by liquid chromatography-tandem mass spectrometry 805(2004)127

Lysozymes

Affinity membrane chromatography: relationship of dye-ligand type to surface polarity and their effect on lysozyme separation and purification 805(2004)315

Malondialdehyde

Determination of malondialdehyde by liquid chromatography as the 2,4dinitrophenylhydrazone derivative. A marker for oxidative stress in cell cultures of human hepatoma HepG2 805(2004)33

Monoethylglycine xylidide

Liquid chromatographic method for the determination of lidocaine and monoethylglycine xylidide in human serum containing various concentrations of bilirubin for the assessment of liver function 805(2004)1

Mycophenolic acid

Simple reversed-phase ion-pair liquid chromatography assay for the simultaneous determination of mycophenolic acid and its glucuronide metabolite in human plasma and urine 805(2004)101

Mycophenolic acid glucuronide

Simple reversed-phase ion-pair liquid chromatography assay for the simultaneous determination of mycophenolic acid and its glucuronide metabolite in human plasma and urine 805(2004)101

Nerve growth factor

Two-step chromatographic method for separation and purification of nerve growth factor from venom of Chinese cobra 805(2004)119

Non-nucleoside reverse transcriptase inhibitors

High-performance liquid chromatography assay for the quantification of HIV protease inhibitors and non-nucleoside reverse transcriptase inhibitors in human plasma 805(2004)241

Paraldehyde

Determination of paraldehyde by gas chromatography in whole blood from children 805(2004)365

Perhexiline

Determination of perhexiline and hydroxyperhexiline in plasma by liquid chromatography-mass spectrometry 805(2004)87

Phthalate metabolites

Analysis of human urine for fifteen phthalate metabolites using automated solid-phase extraction 805(2004)161

Phthalates

Automated solid phase extraction and quantitative analysis of human milk for 13 phthalate metabolites 805(2004)49

Poly(ethylene glycol)

Analysis of PEG 400 and 4000 in urine for gut permeability assessment using solid phase extraction and gel permeation chromatography with refractometric detection 805(2004)195

Polyamines

Simultaneous determination of catecholamines and polyamines in PC-12 cell extracts by micellar electrokinetic capillary chromatography with ultraviolet absorbance detection 805(2004)281

Pyruvic acid

High-performance liquid chromatographic assay of lactic, pyruvic and acetic acids and lactic acid stereoisomers in calf feces, rumen fluid and urine 805(2004)347

Rizatriptan

Liquid chromatographic method for the determination of rizatriptan in human plasma 805(2004)169

Serotonin

Accurate assignment of ethanol origin in postmortem urine: liquid chromatographic–mass spectrometric determination of serotonin metabolites 805(2004)223

Sirolimus

Simultaneous determination of four immunosuppressants by means of high speed and robust on-line solid phase extraction–high performance liquid chromatography–tandem mass spectrometry 805(2004)215

SU5416

Determination of SU5416, a novel angiogenesis inhibitor, in human plasma by liquid chromatography 805(2004)135

Tacrolimus

Liquid chromatography–negative ion electrospray tandem mass spectrometry method for the quantification of tacrolimus in human plasma and its bioanalytical applications 805(2004)13

Simultaneous determination of four immunosuppressants by means of high speed and robust on-line solid phase extraction-high performance liquid chromatography-tandem mass spectrometry 805(2004)215

Tamsulosin

Determination of tamsulosin in dog plasma by liquid chromatography with atmospheric pressure chemical ionization tandem mass spectrometry 805(2004)7

Terbutaline

Simple determination of terbutaline in dog plasma by column-switching liquid chromatography 805(2004)211

Tirofiban

Determination of Tirofiban in human serum by liquid chromatographytandem mass spectrometry 805(2004)181

Tranexamic acid

Liquid chromatography-tandem mass spectrometry method for the determination of tranexamic acid in human plasma 805(2004)275

Vitamins

Development of a validated liquid chromatography method for the simultaneous determination of eight fat-soluble vitamins in biological fluids after solid-phase extraction 805(2004)289