


Visit also our website:

<http://www.elsevier.com/locate/chromb>

INSTRUCTIONS TO AUTHORS



JOURNAL OF CHROMATOGRAPHY B

ANALYTICAL TECHNOLOGIES IN THE
BIOMEDICAL AND LIFE SCIENCES

Editorial Office *Journal of Chromatography B*
P.O. Box 681, 1000 AR Amsterdam, The Netherlands
Molenwerf 1, 1014 AG Amsterdam, The Netherlands
Tel: +31-20-4852794
Fax: +31-20-4852304
e-mail: chrom-eo@elsevier.com

Journal's Author Gateway page: <http://author.elsevier.com/journal/chromb>



ELSEVIER

Amsterdam – London – New York – Oxford – Paris – Shannon – Tokyo

JOURNAL OF CHROMATOGRAPHY

INSTRUCTIONS TO AUTHORS

● Scope

The *Journal of Chromatography B* addresses advancements in and applications of analytical methodologies related to drugs, other biologically active compounds, metabolites, biomarkers, as well as to bio-polymers such as proteins, peptides, nucleic acids, glycans. The areas considered include:

- clinical analysis, therapeutic drug monitoring, pharmaceutical analysis, toxicological analysis, bio-environmental analysis and novel approaches to sample preparation in analysis of biological matrices
- the qualitative and quantitative analysis of biopolymers including proteins, peptides and their post-translational modifications as well as nucleic acids and glycans
- the screening and profiling of body fluids, tissues, biological matrices and system related to monitoring the level of active substances, including metabolites, biomarkers and toxicants
- the comparative analysis of biological systems using proteomics, genomics, metabonomics and other 'omics' including novel ways of data handling and interpretation
- preparative aspects related to separation and isolation of bioactive compounds including biopolymers

Analytical techniques covered include the various facets of chromatography, electrophoresis and related methods, including mass spectrometry and affinity-based methodologies.

● Types of contributions

The following types of papers are published in the *Journal of Chromatography B*: Regular research papers (full-length papers), Review articles, Short Communications, Discussions, Technical Notes and Letters to the Editor. Review articles are invited or proposed in writing to the Editors, who welcome suggestions for subjects. An outline of the proposed Review should first be forwarded to the Editors for preliminary discussion prior to preparation. Short Communications are usually descriptions of short investigations, or they can report minor technical improvements of previously published procedures: they reflect the same quality of research as full-length papers, but should preferably not exceed five printed pages. Discussions (one or two pages) should explain, amplify, correct or otherwise comment substantively upon an article recently published in the journal. Submission of an article is understood to imply that the article is original and unpublished and is not being considered for publication elsewhere.

Upon acceptance of an article by the journal, the author(s) will be asked to transfer the copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

● Submission of articles

General

It is essential to give an e-mail address and fax number when submitting a manuscript. Articles must be written in good English.

Submission of an article implies that the work described has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, without the written consent of the Publisher.

Upon acceptance of an article, authors will be asked to transfer copyright (for more information on copyright see <http://authors.elsevier.com>). This transfer will ensure the widest possible dissemination of information. A letter will be sent to the corresponding Author confirming receipt of the manuscript. A form facilitating transfer of copyright will be provided. If excerpts from other copyrighted works are included, the Author(s) must obtain written permission from the copyright owners and credit the source(s) in the article. Elsevier has preprinted forms for use by authors in these cases: contact Elsevier's Rights Department, Oxford, UK, phone: (+44) 1865 843830, fax: (+44) 1865 853333, e-mail: permissions@elsevier.com. Requests may also be completed on-line via the Elsevier homepage (<http://www.elsevier.com/locate/permissions>).

Submission to the journal

Submission of both regular and special issue articles to this journal proceeds totally on-line via the journal's submission website <http://ees.elsevier.com/chromb>. At the submission website you will be guided stepwise through the creation and uploading of the various files. Once the uploading is done, our system automatically generates an electronic (PDF) proof, which is then used for reviewing. All correspondence, including notification of the Editor's decision and requests for revisions, will be by e-mail. If you are unable to provide an electronic version, please contact the editorial office prior to submission at e-mail: chromeo@elsevier.com; telephone: +31 20 485 2796; or fax: +31 20 485 2304.

Every paper must be accompanied by a letter from the senior author, stating that he/she is submitting the paper for publication in the *Journal of Chromatography B*. In the letter, possible reviewers may be suggested.

Electronic format requirements

We accept most wordprocessing formats, but Word, WordPerfect or LaTeX is preferred. Always keep a backup copy of the electronic file for reference and safety. Save your files using the default extension of the program used.

● Manuscript preparation

Manuscripts should be typed in *double spacing*. A 2-cm margin should be left on each side, an easily readable font (12 pt.) should be chosen. As a rule, papers should be divided into sections, headed by captions (e.g. Abstract, Introduction, Experimental, Results/Discussion and Conclusion).

Title

The title of the paper should be concise and informative. Since titles are widely used in information retrieval systems, care should be taken to include the key words. The title should be followed by the authors' full names, academic or professional affiliations, and the address of the laboratory where the work was carried out. If the present address of an author is different from that mentioned, it should be given in a footnote. Acknowledgements of financial support are not to be made in a footnote to the title or name of the author, but should be included in the Acknowledgements at the end of the paper.

Abstract

All articles should have an Abstract of 50–100 words which clearly and briefly indicates what is new, different and significant. No references should be given.

Introduction

Every paper must have a concise introduction that mentions what has been done before on the topic, with appropriate references, and that states clearly what is new in the paper now submitted.

Experimental

The Experimental section should contain sufficient information for others to repeat the experiments. Whereas general conditions can usually best be specified in the Experimental section, it is often better to give specific details in the figure captions. Appendix 1 lists what should typically be specified.

Tables and illustrations

Although appropriate tables and illustrations contribute to a clear and concise presentation of results, they should not merely repeat data already given in the text. References to the illustrations and tables should be included in appropriate places in the text by Arabic numerals.

Tables should be uploaded separately, and numbered according to their sequence in the text. A brief descriptive heading should be given with each table. Below the heading the experimental conditions should be described. The layout of the tables should be given serious thought, so that the reader can grasp quickly the significance of the results.

Figures and photographs should also be uploaded separately in a form suitable for reproduction. A detailed guide on electronic artwork is available on our website: <http://authors.elsevier.com/artwork>

You are urged to visit this site; some excerpts from the detailed information are given here.

Formats

Regardless of the application used, when your electronic artwork is finalised, please “save as” or convert the images to one of the following formats (Note the resolution requirements for line drawings, halftones, and line/halftone combinations given below.):

EPS:	Vector drawings. Embed the font or save the text as “graphics”.
TIFF:	Colour or greyscale photographs (halftones): always use a minimum of 300 dpi.
TIFF:	Bitmapped line drawings: use a minimum of 1000 dpi.
TIFF:	Combinations bitmapped line/half-tone (colour or greyscale): a minimum of 500 dpi is required.
DOC, XLS or PPT:	If your electronic artwork is created in any of these Microsoft Office applications please supply “as is”.

Please do not:

- Supply embedded graphics in your wordprocessor (spreadsheet, presentation) document;
- Supply files that are optimised for screen use (like GIF, BMP, PICT, WPG); the resolution is too low;
- Supply files that are too low in resolution;
- Submit graphics that are disproportionately large for the content.

All axes of graphs and chromatograms should be clearly labelled, with full quantitative data, equivalent information should be provided in the legend. Please note that any lettering should also be in a form suitable for reproduction. Lettering (which should be kept to a minimum) and spacing on axes of graphs should be such that numbers, etc., remain legible after reduction in size. The figures should preferably be of such a size that the same degree of reduction can be applied to all of them. The size of the figures should preferably not exceed the size of the text pages. Simple straight-line graphs (such as calibration lines) are not acceptable, because they can readily be described in the text by means of an equation or a sentence. Claims of linearity should be supported by regression data that include slope, intercept, standard deviations of the slope and intercept, standard error and the number of data points; correlation coefficients are optional. Standard symbols should be used in line drawings; the following are available to the typesetters and can also be used in the legends: filled or open squares, triangles, circles or diamonds, + or ×.

Photographs should have good contrast and intensity. Sharp, glossy photographs are required to obtain good half tones. References to the illustrations should be included in appropriate places in the text by Arabic numerals and the approximate position of the illustration should be indicated in the margin of the manuscript. Each illustration should have a caption, all the captions being typed (with double spacing) together on a separate sheet.

Free colour pictures and other supplementary material on the WWW

Authors may now submit colour pictures and other supplementary material along with their paper. If, together with the accepted article, usable colour figures are submitted then Elsevier will ensure, at no additional charge, that these figures will appear in colour on the web (e.g., ScienceDirect and other sites) regardless of whether or not these illustrations are reproduced in colour in the printed version. For colour reproduction in print, you will receive information regarding the costs from Elsevier after receipt of your accepted article. For further information on the preparation of electronic artwork, please see <http://authors.elsevier.com/artwork>. The written permission of the author and publisher must be obtained for the use of any figure already published. Its source must be indicated in the legend.

Nomenclature, symbols, abbreviations and units

Widely accepted symbols, abbreviations and units (SI) should be used. If there is any doubt about a particular symbol or abbreviation, the full expression followed by the abbreviation should be given the first time it appears in the text. Abbreviations used in tables and figures should be explained in the captions. In general, the recommendations of the International Union of Pure and Applied Chemistry (IUPAC) should be followed and attention should be given to the recommendations of the Analytical Chemistry Division in the journal *Pure and Applied Chemistry: Nomenclature for Chromatography*, *Pure Appl. Chem.*, 65 (1993) 819–872. Decimal points should be indicated by full stops. All decimal numbers smaller than unity should include a leading zero (e.g. 0.11).

References

References should be numbered in the order in which they are cited in the text, and listed in numerical sequence on a separate sheet at the end of the article. The numbers should appear in the text at the appropriate places in square brackets. In the reference list, periodicals [1], monographs [2], multi-author books [3], and proceedings [4] should be cited in accordance with the following examples:

- [1] S. Chellam, M.R. Wiesner, *J. Membrane Sci.* 138 (1998) 83.
- [2] T.R. Bott, *Fouling of Heat Exchangers*. Elsevier, Amsterdam, 1995.
- [3] C.H. Foyer, in R.G. Alscher, J.L. Hess (Eds.), *Antioxidants in Higher Plants*. CRC Press, Boca Raton, FL, 1993, p. 31.
- [4] A. Veide, C. Hassinen, D. Hallen, M. Eiteman, B. Lassen, K. Holmbert, in R.D. Rogers, M.A. Eiteman (Eds.), *Proceedings of the American Chemical Society Symposium on Aqueous Biophasic Separation*. Plenum Publishers, New York, NY, 1995, p. 133.

Abbreviations for the titles of journals should follow the system used by Chemical Abstracts. Articles not yet published should be given as “in press” (journal should be specified), “submitted for publication” (journal should be specified), “in preparation” or “personal communication”.

Vols. 1–651 of the Journal of Chromatography; Journal of Chromatography, Biomedical Applications and Journal of Chromatography, Symposium Volumes should be cited as J. Chromatogr.

From Vol. 652 on, Journal of Chromatography A (incl. Symposium Volumes) should be cited as J. Chromatogr. A and Journal of Chromatography B as J. Chromatogr. B.

● Proofs

One set of page proofs in PDF format will be sent by e-mail to the corresponding Author, to be checked for typesetting/editing. No changes in, or additions to, the accepted (and subsequently edited) manuscript will be allowed at this stage. Proofreading is solely your responsibility. Elsevier will do everything possible to get your article corrected and published as quickly and accurately as possible. In order to do this we need your help. When you receive the (PDF) proof of your article for correction, it is important to ensure that all of your corrections are sent back to us in one communication. Subsequent corrections will not be possible, so please ensure your first sending is complete. Note that this does not mean you have any less time to make your corrections, just that only one set of corrections will be accepted.

● Reprints

Twenty-five reprints of Regular research papers, Reviews, Short Communications, Discussions, Technical Notes and Letters to the Editor will be supplied free of charge. Additional reprints can be ordered. The order form containing price quotations will be sent to the authors together with a copyright transfer form upon acceptance of the manuscript.

● Important information

– For information on editorial matters (including submission, reviews and revision of manuscripts) please contact: Editorial Office, *Journal of Chromatography*, P.O. Box 681, 1000 AR Amsterdam, The Netherlands; Tel.: (+31-20) 4852796; Fax: (+31-20) 4852304; E-mail: chrom-ee@elsevier.com

– For specific enquiries on the preparation of electronic artwork, consult <http://www.elsevier.com/locate/authorartwork/>

– Visit the Author Gateway from Elsevier (<http://authors.elsevier.com>) for the facility to track accepted articles and set up e-mail alerts to inform you of when an article's status has changed. The Author Gateway also provides detailed artwork guidelines, copyright information, frequently asked questions and more.

Contact details for questions arising after acceptance of an article, especially those relating to proofs, are provided when an article is accepted for publication

– For orders, claims and product enquiries; please contact the Customer Service Department at the Regional Sales Office nearest you:

Orlando: Elsevier, Customer Service Department, 6277 Sea Harbor Drive, Orlando, FL 32887-4800, USA; phone: (+1) (877) 8397126 [toll free number for US customers], or (+1) (407) 3454020 [customers outside US]; fax: (+1) (407) 3631354; e-mail: usjcs@elsevier.com

Amsterdam: Elsevier, Customer Service Department, PO Box 211, 1000 AE Amsterdam, The Netherlands; phone: (+31) (20) 4853757; fax: (+31) (20) 4853432; e-mail: nlinfo-f@elsevier.com

Tokyo: Elsevier, Customer Service Department, 4F Higashi-Azabu, 1-Chome Bldg, 1-9-15 Higashi-Azabu, Minato-ku, Tokyo 106-0044, Japan; phone: (+81) (3) 5561 5037; fax: (+81) (3) 5561 5047; e-mail: jp.info@elsevier.com

Singapore: Elsevier, Customer Service Department, 3 Killiney Road, #08-01 Winsland House I, Singapore 239519; phone: (+65) 63490222; fax: (+65) 67331510; e-mail: asiainfo@elsevier.com

Appendix 1: Experimental conditions to be specified

Experimental conditions should preferably be given on a separate sheet, headed “Conditions”. These conditions will, if appropriate, be printed in a block, directly following the heading “Experimental”.

General

Chemicals. Supplier (+ city/town, state, country) and degree of purity of all less common chemicals; EC number of enzymes; optical purity of enantiomers.

Equipment. Model and manufacturer (+ city/town, state, country) of commercial instruments (e.g. chromatographs and detectors). For instruments that are not commercially available, sufficient detail (or a reference) should be given to allow others to construct their own instrument. Detection parameters (e.g. type, wavelength, attenuation, linearity range, limit of detection at a specified signal-to-noise ratio).

Sample preparation. Application papers should contain full details (or a reference) of the method of sample preparation. For centrifugation steps, give details of g value and time. Injection device and volume and concentration of the injected sample should be specified.

Column liquid chromatography

Column. Column dimensions (length \times internal diameter), manufacturer and location, packing material (for non-commercial columns or columns that are not widely used the chemical composition should be specified), particle diameter, pore diameter, column temperature.

Mobile phase. Complete and unambiguous description of the mobile phase composition or procedure for its preparation; pH; flow-rate; gradient programme. k values. When reporting values, the method for determining the hold-up time (t_0) must be described.

Gas chromatography and supercritical fluid chromatography

Column. In addition to the parameters mentioned for column liquid chromatography, specify type of column (packed, capillary, etc.) support material, film thickness of the stationary phase, and surface modification, if applicable.

Carrier gas. Type, purity, flow-rate or inlet pressure (bar or MPa).

Temperature. All relevant temperatures (or temperature programmes) should be detailed.

Planar chromatography

Chamber. Internal dimensions, manufacturer and location, saturation, temperature, humidity.

Thin layer or paper. Manufacturer and location, material, dimensions, type (laboratory-prepared or commercially precoated) and thickness of layer, additives (fluorescent indicator, binder), position of starting line, development mode, method of activation.

Solvent. Composition of solvent, monophasic or upper or lower phase of two-phase mixture, total volume.

Sample. Application method, size of spot or streak, solvent and amount of solute and volume of solution applied.

Detection. Spray reagent, wavelength, details of colours, R_F values.

Electrophoresis

Matrix. For example, cellulose acetate, agarose, polyacrylamide; gel concentration; percentage cross-linker; dimensions and material of tube, sheet, etc., surface modification, length between column inlet and detector, temperature.

Buffers. Complete and unambiguous description of buffers used, pH and how the pH was set or adjusted.

Other. Injection method, voltage, current. In electropherograms, anode and cathode should be indicated.

Mass spectrometry

Inlet system. Direct on-line, off-line, postcolumn splitting, postcolumn buffer or matrix addition.

Source. Ionization energy, temperature, trap current, reagent gas. For LC interfaces, complete and unambiguous description of the same and their operating parameters (vaporizer and capillary temperature, buffers, nebulizing, auxiliary or ionizing gases, gas pressures, source and interface voltages, up-front CID voltages).

Mass analyzer. Accelerating voltage, scan mode, collision gas for tandem MS work, collision gas pressure, collision energy, resolution and mass range.

Detection. Electron multiplier voltage and/or electrometer gain, ions monitored in SIM and dwell times.

Appendix 2: Conversion table for the non-SI units most frequently used

The use of some non-SI units has been accepted for practical reasons; to this category belong units for time (min, h), volume (l), pressure (1 bar = 10^5 Pa), temperature ($^{\circ}$ C), energy (1 eV \approx $1.60219 \cdot 10^{-21}$ J), mass (1 u \approx $1.66053 \cdot 10^{-27}$ kg) and activity (1 Ci = $3.7 \cdot 10^{10}$ Bq). This journal also accepts Å (= 0.1 nm). Concentration should formally be expressed in mol dm $^{-3}$ or mol l $^{-1}$, but the symbol M is accepted; normality (N) should not be used, however. The frequently used “daltons” are not compatible with the SI system — the relative molecular mass (M_r) should be given as a value only (dimensionless). Gravitational force must be expressed in g; rpm is not allowed for centrifugation (but it is, e.g., for vortex mixing). The table below summarizes some conversion factors; to obtain the value in SI units, the value in non-SI units should be multiplied by the factor.

Physical quantity	Type of conversion	Factor
Length	in. → cm	2.54
	ft. → cm	30.4801
Area	in. ² → cm ²	6.451626
Mass	lb. → kg	0.45359237
Volume	gallon (USA) → l	3.785332
	gallon (UK) → l	4.54609
Pressure	atm → Pa	101 325
	mmHg or Torr → Pa	133.322
	mmH ₂ O → Pa	9.80665
	kp cm ² → Pa	98066.5
	lbs. in. ⁻² or p.s.i. → Pa	6894.76

Other frequently used non-SI “units” are ppm, ppb and ppt. When used in this journal, the American billion (10^9) and trillion (10^{12}) are meant. The use of ppm, ppb and ppt is *only* permitted if they refer to mass/mass or volume/volume ratios; they should **not** be used for mass/volume ratios. The first time such a “unit” appears in an article, it should be indicated whether it refers to mass/mass or to volume/volume.

Appendix 3: Abbreviations and symbols that may be used without definition

Abbreviations and symbols should not be used in article titles. Please note that most abbreviations should only be used in combination with a value, or in structural formulae.

Abbreviations

A, C, G, T	adenine, cytidine, guanine, thymine
Ac, OAc	acetyl, acetate
A/D	analog-to-digital
ADP, AMP, ATP, and similar nucleoside phosphates	adenosine 5'-di-, -mono-, triphosphate, etc.
a.c.	alternating current
amino acids	standard 3- and 1-letter codes
AU	absorbance units
BET	Brunauer—Emmett—Teller
b.p.	boiling point
Bu	butyl
cpm	counts per minute
CE	capillary electrophoresis
d, m, p, r, t (in nucleosides/nucleotides/nucleic acids)	deoxy, messenger, phosphate, recombinant/ ribosomal, transfer
d.c.	direct current
DDD, DDT, DDE	di-, trichloro-bis(chlorophenyl)ethane, -ethylene
DEAE	diethylaminoethyl
DNA, DNase	deoxyribonucleic acid, deoxyribonuclease
Dns, dansyl	5-dimethylaminonaphthalene-1-sulfonyl
DOPA	3,4-dihydroxyphenylalanine
dpm	desintegrations per minute
EC	enzyme commission numbering system
EDTA	ethylenediaminetetraacetate, -acetic acid
equiv.	equivalent
Et	ethyl
FS	full scale
FSOT	fused-silica open tubular
FT	Fourier transform
GC, GLC, GSC	gas chromatography, gas-liquid chromatography, gas-solid chromatography
HP...	high-performance...
I.D.	internal diameter
IgG	immunoglobulin G
i.m.	intramuscular
i.p.	intraperitoneal
IR	infrared
I.S.	internal standard
I.U.	international unit

i.v.	intravenous
LC	liquid chromatography
LD	lethal dose
Me	methyl
m.p.	melting point
MS	mass spectrometry
NAD, NADH (NADP, NADPH)	nicotinamide—adenine dinucleotide (phosphate)
NMR	nuclear magnetic resonance
O.D.	outer diameter
Ph	phenyl
Pr	propyl
PTFE	poly(tetrafluoroethylene)
RNA, RNase	ribonucleic acid, ribonuclease
RP....	reversed-phase....
rpm	revolutions per minute
RSD	relative standard deviation (preferred over coefficient of variation)
SD	standard deviation
TLC	thin-layer chromatography
Tris	tris(hydroxymethyl)aminomethane
u	atomic mass units (reference to mass of ¹² C; preferred over a.m.u./amu: reference to mass of ¹⁶ O)
UV	ultraviolet
vol., v/v	volume, volume/volume
Vis	visible
WCOT	wall-coated open tubular
wt., w/w, m/m	mass, mass/mass

Symbols

<i>A</i>	peak area or absorbance
α	separation factor
<i>D</i>	diffusion coefficient
d_f	film thickness
d_p	particle diameter
ϵ	interparticle porosity or molar adsorptivity
<i>F</i>	mobile phase flow-rate
ΔG^0	standard Gibbs free energy change
ΔH^0	standard enthalpy change
<i>H</i>	plate height
<i>h</i>	reduced plate height
<i>J</i>	coupling constant
<i>K</i>	equilibrium constant
<i>k</i>	retention factor
K_c	distribution constant (preferred over partition coefficient)
<i>L</i>	length
λ	wavelength
M_r	(relative) molecular mass
μ	electrophoretic mobility
<i>N</i>	number of plates
<i>n</i>	number of determinations
η	viscosity
<i>p</i>	pressure or probability
<i>P</i>	relative pressure
p...	negative logarithm of... (as in pH, pI, pK _a)
<i>r</i>	relative retention or correlation coefficient
<i>R</i>	molar gas constant
R_F	retardation factor
R_M	log (1/ R_F - 1)
R_s	resolution
ρ	density
ΔS^0	standard entropy change
<i>S/N</i>	signal-to-noise ratio
<i>T</i>	temperature
<i>t</i>	time
t_0	retention time of unretained compound
t_R (t'_R)	(adjusted) retention time
<i>u</i>	mobile phase velocity
V_0	retention volume of unretained compound

V_R (V'_R)	(adjusted) retention volume
w_b	peak width at base
w_h	peak width at half height

The complete and regularly updated version of the Instructions to Authors can be found on the homepage of the Journal of Chromatography B: <http://www.elsevier.com/locate/chromb>