



## Author Index Vol. 809

- Afify, S., Rapp, U.R. and Högger, P.  
Validation of a liquid chromatography assay for the quantification of the Raf kinase inhibitor BAY 43-9006 in small volumes of mouse serum 809(2004)99
- Ahmadiani, A., see Amini, H. 809(2004)227
- Albsmeier, J., Schwedhelm, E., Schulze, F., Kastner, M. and Böger, R.H.  
Determination of  $N^G,N^G$ -dimethyl-L-arginine, an endogenous NO synthase inhibitor, by gas chromatography-mass spectrometry 809(2004)59
- Aldaz, A., see Zufia, L. 809(2004)51
- Alegretti, A.P., Thiesen, F.V. and Maciel, G.P.  
Analytical method for evaluation of exposure to benzene, toluene, xylene in blood by gas chromatography preceded by solid phase microextraction 809(2004)183
- Åman, P., see Ross, A.B. 809(2004)125
- Amini, H. and Ahmadiani, A.  
Rapid determination of loratadine in small volume plasma samples by high-performance liquid chromatography with fluorescence detection 809(2004)227
- Baguley, B.C., see Zhou, S. 809(2004)87
- Bailey, C., see Jensen, B.P. 809(2004)279
- Barbas, C., see Maeso, N. 809(2004)147
- Barrientos-Astigarraga, R.E., see Padua, A.A.F. 809(2004)211
- Barton, H.A., see Sierra-Santoyo, A. 809(2004)105
- Bateman, K.P., see Beaudette, P. 809(2004)153
- Bates, S.E., see Hwang, K. 809(2004)81
- Beaudette, P. and Bateman, K.P.  
Discovery stage pharmacokinetics using dried blood spots 809(2004)153
- Bergqvist, Y., see Malm, M. 809(2004)43
- Bergström, M., Nilsson, M., Isaksson, R., Rydén, I., Pahlsson, P. and Ohlson, S.  
Lectin affinity capillary electrophoresis in glycoform analysis applying the partial filling technique 809(2004)323
- Böger, R.H., see Albsmeier, J. 809(2004)59
- Bonato, P.S., see de Santana, F.J.M. 809(2004)351
- Bondia-Pons, I., Castellote, A.I. and Carmen López-Sabater, M.  
Comparison of conventional and fast gas chromatography in human plasma fatty acid determination 809(2004)339
- Bonn, G.K., see Pirker, R. 809(2004)257
- Burns, S.A., Hong, Y.-J. and Mitchell, A.E.  
Direct liquid chromatography-mass spectrometry method for the detection of glutathione S-transferase isozymes and investigation of their expression in response to dietary flavone 809(2004)331
- Campbell, D.A., see Yang, L. 809(2004)75
- Capezio, L., see Farruggia, B. 809(2004)301
- Carmen López-Sabater, M.C., see Bondia-Pons, I. 809(2004)339
- Carpenter, T., Poore, D.D., Gee, A.J., Deshpande, P., Merkler, D.J. and Johnson, M.E.  
Use of reversed phase HP liquid chromatography to assay conversion of *N*-acylglycines to primary fatty acid amides by peptidylglycine- $\alpha$ -amidating monooxygenase 809(2004)15
- Castellote, A.I., see Bondia-Pons, I. 809(2004)339
- Cesarino, E.J., see de Santana, F.J.M. 809(2004)351
- Chan, K.K., see Hua, Y. 809(2004)1
- Chen, J., Ohnmacht, C. and Hage, D.S.  
Studies of phenytoin binding to human serum albumin by high-performance affinity chromatography 809(2004)137
- Chen, J., Yang, L., Kapron, J.T., Ma, L., Pace, E., Van Pelt, C.K. and Rudewicz, P.J.  
Determination of SCH 211803 by nanoelectrospray infusion mass spectrometry: evaluation of matrix effect and comparison with liquid chromatography-tandem mass spectrometry 809(2004)205
- Chen, T.-M. and Jones, H.K.  
Epimerization study of the L,L- and L,D-diastereoisomers of the calpain inhibitor MDL 28170 by capillary electrophoresis 809(2004)31
- Cheng, Y., Ho, E., Subramanyam, B. and Tseng, J.-L.  
Measurements of drug-protein binding by using immobilized human serum albumin liquid chromatography-mass spectrometry 809(2004)67
- Chiang, H.-Y., see Chiao, D.-J. 809(2004)37
- Chiao, D.-J., Shyu, R.-H., Hu, C.-S., Chiang, H.-Y. and Tang, S.-S.  
Colloidal gold-based immunochromatographic assay for detection of botulinum neurotoxin type B 809(2004)37
- Chidambara, J., see Ramakrishna, N.V.S. 809(2004)243
- Chiti, G., Municchi, M., Paschetta, V., Nistri, D. and Roncucci, G.  
Determination of tetracationic zinc(II) phthalocyanine derivative RLP068 in rabbit serum by liquid chromatography-tandem mass spectrometry 809(2004)167
- Cifuentes, A., see Maeso, N. 809(2004)147
- De Nucci, G., see Padua, A.A.F. 809(2004)211
- de Santana, F.J.M., Cesarino, E.J. and Bonato, P.S.  
New method for the chiral evaluation of mirtazapine in human plasma by liquid chromatography 809(2004)351
- Deshpande, P., see Carpenter, T. 809(2004)15
- Di, L., McConnell, O.J., Kerns, E.H. and Sutherland, A.G.  
Rapid, automated screening method for enzymatic transformations using a robotic system and supercritical fluid chromatography 809(2004)231
- Diez, V., see Farruggia, B. 809(2004)301
- Ercal, N., see Wu, W. 809(2004)295
- Ersoy, L., see Sagirli, O. 809(2004)159
- Esmans, E.L., see Tuytten, R. 809(2004)189
- Fan, G.R., Hong, Z.Y., Lin, M., Yin, X.P. and Wu, Y.T.  
Study of stereoselective pharmacokinetics of anisodamine enantiomers in rabbits by capillary electrophoresis 809(2004)265
- Fang, J., Semple, H.A. and Song, J.  
Determination of metoprolol, and its four metabolites in dog plasma 809(2004)9
- Fan-Havard, P., see Hua, Y. 809(2004)1

- Farruggia, B., Rigatuso, R., Capezio, L., Diez, V. and Picó, G.  
Influence of high concentration monovalent cations on the protein partitioning in polyethyleneglycol 1500-phosphate aqueous two-phase systems 809(2004)301
- Feng, X., see Zhou, S. 809(2004)87
- Figg, W.D., see Hwang, K. 809(2004)81
- Gallo, J.M., see Guo, P. 809(2004)273
- Gee, A.J., see Carpenter, T. 809(2004)15
- Giráldez, J., see Zufia, L. 809(2004)51
- Guo, P., Wang, X., Zhou, F. and Gallo, J.M.  
Determination of vincristine in mouse plasma and brain tissues by liquid chromatography–electrospray mass spectrometry 809(2004)273
- Hage, D.S., see Chen, J. 809(2004)137
- Hatsis, P. and Volmer, D.A.  
Evaluation of a cyano stationary phase for the determination of tacrolimus, sirolimus and cyclosporin A in whole blood by high-performance liquid chromatography–tandem mass spectrometry 809(2004)287
- Hayama, T., Yoshida, H., Onimaru, S., Yonekura, S., Kuroki, H., Todoroki, K., Nohta, H. and Yamaguchi, M.  
Determination of tetrabromobisphenol A in human serum by liquid chromatography–electrospray ionization tandem mass spectrometry 809(2004)131
- Ho, E., see Cheng, Y. 809(2004)67
- Ho, Y.-H., Ko, W.-K., Kou, H.-S., Wu, H.-L. and Wu, S.-M.  
Field-amplified sample stacking in capillary electrophoresis for the determination of clozapine, clozapine N-oxide, and desmethylclozapine in schizophrenics' plasma 809(2004)111
- Högger, P., see Afify, S. 809(2004)99
- Hong, Y.-J., see Burns, S.A. 809(2004)331
- Hong, Z.Y., see Fan, G.R. 809(2004)265
- Hu, C.-S., see Chiao, D.-J. 809(2004)37
- Hua, Y., Fan-Havard, P. and Chan, K.K.  
Subnanogram on-line column-switching liquid chromatographic–tandem mass spectrometric quantification method for nelfinavir and methoxyphenol metabolite M1 in rat plasma 809(2004)1
- Huck, C.W., see Pirker, R. 809(2004)257
- Hughes, M.F., see Sierra-Santoyo, A. 809(2004)105
- Hwang, K., Piekarz, R.L., Bates, S.E., Figg, W.D. and Sparreboom, A.  
Determination of the cyclic depsipeptide FK228, a histone deacetylase inhibitor, by liquid chromatography–mass spectrometry 809(2004)81
- Ioannou, A.S., see Samanidou, V.F. 809(2004)175
- Isaksson, R., see Bergström, M. 809(2004)323
- Jensen, B.P., Smith, C.J., Bailey, C., Rodgers, C., Wilson, I.D. and Nicholson, J.K.  
Application of inductively coupled plasma mass spectrometry and high-performance liquid chromatography—with parallel electrospray mass spectrometry to the investigation of the disposition and metabolic fate of 2-, 3- and 4-iodobenzoic acids in the rat 809(2004)279
- Ji, H.Y., see Paek, I.B. 809(2004)345
- Johnson, M.E., see Carpenter, T. 809(2004)15
- Jones, H.K., see Chen, T.-M. 809(2004)31
- Kamal-Eldin, A., see Ross, A.B. 809(2004)125
- Kamimori, H., see Sano, M. 809(2004)251
- Kammerer, B., see Ufer, M. 809(2004)217
- Kapron, J.T., see Chen, J. 809(2004)205
- Kastner, M., see Albsmeier, J. 809(2004)59
- Kerns, E.H., see Di, L. 809(2004)231
- Kestell, P., see Zhou, S. 809(2004)87
- Kharasch, E.D., see Whittington, D. 809(2004)313
- Kim, H.-H., see Paek, I.B. 809(2004)345
- Kirchheimer, J., see Ufer, M. 809(2004)217
- Klíma, J., see Macek, J. 809(2004)307
- Ko, W.-K., see Ho, Y.-H. 809(2004)111
- Koteshwara, M., see Ramakrishna, N.V.S. 809(2004)117
- Koteshwara, M., see Ramakrishna, N.V.S. 809(2004)243
- Kou, H.-S., see Ho, Y.-H. 809(2004)111
- Kuroki, H., see Hayama, T. 809(2004)131
- Lee, H.S., see Paek, I.B. 809(2004)345
- Lee, H.W., see Paek, I.B. 809(2004)345
- Lee, Y.-B., see Paek, I.B. 809(2004)345
- Lemière, F., see Tuytten, R. 809(2004)189
- Lin, C.-Z., see Pei, W.-J. 809(2004)237
- Lin, M., see Fan, G.R. 809(2004)265
- Lindgårdh, N., see Malm, M. 809(2004)43
- Ljungkvist, G., see Svensson, S. 809(2004)199
- Lärstad, M., see Svensson, S. 809(2004)199
- Ma, L., see Chen, J. 809(2004)205
- Macek, J., Klíma, J. and Ptáček, P.  
Rapid determination of tamsulosin in human plasma by high-performance liquid chromatography using extraction with butyl acetate 809(2004)307
- Maciel, G.P., see Alegretti, A.P. 809(2004)183
- Maeso, N., Cifuentes, A. and Barbas, C.  
Large-volume sample stacking-capillary electrophoresis used for the determination of 3-nitrotyrosine in rat urine 809(2004)147
- Malm, M., Lindegårdh, N. and Bergqvist, Y.  
Automated solid-phase extraction method for the determination of piperaquine in capillary blood applied onto sampling paper by liquid chromatography 809(2004)43
- Mamidi, N.V.S.R., see Syed Mustafa, S. 809(2004)23
- Manoj, S., see Ramakrishna, N.V.S. 809(2004)117
- Manoj, S., see Ramakrishna, N.V.S. 809(2004)243
- McConnell, O.J., see Di, L. 809(2004)231
- Mendes, G.D., see Padua, A.A.F. 809(2004)211
- Merkler, D.J., see Carpenter, T. 809(2004)15
- Mitchell, A.E., see Burns, S.A. 809(2004)331
- Moon, Y., see Paek, I.B. 809(2004)345
- Mullangi, R., see Syed Mustafa, S. 809(2004)23
- Municchi, M., see Chiti, G. 809(2004)167
- Newton, R.P., see Tuytten, R. 809(2004)189
- Nicholson, J.K., see Jensen, B.P. 809(2004)279
- Nilsson, M., see Bergström, M. 809(2004)323
- Nishino, I., see Sano, M. 809(2004)251
- Nistri, D., see Chiti, G. 809(2004)167
- Nohta, H., see Hayama, T. 809(2004)131
- Ohlson, S., see Bergström, M. 809(2004)323
- Ohnmacht, C., see Chen, J. 809(2004)137
- Olin, A.-C., see Svensson, S. 809(2004)199
- Onimaru, S., see Hayama, T. 809(2004)131
- Pace, E., see Chen, J. 809(2004)205
- Padua, A.A.F., Barrientos-Astigarraga, R.E., Rezende, V.M., Mendes, G.D. and De Nucci, G.  
Lisinopril quantification in human plasma by liquid chromatography–electrospray tandem mass spectrometry 809(2004)211
- Paek, I.B., Moon, Y., Ji, H.Y., Kim, H.-H., Lee, H.W., Lee, Y.-B. and Lee, H.S.  
Hydrophilic interaction liquid chromatography–tandem mass spectrometry for the determination of levosulpiride in human plasma 809(2004)345
- Pahlsson, P., see Bergström, M. 809(2004)323
- Papadoyannis, I.N., see Samanidou, V.F. 809(2004)175
- Paschetta, V., see Chiti, G. 809(2004)167

- Paxton, J.W., see Zhou, S. 809(2004)87
- Pei, W.-J., Zhao, X.-F., Zhu, Z.-M., Lin, C.-Z., Zhao, W.-M. and Zheng, X.-H.  
Study of the determination and pharmacokinetics of Compound Danshen Dripping Pills in human serum by column switching liquid chromatography electrospray ion trap mass spectrometry 809(2004)237
- Perkins, J.R., see Yang, L. 809(2004)75
- Picó, G., see Farruggia, B. 809(2004)301
- Piekarz, R.L., see Hwang, K. 809(2004)81
- Pirker, R., Huck, C.W., Popp, M. and Bonn, G.K.  
Simultaneous determination of gentisic, salicyluric and salicylic acid in human plasma using solid-phase extraction, liquid chromatography and electrospray ionization mass spectrometry 809(2004)257
- Poore, D.D., see Carpenter, T. 809(2004)15
- Popp, M., see Pirker, R. 809(2004)257
- Ptáček, P., see Macek, J. 809(2004)307
- Puran, S., see Ramakrishna, N.V.S. 809(2004)117
- Puran, S., see Ramakrishna, N.V.S. 809(2004)243
- Ramakrishna, N.V.S., Vishwottam, K.N., Puran, S., Koteshwara, M., Manoj, S. and Santosh, M.  
Selective and rapid liquid chromatography–tandem mass spectrometry assay of dutasteride in human plasma 809(2004)117
- Ramakrishna, N.V.S., Vishwottam, K.N., Puran, S., Koteshwara, M., Manoj, S., Santosh, M., Chidambara, J., Wishu, S. and Sumatha, B.  
Quantitation of tadalafil in human plasma by liquid chromatography–tandem mass spectrometry with electrospray ionization 809(2004)243
- Rane, A., see Ufer, M. 809(2004)217
- Rapp, U.R., see Afify, S. 809(2004)99
- Rezende, V.M., see Padua, A.A.F. 809(2004)211
- Rigatuso, R., see Farruggia, B. 809(2004)301
- Rodgers, C., see Jensen, B.P. 809(2004)279
- Roncucci, G., see Chiti, G. 809(2004)167
- Ross, A.B., Åman, P. and Kamal-Eldin, A.  
Identification of cereal alkylresorcinol metabolites in human urine—potential biomarkers of wholegrain wheat and rye intake 809(2004)125
- Rudewicz, P.J., see Chen, J. 809(2004)205
- Rudewicz, P.J., see Yang, L. 809(2004)75
- Rule, G.S., see Yang, L. 809(2004)75
- Rydén, I., see Bergström, M. 809(2004)323
- Sagirli, O. and Ersoy, L.  
An HPLC method for the determination of lisinopril in human plasma and urine with fluorescence detection 809(2004)159
- Samanidou, V.F., Ioannou, A.S. and Papadoyannis, I.N.  
The use of a monolithic column to improve the simultaneous determination of four cephalosporin antibiotics in pharmaceuticals and body fluids by HPLC after solid phase extraction—a comparison with a conventional reversed-phase silica-based column 809(2004)175
- Sano, M., Nishino, I., Ueno, K. and Kamimori, H.  
Assay of collagenase activity for native triple-helical collagen using capillary gel electrophoresis with laser-induced fluorescence detection 809(2004)251
- Santosh, M., see Ramakrishna, N.V.S. 809(2004)117
- Santosh, M., see Ramakrishna, N.V.S. 809(2004)243
- Schulze, F., see Albsmeier, J. 809(2004)59
- Schwedhelm, E., see Albsmeier, J. 809(2004)59
- Semple, H.A., see Fang, J. 809(2004)99
- Sheffels, P., see Whittington, D. 809(2004)313
- Shyu, R.-H., see Chiao, D.-J. 809(2004)37
- Sierra-Santoyo, A., Barton, H.A. and Hughes, M.F.  
Liquid chromatography determination of the anti-androgen vinclozolin and its metabolites in rat serum 809(2004)105
- Slegers, H., see Tuyttten, R. 809(2004)189
- Smith, C.J., see Jensen, B.P. 809(2004)279
- Song, J., see Fang, J. 809(2004)9
- Sparreboom, A., see Hwang, K. 809(2004)81
- Srinivas, N.R., see Syed Mustafa, S. 809(2004)23
- Subramanyam, B., see Cheng, Y. 809(2004)67
- Sumatha, B., see Ramakrishna, N.V.S. 809(2004)243
- Sutherland, A.G., see Di, L. 809(2004)231
- Svensson, J.-O., see Ufer, M. 809(2004)217
- Svensson, S., Olin, A.-C., Lärstad, M., Ljungkvist, G. and Torén, K.  
Determination of hydrogen peroxide in exhaled breath condensate by flow injection analysis with fluorescence detection 809(2004)199
- Syed Mustafa, S., Trivedi, R., Mamidi, N.V.S.R., Mullangi, R. and Srinivas, N.R.  
Development and validation of a chiral liquid chromatographic method, based on Chiralpak® to quantify enantiomers of ( $\pm$ )-DRF 2725 in rat plasma: lack of inversion of ragaglitazar (S(–)-DRF 2725) to its antipode in plasma 809(2004)23
- Tang, S.-S., see Chiao, D.-J. 809(2004)37
- Thiesen, F.V., see Alegretti, A.P. 809(2004)183
- Todoroki, K., see Hayama, T. 809(2004)131
- Torén, K., see Svensson, S. 809(2004)199
- Trivedi, R., see Syed Mustafa, S. 809(2004)23
- Tseng, J.-L., see Cheng, Y. 809(2004)67
- Tuyttten, R., Lemière, F., Van Dongen, W., Slegers, H., Newton, R.P. and Esmans, E.L.  
Investigation of the use of immobilised metal affinity chromatography for the on-line sample clean up and pre-concentration of nucleotides prior to their determination by ion pair liquid chromatography–electrospray mass spectrometry: a pilot study 809(2004)189
- Ueno, K., see Sano, M. 809(2004)251
- Ufer, M., Kammerer, B., Kirchheimer, J., Rane, A. and Svensson, J.-O.  
Determination of phenprocoumon, warfarin and their monohydroxylated metabolites in human plasma and urine by liquid chromatography–mass spectrometry after solid-phase extraction 809(2004)217
- Van Dongen, W., see Tuyttten, R. 809(2004)189
- Van Pelt, C.K., see Chen, J. 809(2004)205
- Vishwottam, K.N., see Ramakrishna, N.V.S. 809(2004)117
- Vishwottam, K.N., see Ramakrishna, N.V.S. 809(2004)243
- Volmer, D.A., see Hatsis, P. 809(2004)287
- Wang, X., see Guo, P. 809(2004)273
- Whittington, D., Sheffels, P. and Kharasch, E.D.  
Stereoselective determination of methadone and the primary metabolite EDDP in human plasma by automated on-line extraction and liquid chromatography mass spectrometry 809(2004)313
- Wilson, I.D., see Jensen, B.P. 809(2004)279
- Wishu, S., see Ramakrishna, N.V.S. 809(2004)243
- Wu, H.-L., see Ho, Y.-H. 809(2004)111
- Wu, N., see Yang, L. 809(2004)75
- Wu, S.-M., see Ho, Y.-H. 809(2004)111
- Wu, W. and Ercal, N.  
Determination of thiocyt in biological samples by liquid chromatography with ThioGlo™ derivatization 809(2004)295
- Wu, Y.T., see Fan, G.R. 809(2004)265
- Yamaguchi, M., see Hayama, T. 809(2004)131
- Yang, L., see Chen, J. 809(2004)205
- Yang, L., Wu, N., Rule, G.S., Campbell, D.A., Perkins, J.R. and Rudewicz, P.J.  
Validation and application of an automated 96-well solid-phase extraction liquid chromatography–tandem mass spectrometry method for the quantitative determination of SCH 201781 in human plasma 809(2004)75
- Yin, X.P., see Fan, G.R. 809(2004)265
- Yonekura, S., see Hayama, T. 809(2004)131

- Yoshida, H., see Hayama, T. 809(2004)131
- Zhao, W.-M., see Pei, W.-J. 809(2004)237
- Zhao, X.-F., see Pei, W.-J. 809(2004)237
- Zheng, X.-H., see Pei, W.-J. 809(2004)237
- Zhou, F., see Guo, P. 809(2004)273
- Zhou, S., Feng, X., Kestell, P., Baguley, B.C. and Paxton, J.W.  
Determination of the investigational anti-cancer drug 5,6-dimethyl-
- xanthene-4-acetic acid and its acyl glucuronide in Caco-2 monolayers by liquid chromatography with fluorescence detection:  
application to transport studies 809(2004)87
- Zhu, Z.-M., see Pei, W.-J. 809(2004)237
- Zufía, L., Aldaz, A. and Giráldez, J.  
Simple determination of capecitabine and its metabolites by liquid chromatography with ultraviolet detection in a single injection  
809(2004)51