

## Author Index Vol. 810

- Anastos, K., see Huang, J.M. 810(2004)1
- Andersen, S.G., see Jamali, B. 810(2004)251
- Arakawa, H., see Karasawa, K. 810(2004)41
- Aresta, A., Palmisano, F., Zambonin, C.G., Schena, P. and Grandaliano, G.  
Simultaneous determination of free mycophenolic acid and its glucuronide in serum of patients under mycophenolate mophetil therapy by ion-pair reversed-phase liquid chromatography with diode array UV detection 810(2004)197
- Ariniemi, K., see Kankaanpää, A. 810(2004)57
- Atta-Politou, J., see Pistos, C. 810(2004)235
- Ba, B.B., see Nguyen, H.A. 810(2004)77
- Bajpai, L., Varshney, M., Seubert, C.N. and Dennis, D.M.  
A new method for the quantitation of propofol in human plasma: efficient solid-phase extraction and liquid chromatography/APCI-triple quadrupole mass spectrometry detection 810(2004)291
- Bartlett, M.G., see Ding, Y. 810(2004)221
- Baume, N., see Saudan, C. 810(2004)157
- Bødstrup, V., see Jamali, B. 810(2004)251
- Bergh, Ø., see Coyne, R. 810(2004)325
- Biollaz, J., see Colombo, S. 810(2004)25
- Blanco-Príeto, M.J., Campanero, M.A. and Mollinedo, F.  
Quantitative determination of the antitumor alkyl ether phospholipid edelfosine by reversed-phase liquid chromatography–electrospray mass spectrometry: application to cell uptake studies and characterization of drug delivery systems 810(2004)85
- Bocci, F., see Malavolta, M. 810(2004)173
- Borenstein, M., see Wu, C. 810(2004)203
- Boselli, E., see Malavolta, M. 810(2004)173
- Brødholt, H., see Jamali, B. 810(2004)251
- Brodie, A., see Wu, C. 810(2004)203
- Bruckner, J.V., see Ding, Y. 810(2004)221
- Campanero, M.A., see Blanco-Príeto, M.J. 810(2004)85
- Castells, G., see Mateo, R. 810(2004)305
- Celli, N., Mariani, B., Dragani, L.K., Murzilli, S., Rossi, C. and Rotilio, D.  
Development and validation of a liquid chromatographic–tandem mass spectrometric method for the determination of caffeic acid phenethyl ester in rat plasma and urine 810(2004)129
- Chan, C., see Humphries, D. 810(2004)229
- Chen, C.-C., see Lin, M.-C. 810(2004)169
- Cheng, P., see Yao, J.K. 810(2004)93
- Choy, K.W., see Chu, K.O. 810(2004)187
- Chu, C.Y., see Chu, K.O. 810(2004)187
- Chu, K.O., Wang, C.C., Chu, C.Y., Rogers, M.S., Choy, K.W. and Pang, C.P.  
Determination of catechins and catechin gallates in tissues by liquid chromatography with coulometric array detection and selective solid phase extraction 810(2004)187
- Chung, P., see Kamberi, M. 810(2004)151
- Colombo, S., Guignard, N., Marzolini, C., Telenti, A., Biollaz, J. and Decosterd, L.A.  
Determination of the new HIV-protease inhibitor atazanavir by liquid chromatography after solid-phase extraction 810(2004)25
- Concheiro, M., de Castro, A., Quintela, O., Cruz, A. and Lopez-Rivadulla, M.  
Development and validation of a method for the quantitation of  $\Delta^9$ tetrahydrocannabinol in oral fluid by liquid chromatography electrospray–mass spectrometry 810(2004)319
- Covey, J.M., see Parise, R.A. 810(2004)35
- Coyne, R., Bergh, Ø. and Samuelsen, O.B.  
One-step liquid chromatographic method for the determination of oxytetracycline in fish muscle 810(2004)325
- Cristófol, C., see Mateo, R. 810(2004)305
- Cruz, A., see Concheiro, M. 810(2004)319
- de Castro, A., see Concheiro, M. 810(2004)319
- Decosterd, L.A., see Colombo, S. 810(2004)25
- Deng, C., Zhang, J., Yu, X., Zhang, W. and Zhang, X.  
Determination of acetone in human breath by gas chromatography–mass spectrometry and solid-phase microextraction with on-fiber derivatization 810(2004)269
- Dennis, D.M., see Bajpai, L. 810(2004)291
- Desmet, K., see Fonge, H. 810(2004)313
- DeVas, R., see Kamberi, M. 810(2004)151
- Ding, Y., White, C.A., Muralidhara, S., Bruckner, J.V. and Bartlett, M.G.  
Determination of deltamethrin and its metabolite 3-phenoxybenzoic acid in male rat plasma by high-performance liquid chromatography 810(2004)221
- Dragani, L.K., see Celli, N. 810(2004)129
- Edelbroek, P.M., see Vermeij, T.A.C. 810(2004)297
- Egorin, M.J., see Parise, R.A. 810(2004)35
- Ermer, J., see Schepers, U. 810(2004)111
- Fields, S., see Kamberi, M. 810(2004)151
- Fonge, H., Kaale, E., Govaerts, C., Desmet, K., Schepdael, A.V. and Hoogmartens, J.  
Bioanalysis of tobramycin for therapeutic drug monitoring by solid-phase extraction and capillary zone electrophoresis 810(2004)313
- Freeman, K., see Huang, J.M. 810(2004)1
- Frega, N.G., see Malavolta, M. 810(2004)173
- Godoy, C., see Mateo, R. 810(2004)305
- Goto, N., see Karasawa, K. 810(2004)41
- Govaerts, C., see Fonge, H. 810(2004)313
- Grandaliano, G., see Aresta, A. 810(2004)197
- Graves, S.W., see Peterson, Z.D. 810(2004)101
- Green, A.J., see Mateo, R. 810(2004)305
- Grellet, J., see Nguyen, H.A. 810(2004)77
- Grossi, I.M., see Parise, R.A. 810(2004)35
- Guignard, N., see Colombo, S. 810(2004)25
- Gunnar, T., see Kankaanpää, A. 810(2004)57
- Hamase, K., see Zhao, H. 810(2004)245
- Hammell, D.C., see Valiveti, S. 810(2004)259
- Hawari, J., see Shen, C.F. 810(2004)119
- Hoogmartens, J., see Fonge, H. 810(2004)313

- Huang, J.M., Anastos, K., Robison, E., Shi, R., Freeman, K., Strickler, H. and Steinberg, J.J.  
Evaluation of DNA adduction of AZT in peripheral blood leukocytes of HIV-infected individuals by <sup>32</sup>P-post-labeling thin-layer chromatography: a feasibility study 810(2004)1
- Humphries, D., Ruterbories, K., Chan, C. and Narayanan, R.  
Development and validation of a liquid chromatography–tandem mass spectrometric method for the determination of  $\alpha$ -methyltyrosine in human plasma 810(2004)229
- Hwang, H.-R., see Song, Y.-K. 810(2004)143
- Hwang, T.-L., see Wang, M.H. 810(2004)209
- Igarashi, T., see Karasawa, K. 810(2004)41
- Inoue, K., Okada, F., Ito, R., Kawaguchi, M., Okanouchi, N. and Nakazawa, H.  
Determination of perfluorooctane sulfonate, perfluorooctanoate and perfluorooctane sulfonylamide in human plasma by column-switching liquid chromatography–electrospray mass spectrometry coupled with solid-phase extraction 810(2004)49
- Ito, R., see Inoue, K. 810(2004)49
- Jamali, B., Andersen, S.G., Brødholt, H., Wendel, L. and Bødstrup, V.  
Development and validation of a method for the purity determination of (3 $\beta$ ,20R)-4,4-dimethylcholesta-8,14,24-trien-3-ol(FE-MAS) in pharmaceutical products containing recombinant human albumin 810(2004)251
- Jarho, P., see Mannila, J. 810(2004)283
- Järvinen, T., see Mannila, J. 810(2004)283
- Kaale, E., see Fonge, H. 810(2004)313
- Kamberi, M., Chung, P., DeVas, R., Li, L., Li, Z., Ma (Sharon), X., Fields, S. and Riley, C.M.  
Analysis of non-covalent aggregation of synthetic hPTH (1–34) by size-exclusion chromatography and the importance of suppression of non-specific interactions for a precise quantitation 810(2004)151
- Kamen, A., see Shen, C.F. 810(2004)119
- Kankaanpää, A., Gunnar, T., Ariniemi, K., Lillsunde, P., Mykkänen, S. and Seppälä, T.  
Single-step procedure for gas chromatography–mass spectrometry screening and quantitative determination of amphetamine-type stimulants and related drugs in blood, serum, oral fluid and urine samples 810(2004)57
- Karasawa, K., Arakawa, H., Igarashi, T., Goto, N. and Maeda, M.  
Detection of cariogenic bacterial genes by microchip electrophoresis 810(2004)41
- Karki, S., see Wang, M.H. 810(2004)209
- Kasper, C., see Vlakh, E.G. 810(2004)15
- Kawaguchi, M., see Inoue, K. 810(2004)49
- Kim, B.-C., see Song, Y.-K. 810(2004)143
- Kim, C.-K., see Song, Y.-K. 810(2004)143
- Kim, J.-K., see Song, Y.-K. 810(2004)143
- Kou, H.-S., see Lin, M.-C. 810(2004)169
- Kowalak, J.A., see Maynard, D.M. 810(2004)69
- Lee, M.L., see Peterson, Z.D. 810(2004)101
- Lehtonen, M., see Mannila, J. 810(2004)283
- Li, H., Luo, W., Lin, J., Lin, Z. and Zhang, Y.  
Assay of plasma semicarbazide-sensitive amine oxidase and determination of its endogenous substrate methylamine by liquid chromatography 810(2004)277
- Li, L., see Kamberi, M. 810(2004)151
- Li, Z., see Kamberi, M. 810(2004)151
- Lillsunde, P., see Kankaanpää, A. 810(2004)57
- Lin, J., see Li, H. 810(2004)277
- Lin, M.-C., Kou, H.-S., Chen, C.-C., Wu, S.-M. and Wu, H.-L.  
Simple and sensitive fluorimetric liquid chromatography method for the determination of valproic acid in plasma 810(2004)169
- Lin, Z., see Li, H. 810(2004)277
- Lo, M.-W., see Song, H. 810(2004)7
- Lpez-Rivadulla, M., see Concheiro, M. 810(2004)319
- Luo, W., see Li, H. 810(2004)277
- Maeda, M., see Karasawa, K. 810(2004)41
- Maeng, J.-E., see Song, Y.-K. 810(2004)143
- Malavolta, M., Bocci, F., Boselli, E. and Frega, N.G.  
Normal phase liquid chromatography–electrospray ionization tandem mass spectrometry analysis of phospholipid molecular species in blood mononuclear cells: application to cystic fibrosis 810(2004)173
- Mangin, P., see Saudan, C. 810(2004)157
- Mannila, J., Lehtonen, M., Järvinen, T. and Jarho, P.  
Determination of  $\Delta^9$ -tetrahydrocannabinol from rabbit plasma by gas chromatography–mass spectrometry using two ionization techniques 810(2004)283
- Mariani, B., see Celli, N. 810(2004)129
- Markey, S.P., see Maynard, D.M. 810(2004)69
- Marzolini, C., see Colombo, S. 810(2004)25
- Masuda, J., see Maynard, D.M. 810(2004)69
- Mateo, R., Castells, G., Green, A.J., Godoy, C. and Cristófol, C.  
Determination of porphyrins and biliverdin in bile and excreta of birds by a single liquid chromatography–ultraviolet detection analysis 810(2004)305
- Maynard, D.M., Masuda, J., Yang, X., Kowalak, J.A. and Markey, S.P.  
Characterizing complex peptide mixtures using a multi-dimensional liquid chromatography–mass spectrometry system: *Saccharomyces cerevisiae* as a model system 810(2004)69
- Merrill, J.W., see Parise, R.A. 810(2004)35
- Mollinedo, F., see Blanco-Prieto, M.J. 810(2004)85
- Morikawa, A., see Zhao, H. 810(2004)245
- Muralidhara, S., see Ding, Y. 810(2004)221
- Murzilli, S., see Celli, N. 810(2004)129
- Mykkänen, S., see Kankaanpää, A. 810(2004)57
- Nakazawa, H., see Inoue, K. 810(2004)49
- Nalluri, B.N., see Valiveti, S. 810(2004)259
- Narayanan, R., see Humphries, D. 810(2004)229
- Nguyen, H.A., Grellet, J., Ba, B.B., Quentin, C. and Saux, M.-C.  
Simultaneous determination of levofloxacin, gatifloxacin and moxifloxacin in serum by liquid chromatography with column switching 810(2004)77
- Njar, V., see Wu, C. 810(2004)203
- Nnane, I., see Wu, C. 810(2004)203
- Okada, F., see Inoue, K. 810(2004)49
- Okanouchi, N., see Inoue, K. 810(2004)49
- Palmisano, F., see Aresta, A. 810(2004)197
- Panderi, I., see Pistos, C. 810(2004)235
- Pang, C.P., see Chu, K.O. 810(2004)187
- Parise, R.A., Sparrow, B.R., Merrill, J.W., Grossi, I.M., Covey, J.M., Peggins, J.O. and Egorin, M.J.  
Liquid chromatography–electrospray tandem mass spectrometric assay suitable for quantitation of halofuginone in plasma 810(2004)35
- Park, J.-S., see Song, Y.-K. 810(2004)143
- Paudel, K.S., see Valiveti, S. 810(2004)259
- Peggins, J.O., see Parise, R.A. 810(2004)35
- Peterson, Z.D., Lee, M.L. and Graves, S.W.  
Determination of serotonin and its precursors in human plasma by capillary electrophoresis–electrospray ionization–time-of-flight mass spectrometry 810(2004)101
- Pistos, C., Panderi, I. and Atta-Politou, J.  
Liquid chromatography–positive ion electrospray mass spectrometry method for the quantification of citalopram in human plasma 810(2004)235
- Preu, L., see Schepers, U. 810(2004)111

- Qin, X.-Z., see Wang, M.H. 810(2004)209  
Qiu, H., see Zhao, X. 810(2004)137  
Qiu, Z., see Zhao, H. 810(2004)245  
Quentin, C., see Nguyen, H.A. 810(2004)77  
Quintela, O., see Concheiro, M. 810(2004)319
- Riley, C.M., see Kamberi, M. 810(2004)151  
Robison, E., see Huang, J.M. 810(2004)1  
Rogers, M.S., see Chu, K.O. 810(2004)187  
Rossi, C., see Celli, N. 810(2004)129  
Rotilio, D., see Celli, N. 810(2004)129  
Ruterbories, K., see Humphries, D. 810(2004)229
- Samuelsen, O.B., see Coyne, R. 810(2004)325  
Saudan, C., Baume, N., Mangin, P. and Saugy, M.  
Urinary analysis of 16(5 $\alpha$ )-androst-3 $\alpha$ -ol by gas chromatography/  
combustion/isotope ratio mass spectrometry: implications in anti-  
doping analysis 810(2004)157  
Saugy, M., see Saudan, C. 810(2004)157  
Saux, M.-C., see Nguyen, H.A. 810(2004)77  
Scheda, P., see Aresta, A. 810(2004)197  
Schepdael, A.V., see Fonge, H. 810(2004)313  
Schepers, U., Ermer, J., Preu, L. and Wätzig, H.  
Wide concentration range investigation of recovery, precision and error  
structure in liquid chromatography 810(2004)111  
Seppälä, T., see Kankaanpää, A. 810(2004)57  
Seubert, C.N., see Bajpai, L. 810(2004)291  
(Sharon), X.M., see Kamberi, M. 810(2004)151  
Shen, C.F., Hawari, J. and Kamen, A.  
Micro-quantitation of lipids in serum-free cell culture media: a critical  
aspect is the minimization of interference from medium components  
and chemical reagents 810(2004)119  
Shi, R., see Huang, J.M. 810(2004)1  
Song, H., Yan, K., Xu, X. and Lo, M.-W.  
Quantitative determination of MK-0767, a dual  $\alpha/\gamma$  peroxisome  
proliferator-activated receptor (PPAR) agonist, in human plasma  
by liquid chromatography–tandem mass spectrometry  
810(2004)7  
Song, Y.-K., Maeng, J.-E., Hwang, H.-R., Park, J.-S., Kim, B.-C., Kim, J.-K.  
and Kim, C.-K.  
Determination of glimepiride in human plasma using semi-microbore  
high performance liquid chromatography with column-switching  
810(2004)143  
Sparrow, B.R., see Parise, R.A. 810(2004)35  
Steinberg, J.J., see Huang, J.M. 810(2004)1  
Stinchcomb, A.L., see Valiveti, S. 810(2004)259  
Strickler, H., see Huang, J.M. 810(2004)1
- Tappe, A., see Vlakh, E.G. 810(2004)15  
Telenti, A., see Colombo, S. 810(2004)25  
Tennikova, T.B., see Vlakh, E.G. 810(2004)15  
Tremanekarn, V., see Wang, M.H. 810(2004)209
- Valiveti, S., Nalluri, B.N., Hammell, D.C., Paudel, K.S. and Stinchcomb,  
A.L.  
Development and validation of a liquid chromatography–mass spec-  
trometry method for the quantitation of naltrexone and 6 $\beta$ -naltrexol in  
guinea pig plasma 810(2004)259  
Varshney, M., see Bajpai, L. 810(2004)291
- Vermeij, T.A.C. and Edelbroek, P.M.  
Simultaneous high-performance liquid chromatographic analysis of  
pregabalin, gabapentin and vigabatrin in human serum by precolumn  
derivatization with *o*-phthalaldehyde and fluorescence detection  
810(2004)297  
Vlakh, E.G., Tappe, A., Kasper, C. and Tennikova, T.B.  
Monolithic peptidyl sorbents for comparison of affinity properties of  
plasminogen activators 810(2004)15
- Wang, C.C., see Chu, K.O. 810(2004)187  
Wang, E., see Zhao, X. 810(2004)137  
Wang, M.H., Wu, Y., Hwang, T.-L., Qin, X.-Z., Karki, S. and Trema-  
neekarn, V.  
Application of liquid chromatography/mass spectrometry and nuclear  
magnetic resonance to the identification of degradates of a novel insulin  
sensitizer in aqueous solutions 810(2004)209  
Wendel, L., see Jamali, B. 810(2004)251  
White, C.A., see Ding, Y. 810(2004)221  
Wätzig, H., see Schepers, U. 810(2004)111  
Wu, C., Njar, V., Brodie, A., Borenstein, M. and Nnane, I.  
Quantification of a novel retinoic acid metabolism inhibitor, 4-(1H-  
imidazol-1-yl)retinoic acid (VN/14-1RA) and other retinoids in rat  
plasma by liquid chromatography with diode-array detection  
810(2004)203  
Wu, H.-L., see Lin, M.-C. 810(2004)169  
Wu, S.-M., see Lin, M.-C. 810(2004)169  
Wu, Y., see Wang, M.H. 810(2004)209
- Xu, X., see Song, H. 810(2004)7  
Xu, X., see Yi, L. 810(2004)165
- Yan, J., see Zhao, X. 810(2004)137  
Yan, K., see Song, H. 810(2004)7  
Yang, X., see Maynard, D.M. 810(2004)69  
Yang, X., see Zhao, X. 810(2004)137  
Yao, J.K. and Cheng, P.  
Determination of multiple redox-active compounds by high-perfor-  
mance liquid chromatography with coulometric multi-electrode array  
system 810(2004)93  
Yi, L. and Xu, X.  
Study on the precipitation reaction between baicalin and berberine by  
HPLC 810(2004)165  
You, T., see Zhao, X. 810(2004)137  
Yu, X., see Deng, C. 810(2004)269
- Zaitsu, K., see Zhao, H. 810(2004)245  
Zamboni, C.G., see Aresta, A. 810(2004)197  
Zhang, J., see Deng, C. 810(2004)269  
Zhang, W., see Deng, C. 810(2004)269  
Zhang, X., see Deng, C. 810(2004)269  
Zhang, Y., see Li, H. 810(2004)277  
Zhao, H., Hamase, K., Morikawa, A., Qiu, Z. and Zaitsu, K.  
Determination of D- and L-enantiomers of threonine and allo-threonine  
in mammals using two-step high-performance liquid chromatography  
810(2004)245  
Zhao, X., You, T., Qiu, H., Yan, J., Yang, X. and Wang, E.  
Electrochemiluminescence detection with integrated indium tin oxide  
electrode on electrophoretic microchip for direct bioanalysis of lin-  
comycin in the urine 810(2004)137