

Available online at www.sciencedirect.com



Journal of Chromatography B, 810 (2004) 333-338

# JOURNAL OF CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

# Keyword Index Vol. 810

## Acetone

Determination of acetone in human breath by gas chromatography-mass spectrometry and solid-phase microextraction with on-fiber derivatization 810(2004)269

# allo-Threonine

Determination of D- and L-enantiomers of threonine and allo-threonine in mammals using two-step high-performance liquid chromatography 810(2004)245

#### Amino acid

Determination of D- and L-enantiomers of threonine and allo-threonine in mammals using two-step high-performance liquid chromatography 810(2004)245

## Amphetamine-type stimulant drugs

Single-step procedure for gas chromatography–mass spectrometry screening and quantitative determination of amphetamine-type stimulants and related drugs in blood, serum, oral fluid and urine samples 810(2004)57

#### Analytical uncertainty

Wide concentration range investigation of recovery, precision and error structure in liquid chromatography 810(2004)111

#### Androstenol

Urinary analysis of  $16(5\alpha)$ -androsten- $3\alpha$ -ol by gas chromatography/combustion/isotope ratio mass spectrometry: implications in anti-doping analysis 810(2004)157

#### Anticonvulsants

Simultaneous high-performance liquid chromatographic analysis of pregabalin, gabapentin and vigabatrin in human serum by precolumn derivatization with *o*-phtaldialdehyde and fluorescence detection 810(2004)297

#### Antitumoral agents

Quantitative determination of the antitumor alkyl ether phospholipid edelfosine by reversed-phase liquid chromatography–electrospray mass spectrometry: application to cell uptake studies and characterization of drug delivery systems 810(2004)85

## Atazanavir

Determination of the new HIV-protease inhibitor atazanavir by liquid chromatography after solid-phase extraction 810(2004)25

## All-trans-retinoic acid

Quantification of a novel retinoic acid metabolism inhibitor, 4-(1H-imidazol-1-yl)retinoic acid (VN/14-1RA) and other retinoids in rat plasma by liquid chromatography with diode-array detection 810(2004)203

# 3'-Azido-3'-deoxythymidine

Evaluation of DNA adduction of AZT in peripheral blood leukocytes of HIV-infected individuals by  $^{32}\text{P}$ -post-labeling thin-layer chromatography: a feasibility study 810(2004)1

## Baicalin

Study on the precipitation reaction between baicalin and berberine by HPLC 810(2004)165

## Berberine

Study on the precipitation reaction between baicalin and berberine by HPLC  $\ 810(2004)165$ 

#### Biliverdin

Determination of porphyrins and biliverdin in bile and excreta of birds by a single liquid chromatography–ultraviolet detection analysis 810(2004)305

#### Bioanalysis

Bioanalysis of tobramycin for therapeutic drug monitoring by solid-phase extraction and capillary zone electrophoresis 810(2004)313

## **Bioavailability**

Development and validation of a liquid chromatographic–tandem mass spectrometric method for the determination of caffeic acid phenethyl ester in rat plasma and urine 810(2004)129

Determination of glimepiride in human plasma using semi-microbore high performance liquid chromatography with column-switching 810(2004)143

#### **Blood mononuclear cells**

Normal phase liquid chromatography–electrospray ionization tandem mass spectrometry analysis of phospholipid molecular species in blood mononuclear cells: application to cystic fibrosis 810(2004)173

#### **Breath analysis**

Determination of acetone in human breath by gas chromatography-mass spectrometry and solid-phase microextraction with on-fiber derivatization 810(2004)269

#### Caffeic acid phenethyl ester

Development and validation of a liquid chromatographic–tandem mass spectrometric method for the determination of caffeic acid phenethyl ester in rat plasma and urine 810(2004)129

# Catechin

Determination of catechins and catechin gallates in tissues by liquid chromatography with coulometric array detection and selective solid phase extraction 810(2004)187

# Cell culture medium

Micro-quantitation of lipids in serum-free cell culture media: a critical aspect is the minimization of interference from medium components and chemical reagents 810(2004)119

## **Chiral separation**

Determination of D- and L-enantiomers of threonine and allo-threonine in mammals using two-step high-performance liquid chromatography 810(2004)245

## Citalopram

Liquid chromatography–positive ion electrospray mass spectrometry method for the quantification of citalopram in human plasma 810(2004)235

Simultaneous determination of levofloxacin, gatifloxacin and moxifloxacin in serum by liquid chromatography with column switching 810(2004)77

Determination of glimepiride in human plasma using semi-microbore high performance liquid chromatography with column-switching 810(2004)143

## Coulometric multi-electrode array system

Determination of multiple redox-active compounds by high-performance liquid chromatography with coulometric multi-electrode array system 810(2004)93

## Cystic fibrosis

Normal phase liquid chromatography–electrospray ionization tandem mass spectrometry analysis of phospholipid molecular species in blood mononuclear cells: application to cystic fibrosis 810(2004)173

## Degradation

Application of liquid chromatography/mass spectrometry and nuclear magnetic resonance to the identification of degradates of a novel insulin sensitizer in aqueous solutions 810(2004)209

## Deltamethrin

Determination of deltamethrin and its metabolite 3-phenoxybenzoic acid in male rat plasma by high-performance liquid chromatography 810(2004)221

## **Dental caries**

Detection of cariogenic bacterial genes by microchip electrophoresis 810(2004)41

## **Derivatization**, GC

Determination of acetone in human breath by gas chromatography-mass spectrometry and solid-phase microextraction with on-fiber derivatization 810(2004)269

# **Design of experiments**

Simultaneous high-performance liquid chromatographic analysis of pregabalin, gabapentin and vigabatrin in human serum by precolumn derivatization with *o*-phtaldialdehyde and fluorescence detection 810(2004)297

## Dextranase gene

Detection of cariogenic bacterial genes by microchip electrophoresis 810(2004)41

# Dimerization

Application of liquid chromatography/mass spectrometry and nuclear magnetic resonance to the identification of degradates of a novel insulin sensitizer in aqueous solutions 810(2004)209

## 36,20R-4,4-Dimethylcholesta-8,14,24-trien-3-ol

Development and validation of a method for the purity determination of  $(3\beta,20R)$ -4,4-dimethylcholesta-8,14,24-trien-3-ol(FF-MAS) in pharmaceutical products containing recombinant human albumin 810(2004)251

# 2D-LC-MS/MS

Characterizing complex peptide mixtures using a multi-dimensional liquid chromatography-mass spectrometry system: *Saccharomyces cerevisiae* as a model system 810(2004)69

# DNA

Evaluation of DNA adduction of AZT in peripheral blood leukocytes of HIV-infected individuals by <sup>32</sup>P-post-labeling thin-layer chromatography: a feasibility study 810(2004)1

## **Doping control**

Urinary analysis of  $16(5\alpha)$ -androsten- $3\alpha$ -ol by gas chromatography/combustion/isotope ratio mass spectrometry: implications in anti-doping analysis 810(2004)157

# Drug analysis

Simultaneous high-performance liquid chromatographic analysis of pregabalin, gabapentin and vigabatrin in human serum by precolumn derivatization with *o*-phtaldialdehyde and fluorescence detection 810(2004)297

## Drug delivery systems

Quantitative determination of the antitumor alkyl ether phospholipid edelfosine by reversed-phase liquid chromatography–electrospray mass spectrometry: application to cell uptake studies and characterization of drug delivery systems 810(2004)85

## Edelfosine

Quantitative determination of the antitumor alkyl ether phospholipid edelfosine by reversed-phase liquid chromatography–electrospray mass spectrometry: application to cell uptake studies and characterization of drug delivery systems 810(2004)85

## **Electrospray ionization**

Liquid chromatography–positive ion electrospray mass spectrometry method for the quantification of citalopram in human plasma 810(2004)235

## Enzymes

Assay of plasma semicarbazide-sensitive amine oxidase and determination of its endogenous substrate methylamine by liquid chromatography 810(2004)277

# Error structure

Wide concentration range investigation of recovery, precision and error structure in liquid chromatography 810(2004)111

# FF-MAS

Development and validation of a method for the purity determination of  $(3\beta,20\mathbf{R})$ -4,4-dimethylcholesta-8,14,24-trien-3-ol(FF-MAS) in pharmaceutical products containing recombinant human albumin 810(2004)251

## Fibrinolysis

Monolithic peptidyl sorbents for comparison of affinity properties of plasminogen activators 810(2004)15

## Fish

One-step liquid chromatographic method for the determination of oxytetracycline in fish muscle 810(2004)325

## Gabapentin

Simultaneous high-performance liquid chromatographic analysis of pregabalin, gabapentin and vigabatrin in human serum by precolumn derivatization with *o*-phtaldialdehyde and fluorescence detection 810(2004)297

## Gatifloxacin

Simultaneous determination of levofloxacin, gatifloxacin and moxifloxacin in serum by liquid chromatography with column switching 810(2004)77

## Glimepiride

Determination of glimepiride in human plasma using semi-microbore high performance liquid chromatography with column-switching 810(2004)143

## **GMA-EDMA** monoliths

Monolithic peptidyl sorbents for comparison of affinity properties of plasminogen activators 810(2004)15

#### Halofuginone

Liquid chromatography-electrospray tandem mass spectrometric assay suitable for quantitation of halofuginone in plasma 810(2004)35

# High-performance liquid chromatography

Liquid chromatography–positive ion electrospray mass spectrometry method for the quantification of citalopram in human plasma 810(2004)235

# HPLC

Normal phase liquid chromatography–electrospray ionization tandem mass spectrometry analysis of phospholipid molecular species in blood mononuclear cells: application to cystic fibrosis 810(2004)173

Determination of D- and L-enantiomers of threonine and allo-threonine in mammals using two-step high-performance liquid chromatography 810(2004)245

Simultaneous high-performance liquid chromatographic analysis of pregabalin, gabapentin and vigabatrin in human serum by precolumn derivatization with *o*-phtaldialdehyde and fluorescence detection 810(2004)297

## Human plasma

A new method for the quantitation of propofol in human plasma: efficient solid-phase extraction and liquid chromatography/APCI-triple quadrupole mass spectrometry detection 810(2004)291

## 5-Hydroxytryptophan

Determination of serotonin and its precursors in human plasma by capillary electrophoresis–electrospray ionization–time-of-flight mass spectrometry 810(2004)101

# Imipramine

Liquid chromatography–positive ion electrospray mass spectrometry method for the quantification of citalopram in human plasma 810(2004)235

## Indolamines

Determination of serotonin and its precursors in human plasma by capillary electrophoresis–electrospray ionization–time-of-flight mass spectrometry 810(2004)101

## Insulin sensitizer

Application of liquid chromatography/mass spectrometry and nuclear magnetic resonance to the identification of degradates of a novel insulin sensitizer in aqueous solutions 810(2004)209

#### Isotope ratio mass spectrometry (IRMS)

Urinary analysis of  $16(5\alpha)$ -androsten- $3\alpha$ -ol by gas chromatography/combustion/isotope ratio mass spectrometry: implications in anti-doping analysis 810(2004)157

#### LC-MS

Development and validation of a method for the quantitation of  $\Delta^9$  tetrahydrocannabinol in oral fluid by liquid chromatography electrospray–massspectrometry 810(2004)319

## Lead poisoning

Determination of porphyrins and biliverdin in bile and excreta of birds by a single liquid chromatography–ultraviolet detection analysis 810(2004)305

## Levofloxacin

Simultaneous determination of levofloxacin, gatifloxacin and moxifloxacin in serum by liquid chromatography with column switching 810(2004)77

## Ligand immobilization

Monolithic peptidyl sorbents for comparison of affinity properties of plasminogen activators 810(2004)15

#### Lincomycin

Electrochemiluminescence detection with integrated indium tin oxide electrode on electrophoretic microchip for direct bioanalysis of lincomycin in the urine 810(2004)137

# Lipids

Micro-quantitation of lipids in serum-free cell culture media: a critical aspect is the minimization of interference from medium components and chemical reagents 810(2004)119

#### Liquid chromatography

A new method for the quantitation of propofol in human plasma: efficient solid-phase extraction and liquid chromatography/APCI-triple quadrupole mass spectrometry detection 810(2004)291

## Macroporous disks

Monolithic peptidyl sorbents for comparison of affinity properties of plasminogen activators 810(2004)15

#### Mass spectrometry

Normal phase liquid chromatography–electrospray ionization tandem mass spectrometry analysis of phospholipid molecular species in blood mononuclear cells: application to cystic fibrosis 810(2004)173

Liquid chromatography–positive ion electrospray mass spectrometry method for the quantification of citalopram in human plasma 810(2004)235

## Methylamine

Assay of plasma semicarbazide-sensitive amine oxidase and determination of its endogenous substrate methylamine by liquid chromatography 810(2004)277

## α-Methyltyrosine

Development and validation of a liquid chromatography–tandem mass spectrometric method for the determination of  $\alpha$ -methyltyrosine in human plasma 810(2004)229

# Microchip capillary electrophoresis

Electrochemiluminescence detection with integrated indium tin oxide electrode on electrophoretic microchip for direct bioanalysis of lincomycin in the urine 810(2004)137

#### Microchip electrophoresis

# Detection of cariogenic bacterial genes by microchip electrophoresis 810(2004)41

# MK-0767

Quantitative determination of MK-0767, a dual  $\alpha/\gamma$  peroxisome proliferator-activated receptor (PPAR) agonist, in human plasma by liquid chromatography–tandem mass spectrometry 810(2004)7

# Moxifloxacin

Simultaneous determination of levofloxacin, gatifloxacin and moxifloxacin in serum by liquid chromatography with column switching 810(2004)77

#### Multi-dimensional LC-MS

Characterizing complex peptide mixtures using a multi-dimensional liquid chromatography–mass spectrometry system: *Saccharomyces cerevisiae* as a model system 810(2004)69

## Mycophenolate mophetil

Simultaneous determination of free mycophenolic acid and its glucuronide in serum of patients under mycophenolate mophetil therapy by ion-pair reversed-phase liquid chromatography with diode array UV detection 810(2004)197

## Mycophenolic acid

Simultaneous determination of free mycophenolic acid and its glucuronide in serum of patients under mycophenolate mophetil therapy by ion-pair reversed-phase liquid chromatography with diode array UV detection 810(2004)197

## Mycophenolic acid glucuronide

Simultaneous determination of free mycophenolic acid and its glucuronide in serum of patients under mycophenolate mophetil therapy by ion-pair reversed-phase liquid chromatography with diode array UV detection 810(2004)197

#### **6**β-Naltrexol

Development and validation of a liquid chromatography–mass spectrometry method for the quantitation of naltrexone and  $6\beta$ -naltrexol in guinea pig plasma 810(2004)259

## Naltrexone

Development and validation of a liquid chromatography–mass spectrometry method for the quantitation of naltrexone and  $6\beta$ -naltrexol in guinea pig plasma 810(2004)259

## Non-covalent aggregation

Analysis of non-covalent aggregation of synthetic hPTH (1–34) by size-exclusion chromatography and the importance of suppression of non-specific interactions for a precise quantitation 810(2004)151

#### Non-nucleoside reverse transcriptase inhibitors

Determination of the new HIV-protease inhibitor atazanavir by liquid chromatography after solid-phase extraction 810(2004)25

## 4-OH-RA4-hydroxy all-trans retinoic acid

Quantification of a novel retinoic acid metabolism inhibitor, 4-(1H-imidazol-1-yl)retinoic acid (VN/14-1RA) and other retinoids in rat plasma by liquid chromatography with diode-array detection 810(2004)203

# Oral fluid

Development and validation of a method for the quantitation of  $\Delta^9$  tetrahydrocannabinol in oral fluid by liquid chromatography electrospray–massspectrometry 810(2004)319

#### 4-oxo-RA4-oxo all-trans retinoic acid

Quantification of a novel retinoic acid metabolism inhibitor, 4-(1H-imidazol-1-yl)retinoic acid (VN/14-1RA) and other retinoids in rat plasma by liquid chromatography with diode-array detection 810(2004)203

#### Oxytetracycline

One-step liquid chromatographic method for the determination of oxytetracycline in fish muscle 810(2004)325

#### Peptide mixtures

Characterizing complex peptide mixtures using a multi-dimensional liquid chromatography–mass spectrometry system: *Saccharomyces cerevisiae* as a model system 810(2004)69

#### Perfluorooctane sulfonate

Determination of perfluorooctane sulfonate, perfluorooctanoate and perfluorooctane sulfonylamide in human plasma by column-switching liquid chromatography–electrospray mass spectrometry coupled with solid-phase extraction 810(2004)49

## Perfluorooctanesulfonylamide

Determination of perfluorooctane sulfonate, perfluorooctanoate and perfluorooctane sulfonylamide in human plasma by column-switching liquid chromatography–electrospray mass spectrometry coupled with solid-phase extraction 810(2004)49

#### Perfluorooctanoate

Determination of perfluorooctane sulfonate, perfluorooctanoate and perfluorooctane sulfonylamide in human plasma by column-switching liquid chromatography–electrospray mass spectrometry coupled with solid-phase extraction 810(2004)49

## Peroxisome proliferator-activated receptor

Quantitative determination of MK-0767, a dual  $\alpha/\gamma$  peroxisome proliferator-activated receptor (PPAR) agonist, in human plasma by liquid chromatography–tandem mass spectrometry 810(2004)7

#### Pharmacokinetics

Development and validation of a liquid chromatography–mass spectrometry method for the quantitation of naltrexone and  $6\beta$ -naltrexol in guinea pig plasma 810(2004)259

# 3-Phenoxybenzoic acid

Determination of deltamethrin and its metabolite 3-phenoxybenzoic acid in male rat plasma by high-performance liquid chromatography 810(2004)221

#### Phospholipids

Normal phase liquid chromatography–electrospray ionization tandem mass spectrometry analysis of phospholipid molecular species in blood mononuclear cells: application to cystic fibrosis 810(2004)173

#### Porphyrins

Determination of porphyrins and biliverdin in bile and excreta of birds by a single liquid chromatography–ultraviolet detection analysis 810(2004)305

#### **Precipitate reaction**

Study on the precipitation reaction between baicalin and berberine by HPLC 810(2004)165

#### Precision

Wide concentration range investigation of recovery, precision and error structure in liquid chromatography 810(2004)111

#### Pregabalin

# Simultaneous high-performance liquid chromatographic analysis of pregabalin, gabapentin and vigabatrin in human serum by precolumn derivatization with o-phtaldialdehyde and fluorescence detection 810(2004)297

## Pregnenolone

Urinary analysis of  $16(5\alpha)$ -androsten- $3\alpha$ -ol by gas chromatography/combustion/isotope ratio mass spectrometry: implications in anti-doping analysis 810(2004)157

#### Propofol

A new method for the quantitation of propofol in human plasma: efficient solid-phase extraction and liquid chromatography/APCI-triple quadrupole mass spectrometry detection 810(2004)291

## Protease inhibitors

Determination of the new HIV-protease inhibitor atazanavir by liquid chromatography after solid-phase extraction 810(2004)25

# **Pro-urokinase**

Monolithic peptidyl sorbents for comparison of affinity properties of plasminogen activators 810(2004)15

## РТН

Analysis of non-covalent aggregation of synthetic hPTH (1-34) by sizeexclusion chromatography and the importance of suppression of nonspecific interactions for a precise quantitation 810(2004)151

## Pyrethroid pesticides

Determination of deltamethrin and its metabolite 3-phenoxybenzoic acid in male rat plasma by high-performance liquid chromatography 810(2004)221

# Retinoic acid metabolism blocking agent

Quantification of a novel retinoic acid metabolism inhibitor, 4-(1H-imidazol-1-yl)retinoic acid (VN/14-1RA) and other retinoids in rat plasma by liquid chromatography with diode-array detection 810(2004)203

#### Recombinant human albumin

Development and validation of a method for the purity determination of  $(3\beta, 20R)$ -4,4-dimethylcholesta-8,14,24-trien-3-ol(FF-MAS) in pharmaceutical products containing recombinant human albumin 810(2004)251

# RECOMBUMIN

Development and validation of a method for the purity determination of  $(3\beta, 20R)$ -4,4-dimethylcholesta-8,14,24-trien-3-ol(FF-MAS) in pharmaceutical products containing recombinant human albumin 810(2004)251

#### Recovery

Wide concentration range investigation of recovery, precision and error structure in liquid chromatography 810(2004)111

## **Redox-active compounds**

Determination of multiple redox-active compounds by high-performance liquid chromatography with coulometric multi-electrode array system 810(2004)93

# **Reversed-phase HPLC**

Quantification of a novel retinoic acid metabolism inhibitor, 4-(1H-imidazol-1-yl)retinoic acid (VN/14-1RA) and other retinoids in rat plasma by liquid chromatography with diode-array detection 810(2004)203

# S. cerevisiae

Characterizing complex peptide mixtures using a multi-dimensional liquid chromatography-mass spectrometry system: *Saccharomyces cerevisiae* as a model system 810(2004)69

## Sample preparation

Development and validation of a method for the purity determination of  $(3\beta, 20\mathbf{R})$ -4,4-dimethylcholesta-8,14,24-trien-3-ol(FF-MAS) in pharmaceutical products containing recombinant human albumin 810(2004)251

# SEC

Analysis of non-covalent aggregation of synthetic hPTH (1–34) by size-exclusion chromatography and the importance of suppression of non-specific interactions for a precise quantitation 810(2004)151

# Semicarbazide-sensitive amine oxide

Assay of plasma semicarbazide-sensitive amine oxidase and determination of its endogenous substrate methylamine by liquid chromatography 810(2004)277

# Sequence database records (SDRs)

Characterizing complex peptide mixtures using a multi-dimensional liquid chromatography-mass spectrometry system: *Saccharomyces cerevisiae* as a model system 810(2004)69

## Serotonin

Determination of serotonin and its precursors in human plasma by capillary electrophoresis–electrospray ionization–time-of-flight mass spectrometry 810(2004)101

# Solid-phase extraction

A new method for the quantitation of propofol in human plasma: efficient solid-phase extraction and liquid chromatography/APCI-triple quadrupole mass spectrometry detection 810(2004)291

Bioanalysis of tobramycin for therapeutic drug monitoring by solid-phase extraction and capillary zone electrophoresis 810(2004)313

#### Solid phase peptide synthesis

Monolithic peptidyl sorbents for comparison of affinity properties of plasminogen activators 810(2004)15

#### Short monolithic columns

Monolithic peptidyl sorbents for comparison of affinity properties of plasminogen activators 810(2004)15

## Streptococcus mutans

Detection of cariogenic bacterial genes by microchip electrophoresis 810(2004)41

#### Streptokinase

Monolithic peptidyl sorbents for comparison of affinity properties of plasminogen activators 810(2004)15

#### Tandem mass spectrometry

A new method for the quantitation of propofol in human plasma: efficient solid-phase extraction and liquid chromatography/APCI-triple quadrupole mass spectrometry detection 810(2004)291

#### $\Delta^9$ -Tetrahydrocannabinol

Determination of  $\Delta^9$ -tetrahydrocannabinol from rabbit plasma by gas chromatography-mass spectrometry using two ionization techniques 810(2004)283

#### $\Delta^9$ Tetrahydrocannabinol

Development and validation of a method for the quantitation of  $\Delta^9$  tetrahydrocannabinol in oral fluid by liquid chromatography electrospray–massspectrometry 810(2004)319

# Thiazolidine-2,4-dione

Application of liquid chromatography/mass spectrometry and nuclear magnetic resonance to the identification of degradates of a novel insulin sensitizer in aqueous solutions 810(2004)209

# Threonine

Determination of D- and L-enantiomers of threonine and allo-threonine in mammals using two-step high-performance liquid chromatography 810(2004)245

# Tissue plasminogen activator

Monolithic peptidyl sorbents for comparison of affinity properties of plasminogen activators 810(2004)15

# Tobramycin

Bioanalysis of tobramycin for therapeutic drug monitoring by solid-phase extraction and capillary zone electrophoresis 810(2004)313

## Tryptophan

Determination of serotonin and its precursors in human plasma by capillary electrophoresis–electrospray ionization–time-of-flight mass spectrometry 810(2004)101

## Validation

Development and validation of a liquid chromatography–tandem mass spectrometric method for the determination of  $\alpha$ -methyltyrosine in human plasma 810(2004)229

Development and validation of a method for the purity determination of  $(3\beta, 20R)$ -4,4-dimethylcholesta-8,14,24-trien-3-ol(FF-MAS) in pharmaceutical products containing recombinant human albumin 810(2004)251

Simultaneous high-performance liquid chromatographic analysis of pregabalin, gabapentin and vigabatrin in human serum by precolumn derivatization with *o*-phtaldialdehyde and fluorescence detection 810(2004)297

## Valproic acid

Simple and sensitive fluorimetric liquid chromatography method for the determination of valproic acid in plasma 810(2004)169

# Vigabatrin

Simultaneous high-performance liquid chromatographic analysis of pregabalin, gabapentin and vigabatrin in human serum by precolumn derivatization with *o*-phtaldialdehyde and fluorescence detection 810(2004)297

#### VN/14-1RA4-(1H-imidazol-1-yl)retinoic acid

Quantification of a novel retinoic acid metabolism inhibitor, 4-(1H-imidazol-1-yl)retinoic acid (VN/14-1RA) and other retinoids in rat plasma by liquid chromatography with diode-array detection 810(2004)203

## Wide concentration range

Wide concentration range investigation of recovery, precision and error structure in liquid chromatography 810(2004)111