

Keyword Index Vol. 813

Affinity tags

Current chemical tagging strategies for proteome analysis by mass spectrometry (Review) 813(2004)1

β -Agonists

Multiresidue confirmation of β -agonists in bovine retina and liver using LC-ES/MS/MS (Review) 813(2004)35

Amino acids

Ultrasonic-assisted derivatization reaction of amino acids prior to their determination in urine by using single-drop microextraction in conjunction with gas chromatography 813(2004)89

Amoxicillin

Simultaneous determination of amoxicillin and clavulanic acid in human plasma by HPLC–ESI mass spectrometry 813(2004)121

Amprenavir

Determination of atazanavir and other antiretroviral drugs (indinavir, amprenavir, nelfinavir and its active metabolite M8, saquinavir, ritonavir, lopinavir, nevirapine and efavirenz) plasma levels by high performance liquid chromatography with UV detection 813(2004)353

Artificial neural networks

Discrimination of Type 2 diabetic patients from healthy controls by using metabonomics method based on their serum fatty acid profiles 813(2004)53

Assay transfer

Quantification of residual EDU (*N*-ethyl-*N'*-(dimethylaminopropyl) carbodiimide (EDC) hydrolyzed urea derivative) and other residual by LC–MS/MS 813(2004)103

Atazanavir

Determination of atazanavir and other antiretroviral drugs (indinavir, amprenavir, nelfinavir and its active metabolite M8, saquinavir, ritonavir, lopinavir, nevirapine and efavirenz) plasma levels by high performance liquid chromatography with UV detection 813(2004)353

Atmospheric pressure photospray ionisation (APPI)

Selective and sensitive liquid chromatography–tandem mass spectrometry method for the determination of levonorgestrel in human plasma 813(2004)331

5-Azacytidine

Quantification of 5-azacytidine in plasma by electrospray tandem mass spectrometry coupled with high-performance liquid chromatography 813(2004)81

Bile acids

Determination of underivatized sterols and bile acid trimethyl silyl ether methyl esters by gas chromatography–mass spectrometry–single ion monitoring in faeces 813(2004)199

Bioequivalence study

Sensitive analytical method for Topiramate in human serum by HPLC with pre-column fluorescent derivatization and its application in human pharmacokinetic studies 813(2004)175

Biological tissues

Determination of 8:2 fluorotelomer alcohol in animal plasma and tissues by gas chromatography–mass spectrometry 813(2004)313

Blood

Development of headspace solid-phase microextraction with on-fiber derivatization for determination of hexanal and heptanal in human blood 813(2004)47

Boldenone

Direct detection of boldenone sulfate and glucuronide conjugates in horse urine by ion trap liquid chromatography–mass spectrometry 813(2004)241

Boldenone sulfate

Direct detection of boldenone sulfate and glucuronide conjugates in horse urine by ion trap liquid chromatography–mass spectrometry 813(2004)241

Calcium antagonists

Enantioselective pharmacokinetics of lercanidipine in healthy volunteers 813(2004)343

Capillary column

Evaluation of four capillary columns for the analysis of organochlorine pesticides, polychlorinated biphenyls, and polybrominated diphenyl ethers in human serum for epidemiologic studies 813(2004)269

Capillary electrochromatography

Experimental design as a tool when evaluating stationary phases for the capillary electrochromatographic separation of basic peptides 813(2004)67

Capillary electrophoresis

Improved detection limit for a direct determination of 8-hydroxy-2'-deoxyguanosine in untreated urine samples by capillary electrophoresis with optical detection 813(2004)255

Carebastine

Simultaneous determination of ebastine and its three metabolites in plasma using liquid chromatography–tandem mass spectrometry 813(2004)75

Cation exchange sorbent

New trends in sample preparation: on-line microextraction in packed syringe (MEPS) for LC and GC applications. Part III: Determination and validation of local anaesthetics in human plasma samples using a cation-exchange sorbent, and MEPS-LC-MS-MS 813(2004)129

Chiral separation

Determination of MK-0767 enantiomers in human plasma by normal phase LC-MS/MS 813(2004)95

Cholesteryl esters

Variable recoveries of fatty acids following the separation of lipids on commercial silica gel TLC plates. Selective loss of unsaturated fatty acids on certain brands of plates. Selective loss of unsaturated fatty acids on certain brands of plates 813(2004)159

Clavulanic acid

Simultaneous determination of amoxicillin and clavulanic acid in human plasma by HPLC-ESI mass spectrometry 813(2004)121

Clenbuterol

Multiresidue confirmation of β -agonists in bovine retina and liver using LC-ES/MS/MS 813(2004)35

Coccidiostats

Efficient and sensitive detection of residues of nine coccidiostats in egg and muscle by liquid chromatography-electrospray tandem mass spectrometry 813(2004)181

Commercial silica gel plates

Variable recoveries of fatty acids following the separation of lipids on commercial silica gel TLC plates. Selective loss of unsaturated fatty acids on certain brands of plates. Selective loss of unsaturated fatty acids on certain brands of plates 813(2004)159

Cyclolariciresinol

Urinary excretion of lignans after administration of isolated plant lignans to rats: the effect of single dose and ten-day exposures 813(2004)303

CYP2D6

LC-MS/MS analysis of dextromethorphan metabolism in human saliva and urine to determine CYP2D6 phenotype and individual variability in *N*-demethylation and glucuronidation 813(2004)217

Demethylation

LC-MS/MS analysis of dextromethorphan metabolism in human saliva and urine to determine CYP2D6 phenotype and individual variability in *N*-demethylation and glucuronidation 813(2004)217

Derivatization

Ultrasonic-assisted derivatization reaction of amino acids prior to their determination in urine by using single-drop microextraction in conjunction with gas chromatography 813(2004)89

Desalkylebastine

Simultaneous determination of ebastine and its three metabolites in plasma using liquid chromatography-tandem mass spectrometry 813(2004)75

Detection limit

Improved detection limit for a direct determination of 8-hydroxy-2'-deoxyguanosine in untreated urine samples by capillary electrophoresis with optical detection 813(2004)255

Dextromethorphan

LC-MS/MS analysis of dextromethorphan metabolism in human saliva and urine to determine CYP2D6 phenotype and individual variability in *N*-demethylation and glucuronidation 813(2004)217

Diabetes

Determination of MK-0767 enantiomers in human plasma by normal phase LC-MS/MS 813(2004)95

Diabetes mellitus

Discrimination of Type 2 diabetic patients from healthy controls by using metabolomics method based on their serum fatty acid profiles 813(2004)53

Digoxin

Simultaneous determination of digoxin and permeability markers in rat in situ intestinal perfusion samples by RP-HPLC 813(2004)347

Dihydropyridines

Enantioselective pharmacokinetics of lercanidipine in healthy volunteers 813(2004)343

Dog plasma

Liquid chromatography-mass spectrometry method for determination of tetramethylpyrazine and its metabolite in dog plasma 813(2004)263

Dual PPAR

Determination of MK-0767 enantiomers in human plasma by normal phase LC-MS/MS 813(2004)95

Ebastine

Simultaneous determination of ebastine and its three metabolites in plasma using liquid chromatography-tandem mass spectrometry 813(2004)75

Efavirenz

Determination of atazanavir and other antiretroviral drugs (indinavir, amprenavir, nelfinavir and its active metabolite M8, saquinavir, ritonavir, lopinavir, nevirapine and efavirenz) plasma levels by high performance liquid chromatography with UV detection 813(2004)353

Eggs

Efficient and sensitive detection of residues of nine coccidiostats in egg and muscle by liquid chromatography-electrospray tandem mass spectrometry 813(2004)181

Electrospray ionization LC-MS

Simultaneous determination of amoxicillin and clavulanic acid in human plasma by HPLC-ESI mass spectrometry 813(2004)121

Enalapril

Simultaneous determination of enalapril and enalaprilat in human plasma by liquid chromatography-tandem mass spectrometry 813(2004)337

Enalaprilat

Simultaneous determination of enalapril and enalaprilat in human plasma by liquid chromatography-tandem mass spectrometry 813(2004)337

Enantiomers

Enantioselective pharmacokinetics of lercanidipine in healthy volunteers 813(2004)343

Enterodiol

Urinary excretion of lignans after administration of isolated plant lignans to rats: the effect of single dose and ten-day exposures 813(2004)303

Enterolactone

Urinary excretion of lignans after administration of isolated plant lignans to rats: the effect of single dose and ten-day exposures 813(2004)303

Estrogl

Comparison of performance of C18 monolithic rod columns and conventional C18 particle-packed columns in liquid chromatographic determination of Estrogl and Ketoprofen gel 813(2004)191

Ethylchloroformate

Ultrasonic-assisted derivatization reaction of amino acids prior to their determination in urine by using single-drop microextraction in conjunction with gas chromatography 813(2004)89

Experimental design

Experimental design as a tool when evaluating stationary phases for the capillary electrochromatographic separation of basic peptides 813(2004)67

Fatty acid methyl esters

Variable recoveries of fatty acids following the separation of lipids on commercial silica gel TLC plates. Selective loss of unsaturated fatty acids on certain brands of plates 813(2004)159

Fatty acid profiles

Discrimination of Type 2 diabetic patients from healthy controls by using metabonomics method based on their serum fatty acid profiles 813(2004)53

Fluorotelomer alcohols

Determination of 8:2 fluorotelomer alcohol in animal plasma and tissues by gas chromatography–mass spectrometry 813(2004)313

Free fatty acids

Variable recoveries of fatty acids following the separation of lipids on commercial silica gel TLC plates. Selective loss of unsaturated fatty acids on certain brands of plates 813(2004)159

Fully automated

New trends in sample preparation: on-line microextraction in packed syringe (MEPS) for LC and GC applications. Part III: Determination and validation of local anaesthetics in human plasma samples using a cation-exchange sorbent, and MEPS-LC-MS-MS 813(2004)129

Gas liquid chromatography

Variable recoveries of fatty acids following the separation of lipids on commercial silica gel TLC plates. Selective loss of unsaturated fatty acids on certain brands of plates 813(2004)159

GC

Ultrasonic-assisted derivatization reaction of amino acids prior to their determination in urine by using single-drop microextraction in conjunction with gas chromatography 813(2004)89

GC– μ ECD

Microwave-assisted derivatization of 2,5-hexanedione in urine: evaluation using GC–MS and GC–ECD 813(2004)151

GC–ECD

Evaluation of four capillary columns for the analysis of organochlorine pesticides, polychlorinated biphenyls, and polybrominated diphenyl ethers in human serum for epidemiologic studies 813(2004)269

GC–MS

Microwave-assisted derivatization of 2,5-hexanedione in urine: evaluation using GC–MS and GC–ECD 813(2004)151

Determination of 8:2 fluorotelomer alcohol in animal plasma and tissues by gas chromatography–mass spectrometry 813(2004)313

Glucuronide

Direct detection of boldenone sulfate and glucuronide conjugates in horse urine by ion trap liquid chromatography–mass spectrometry 813(2004)241

Glucuronosyltransferase

LC–MS/MS analysis of dextromethorphan metabolism in human saliva and urine to determine CYP2D6 phenotype and individual variability in *N*-demethylation and glucuronidation 813(2004)217

Headspace solid-phase microextraction

Development of headspace solid-phase microextraction with on-fiber derivatization for determination of hexanal and heptanal in human blood 813(2004)47

Healthy volunteers

Enantioselective pharmacokinetics of lercanidipine in healthy volunteers 813(2004)343

Heptanal

Development of headspace solid-phase microextraction with on-fiber derivatization for determination of hexanal and heptanal in human blood 813(2004)47

Hexanal

Development of headspace solid-phase microextraction with on-fiber derivatization for determination of hexanal and heptanal in human blood 813(2004)47

2,5-Hexanedione

Microwave-assisted derivatization of 2,5-hexanedione in urine: evaluation using GC–MS and GC–ECD 813(2004)151

High throughput

New trends in sample preparation: on-line microextraction in packed syringe (MEPS) for LC and GC applications. Part III: Determination and validation of local anaesthetics in human plasma samples using a cation-exchange sorbent, and MEPS-LC-MS-MS 813(2004)129

HPLC

Diagnosis of liver cancer using HPLC-based metabonomics avoiding false-positive result from hepatitis and hepatocirrhosis diseases 813(2004)59

Sensitive analytical method for Topiramate in human serum by HPLC with pre-column fluorescent derivatization and its application in human pharmacokinetic studies 813(2004)175

HPLC/MS/MS

New trends in sample preparation: on-line microextraction in packed syringe (MEPS) for LC and GC applications. Part III: Determination and validation of local anaesthetics in human plasma samples using a cation-exchange sorbent, and MEPS-LC-MS-MS 813(2004)129

HPLC–ESI–MS

Quantification of zolmitriptan in plasma by high-performance liquid chromatography–electrospray ionization mass spectrometry 813(2004)227

HPLC–MS/MS

Urinary excretion of lignans after administration of isolated plant lignans to rats: the effect of single dose and ten-day exposures 813(2004)303

HPLC–UV

Determination of total mycophenolic acid and its glucuronide metabolite using liquid chromatography with ultraviolet detection and unbound mycophenolic acid using tandem mass spectrometry 813(2004)287

Human plasma

Quantification of zolmitriptan in plasma by high-performance liquid chromatography–electrospray ionization mass spectrometry 813(2004)227

Direct injection, column switching–liquid chromatographic technique for the estimation of rabeprazole in bioequivalence study 813(2004)247

Human urine samples

A new molecularly imprinted polymer for the selective extraction of naproxen from urine samples by solid-phase extraction 813(2004)137

Humic acid

Rodenticide–humic acid adsorption mechanisms and role of humic acid on their toxicity on human keratinocytes: chromatographic approach to support the biological data 813(2004)295

8-Hydroxy-2'-deoxyguanosine

Improved detection limit for a direct determination of 8-hydroxy-2'-deoxyguanosine in untreated urine samples by capillary electrophoresis with optical detection 813(2004)255

Hydroxyebastine

Simultaneous determination of ebastine and its three metabolites in plasma using liquid chromatography–tandem mass spectrometry 813(2004)75

7-Hydroxyenterolactone

Urinary excretion of lignans after administration of isolated plant lignans to rats: the effect of single dose and ten-day exposures 813(2004)303

7-Hydroxymatairesinol

Urinary excretion of lignans after administration of isolated plant lignans to rats: the effect of single dose and ten-day exposures 813(2004)303

Hyperforin

Simultaneous determination of hypericin and hyperforin in human plasma with liquid chromatography–tandem mass spectrometry 813(2004)27

Hypericin

Simultaneous determination of hypericin and hyperforin in human plasma with liquid chromatography–tandem mass spectrometry 813(2004)27

Immobilized nicotinic receptors

On-line screening of conformationally constrained nicotines and anabasines for agonist activity at the $\alpha 3\beta 4$ - and $\alpha 4\beta 2$ -nicotinic acetylcholine receptors using immobilized receptor-based liquid chromatographic stationary phases 813(2004)235

Indinavir

Determination of atazanavir and other antiretroviral drugs (indinavir, amprenavir, nelfinavir and its active metabolite M8, saquinavir, ritonavir, lopinavir, nevirapine and efavirenz) plasma levels by high performance liquid chromatography with UV detection 813(2004)353

Individual

LC–MS/MS analysis of dextromethorphan metabolism in human saliva and urine to determine CYP2D6 phenotype and individual variability in *N*-demethylation and glucuronidation 813(2004)217

Intra-cellular quantitation

Simultaneous determination of the antiretroviral agents: amprenavir, lopinavir, ritonavir, saquinavir and efavirenz in human peripheral blood mononuclear cells by high-performance liquid chromatography–mass spectrometry 813(2004)209

Ion trap GC–MS

Screening and semi-quantitative analysis of post mortem blood for basic drugs using gas chromatography/ion trap mass spectrometry 813(2004)323

Isotopic labeling

Current chemical tagging strategies for proteome analysis by mass spectrometry (Review) 813(2004)1

Keratinocytes

Rodenticide–humic acid adsorption mechanisms and role of humic acid on their toxicity on human keratinocytes: chromatographic approach to support the biological data 813(2004)295

Ketoprofen

Comparison of performance of C18 monolithic rod columns and conventional C18 particle-packed columns in liquid chromatographic determination of EstroGel and Ketoprofen gel 813(2004)191

Lariciresinol

Urinary excretion of lignans after administration of isolated plant lignans to rats: the effect of single dose and ten-day exposures 813(2004)303

LC/MS

Simultaneous determination of the antiretroviral agents: amprenavir, lopinavir, ritonavir, saquinavir and efavirenz in human peripheral blood mononuclear cells by high-performance liquid chromatography–mass spectrometry 813(2004)209

LC/MS/MS

Simultaneous determination of ebastine and its three metabolites in plasma using liquid chromatography–tandem mass spectrometry 813(2004)75

Quantification of 5-azacytidine in plasma by electrospray tandem mass spectrometry coupled with high-performance liquid chromatography 813(2004)81

LC–MS

Quantification of residual EDU (*N*-ethyl-*N'*-(dimethylaminopropyl) carbodiimide (EDC) hydrolyzed urea derivative) and other residual by LC–MS/MS 813(2004)103

LC–MS/MS

Determination of MK-0767 enantiomers in human plasma by normal phase LC–MS/MS 813(2004)95

Determination of total mycophenolic acid and its glucuronide metabolite using liquid chromatography with ultraviolet detection and unbound mycophenolic acid using tandem mass spectrometry 813(2004)287

Lercanidipine

Enantioselective pharmacokinetics of lercanidipine in healthy volunteers 813(2004)343

Levonorgestrel

Selective and sensitive liquid chromatography–tandem mass spectrometry method for the determination of levonorgestrel in human plasma 813(2004)331

Linear discriminant analysis

Discrimination of Type 2 diabetic patients from healthy controls by using metabonomics method based on their serum fatty acid profiles 813(2004)53

Linezolid

Determination of linezolid in plasma and bronchoalveolar lavage by high-performance liquid chromatography with ultraviolet detection using a fully automated extraction method 813(2004)145

Liquid chromatography

Selective and sensitive liquid chromatography–tandem mass spectrometry method for the determination of levonorgestrel in human plasma 813(2004)331

Liquid chromatography–mass spectrometry

Liquid chromatography–mass spectrometry method for determination of tetramethylpyrazine and its metabolite in dog plasma 813(2004)263

Liquid–liquid extraction

Determination of MK-0767 enantiomers in human plasma by normal phase LC–MS/MS 813(2004)95

Selective and sensitive liquid chromatography–tandem mass spectrometry method for the determination of levonorgestrel in human plasma 813(2004)331

Local anaesthetics

New trends in sample preparation: on-line microextraction in packed syringe (MEPS) for LC and GC applications. Part III: Determination and validation of local anaesthetics in human plasma samples using a cation-exchange sorbent, and MEPS-LC-MS-MS 813(2004)129

Lopinavir

Determination of atazanavir and other antiretroviral drugs (indinavir, amprenavir, nelfinavir and its active metabolite M8, saquinavir, ritonavir, lopinavir, nevirapine and efavirenz) plasma levels by high performance liquid chromatography with UV detection 813(2004)353

Lung cancer

Development of headspace solid-phase microextraction with on-fiber derivatization for determination of hexanal and heptanal in human blood 813(2004)47

M8

Determination of atazanavir and other antiretroviral drugs (indinavir, amprenavir, nelfinavir and its active metabolite M8, saquinavir, ritonavir, lopinavir, nevirapine and efavirenz) plasma levels by high performance liquid chromatography with UV detection 813(2004)353

Mammalian lignans

Urinary excretion of lignans after administration of isolated plant lignans to rats: the effect of single dose and ten-day exposures 813(2004)303

Mass spectrometry

Current chemical tagging strategies for proteome analysis by mass spectrometry (Review) 813(2004)1

Multiresidue confirmation of β -agonists in bovine retina and liver using LC-ES/MS/MS 813(2004)35

Efficient and sensitive detection of residues of nine coccidiostats in egg and muscle by liquid chromatography–electrospray tandem mass spectrometry 813(2004)181

Selective and sensitive liquid chromatography–tandem mass spectrometry method for the determination of levonorgestrel in human plasma 813(2004)331

Matairesinol

Urinary excretion of lignans after administration of isolated plant lignans to rats: the effect of single dose and ten-day exposures 813(2004)303

Meat

Efficient and sensitive detection of residues of nine coccidiostats in egg and muscle by liquid chromatography–electrospray tandem mass spectrometry 813(2004)181

Metabolism

LC–MS/MS analysis of dextromethorphan metabolism in human saliva and urine to determine CYP2D6 phenotype and individual variability in *N*-demethylation and glucuronidation 813(2004)217

Metabolite

Liquid chromatography–mass spectrometry method for determination of tetramethylpyrazine and its metabolite in dog plasma 813(2004)263

Metabonomics

Discrimination of Type 2 diabetic patients from healthy controls by using metabonomics method based on their serum fatty acid profiles 813(2004)53

Diagnosis of liver cancer using HPLC-based metabonomics avoiding false-positive result from hepatitis and hepatocirrhosis diseases 813(2004)59

Methodological studies

Diagnosis of liver cancer using HPLC-based metabonomics avoiding false-positive result from hepatitis and hepatocirrhosis diseases 813(2004)59

Methylation

Variable recoveries of fatty acids following the separation of lipids on commercial silica gel TLC plates. Selective loss of unsaturated fatty acids on certain brands of plates 813(2004)159

17- α -Methyltestosterone

Selective and sensitive liquid chromatography–tandem mass spectrometry method for the determination of levonorgestrel in human plasma 813(2004)331

Microextraction in packed syringe

New trends in sample preparation: on-line microextraction in packed syringe (MEPS) for LC and GC applications. Part III: Determination and validation of local anaesthetics in human plasma samples using a cation-exchange sorbent, and MEPS-LC-MS-MS 813(2004)129

Microwave-assisted derivatization

Microwave-assisted derivatization of 2,5-hexanedione in urine: evaluation using GC–MS and GC–ECD 813(2004)151

MK-0767 (KRP-297)

Determination of MK-0767 enantiomers in human plasma by normal phase LC–MS/MS 813(2004)95

Models

LC–MS/MS analysis of dextromethorphan metabolism in human saliva and urine to determine CYP2D6 phenotype and individual variability in *N*-demethylation and glucuronidation 813(2004)217

Molecular diagnosis and prognosis

Diagnosis of liver cancer using HPLC-based metabonomics avoiding false-positive result from hepatitis and hepatocirrhosis diseases 813(2004)59

Molecularly imprinted polymer

A new molecularly imprinted polymer for the selective extraction of naproxen from urine samples by solid-phase extraction 813(2004)137

Monolithic columns

Comparison of performance of C18 monolithic rod columns and conventional C18 particle-packed columns in liquid chromatographic determination of Estrogel and Ketoprofen gel 813(2004)191

Monoxygenase

LC–MS/MS analysis of dextromethorphan metabolism in human saliva and urine to determine CYP2D6 phenotype and individual variability in *N*-demethylation and glucuronidation 813(2004)217

MPA

Determination of total mycophenolic acid and its glucuronide metabolite using liquid chromatography with ultraviolet detection and unbound mycophenolic acid using tandem mass spectrometry 813(2004)287

MPAG

Determination of total mycophenolic acid and its glucuronide metabolite using liquid chromatography with ultraviolet detection and unbound mycophenolic acid using tandem mass spectrometry 813(2004)287

Naproxen

A new molecularly imprinted polymer for the selective extraction of naproxen from urine samples by solid-phase extraction 813(2004)137

Nelfinavir

Determination of atazanavir and other antiretroviral drugs (indinavir, amprenavir, nelfinavir and its active metabolite M8, saquinavir, ritonavir, lopinavir, nevirapine and efavirenz) plasma levels by high performance liquid chromatography with UV detection 813(2004)353

Nevirapine

Determination of atazanavir and other antiretroviral drugs (indinavir, amprenavir, nelfinavir and its active metabolite M8, saquinavir, ritonavir, lopinavir, nevirapine and efavirenz) plasma levels by high performance liquid chromatography with UV detection 813(2004)353

Nicotinic agonists

On-line screening of conformationally constrained nictines and anabasines for agonist activity at the $\alpha 3\beta 4$ - and $\alpha 4\beta 2$ -nicotinic acetylcholine receptors using immobilized receptor-based liquid chromatographic stationary phases 813(2004)235

Non-nucleoside reverse transcriptase inhibitor (NNRTI)

Simultaneous determination of the antiretroviral agents: amprenavir, lopinavir, ritonavir, saquinavir and efavirenz in human peripheral blood mononuclear cells by high-performance liquid chromatography–mass spectrometry 813(2004)209

Normal phase

Determination of MK-0767 enantiomers in human plasma by normal phase LC–MS/MS 813(2004)95

Nucleosides

Diagnosis of liver cancer using HPLC-based metabonomics avoiding false-positive result from hepatitis and hepatocirrhosis diseases 813(2004)59

On-fiber derivatization

Development of headspace solid-phase microextraction with on-fiber derivatization for determination of hexanal and heptanal in human blood 813(2004)47

On-line screening

On-line screening of conformationally constrained nictines and anabasines for agonist activity at the $\alpha 3\beta 4$ - and $\alpha 4\beta 2$ -nicotinic acetylcholine receptors using immobilized receptor-based liquid chromatographic stationary phases 813(2004)235

Organochlorine pesticides

Evaluation of four capillary columns for the analysis of organochlorine pesticides, polychlorinated biphenyls, and polybrominated diphenyl ethers in human serum for epidemiologic studies 813(2004)269

Oxazolidinones

Determination of linezolid in plasma and bronchoalveolar lavage by high-performance liquid chromatography with ultraviolet detection using a fully automated extraction method 813(2004)145

Oxidative degradation

Variable recoveries of fatty acids following the separation of lipids on commercial silica gel TLC plates. Selective loss of unsaturated fatty acids on certain brands of plates 813(2004)159

Pattern recognition

Discrimination of Type 2 diabetic patients from healthy controls by using metabonomics method based on their serum fatty acid profiles 813(2004)53

Peptides

Experimental design as a tool when evaluating stationary phases for the capillary electrochromatographic separation of basic peptides 813(2004)67

Permeability markers

Simultaneous determination of digoxin and permeability markers in rat in situ intestinal perfusion samples by RP-HPLC 813(2004)347

Persistent organic pollutants (POPs)

Evaluation of four capillary columns for the analysis of organochlorine pesticides, polychlorinated biphenyls, and polybrominated diphenyl ethers in human serum for epidemiologic studies 813(2004)269

P-glycoprotein

Simultaneous determination of digoxin and permeability markers in rat in situ intestinal perfusion samples by RP-HPLC 813(2004)347

Pharmacokinetics

Quantification of 5-azacytidine in plasma by electrospray tandem mass spectrometry coupled with high-performance liquid chromatography 813(2004)81

Determination of linezolid in plasma and bronchoalveolar lavage by high-performance liquid chromatography with ultraviolet detection using a fully automated extraction method 813(2004)145

Quantification of zolmitriptan in plasma by high-performance liquid chromatography–electrospray ionization mass spectrometry 813(2004)227

Enantioselective pharmacokinetics of lercanidipine in healthy volunteers 813(2004)343

Phenotyping

LC–MS/MS analysis of dextromethorphan metabolism in human saliva and urine to determine CYP2D6 phenotype and individual variability in *N*-demethylation and glucuronidation 813(2004)217

Phospholipids

Variable recoveries of fatty acids following the separation of lipids on commercial silica gel TLC plates. Selective loss of unsaturated fatty acids on certain brands of plates 813(2004)159

Plant lignans

Urinary excretion of lignans after administration of isolated plant lignans to rats: the effect of single dose and ten-day exposures 813(2004)303

Plasma

Selective and sensitive liquid chromatography–tandem mass spectrometry method for the determination of levonorgestrel in human plasma 813(2004)331

Polybrominated diphenyl ethers (PBDEs)

Evaluation of four capillary columns for the analysis of organochlorine pesticides, polychlorinated biphenyls, and polybrominated diphenyl ethers in human serum for epidemiologic studies 813(2004)269

Polychlorinated biphenyls (PCBs)

Evaluation of four capillary columns for the analysis of organochlorine pesticides, polychlorinated biphenyls, and polybrominated diphenyl ethers in human serum for epidemiologic studies 813(2004)269

Polyether ionophores

Efficient and sensitive detection of residues of nine coccidiostats in egg and muscle by liquid chromatography–electrospray tandem mass spectrometry 813(2004)181

Polysaccharide protein conjugate vaccine

Quantification of residual EDU (*N*-ethyl-*N'*-(dimethylaminopropyl) carbodiimide (EDC) hydrolyzed urea derivative) and other residual by LC–MS/MS 813(2004)103

Post mortem blood

Screening and semi-quantitative analysis of post mortem blood for basic drugs using gas chromatography/ion trap mass spectrometry 813(2004)323

Prostate cancer

Two step procedure for purification of enzymatically active prostate-specific antigen from seminal plasma 813(2004)113

Prostate-specific antigen

Two step procedure for purification of enzymatically active prostate-specific antigen from seminal plasma 813(2004)113

Protease inhibitors (PIs)

Simultaneous determination of the antiretroviral agents: amprenavir, lopinavir, ritonavir, saquinavir and efavirenz in human peripheral blood mononuclear cells by high-performance liquid chromatography–mass spectrometry 813(2004)209

Proteomics

Current chemical tagging strategies for proteome analysis by mass spectrometry (Review) 813(2004)1

PSA

Two step procedure for purification of enzymatically active prostate-specific antigen from seminal plasma 813(2004)113

PSA purification

Two step procedure for purification of enzymatically active prostate-specific antigen from seminal plasma 813(2004)113

Quantification

Quantification of residual EDU (*N*-ethyl-*N'*-(dimethylaminopropyl) carbodiimide (EDC) hydrolyzed urea derivative) and other residual by LC–MS/MS 813(2004)103

Rabeprazole

Direct injection, column switching–liquid chromatographic technique for the estimation of rabeprazole in bioequivalence study 813(2004)247

Ractopamine

Multiresidue confirmation of β -agonists in bovine retina and liver using LC–ES/MS/MS 813(2004)35

Rat in situ permeability studies

Simultaneous determination of digoxin and permeability markers in rat in situ intestinal perfusion samples by RP-HPLC 813(2004)347

Residual material

Quantification of residual EDU (*N*-ethyl-*N'*-(dimethylaminopropyl) carbodiimide (EDC) hydrolyzed urea derivative) and other residual by LC–MS/MS 813(2004)103

Residues

Efficient and sensitive detection of residues of nine coccidiostats in egg and muscle by liquid chromatography–electrospray tandem mass spectrometry 813(2004)181

Retina

Multiresidue confirmation of β -agonists in bovine retina and liver using LC–ES/MS/MS 813(2004)35

Retroviral vector

High-performance liquid chromatographic total particles quantification of retroviral vectors pseudotyped with vesicular stomatitis virus-G glycoprotein 813(2004)167

Reverse phase chromatography

Sensitive analytical method for Topiramate in human serum by HPLC with pre-column fluorescent derivatization and its application in human pharmacokinetic studies 813(2004)175

Ritonavir

Determination of atazanavir and other antiretroviral drugs (indinavir, amprenavir, nelfinavir and its active metabolite M8, saquinavir, ritonavir, lopinavir, nevirapine and efavirenz) plasma levels by high performance liquid chromatography with UV detection 813(2004)353

Rodenticide

Rodenticide–humic acid adsorption mechanisms and role of humic acid on their toxicity on human keratinocytes: chromatographic approach to support the biological data 813(2004)295

RP-HPLC

Simultaneous determination of digoxin and permeability markers in rat in situ intestinal perfusion samples by RP-HPLC 813(2004)347

Sample preparation

New trends in sample preparation: on-line microextraction in packed syringe (MEPS) for LC and GC applications. Part III: Determination and validation of local anaesthetics in human plasma samples using a cation-exchange sorbent, and MEPS-LC-MS-MS 813(2004)129

Saquinavir

Determination of atazanavir and other antiretroviral drugs (indinavir, amprenavir, nelfinavir and its active metabolite M8, saquinavir, ritonavir, lopinavir, nevirapine and efavirenz) plasma levels by high performance liquid chromatography with UV detection 813(2004)353

Secoisolariciresinol

Urinary excretion of lignans after administration of isolated plant lignans to rats: the effect of single dose and ten-day exposures 813(2004)303

Semi-quantitation

Screening and semi-quantitative analysis of post mortem blood for basic drugs using gas chromatography/ion trap mass spectrometry 813(2004)323

Serine protease

Two step procedure for purification of enzymatically active prostate-specific antigen from seminal plasma 813(2004)113

Serum

Sensitive analytical method for Topiramate in human serum by HPLC with pre-column fluorescent derivatization and its application in human pharmacokinetic studies 813(2004)175

Single-drop microextraction

Ultrasonic-assisted derivatization reaction of amino acids prior to their determination in urine by using single-drop microextraction in conjunction with gas chromatography 813(2004)89

Solid-phase extraction

A new molecularly imprinted polymer for the selective extraction of naproxen from urine samples by solid-phase extraction 813(2004)137

Stability to light

Simultaneous determination of hypericin and hyperforin in human plasma with liquid chromatography–tandem mass spectrometry 813(2004)27

Statistics

LC–MS/MS analysis of dextromethorphan metabolism in human saliva and urine to determine CYP2D6 phenotype and individual variability in *N*-demethylation and glucuronidation 813(2004)217

Sterols

Determination of underivatized sterols and bile acid trimethyl silyl ether methyl esters by gas chromatography–mass spectrometry–single ion monitoring in faeces 813(2004)199

Tetramethylpyrazine

Liquid chromatography–mass spectrometry method for determination of tetramethylpyrazine and its metabolite in dog plasma 813(2004)263

Thiazolidinediones

Determination of MK-0767 enantiomers in human plasma by normal phase LC–MS/MS 813(2004)95

Thin-layer chromatography

Variable recoveries of fatty acids following the separation of lipids on commercial silica gel TLC plates. Selective loss of unsaturated fatty acids on certain brands of plates 813(2004)159

Thiophilic-interaction chromatography

Two step procedure for purification of enzymatically active prostate-specific antigen from seminal plasma 813(2004)113

Topiramate

Sensitive analytical method for Topiramate in human serum by HPLC with pre-column fluorescent derivatization and its application in human pharmacokinetic studies 813(2004)175

Unbound concentration

Determination of total mycophenolic acid and its glucuronide metabolite using liquid chromatography with ultraviolet detection and unbound mycophenolic acid using tandem mass spectrometry 813(2004)287

Unsaturated fatty acids

Variable recoveries of fatty acids following the separation of lipids on commercial silica gel TLC plates. Selective loss of unsaturated fatty acids on certain brands of plates 813(2004)159

Untreated urine

Improved detection limit for a direct determination of 8-hydroxy-2'-deoxyguanosine in untreated urine samples by capillary electrophoresis with optical detection 813(2004)255

Urine

Ultrasonic-assisted derivatization reaction of amino acids prior to their determination in urine by using single-drop microextraction in conjunction with gas chromatography 813(2004)89

Microwave-assisted derivatization of 2,5-hexanedione in urine: evaluation using GC–MS and GC–ECD 813(2004)151

Validation

Quantification of residual EDU (*N*-ethyl-*N'*-(dimethylaminopropyl) carbodiimide (EDC) hydrolyzed urea derivative) and other residual by LC–MS/MS 813(2004)103

Validation and bioequivalence

Direct injection, column switching–liquid chromatographic technique for the estimation of rabeprazole in bioequivalence study 813(2004)247

Vesicular stomatitis virus-G glycoprotein

High-performance liquid chromatographic total particles quantification of retroviral vectors pseudotyped with vesicular stomatitis virus-G glycoprotein 813(2004)167

Zolmitriptan

Quantification of zolmitriptan in plasma by high-performance liquid chromatography–electrospray ionization mass spectrometry 813(2004)227