

Keyword Index Vol. 814

Accelerator mass spectrometry

Quantitation of binding, recovery and desalting efficiency of peptides and proteins in solid phase extraction micropipette tips 814(2005)309

Acid hydrolysis

Determination of total phthalates in urine by isotope-dilution liquid chromatography–tandem mass spectrometry 814(2005)355

Affinity purification

Optimised affinity purification of polyclonal antibodies from hyper immunised ovine serum using a synthetic Protein A adsorbent, MAbsorbent® A2P 814(2005)209

Age dependence

Age-dependence of urinary normal and modified nucleosides in childhood as determined by reversed-phase high-performance liquid chromatography 814(2005)275

AGP

Chiral analysis of methadone and its major metabolites (EDDP and EMDP) by liquid chromatography–mass spectrometry 814(2005)315

Alprazolam

Simultaneous quantification of alprazolam, 4- and α -hydroxyalprazolam in plasma samples using liquid chromatography mass spectrometry 814(2005)127

γ -Aminobutyric acid

A capillary liquid chromatographic/tandem mass spectrometric method for the quantification of γ -aminobutyric acid in human plasma and cerebrospinal fluid 814(2005)295

Aminopeptidase

Characterization of N^{α} -acetyl methionyl human growth hormone formed during expression in *Saccharomyces cerevisiae* with liquid chromatography and mass spectrometry 814(2005)53

Ammonium

Optimization and validation of an ion chromatographic method for the simultaneous determination of sodium, ammonium and potassium in exhaled breath condensate 814(2005)173

Amphetamine

Determination of amphetamine-derived designer drugs in human urine by SPE extraction and capillary electrophoresis with mass spectrometry detection 814(2005)93

D-Amygdalin

Quantitative determination of amygdalin epimers from armeniacaee semen by liquid chromatography 814(2005)69

Antarctic krill

Distribution of elements binding to molecules with different molecular weights in aqueous extract of Antarctic krill by size-exclusion chromatography coupled with inductively coupled plasma mass spectrometry 814(2005)83

Antibody

Optimised affinity purification of polyclonal antibodies from hyper immunised ovine serum using a synthetic Protein A adsorbent, MAbsorbent® A2P 814(2005)209

Antihypertensive

Felodipine quantification in human plasma by high-performance liquid chromatography coupled to tandem mass spectrometry 814(2005)217

Armeniacaee semen

Quantitative determination of amygdalin epimers from armeniacaee semen by liquid chromatography 814(2005)69

Artificial neural networks

Chiral analysis of methadone and its major metabolites (EDDP and EMDP) by liquid chromatography–mass spectrometry 814(2005)315

Automated online method

Automated online liquid chromatographic/mass spectrometric metabolic study for prodrug stability 814(2005)225

Azithromycin

Quantitative determination of azithromycin in plasma, blood and isolated neutrophils by liquid chromatography using pre-column derivatization with 9-fluorenylmethyloxycarbonyl-chloride and fluorescence detection 814(2005)37

BALF

LC–MS analysis of phospholipids and lysophospholipids in human bronchoalveolar lavage fluid 814(2005)21

Benazepril

Simultaneous determination of benazepril hydrochloride and benazeprilat in plasma by high-performance liquid chromatography/electrospray-mass spectrometry 814(2005)303

Benazeprilat

Simultaneous determination of benazepril hydrochloride and benazeprilat in plasma by high-performance liquid chromatography/electrospray-mass spectrometry 814(2005)303

Benidipine

Analysis of benidipine enantiomers in human plasma by liquid chromatography–mass spectrometry using a macrocyclic antibiotic (Vancomycin) chiral stationary phase column 814(2005)75

Binding constants

Study on the interactions between anti-HIV-1 active compounds with *trans*-activation response RNA by affinity capillary electrophoresis 814(2005)99

Bioequivalence

Felodipine quantification in human plasma by high-performance liquid chromatography coupled to tandem mass spectrometry 814(2005)217

Biological monitoring

Application of gas chromatography-mass spectrometry for the determination of urinary ethylenethiourea in humans 814(2005)251

Biomarker

Recent methodological advances in the mass spectrometric analysis of free and protein-associated 3-nitrotyrosine in human plasma (Review) 814(2005)1

Proteomic approaches in the search for disease biomarkers (Review) 814(2005)11

Biomonitoring

Simultaneous determination of pyrethroid and pyrethrin metabolites in human urine by gas chromatography-high resolution mass spectrometry 814(2005)285

Biopartitioning micellar chromatography

Chromatographic evaluation of the toxicity in fish of pesticides 814(2005)115

Blow exudate

Determination of testosterone in saliva and blow of bottlenose dolphins (*Tursiops truncatus*) using liquid chromatography-mass spectrometry 814(2005)339

Body burden

Determination of total phthalates in urine by isotope-dilution liquid chromatography-tandem mass spectrometry 814(2005)355

1-Bromopropane

Development of a headspace gas chromatographic test for the quantification of 1- and 2-bromopropane in human urine 814(2005)185

2-Bromopropane

Development of a headspace gas chromatographic test for the quantification of 1- and 2-bromopropane in human urine 814(2005)185

Capillary electrophoresis

Determination of amphetamine-derived designer drugs in human urine by SPE extraction and capillary electrophoresis with mass spectrometry detection 814(2005)93

Study on the interactions between anti-HIV-1 active compounds with *trans*-activation response RNA by affinity capillary electrophoresis 814(2005)99

Simultaneous determination of L- and D-lactic acid in plasma by capillary electrophoresis 814(2005)393

Capillary liquid chromatography/tandem mass spectrometry

A capillary liquid chromatographic/tandem mass spectrometric method for the quantification of γ -aminobutyric acid in human plasma and cerebrospinal fluid 814(2005)295

Cerebral spinal fluid

A capillary liquid chromatographic/tandem mass spectrometric method for the quantification of γ -aminobutyric acid in human plasma and cerebrospinal fluid 814(2005)295

Cetirizine

Automated 96-well solid phase extraction and hydrophilic interaction liquid chromatography-tandem mass spectrometric method for the analysis of cetirizine (ZYRTEC[®]) in human plasma—with emphasis on method ruggedness 814(2005)105

Chemical defence

Determination and quantification of $\alpha,\beta,\gamma,\delta$ -unsaturated aldehydes as pentafluorobenzyl-oxime derivatives in diatom cultures and natural phytoplankton populations: application in marine field studies 814(2005)155

Chemometrics

Optimization and validation of an ion chromatographic method for the simultaneous determination of sodium, ammonium and potassium in exhaled breath condensate 814(2005)173

Chiral

Chiral analysis of methadone and its major metabolites (EDDP and EMDP) by liquid chromatography-mass spectrometry 814(2005)315

Chiral stationary phase

Analysis of benidipine enantiomers in human plasma by liquid chromatography-mass spectrometry using a macrocyclic antibiotic (Vancomycin) chiral stationary phase column 814(2005)75

Chromatography

Optimised affinity purification of polyclonal antibodies from hyperimmunised ovine serum using a synthetic Protein A adsorbent, MAbsorbent[®] A2P 814(2005)209

Chronic fatigue syndrome

Urinary electrophoretic profiles from chronic fatigue syndrome and chronic fatigue syndrome/fibromyalgia patients: a pilot study for achieving their normalization 814(2005)43

Citric acid

Quantitative determination of amygdalin epimers from armeniacaee semen by liquid chromatography 814(2005)69

Column-switching

Fast, fully automated analysis of voriconazole from serum by LC-LC-ESI-MS-MS with parallel column-switching technique 814(2005)361

Cotinine

Simultaneous determination of nicotine, cotinine, norcotinine, and *trans*-3'-hydroxycotinine in human oral fluid using solid phase extraction and gas chromatography-mass spectrometry 814(2005)233

Decadienal

Determination and quantification of $\alpha,\beta,\gamma,\delta$ -unsaturated aldehydes as pentafluorobenzyl-oxime derivatives in diatom cultures and natural phytoplankton populations: application in marine field studies 814(2005)155

Derivatization

Quantitative determination of azithromycin in plasma, blood and isolated neutrophils by liquid chromatography using pre-column derivatization with 9-fluorenylmethylloxycarbonyl-chloride and fluorescence detection 814(2005)37

Simultaneous determination of pyrethroid and pyrethrin metabolites in human urine by gas chromatography-high resolution mass spectrometry 814(2005)285

p-Toluenesulfonyl isocyanate as a novel derivatization reagent to enhance the electrospray ionization and its application in the determination of two stereo isomers of 3-hydroxy-1-7-methyl-norethynodrel in plasma 814(2005)331

Designer drug

Determination of amphetamine-derived designer drugs in human urine by SPE extraction and capillary electrophoresis with mass spectrometry detection 814(2005)93

Diazepam

Solid-phase extraction of methadone enantiomers and benzodiazepines in biological fluids by two polymeric cartridges for liquid chromatographic analysis 814(2005)385

Dolphin

Determination of testosterone in saliva and blow of bottlenose dolphins (*Tursiops truncatus*) using liquid chromatography–mass spectrometry 814(2005)339

Drug monitoring

Simplified ultraviolet liquid chromatographic method for determination of sertindole, dehydrosertindole and norsertindole, in human plasma 814(2005)61

Drug–protein binding

Determination of drug–protein binding using supported liquid membrane extraction under equilibrium conditions 814(2005)375

EDDP

Chiral analysis of methadone and its major metabolites (EDDP and EMDP) by liquid chromatography–mass spectrometry 814(2005)315

Solid-phase extraction of methadone enantiomers and benzodiazepines in biological fluids by two polymeric cartridges for liquid chromatographic analysis 814(2005)385

Electrochemical detection

Measurement of serum pralidoxime methylsulfate (Contrathion[®]) by high-performance liquid chromatography with electrochemical detection 814(2005)149

Electrophoresis

Proteomic approaches in the search for disease biomarkers (Review) 814(2005)11

Electrospray ionization

Simultaneous determination of morphine, oxycodone, morphine-3-glucuronide, and noroxycodone concentrations in rat serum by high performance liquid chromatography–electrospray ionization–tandem mass spectrometry 814(2005)241

Elements

Distribution of elements binding to molecules with different molecular weights in aqueous extract of Antarctic krill by size-exclusion chromatography coupled with inductively coupled plasma mass spectrometry 814(2005)83

EMDP

Chiral analysis of methadone and its major metabolites (EDDP and EMDP) by liquid chromatography–mass spectrometry 814(2005)315

Enantiomer separation

Solid-phase extraction of methadone enantiomers and benzodiazepines in biological fluids by two polymeric cartridges for liquid chromatographic analysis 814(2005)385

Enantiomers

Analysis of benidipine enantiomers in human plasma by liquid chromatography–mass spectrometry using a macrocyclic antibiotic (Vancomycin) chiral stationary phase column 814(2005)75

Epimer separation

Quantitative determination of amygdalin epimers from armeniacaee semen by liquid chromatography 814(2005)69

Epimerization inhibition

Quantitative determination of amygdalin epimers from armeniacaee semen by liquid chromatography 814(2005)69

Equilibrium extraction

Determination of drug–protein binding using supported liquid membrane extraction under equilibrium conditions 814(2005)375

Equilibrium sampling through membrane (ESTM)

Determination of drug–protein binding using supported liquid membrane extraction under equilibrium conditions 814(2005)375

Ethylene oxide propylene oxide random copolymer

Application of the aqueous two-phase systems of ethylene and propylene oxide copolymer–maltodextrin for protein purification 814(2005)347

Exhaled breath condensate

Optimization and validation of an ion chromatographic method for the simultaneous determination of sodium, ammonium and potassium in exhaled breath condensate 814(2005)173

Felodipine

Felodipine quantification in human plasma by high-performance liquid chromatography coupled to tandem mass spectrometry 814(2005)217

Fibromyalgia

Urinary electrophoretic profiles from chronic fatigue syndrome and chronic fatigue syndrome/fibromyalgia patients: a pilot study for achieving their normalization 814(2005)43

Filter paper method

Simple and cost-effective liquid chromatographic method for determination of pyrimethamine in whole blood samples dried on filter paper 814(2005)179

Fish toxicity

Chromatographic evaluation of the toxicity in fish of pesticides 814(2005)115

Flunitrazepam

Solid-phase extraction of methadone enantiomers and benzodiazepines in biological fluids by two polymeric cartridges for liquid chromatographic analysis 814(2005)385

Fractionation

Distribution of elements binding to molecules with different molecular weights in aqueous extract of Antarctic krill by size-exclusion chromatography coupled with inductively coupled plasma mass spectrometry 814(2005)83

GABA

A capillary liquid chromatographic/tandem mass spectrometric method for the quantification of γ -aminobutyric acid in human plasma and cerebrospinal fluid 814(2005)295

GC/HRMS

Simultaneous determination of pyrethroid and pyrethrin metabolites in human urine by gas chromatography–high resolution mass spectrometry 814(2005)285

GC/MS

Determination and quantification of $\alpha,\beta,\gamma,\delta$ -unsaturated aldehydes as pentafluorobenzyl-oxime derivatives in diatom cultures and natural phytoplankton populations: application in marine field studies 814(2005)155

 α -Glycoprotein

Chiral analysis of methadone and its major metabolites (EDDP and EMDP) by liquid chromatography–mass spectrometry 814(2005)315

Glycyrrhetic acid

Simultaneous determination of glycyrrhizin, a marker component in radix Glycyrrhizae, and its major metabolite glycyrrhetic acid in human plasma by LC–MS/MS 814(2005)201

Glycyrrhizin

Simultaneous determination of glycyrrhizin, a marker component in radix Glycyrrhizae, and its major metabolite glycyrrhetic acid in human plasma by LC–MS/MS 814(2005)201

Hair

Chiral analysis of methadone and its major metabolites (EDDP and EMDP) by liquid chromatography–mass spectrometry 814(2005)315

Healthy volunteer

Felodipine quantification in human plasma by high-performance liquid chromatography coupled to tandem mass spectrometry 814(2005)217

High performance liquid chromatography (HPLC)

Simultaneous determination of morphine, oxycodone, morphine-3-glucuronide, and noroxycodone concentrations in rat serum by high performance liquid chromatography–electrospray ionization–tandem mass spectrometry 814(2005)241

Determination of Rhodamine 123 in cell lysate by HPLC with visible wavelength detection 814(2005)259

HILIC–MS/MS

Automated 96-well solid phase extraction and hydrophilic interaction liquid chromatography–tandem mass spectrometric method for the analysis of cetirizine (ZYRTEC[®]) in human plasma—with emphasis on method ruggedness 814(2005)105

HPLC

Simultaneous determination of OSI-774 and its major metabolite OSI-420 in human plasma by using HPLC with UV detection 814(2005)143

Development of a validated HPLC method for the determination of iodotyrosines and iodothyronines in pharmaceuticals and biological samples using solid phase extraction 814(2005)163

HPLC/MS

LC–MS analysis of phospholipids and lysophospholipids in human bronchoalveolar lavage fluid 814(2005)21

HPLC–ESI-MS

Simultaneous determination of benazepril hydrochloride and benazeprilat in plasma by high-performance liquid chromatography/electrospray-mass spectrometry 814(2005)303

Human growth hormone

Characterization of *N*²-acetyl methionyl human growth hormone formed during expression in *Saccharomyces cerevisiae* with liquid chromatography and mass spectrometry 814(2005)53

Human plasma

Simplified ultraviolet liquid chromatographic method for determination of sertindole, dehydrosertindole and norsertindole, in human plasma 814(2005)61

Human serum

Measurement of serum pralidoxime methylsulfate (Contrathion[®]) by high-performance liquid chromatography with electrochemical detection 814(2005)149

 α -Hydroxyalprazolam

Simultaneous quantification of alprazolam, 4- and α -hydroxyalprazolam in plasma samples using liquid chromatography mass spectrometry 814(2005)127

4-Hydroxyalprazolam

Simultaneous quantification of alprazolam, 4- and α -hydroxyalprazolam in plasma samples using liquid chromatography mass spectrometry 814(2005)127

Inductively coupled plasma-mass spectrometry

Distribution of elements binding to molecules with different molecular weights in aqueous extract of Antarctic krill by size-exclusion chromatography coupled with inductively coupled plasma mass spectrometry 814(2005)83

Internal standard

Simple and cost-effective liquid chromatographic method for determination of pyrimethamine in whole blood samples dried on filter paper 814(2005)179

Iodothyronines

Development of a validated HPLC method for the determination of iodotyrosines and iodothyronines in pharmaceuticals and biological samples using solid phase extraction 814(2005)163

Iodotyrosines

Development of a validated HPLC method for the determination of iodotyrosines and iodothyronines in pharmaceuticals and biological samples using solid phase extraction 814(2005)163

Ion chromatography

Optimization and validation of an ion chromatographic method for the simultaneous determination of sodium, ammonium and potassium in exhaled breath condensate 814(2005)173

Ion trap mass spectrometer

LC–MS/MS determination in rabbit plasma of the main photoproduct of RLP068/Cl, a cationic sensitizer proposed for photodynamic therapy (PDT) of microbial infections 814(2005)133

KRP 297

Quantitative determination of a novel dual PPAR α/γ agonist using on-line turbulent flow extraction with liquid chromatography–tandem mass spectrometry 814(2005)29

D-Lactic acid

Simultaneous determination of L- and D-lactic acid in plasma by capillary electrophoresis 814(2005)393

LC

Quantitative determination of azithromycin in plasma, blood and isolated neutrophils by liquid chromatography using pre-column derivatization with 9-fluorenylmethylloxycarbonyl-chloride and fluorescence detection 814(2005)37

LC/MS analysis

Automated online liquid chromatographic/mass spectrometric metabolic study for prodrug stability 814(2005)225

LC-APCI-MS/MS

Determination of methadone, 2-ethylidene-1,5-dimethyl-3,3-diphenylpyrrolidine, 2-ethyl-5-methyl-3,3-diphenylpyraline and methadol in meconium by liquid chromatography atmospheric pressure chemical ionization tandem mass spectrometry 814(2005)369

LC-LC-ESI-MS-MS

Fast, fully automated analysis of voriconazole from serum by LC-LC-ESI-MS-MS with parallel column-switching technique 814(2005)361

LC-MS

Chiral analysis of methadone and its major metabolites (EDDP and EMDP) by liquid chromatography-mass spectrometry 814(2005)315

LC-MS/MS

Simultaneous determination of glycyrrhizin, a marker component in radix Glycyrrhizae, and its major metabolite glycyrrhetic acid in human plasma by LC-MS/MS 814(2005)201

Felodipine quantification in human plasma by high-performance liquid chromatography coupled to tandem mass spectrometry 814(2005)217

Lipid extraction

Quantitation of surfactant protein B by HPLC in bronchoalveolar lavage fluid 814(2005)325

Liquid chromatography

Proteomic approaches in the search for disease biomarkers (Review) 814(2005)11

Automated online liquid chromatographic/mass spectrometric metabolic study for prodrug stability 814(2005)225

Determination of testosterone in saliva and blow of bottlenose dolphins (*Tursiops truncatus*) using liquid chromatography-mass spectrometry 814(2005)339

Liquid chromatography-mass spectrometry

Simultaneous quantification of alprazolam, 4- and α -hydroxyalprazolam in plasma samples using liquid chromatography mass spectrometry 814(2005)127

Liquid-liquid extraction

Simplified ultraviolet liquid chromatographic method for determination of sertindole, dehydrosertindole and norsertindole, in human plasma 814(2005)61

L-Lactic acid

Simultaneous determination of L- and D-lactic acid in plasma by capillary electrophoresis 814(2005)393

Local anesthetics

Determination of drug-protein binding using supported liquid membrane extraction under equilibrium conditions 814(2005)375

Loperamide

Validation of a liquid chromatographic-tandem mass spectrometric method for the determination of loperamide in human plasma 814(2005)263

Lysophospholipids

LC-MS analysis of phospholipids and lysophospholipids in human bronchoalveolar lavage fluid 814(2005)21

Maltodextrin

Application of the aqueous two-phase systems of ethylene and propylene oxide copolymer-maltodextrin for protein purification 814(2005)347

Marine plankton

Determination and quantification of $\alpha,\beta,\gamma,\delta$ -unsaturated aldehydes as pentafluorobenzyl-oxime derivatives in diatom cultures and natural phytoplankton populations: application in marine field studies 814(2005)155

Mass spectrometry

Proteomic approaches in the search for disease biomarkers (Review) 814(2005)11

Characterization of N^{α} -acetyl methionyl human growth hormone formed during expression in *Saccharomyces cerevisiae* with liquid chromatography and mass spectrometry 814(2005)53

Determination of amphetamine-derived designer drugs in human urine by SPE extraction and capillary electrophoresis with mass spectrometry detection 814(2005)93

Determination of testosterone in saliva and blow of bottlenose dolphins (*Tursiops truncatus*) using liquid chromatography-mass spectrometry 814(2005)339

Meconium

Determination of methadone, 2-ethylidene-1,5-dimethyl-3,3-diphenylpyrrolidine, 2-ethyl-5-methyl-3,3-diphenylpyraline and methadol in meconium by liquid chromatography atmospheric pressure chemical ionization tandem mass spectrometry 814(2005)369

Metabolic study

Automated online liquid chromatographic/mass spectrometric metabolic study for prodrug stability 814(2005)225

Metabolite

Simultaneous determination of glycyrrhizin, a marker component in radix Glycyrrhizae, and its major metabolite glycyrrhetic acid in human plasma by LC-MS/MS 814(2005)201

Methadone

Chiral analysis of methadone and its major metabolites (EDDP and EMDP) by liquid chromatography-mass spectrometry 814(2005)315

Determination of methadone, 2-ethylidene-1,5-dimethyl-3,3-diphenylpyrrolidine, 2-ethyl-5-methyl-3,3-diphenylpyraline and methadol in meconium by liquid chromatography atmospheric pressure chemical ionization tandem mass spectrometry 814(2005)369

Solid-phase extraction of methadone enantiomers and benzodiazepines in biological fluids by two polymeric cartridges for liquid chromatographic analysis 814(2005)385

Method validation

Automated 96-well solid phase extraction and hydrophilic interaction liquid chromatography-tandem mass spectrometric method for the analysis of cetirizine (ZYRTEC[®]) in human plasma—with emphasis on method ruggedness 814(2005)105

Methylenedioxy-derivates

Determination of amphetamine-derived designer drugs in human urine by SPE extraction and capillary electrophoresis with mass spectrometry detection 814(2005)93

Mimetic

Optimised affinity purification of polyclonal antibodies from hyper immunised ovine serum using a synthetic Protein A adsorbent, MAbsorbent[®] A2P 814(2005)209

MK-0767

Quantitative determination of a novel dual PPAR α/γ agonist using on-line turbulent flow extraction with liquid chromatography–tandem mass spectrometry 814(2005)29

Modification

Characterization of *N*²-acetyl methionyl human growth hormone formed during expression in *Saccharomyces cerevisiae* with liquid chromatography and mass spectrometry 814(2005)53

Morphine

Simultaneous determination of morphine, oxycodone, morphine-3-glucuronide, and noroxycodone concentrations in rat serum by high performance liquid chromatography–electrospray ionization–tandem mass spectrometry 814(2005)241

Morphine-3-glucuronide

Simultaneous determination of morphine, oxycodone, morphine-3-glucuronide, and noroxycodone concentrations in rat serum by high performance liquid chromatography–electrospray ionization–tandem mass spectrometry 814(2005)241

Neoamygdalin

Quantitative determination of amygdalin epimers from armeniacaee semen by liquid chromatography 814(2005)69

Nicotine

Simultaneous determination of nicotine, cotinine, norcotinine, and *trans*-3'-hydroxycotinine in human oral fluid using solid phase extraction and gas chromatography–mass spectrometry 814(2005)233

Nitrazepam

Solid-phase extraction of methadone enantiomers and benzodiazepines in biological fluids by two polymeric cartridges for liquid chromatographic analysis 814(2005)385

Non-polar narcosis mechanism of action

Chromatographic evaluation of the toxicity in fish of pesticides 814(2005)115

Norcotinine

Simultaneous determination of nicotine, cotinine, norcotinine, and *trans*-3'-hydroxycotinine in human oral fluid using solid phase extraction and gas chromatography–mass spectrometry 814(2005)233

Noroxycodone

Simultaneous determination of morphine, oxycodone, morphine-3-glucuronide, and noroxycodone concentrations in rat serum by high performance liquid chromatography–electrospray ionization–tandem mass spectrometry 814(2005)241

Nucleosides

Age-dependence of urinary normal and modified nucleosides in childhood as determined by reversed-phase high-performance liquid chromatography 814(2005)275

Occupational exposure

Application of gas chromatography–mass spectrometry for the determination of urinary ethylenethiourea in humans 814(2005)251

Online analysis

Automated online liquid chromatographic/mass spectrometric metabolic study for prodrug stability 814(2005)225

Online incubation

Automated online liquid chromatographic/mass spectrometric metabolic study for prodrug stability 814(2005)225

On-line sample preparation

Fast, fully automated analysis of voriconazole from serum by LC–LC–ESI–MS–MS with parallel column-switching technique 814(2005)361

Oral fluid

Simultaneous determination of nicotine, cotinine, norcotinine, and *trans*-3'-hydroxycotinine in human oral fluid using solid phase extraction and gas chromatography–mass spectrometry 814(2005)233

OSI-420

Simultaneous determination of OSI-774 and its major metabolite OSI-420 in human plasma by using HPLC with UV detection 814(2005)143

OSI-774

Simultaneous determination of OSI-774 and its major metabolite OSI-420 in human plasma by using HPLC with UV detection 814(2005)143

Overdose

Simplified ultraviolet liquid chromatographic method for determination of sertindole, dehydrosertindole and norsertindole, in human plasma 814(2005)61

Oxazepam

Solid-phase extraction of methadone enantiomers and benzodiazepines in biological fluids by two polymeric cartridges for liquid chromatographic analysis 814(2005)385

Oxidative stress

Recent methodological advances in the mass spectrometric analysis of free and protein-associated 3-nitrotyrosine in human plasma (Review) 814(2005)1

Oxo-acids

Determination and quantification of $\alpha,\beta,\gamma,\delta$ -unsaturated aldehydes as pentafluorobenzyl-oxime derivatives in diatom cultures and natural phytoplankton populations: application in marine field studies 814(2005)155

Oxycodone

Simultaneous determination of morphine, oxycodone, morphine-3-glucuronide, and noroxycodone concentrations in rat serum by high performance liquid chromatography–electrospray ionization–tandem mass spectrometry 814(2005)241

Partitioning

Application of the aqueous two-phase systems of ethylene and propylene oxide copolymer–maltodextrin for protein purification 814(2005)347

Peptides

Quantitation of binding, recovery and desalting efficiency of peptides and proteins in solid phase extraction micropipette tips 814(2005)309

Pesticides

Chromatographic evaluation of the toxicity in fish of pesticides 814(2005)115

P-glycoprotein

Determination of Rhodamine 123 in cell lysate by HPLC with visible wavelength detection 814(2005)259

Pharmaceuticals

Development of a validated HPLC method for the determination of iodo-tyrosines and iodothyronines in pharmaceuticals and biological samples using solid phase extraction 814(2005)163

Pharmacokinetics

Simultaneous quantification of alprazolam, 4- and α -hydroxyalprazolam in plasma samples using liquid chromatography mass spectrometry 814(2005)127

Validation of a liquid chromatographic-tandem mass spectrometric method for the determination of loperamide in human plasma 814(2005)263

Phenylethylamine

Determination of amphetamine-derived designer drugs in human urine by SPE extraction and capillary electrophoresis with mass spectrometry detection 814(2005)93

Phospholipids

LC-MS analysis of phospholipids and lysophospholipids in human bronchoalveolar lavage fluid 814(2005)21

Photodynamic therapy (PDT)

LC-MS/MS determination in rabbit plasma of the main photoproduct of RLP068/Cl, a cationic sensitizer proposed for photodynamic therapy (PDT) of microbial infections 814(2005)133

Photoproduct

LC-MS/MS determination in rabbit plasma of the main photoproduct of RLP068/Cl, a cationic sensitizer proposed for photodynamic therapy (PDT) of microbial infections 814(2005)133

Phthalates

Determination of total phthalates in urine by isotope-dilution liquid chromatography-tandem mass spectrometry 814(2005)355

Phthalic acid

Determination of total phthalates in urine by isotope-dilution liquid chromatography-tandem mass spectrometry 814(2005)355

Phthalocyanine

LC-MS/MS determination in rabbit plasma of the main photoproduct of RLP068/Cl, a cationic sensitizer proposed for photodynamic therapy (PDT) of microbial infections 814(2005)133

Plasma

A capillary liquid chromatographic/tandem mass spectrometric method for the quantification of γ -aminobutyric acid in human plasma and cerebrospinal fluid 814(2005)295

Simultaneous determination of L- and D-lactic acid in plasma by capillary electrophoresis 814(2005)393

Polymeric extraction cartridges

Solid-phase extraction of methadone enantiomers and benzodiazepines in biological fluids by two polymeric cartridges for liquid chromatographic analysis 814(2005)385

Potassium

Optimization and validation of an ion chromatographic method for the simultaneous determination of sodium, ammonium and potassium in exhaled breath condensate 814(2005)173

Pralidoxime methylsulfate

Measurement of serum pralidoxime methylsulfate (Contrathion[®]) by high-performance liquid chromatography with electrochemical detection 814(2005)149

Prodrug

Automated online liquid chromatographic/mass spectrometric metabolic study for prodrug stability 814(2005)225

Protein A

Optimised affinity purification of polyclonal antibodies from hyper immunised ovine serum using a synthetic Protein A adsorbent, MAbsorbent[®] A2P 814(2005)209

Proteins

Quantitation of binding, recovery and desalting efficiency of peptides and proteins in solid phase extraction micropipette tips 814(2005)309

Proteomics

Proteomic approaches in the search for disease biomarkers (Review) 814(2005)11

Pyrethroids

Simultaneous determination of pyrethroid and pyrethrin metabolites in human urine by gas chromatography-high resolution mass spectrometry 814(2005)285

Pyrethrum

Simultaneous determination of pyrethroid and pyrethrin metabolites in human urine by gas chromatography-high resolution mass spectrometry 814(2005)285

Pyrimethamine

Simple and cost-effective liquid chromatographic method for determination of pyrimethamine in whole blood samples dried on filter paper 814(2005)179

Quantitation

Quantitation of binding, recovery and desalting efficiency of peptides and proteins in solid phase extraction micropipette tips 814(2005)309

Recovery

Quantitation of binding, recovery and desalting efficiency of peptides and proteins in solid phase extraction micropipette tips 814(2005)309

Reviews

Recent methodological advances in the mass spectrometric analysis of free and protein-associated 3-nitrotyrosine in human plasma (Review) 814(2005)1

Rhodamine 123

Determination of Rhodamine 123 in cell lysate by HPLC with visible wavelength detection 814(2005)259

Rutaecarpine

Simultaneous determination of benazepril hydrochloride and benazeprilat in plasma by high-performance liquid chromatography/electrospray-mass spectrometry 814(2005)303

Saliva

Determination of testosterone in saliva and blow of bottlenose dolphins (*Tursiops truncatus*) using liquid chromatography-mass spectrometry 814(2005)339

Sample preparation

Quantitative determination of a novel dual PPAR α/γ agonist using on-line turbulent flow extraction with liquid chromatography-tandem mass spectrometry 814(2005)29

Sertindole

Simplified ultraviolet liquid chromatographic method for determination of sertindole, dehydrosertindole and norsertindole, in human plasma 814(2005)61

Serum

Development of a validated HPLC method for the determination of iodotyrosines and iodothyronines in pharmaceuticals and biological samples using solid phase extraction 814(2005)163

Optimised affinity purification of polyclonal antibodies from hyper immunised ovine serum using a synthetic Protein A adsorbent, MAbsorbent[®] A2P 814(2005)209

Fast, fully automated analysis of voriconazole from serum by LC–LC–ESI–MS–MS with parallel column-switching technique 814(2005)361

Simultaneous determination

Simultaneous determination of L- and D-lactic acid in plasma by capillary electrophoresis 814(2005)393

Size-exclusion chromatography

Distribution of elements binding to molecules with different molecular weights in aqueous extract of Antarctic krill by size-exclusion chromatography coupled with inductively coupled plasma mass spectrometry 814(2005)83

Sodium

Optimization and validation of an ion chromatographic method for the simultaneous determination of sodium, ammonium and potassium in exhaled breath condensate 814(2005)173

Solid phase extraction

Quantitation of binding, recovery and desalting efficiency of peptides and proteins in solid phase extraction micropipette tips 814(2005)309

Solid-phase extraction (SPE)

Determination of amphetamine-derived designer drugs in human urine by SPE extraction and capillary electrophoresis with mass spectrometry detection 814(2005)93

SPE biological samples

Development of a validated HPLC method for the determination of iodotyrosines and iodothyronines in pharmaceuticals and biological samples using solid phase extraction 814(2005)163

Stability

Automated online liquid chromatographic/mass spectrometric metabolic study for prodrug stability 814(2005)225

Sulfadoxine

Simple and cost-effective liquid chromatographic method for determination of pyrimethamine in whole blood samples dried on filter paper 814(2005)179

Supported liquid membrane extraction

Determination of drug–protein binding using supported liquid membrane extraction under equilibrium conditions 814(2005)375

Surfactant protein B

Quantitation of surfactant protein B by HPLC in bronchoalveolar lavage fluid 814(2005)325

Synthesis of cetirizine-d₈

Automated 96-well solid phase extraction and hydrophilic interaction liquid chromatography–tandem mass spectrometric method for the analysis of

cetirizine (ZYRTEC[®]) in human plasma—with emphasis on method ruggedness 814(2005)105

Tandem mass spectrometry

Analysis of benidipine enantiomers in human plasma by liquid chromatography–mass spectrometry using a macrocyclic antibiotic (Vancomycin) chiral stationary phase column 814(2005)75

Simultaneous determination of morphine, oxycodone, morphine-3-glucuronide, and noroxycodone concentrations in rat serum by high performance liquid chromatography–electrospray ionization–tandem mass spectrometry 814(2005)241

TAR RNA

Study on the interactions between anti-HIV-1 active compounds with *trans*-activation response RNA by affinity capillary electrophoresis 814(2005)99

Temperature-induced two-phase system

Application of the aqueous two-phase systems of ethylene and propylene oxide copolymer–maltodextrin for protein purification 814(2005)347

Testosterone

Determination of testosterone in saliva and blow of bottlenose dolphins (*Tursiops truncatus*) using liquid chromatography–mass spectrometry 814(2005)339

Thermodynamic parameters

Study on the interactions between anti-HIV-1 active compounds with *trans*-activation response RNA by affinity capillary electrophoresis 814(2005)99

Thyroid gland hormones

Development of a validated HPLC method for the determination of iodotyrosines and iodothyronines in pharmaceuticals and biological samples using solid phase extraction 814(2005)163

Tissue

Development of a validated HPLC method for the determination of iodotyrosines and iodothyronines in pharmaceuticals and biological samples using solid phase extraction 814(2005)163

***p*-Toluenesulfonyl isocyanate**

p-Toluenesulfonyl isocyanate as a novel derivatization reagent to enhance the electrospray ionization and its application in the determination of two stereo isomers of 3-hydroxyl-7-methyl-norethynodrel in plasma 814(2005)331

Total exposure

Determination of total phthalates in urine by isotope-dilution liquid chromatography–tandem mass spectrometry 814(2005)355

***trans*-3'-Hydroxycotinine**

Simultaneous determination of nicotine, cotinine, norcotinine, and *trans*-3'-hydroxycotinine in human oral fluid using solid phase extraction and gas chromatography–mass spectrometry 814(2005)233

Trimethoprim

Simple and cost-effective liquid chromatographic method for determination of pyrimethamine in whole blood samples dried on filter paper 814(2005)179

Turbulent flow chromatography

Quantitative determination of a novel dual PPAR α/γ agonist using on-line turbulent flow extraction with liquid chromatography–tandem mass spectrometry 814(2005)29

Urinary ethylenethiourea

Application of gas chromatography-mass spectrometry for the determination of urinary ethylenethiourea in humans 814(2005)251

Urine

Determination of amphetamine-derived designer drugs in human urine by SPE extraction and capillary electrophoresis with mass spectrometry detection 814(2005)93

Development of a validated HPLC method for the determination of iodotyrosines and iodothyronines in pharmaceuticals and biological samples using solid phase extraction 814(2005)163

Simultaneous determination of pyrethroid and pyrethrin metabolites in human urine by gas chromatography-high resolution mass spectrometry 814(2005)285

Validation

Quantitative determination of a novel dual PPAR α/γ agonist using on-line turbulent flow extraction with liquid chromatography-tandem mass spectrometry 814(2005)29

Validation of a liquid chromatographic-tandem mass spectrometric method for the determination of loperamide in human plasma 814(2005)263

Variant

Characterization of N^{α} -acetyl methionyl human growth hormone formed during expression in *Saccharomyces cerevisiae* with liquid chromatography and mass spectrometry 814(2005)53

Voriconazole

Fast, fully automated analysis of voriconazole from serum by LC-LC-ESI-MS-MS with parallel column-switching technique 814(2005)361