

Keyword Index Vol. 816

Abacavir

Simultaneous determination of the HIV nucleoside analogue reverse transcriptase inhibitors lamivudine, didanosine, stavudine, zidovudine and abacavir in human plasma by reversed phase high performance liquid chromatography 816(2005)121

Acyclovir

Determination of acyclovir in human serum by high-performance liquid chromatography using liquid–liquid extraction and its application in pharmacokinetic studies 816(2005)327

Affinity membrane

Evaluation of immobilized metal membrane affinity chromatography for purification of an immunoglobulin G₁ monoclonal antibody 816(2005)259

Alcohol biomarker

Determination of urinary 5-hydroxytryptophol glucuronide by liquid chromatography–mass spectrometry 816(2005)107

Alkanediol

Removal of lipopolysaccharides from protein–lipopolysaccharide complexes by nonflammable solvents 816(2005)167

Alkyl alkylphosphonic acids

The trace analysis of alkyl alkylphosphonic acids in urine using gas chromatography–ion trap negative ion tandem mass spectrometry 816(2005)251

Amino acids

Simultaneous determination of urinary creatinine and UV-absorbing amino acids using a novel low-capacity cation-exchange chromatography for the screening of inborn errors of metabolism 816(2005)333

Amphetamine

Simultaneous determination of amphetamine and methamphetamine enantiomers in urine by simultaneous liquid–liquid extraction and diastereomeric derivatization followed by gas chromatographic–isotope dilution mass spectrometry 816(2005)131

Anabolic steroids

Use of ion trap gas chromatography–multiple mass spectrometry for the detection and confirmation of 3′hydroxystanozolol at trace levels in urine for doping control 816(2005)193

Androgens

Pitfalls in trimethylsilylation of anabolic steroids. New derivatisation approach for residue at ultra-trace level 816(2005)281

Antihistamine

High-performance liquid chromatographic-tandem mass spectrometric method for the determination of clemastine in human plasma 816(2005)153

Antimalarial

Development and validation of a high-performance liquid chromatography–mass spectroscopy assay for determination of artesunate and dihydroartemisinin in human plasma 816(2005)233

Antiparasitic

Development and validation of a high-performance liquid chromatography–mass spectroscopy assay for determination of artesunate and dihydroartemisinin in human plasma 816(2005)233

Antithrombin III

A novel matrix for high performance affinity chromatography and its application in the purification of antithrombin III 816(2005)175

Anti-TPT antibodies

High-performance liquid chromatographic assay for the determination of total and free topotecan in the presence and absence of anti-topotecan antibodies in mouse plasma 816(2005)183

Artesunate

Development and validation of a high-performance liquid chromatography–mass spectroscopy assay for determination of artesunate and dihydroartemisinin in human plasma 816(2005)233

Astaxanthin

Determination of carotenoids and all-*trans*-retinol in fish eggs by liquid chromatography–electrospray ionization–tandem mass spectrometry 816(2005)49

Bioequivalence

Liquid chromatography–electrospray tandem mass spectrometry method for determination of indapamide in serum for single/multiple dose bioequivalence studies of sustained release formulations 816(2005)35

Bioequivalence study

Determination of acyclovir in human serum by high-performance liquid chromatography using liquid–liquid extraction and its application in pharmacokinetic studies 816(2005)327

Biological monitoring

Biological monitoring of the five major metabolites of di-(2-ethylhexyl) phthalate (DEHP) in human urine using column-switching liquid chromatography–tandem mass spectrometry 816(2005)269

Biomarkers

The trace analysis of alkyl alkylphosphonic acids in urine using gas chromatography–ion trap negative ion tandem mass spectrometry 816(2005)251

Bombesin antagonist

Quantification of the bombesin/gastrin releasing peptide antagonist RC-3095 by liquid chromatography–tandem mass spectrometry 816(2005)321

Bulleyaconitine A

Determination of bulleyaconitine A in human plasma by liquid chromatography–electrospray ionization tandem mass spectrometry 816(2005)315

Cancer diagnosis

Highly sensitive determination of the methylated *p16* gene in cancer patients by microchip electrophoresis 816(2005)145

Capillary affinity electrophoresis

Analysis of the interaction between hyaluronan and hyaluronan-binding proteins by capillary affinity electrophoresis: significance of hyaluronan molecular size on binding reaction 816(2005)289

Capillary electrophoresis

Methanol plug assisted sweeping–micellar electrokinetic chromatography for the determination of dopamine in urine by violet light emitting diode-induced fluorescence detection 816(2005)113

Carbadox

Confirmation of carbadox and olaquinox metabolites in porcine liver using liquid chromatography–electrospray, tandem mass spectrometry 816(2005)15

Carbamazepine

Chromatographic analysis of carbamazepine binding to human serum albumin 816(2005)57

Carotenoids

Determination of carotenoids and all-*trans*-retinol in fish eggs by liquid chromatography–electrospray ionization–tandem mass spectrometry 816(2005)49

Chinook salmon

Determination of carotenoids and all-*trans*-retinol in fish eggs by liquid chromatography–electrospray ionization–tandem mass spectrometry 816(2005)49

Clemastine

High-performance liquid chromatographic–tandem mass spectrometric method for the determination of clemastine in human plasma 816(2005)153

 α -Conidendric acid

New lignan metabolites in rat urine 816(2005)87

 β -Conidendric acid

New lignan metabolites in rat urine 816(2005)87

 α -Conidendrin

New lignan metabolites in rat urine 816(2005)87

Creatinine

Simultaneous determination of urinary creatinine and UV-absorbing amino acids using a novel low-capacity cation-exchange chromatography for the screening of inborn errors of metabolism 816(2005)333

CYP2C19

Determination of lansoprazole and two of its metabolites by liquid–liquid extraction and automated column-switching high-performance liquid chromatography: application to measuring CYP2C19 activity 816(2005)309

DEHP

Biological monitoring of the five major metabolites of di-(2-ethylhexyl)phthalate (DEHP) in human urine using column-switching liquid chromatography–tandem mass spectrometry 816(2005)269

Derivatisation

Pitfalls in trimethylsilylation of anabolic steroids. New derivatisation approach for residue at ultra-trace level 816(2005)281

Derivatization, GC

Simultaneous determination of amphetamine and methamphetamine enantiomers in urine by simultaneous liquid–liquid extraction and diastereomeric derivatization followed by gas chromatographic–isotope dilution mass spectrometry 816(2005)131

Dextromethorphan

Determination of dextromethorphan and its metabolite dextrorphan in human urine using high performance liquid chromatography with atmospheric pressure chemical ionization tandem mass spectrometry: a study of selectivity of a tandem mass spectrometric assay 816(2005)297

Dextrorphan

Determination of dextromethorphan and its metabolite dextrorphan in human urine using high performance liquid chromatography with atmospheric pressure chemical ionization tandem mass spectrometry: a study of selectivity of a tandem mass spectrometric assay 816(2005)297

Didanosine

Simultaneous determination of the HIV nucleoside analogue reverse transcriptase inhibitors lamivudine, didanosine, stavudine, zidovudine and abacavir in human plasma by reversed phase high performance liquid chromatography 816(2005)121

Dihydroartemisinin

Development and validation of a high-performance liquid chromatography–mass spectroscopy assay for determination of artesunate and dihydroartemisinin in human plasma 816(2005)233

4,4'-Dihydroxyenterolactone

New lignan metabolites in rat urine 816(2005)87

DNA methylation

Highly sensitive determination of the methylated *p16* gene in cancer patients by microchip electrophoresis 816(2005)145

Dopamine

Methanol plug assisted sweeping–micellar electrokinetic chromatography for the determination of dopamine in urine by violet light emitting diode-induced fluorescence detection 816(2005)113

Doping

Use of ion trap gas chromatography–multiple mass spectrometry for the detection and confirmation of 3'-hydroxystanozolol at trace levels in urine for doping control 816(2005)193

Electrospray tandem mass spectrometric detection

Liquid chromatography–electrospray tandem mass spectrometry method for determination of indapamide in serum for single/multiple dose bioequivalence studies of sustained release formulations 816(2005)35

Enantiomer separation

Simultaneous determination of amphetamine and methamphetamine enantiomers in urine by simultaneous liquid–liquid extraction and diastereomeric derivatization followed by gas chromatographic–isotope dilution mass spectrometry 816(2005)131

Endotoxin

Removal of lipopolysaccharides from protein–lipopolysaccharide complexes by nonflammable solvents 816(2005)167

Enolisation

Pitfalls in trimethylsilylation of anabolic steroids. New derivatisation approach for residue at ultra-trace level 816(2005)281

Enterolactone

New lignan metabolites in rat urine 816(2005)87

Estrogens

Development and application of a multi-target immunoaffinity column for the selective extraction of natural estrogens from pregnant women's urine samples by capillary electrophoresis 816(2005)7

Ethanol

Determination of urinary 5-hydroxytryptophol glucuronide by liquid chromatography–mass spectrometry 816(2005)107

Etoricoxib

Validated liquid chromatographic ultraviolet method for the quantitation of Etoricoxib in human plasma using liquid–liquid extraction 816(2005)215

Eupatorin

Determination of flavonoids from *Orthosiphon stamineus* in plasma using a simple HPLC method with ultraviolet detection 816(2005)161

Everolimus

High-performance liquid chromatography with ultraviolet detection for therapeutic drug monitoring of everolimus 816(2005)99

Fish eggs

Determination of carotenoids and all-*trans*-retinol in fish eggs by liquid chromatography–electrospray ionization–tandem mass spectrometry 816(2005)49

Flavonoids

Determination of flavonoids from *Orthosiphon stamineus* in plasma using a simple HPLC method with ultraviolet detection 816(2005)161

Fluorescence detection

Determination of plasma Vitamin K by high-performance liquid chromatography with fluorescence detection using Vitamin K analogs as internal standards 816(2005)41

Frontal analysis

Chromatographic analysis of carbamazepine binding to human serum albumin 816(2005)57

Gas chromatography–mass spectrometry

Pitfalls in trimethylsilylation of anabolic steroids. New derivatisation approach for residue at ultra-trace level 816(2005)281

GC–MSⁿ

Use of ion trap gas chromatography–multiple mass spectrometry for the detection and confirmation of 3'-hydroxystanozolol at trace levels in urine for doping control 816(2005)193

GFR

Development and validation of an HPLC–UV method for determination of iohexol in human plasma 816(2005)339

Ginsenoside Rg₃

In vivo rat metabolism and pharmacokinetic studies of ginsenoside Rg₃ 816(2005)223

Heparin

A novel matrix for high performance affinity chromatography and its application in the purification of antithrombin III 816(2005)175

High performance affinity chromatography

Chromatographic analysis of carbamazepine binding to human serum albumin 816(2005)57

A novel matrix for high performance affinity chromatography and its application in the purification of antithrombin III 816(2005)175

High-performance liquid chromatography

High-performance liquid chromatography with ultraviolet detection for therapeutic drug monitoring of everolimus 816(2005)99

High-performance liquid chromatography–tandem mass spectrometry

High-performance liquid chromatographic–tandem mass spectrometric method for the determination of clemastine in human plasma 816(2005)153

HIV

Simultaneous determination of the HIV nucleoside analogue reverse transcriptase inhibitors lamivudine, didanosine, stavudine, zidovudine and abacavir in human plasma by reversed phase high performance liquid chromatography 816(2005)121

HPLC

Simultaneous determination of the HIV nucleoside analogue reverse transcriptase inhibitors lamivudine, didanosine, stavudine, zidovudine and abacavir in human plasma by reversed phase high performance liquid chromatography 816(2005)121

Determination of flavonoids from *Orthosiphon stamineus* in plasma using a simple HPLC method with ultraviolet detection 816(2005)161

High-performance liquid chromatographic assay for the determination of total and free topotecan in the presence and absence of anti-topotecan antibodies in mouse plasma 816(2005)183

Investigation of the pharmacokinetics and determination of tramadol in rabbit plasma by a high-performance liquid chromatography–diode array detector method using liquid–liquid extraction 816(2005)203

Determination of lansoprazole and two of its metabolites by liquid–liquid extraction and automated column-switching high-performance liquid chromatography: application to measuring CYP2C19 activity 816(2005)309

Determination of acyclovir in human serum by high-performance liquid chromatography using liquid–liquid extraction and its application in pharmacokinetic studies 816(2005)327

HSA

Chromatographic analysis of carbamazepine binding to human serum albumin 816(2005)57

Human plasma

Validated liquid chromatographic ultraviolet method for the quantitation of Etoricoxib in human plasma using liquid–liquid extraction 816(2005)215

Quantification of the bombesin/gastrin releasing peptide antagonist RC-3095 by liquid chromatography–tandem mass spectrometry 816(2005)321

Hyaluronan

Analysis of the interaction between hyaluronan and hyaluronan-binding proteins by capillary affinity electrophoresis: significance of hyaluronan molecular size on binding reaction 816(2005)289

Hyaluronan-binding protein

Analysis of the interaction between hyaluronan and hyaluronan-binding proteins by capillary affinity electrophoresis: significance of hyaluronan molecular size on binding reaction 816(2005)289

3'-Hydroxy-5,6,7,4'-tetramethoxyflavone

Determination of flavonoids from *Orthosiphon stamineus* in plasma using a simple HPLC method with ultraviolet detection 816(2005)161

7-Hydroxymatairesinol

New lignan metabolites in rat urine 816(2005)87

7-Hydroxysecoisolariciresinol

New lignan metabolites in rat urine 816(2005)87

5-Hydroxytryptophol glucuronide

Determination of urinary 5-hydroxytryptophol glucuronide by liquid chromatography–mass spectrometry 816(2005)107

Hyperforin

High-performance liquid chromatography measurement of hyperforin and its reduced derivatives in rodent plasma 816(2005)21

Ibutilide

Sensitive method for the determination of ibutilide in human plasma by liquid chromatography–tandem mass spectrometry 816(2005)81

IgG₁

Evaluation of immobilized metal membrane affinity chromatography for purification of an immunoglobulin G₁ monoclonal antibody 816(2005)259

IMAC

Evaluation of immobilized metal membrane affinity chromatography for purification of an immunoglobulin G₁ monoclonal antibody 816(2005)259

Immunoaffinity column

Development and application of a multi-target immunoaffinity column for the selective extraction of natural estrogens from pregnant women's urine samples by capillary electrophoresis 816(2005)7

Immunopurification

Optimisation of the coupled monoclonal antibody density for recombinant hepatitis B virus surface antigen immunopurification 816(2005)1

Inborn errors

Simultaneous determination of urinary creatinine and UV-absorbing amino acids using a novel low-capacity cation-exchange chromatography for the screening of inborn errors of metabolism 816(2005)333

Indapamide

Liquid chromatography–electrospray tandem mass spectrometry method for determination of indapamide in serum for single/multiple dose bioequivalence studies of sustained release formulations 816(2005)35

Internal standards

Determination of plasma Vitamin K by high-performance liquid chromatography with fluorescence detection using Vitamin K analogs as internal standards 816(2005)41

Iohexol

Development and validation of an HPLC-UV method for determination of iohexol in human plasma 816(2005)339

Ion exchange chromatography

Removal of lipopolysaccharides from protein–lipopolysaccharide complexes by nonflammable solvents 816(2005)167

Isohydroxymatairesinol

New lignan metabolites in rat urine 816(2005)87

Lamivudine

Simultaneous determination of the HIV nucleoside analogue reverse transcriptase inhibitors lamivudine, didanosine, stavudine, zidovudine and abacavir in human plasma by reversed phase high performance liquid chromatography 816(2005)121

Lansoprazole

Determination of lansoprazole and two of its metabolites by liquid–liquid extraction and automated column-switching high-performance liquid chromatography: application to measuring CYP2C19 activity 816(2005)309

Lariciresinol

New lignan metabolites in rat urine 816(2005)87

LC–electrospray–tandem (quadrupole) MS

Determination of carotenoids and all-*trans*-retinol in fish eggs by liquid chromatography–electrospray ionization–tandem mass spectrometry 816(2005)49

LC–MS

Determination of urinary 5-hydroxytryptophol glucuronide by liquid chromatography–mass spectrometry 816(2005)107

In vivo rat metabolism and pharmacokinetic studies of ginsenoside Rg₃ 816(2005)223

Lipopolysaccharides

Removal of lipopolysaccharides from protein–lipopolysaccharide complexes by nonflammable solvents 816(2005)167

Liquid chromatography

Liquid chromatography–electrospray tandem mass spectrometry method for determination of indapamide in serum for single/multiple dose bioequivalence studies of sustained release formulations 816(2005)35

Liquid chromatography–mass spectroscopy

Development and validation of a high-performance liquid chromatography–mass spectroscopy assay for determination of artesunate and dihydroartemisinin in human plasma 816(2005)233

Liquid–liquid extraction

Liquid chromatography–electrospray tandem mass spectrometry method for determination of indapamide in serum for single/multiple dose bioequivalence studies of sustained release formulations 816(2005)35

Validated liquid chromatographic ultraviolet method for the quantitation of Etoricoxib in human plasma using liquid–liquid extraction 816(2005)215

LPS

Removal of lipopolysaccharides from protein–lipopolysaccharide complexes by nonflammable solvents 816(2005)167

Matairesinol

New lignan metabolites in rat urine 816(2005)87

Matrix effect

Determination of dextromethorphan and its metabolite dextrorphan in human urine using high performance liquid chromatography with atmospheric pressure chemical ionization tandem mass spectrometry: a study of selectivity of a tandem mass spectrometric assay 816(2005)297

Metabolites

Biological monitoring of the five major metabolites of di-(2-ethylhexyl) phthalate (DEHP) in human urine using column-switching liquid chromatography–tandem mass spectrometry 816(2005)269

Determination of lansoprazole and two of its metabolites by liquid–liquid extraction and automated column-switching high-performance liquid chromatography: application to measuring CYP2C19 activity 816(2005)309

Metabolite identifications

In vivo rat metabolism and pharmacokinetic studies of ginsenoside Rg₃ 816(2005)223

Methamphetamine

Simultaneous determination of amphetamine and methamphetamine enantiomers in urine by simultaneous liquid–liquid extraction and diastereomeric derivatization followed by gas chromatographic–isotope dilution mass spectrometry 816(2005)131

Methanol plug

Methanol plug assisted sweeping-micellar electrokinetic chromatography for the determination of dopamine in urine by violet light emitting diode-induced fluorescence detection 816(2005)113

Methyl-3-quinoxaline-2-carboxylic acid

Confirmation of carbadox and olaquinox metabolites in porcine liver using liquid chromatography–electrospray, tandem mass spectrometry 816(2005)15

Microchip electrophoresis

Highly sensitive determination of the methylated *p16* gene in cancer patients by microchip electrophoresis 816(2005)145

Monoclonal antibody

Evaluation of immobilized metal membrane affinity chromatography for purification of an immunoglobulin G₁ monoclonal antibody 816(2005)259

Monoclonal antibody density

Optimisation of the coupled monoclonal antibody density for recombinant hepatitis B virus surface antigen immunopurification 816(2005)1

Monodemethylated matairesinol

New lignan metabolites in rat urine 816(2005)87

Nerve agents

The trace analysis of alkyl alkylphosphonic acids in urine using gas chromatography–ion trap negative ion tandem mass spectrometry 816(2005)251

Nonflammable solvent

Removal of lipopolysaccharides from protein–lipopolysaccharide complexes by nonflammable solvents 816(2005)167

Nucleoside reverse transcriptase inhibitors

Simultaneous determination of the HIV nucleoside analogue reverse transcriptase inhibitors lamivudine, didanosine, stavudine, zidovudine and abacavir in human plasma by reversed phase high performance liquid chromatography 816(2005)121

Octahydrohyperforin

High-performance liquid chromatography measurement of hyperforin and its reduced derivatives in rodent plasma 816(2005)21

Olaquinox

Confirmation of carbadox and olaquinox metabolites in porcine liver using liquid chromatography–electrospray, tandem mass spectrometry 816(2005)15

Orthosiphon

Determination of flavonoids from *Orthosiphon stamineus* in plasma using a simple HPLC method with ultraviolet detection 816(2005)161

7-Oxoenterolactone

New lignan metabolites in rat urine 816(2005)87

7-Oxomatairesinol

New lignan metabolites in rat urine 816(2005)87

Peptide

Quantification of the bombesin/gastrin releasing peptide antagonist RC-3095 by liquid chromatography–tandem mass spectrometry 816(2005)321

P-glycoprotein

pH-dependent functional activity of P-glycoprotein in limiting intestinal absorption of protic drugs. 1. Simultaneous determination of quinidine and permeability markers in rat in situ perfusion samples 816(2005)243

Pharmacokinetics

High-performance liquid chromatography measurement of hyperforin and its reduced derivatives in rodent plasma 816(2005)21

Investigation of the pharmacokinetics and determination of tramadol in rabbit plasma by a high-performance liquid chromatography–diode array detector method using liquid–liquid extraction 816(2005)203

In vivo rat metabolism and pharmacokinetic studies of ginsenoside Rg₃ 816(2005)223

pH-dependent

pH-dependent functional activity of P-glycoprotein in limiting intestinal absorption of protic drugs. 1. Simultaneous determination of quinidine and permeability markers in rat in situ perfusion samples 816(2005)243

Phthalates

Biological monitoring of the five major metabolites of di-(2-ethylhexyl) phthalate (DEHP) in human urine using column-switching liquid chromatography–tandem mass spectrometry 816(2005)269

Plasticizer

Biological monitoring of the five major metabolites of di-(2-ethylhexyl) phthalate (DEHP) in human urine using column-switching liquid chromatography–tandem mass spectrometry 816(2005)269

Polyclonal antibody

Development and application of a multi-target immunoaffinity column for the selective extraction of natural estrogens from pregnant women's urine samples by capillary electrophoresis 816(2005)7

Pravastatin

Quantitative determination of pravastatin and R-416, its main metabolite in human plasma, by liquid chromatography–tandem mass spectrometry 816(2005)73

Purification

Evaluation of immobilized metal membrane affinity chromatography for purification of an immunoglobulin G₁ monoclonal antibody 816(2005)259

Quantification

Quantification of the bombesin/gastrin releasing peptide antagonist RC-3095 by liquid chromatography–tandem mass spectrometry 816(2005)321

Quantitation

Validated liquid chromatographic ultraviolet method for the quantitation of Etoricoxib in human plasma using liquid–liquid extraction 816(2005)215

Quinidine

pH-dependent functional activity of P-glycoprotein in limiting intestinal absorption of protic drugs. 1. Simultaneous determination of quinidine and permeability markers in rat in situ perfusion samples 816(2005)243

Quinoxaline-2-carboxylic acid

Confirmation of carbadox and olaquinox metabolites in porcine liver using liquid chromatography–electrospray, tandem mass spectrometry 816(2005)15

R-416

Quantitative determination of pravastatin and R-416, its main metabolite in human plasma, by liquid chromatography–tandem mass spectrometry 816(2005)73

Rabeprazole

High-performance liquid chromatography method for the quantification of rabeprazole in human plasma using solid-phase extraction 816(2005)209

Rat in situ permeability

pH-dependent functional activity of P-glycoprotein in limiting intestinal absorption of protic drugs. 1. Simultaneous determination of quinidine and permeability markers in rat in situ perfusion samples 816(2005)243

Rat metabolism

In vivo rat metabolism and pharmacokinetic studies of ginsenoside Rg₃ 816(2005)223

RC-3095

Quantification of the bombesin/gastrin releasing peptide antagonist RC-3095 by liquid chromatography–tandem mass spectrometry 816(2005)321

Recombinant hepatitis B virus surface antigen

Optimisation of the coupled monoclonal antibody density for recombinant hepatitis B virus surface antigen immunopurification 816(2005)1

Retinoids

Determination of carotenoids and all-*trans*-retinol in fish eggs by liquid chromatography–electrospray ionization–tandem mass spectrometry 816(2005)49

Reverse phase chromatography

Determination of acyclovir in human serum by high-performance liquid chromatography using liquid–liquid extraction and its application in pharmacokinetic studies 816(2005)327

Rodents

High-performance liquid chromatography measurement of hyperforin and its reduced derivatives in rodent plasma 816(2005)21

RP-amide C16 column

Determination of thiamine and its phosphate esters in rat tissues analyzed as thiochromes on a RP-amide C16 column 816(2005)67

RP-HPLC

pH-dependent functional activity of P-glycoprotein in limiting intestinal absorption of protic drugs. 1. Simultaneous determination of quinidine and permeability markers in rat in situ perfusion samples 816(2005)243

Secoisolaricresinol

New lignan metabolites in rat urine 816(2005)87

Serum

Liquid chromatography–electrospray tandem mass spectrometry method for determination of indapamide in serum for single/multiple dose bioequivalence studies of sustained release formulations 816(2005)35

Determination of acyclovir in human serum by high-performance liquid chromatography using liquid–liquid extraction and its application in pharmacokinetic studies 816(2005)327

Sinensitin

Determination of flavonoids from *Orthosiphon stamineus* in plasma using a simple HPLC method with ultraviolet detection 816(2005)161

Solid-phase microextraction

Application of solid phase microextraction to the determination of strychnine in blood 816(2005)29

Stanozolol

Use of ion trap gas chromatography–multiple mass spectrometry for the detection and confirmation of 3'-hydroxystanozolol at trace levels in urine for doping control 816(2005)193

Stavudine

Simultaneous determination of the HIV nucleoside analogue reverse transcriptase inhibitors lamivudine, didanosine, stavudine, zidovudine and abacavir in human plasma by reversed phase high performance liquid chromatography 816(2005)121

Strychnine

Application of solid phase microextraction to the determination of strychnine in blood 816(2005)29

Sustained release formulations

Liquid chromatography–electrospray tandem mass spectrometry method for determination of indapamide in serum for single/multiple dose bioequivalence studies of sustained release formulations 816(2005)35

Sweeping-MEKC

Methanol plug assisted sweeping-micellar electrokinetic chromatography for the determination of dopamine in urine by violet light emitting diode-induced fluorescence detection 816(2005)113

Tetrahydrohyperforin

High-performance liquid chromatography measurement of hyperforin and its reduced derivatives in rodent plasma 816(2005)21

Thiamine

Determination of thiamine and its phosphate esters in rat tissues analyzed as thiochromes on a RP-amide C16 column 816(2005)67

Thiochromes

Determination of thiamine and its phosphate esters in rat tissues analyzed as thiochromes on a RP-amide C16 column 816(2005)67

Topotecan

High-performance liquid chromatographic assay for the determination of total and free topotecan in the presence and absence of anti-topotecan antibodies in mouse plasma 816(2005)183

Tramadol

Investigation of the pharmacokinetics and determination of tramadol in rabbit plasma by a high-performance liquid chromatography–diode array detector method using liquid–liquid extraction 816(2005)203

Trimethylsilylation

Pitfalls in trimethylsilylation of anabolic steroids. New derivatisation approach for residue at ultra-trace level 816(2005)281

Urine

Use of ion trap gas chromatography–multiple mass spectrometry for the detection and confirmation of 3′hydroxystanozolol at trace levels in urine for doping control 816(2005)193

Biological monitoring of the five major metabolites of di-(2-ethylhexyl) phthalate (DEHP) in human urine using column-switching liquid chromatography–tandem mass spectrometry 816(2005)269

Validation

High-performance liquid chromatography with ultraviolet detection for therapeutic drug monitoring of everolimus 816(2005)99

Violet light emitting diode

Methanol plug assisted sweeping-micellar electrokinetic chromatography for the determination of dopamine in urine by violet light emitting diode-induced fluorescence detection 816(2005)113

Viscose fiber

A novel matrix for high performance affinity chromatography and its application in the purification of antithrombin III 816(2005)175

Vitamin K

Determination of plasma Vitamin K by high-performance liquid chromatography with fluorescence detection using Vitamin K analogs as internal standards 816(2005)41

Zidovudine

Simultaneous determination of the HIV nucleoside analogue reverse transcriptase inhibitors lamivudine, didanosine, stavudine, zidovudine and abacavir in human plasma by reversed phase high performance liquid chromatography 816(2005)121

Zonal elution

Chromatographic analysis of carbamazepine binding to human serum albumin 816(2005)57