

Keyword Index Vol. 817

Abouthiouzine

Liquid chromatographic assay of abouthiouzine in plasma and its application to pharmacokinetic studies 817(2005)183

Acute phase response

Isolation of plasma albumin by ethanol extraction is inappropriate for isotope ratio measurements during the acute phase response 817(2005)145

Affinity chromatography

Dynamic electric field assisted multi-dimensional liquid chromatography of biological samples 817(2005)127

Polystyrene-type resin used for peptide synthesis: application for anion-exchange and affinity chromatography 817(2005)231

Affinity selection

Structure specific chromatographic selection in targeted proteomics (Review) 817(2005)23

Albumin

Isolation of plasma albumin by ethanol extraction is inappropriate for isotope ratio measurements during the acute phase response 817(2005)145

Amino acid

Structure specific chromatographic selection in targeted proteomics (Review) 817(2005)23

4-Anilinoquinazoline derivatives

High performance liquid chromatography analysis of a 4-anilinoquinazoline derivative (PD153035), a specific inhibitor of the epidermal growth factor receptor tyrosine kinase, in rat plasma 817(2005)297

Antiepileptic

Determination of lamotrigine in small volumes of plasma by high-performance liquid chromatography 817(2005)199

Assay

Liquid chromatographic assay of abouthiouzine in plasma and its application to pharmacokinetic studies 817(2005)183

Bioanalysis

96-Well solid-phase extraction: a brief history of its development (Review) 817(2005)77

Biological monitoring

Determination of urinary *ortho*- and *meta*-cresol in humans by headspace SPME gas chromatography/mass spectrometry 817(2005)309

Biological samples

Solid-phase extraction or liquid chromatography coupled on-line with gas chromatography in the analysis of biological samples (Review) 817(2005)13

Brain

Simple determination of riluzole in rat brain by high-performance liquid chromatography and spectrophotometric detection 817(2005)331

Breast milk

Bioanalysis of drugs by liquid-phase microextraction coupled to separation techniques (Review) 817(2005)3

Bromide

Determination of bromide in whole blood and urine from humans using gas chromatography–mass spectrometry 817(2005)335

Capillary electrophoresis

On-line multidimensional liquid chromatography and capillary electrophoresis systems for peptides and proteins (Review) 817(2005)49

Capillary HPLC-MS

HPLC-MS-based methods for the study of metabolomics (Review) 817(2005)67

Capillary isoelectric focusing

On-line combination of capillary isoelectric focusing and capillary non-gel sieving electrophoresis using a hollow-fiber membrane interface: a novel two-dimensional separation system for proteins 817(2005)119

Capillary non-gel sieving electrophoresis

On-line combination of capillary isoelectric focusing and capillary non-gel sieving electrophoresis using a hollow-fiber membrane interface: a novel two-dimensional separation system for proteins 817(2005)119

Chlorinated bisphenol A

Use of solid-phase microextraction followed by on-column silylation for determining chlorinated bisphenol A in human plasma by gas chromatography–mass spectrometry 817(2005)167

Chromatography

Structure specific chromatographic selection in targeted proteomics (Review) 817(2005)23

Database independent detection of isotopically labeled MS/MS spectrum peptide pairs 817(2005)225

Clarithromycin

Sensitive determination of clarithromycin in human plasma by high-performance liquid chromatography with spectrophotometric detection 817(2005)193

Column silylation

Use of solid-phase microextraction followed by on-column silylation for determining chlorinated bisphenol A in human plasma by gas chromatography–mass spectrometry 817(2005)167

Column-switching

Automated method for the determination of a new MMP inhibitor in ovine plasma and serum by coupling of restricted access material for on-line sample clean-up to liquid chromatography 817(2005)109

Common cold drugs

New approaches with two cyano columns to the separation of acetaminophen, phenylephrine, chlorpheniramine and related compounds 817(2005)159

Comprehensive

On-line multidimensional liquid chromatography and capillary electrophoresis systems for peptides and proteins (Review) 817(2005)49

L-Cysteine

Nanostructured electrode based on multi-wall carbon nanotubes/Pt microparticles nanocomposite for electrochemical determination of thiols in rat striatum by high performance liquid chromatography separation 817(2005)239

Differential analysis

Database independent detection of isotopically labeled MS/MS spectrum peptide pairs 817(2005)225

Digestion

A comparison of enzymatic digestion for the quantitation of an oligonucleotide by liquid chromatography–isotope dilution mass spectrometry 817(2005)173

Dioscin

Determination of dioscin in rat plasma by liquid chromatography–tandem mass spectrometry 817(2005)271

Dog plasma

Simultaneous determination of oxymatrine and its active metabolite matrine in dog plasma by liquid chromatography–mass spectrometry and its application to pharmacokinetic studies 817(2005)319

Dog serum

Ion-pair reverse-phase high performance liquid chromatography method for determination of Huperzine-A in beagle dog serum 817(2005)187

Drug analysis

Bioanalysis of drugs by liquid-phase microextraction coupled to separation techniques (Review) 817(2005)3

Dynamic electric field

Dynamic electric field assisted multi-dimensional liquid chromatography of biological samples 817(2005)127

Dynamic headspace

Evaluation of dynamic headspace with gas chromatography/mass spectrometry for the determination of 1,1,1-trichloroethane, trichloroethanol, and trichloroacetic acid in biological samples 817(2005)255

Electrically assisted liquid chromatography

Dynamic electric field assisted multi-dimensional liquid chromatography of biological samples 817(2005)127

Enantiomer separation

Analysis of strawberry volatiles using comprehensive two-dimensional gas chromatography with headspace solid-phase microextraction 817(2005)97

Endoproteinase glu-C

Reduction of non-specific binding in Ga(III) immobilized metal affinity chromatography for phosphopeptides by using endoproteinase glu-C as the digestive enzyme 817(2005)81

Enzyme

A comparison of enzymatic digestion for the quantitation of an oligonucleotide by liquid chromatography–isotope dilution mass spectrometry 817(2005)173

Enzyme-multiplied immunoassay

Interference of 7-hydroxymethotrexate with the determination of methotrexate in plasma samples from children with acute lymphoblastic leukemia employing routine clinical assays 817(2005)139

Erythromycin base

Simultaneous determination of erythromycin propionate and base in human plasma by high-performance liquid chromatography–electrospray mass spectrometry 817(2005)153

Erythromycin propionate

Simultaneous determination of erythromycin propionate and base in human plasma by high-performance liquid chromatography–electrospray mass spectrometry 817(2005)153

Ethanol extraction

Isolation of plasma albumin by ethanol extraction is inappropriate for isotope ratio measurements during the acute phase response 817(2005)145

Fluorescence polarization immunoassay

Interference of 7-hydroxymethotrexate with the determination of methotrexate in plasma samples from children with acute lymphoblastic leukemia employing routine clinical assays 817(2005)139

Food safety

Detection of synthetic glucocorticoid residues in cattle tissue and hair samples after a single dose administration using LC–MS/MS 817(2005)215

Gas chromatography, comprehensive two-dimensional

Analysis of strawberry volatiles using comprehensive two-dimensional gas chromatography with headspace solid-phase microextraction 817(2005)97

Gas chromatography–mass spectrometry

Determination of bromide in whole blood and urine from humans using gas chromatography–mass spectrometry 817(2005)335

Gas poisoning

Determination of bromide in whole blood and urine from humans using gas chromatography–mass spectrometry 817(2005)335

GC–MS

Use of solid-phase microextraction followed by on-column silylation for determining chlorinated bisphenol A in human plasma by gas chromatography–mass spectrometry 817(2005)167

Glibenclamide

The development and validation of liquid chromatography method for the simultaneous determination of metformin and glipizide, gliclazide, glibenclamide or glimiperide in plasma 817(2005)277

Gliclazide

The development and validation of liquid chromatography method for the simultaneous determination of metformin and glipizide, gliclazide, glibenclamide or glimiperide in plasma 817(2005)277

Glimiperide

The development and validation of liquid chromatography method for the simultaneous determination of metformin and glipizide, gliclazide, glibenclamide or glimiperide in plasma 817(2005)277

Glipizide

The development and validation of liquid chromatography method for the simultaneous determination of metformin and glipizide, gliclazide, glibenclamide or glimperide in plasma 817(2005)277

Global internal standard technology

Quantification of phosphoproteins with global internal standard technology 817(2005)89

Glucocorticoids

Detection of synthetic glucocorticoid residues in cattle tissue and hair samples after a single dose administration using LC-MS/MS 817(2005)215

Glutathione

Nanostructured electrode based on multi-wall carbon nanotubes/Pt microparticles nanocomposite for electrochemical determination of thiols in rat striatum by high performance liquid chromatography separation 817(2005)239

Glycation

Structure specific chromatographic selection in targeted proteomics (Review) 817(2005)23

Glycosylation

Structure specific chromatographic selection in targeted proteomics (Review) 817(2005)23

Growth-promoters

Detection of synthetic glucocorticoid residues in cattle tissue and hair samples after a single dose administration using LC-MS/MS 817(2005)215

Guaifenesin

Sensitive liquid chromatography-tandem mass spectrometry method for the simultaneous determination of paracetamol and guaifenesin in human plasma 817(2005)263

Heart-cut

On-line multidimensional liquid chromatography and capillary electrophoresis systems for peptides and proteins (Review) 817(2005)49

High performance liquid chromatography

Interference of 7-hydroxymethotrexate with the determination of methotrexate in plasma samples from children with acute lymphoblastic leukemia employing routine clinical assays 817(2005)139

High performance liquid chromatography analysis of a 4-anilinoquinazoline derivative (PD153035), a specific inhibitor of the epidermal growth factor receptor tyrosine kinase, in rat plasma 817(2005)297

High throughput

96-Well solid-phase extraction: a brief history of its development (Review) 817(2005)77

High-resolution HPLC-MS

HPLC-MS-based methods for the study of metabonomics (Review) 817(2005)67

²H₃-lidocaine

Development and validation of a liquid chromatography and tandem mass spectrometry method for determination of roscovitine in plasma and urine samples utilizing on-line sample preparation 817(2005)303

Hollow fibres

Bioanalysis of drugs by liquid-phase microextraction coupled to separation techniques (Review) 817(2005)3

Hollow-fiber membrane interface

On-line combination of capillary isoelectric focusing and capillary non-gel sieving electrophoresis using a hollow-fiber membrane interface: a novel two-dimensional separation system for proteins 817(2005)119

HPLC

New approaches with two cyano columns to the separation of acetaminophen, phenylephrine, chlorpheniramine and related compounds 817(2005)159

Liquid chromatographic assay of aboutiuzine in plasma and its application to pharmacokinetic studies 817(2005)183

Determination of lamotrigine in small volumes of plasma by high-performance liquid chromatography 817(2005)199

Quantitation of the niacin metabolites 1-methylnicotinamide and 1-methyl-2-pyridone-5-carboxamide in random spot urine samples, by ion-pairing reverse-phase HPLC with UV detection, and the implications for the use of spot urine samples in the assessment of niacin status 817(2005)247

The development and validation of liquid chromatography method for the simultaneous determination of metformin and glipizide, gliclazide, glibenclamide or glimperide in plasma 817(2005)277

HPLC-ESI-MS

Simultaneous determination of erythromycin propionate and base in human plasma by high-performance liquid chromatography-electrospray mass spectrometry 817(2005)153

HPLC-MS

HPLC-MS-based methods for the study of metabonomics (Review) 817(2005)67

Human

Quantitation of the niacin metabolites 1-methylnicotinamide and 1-methyl-2-pyridone-5-carboxamide in random spot urine samples, by ion-pairing reverse-phase HPLC with UV detection, and the implications for the use of spot urine samples in the assessment of niacin status 817(2005)247

Human hemofiltrate

Dynamic electric field assisted multi-dimensional liquid chromatography of biological samples 817(2005)127

Human plasma

Dynamic electric field assisted multi-dimensional liquid chromatography of biological samples 817(2005)127

Use of solid-phase microextraction followed by on-column silylation for determining chlorinated bisphenol A in human plasma by gas chromatography-mass spectrometry 817(2005)167

Huperzine-A

Ion-pair reverse-phase high performance liquid chromatography method for determination of Huperzine-A in beagle dog serum 817(2005)187

7-Hydroxymethotrexate

Interference of 7-hydroxymethotrexate with the determination of methotrexate in plasma samples from children with acute lymphoblastic leukemia employing routine clinical assays 817(2005)139

ICAT

Database independent detection of isotopically labeled MS/MS spectrum peptide pairs 817(2005)225

ICATcher

Database independent detection of isotopically labeled MS/MS spectrum peptide pairs 817(2005)225

Impurities

New approaches with two cyano columns to the separation of acetaminophen, phenylephrine, chlorpheniramine and related compounds 817(2005)159

Ion-exchange chromatography

Polystyrene-type resin used for peptide synthesis: application for anion-exchange and affinity chromatography 817(2005)231

Ion-pair RP-HPLC

Ion-pair reverse-phase high performance liquid chromatography method for determination of Huperzine-A in beagle dog serum 817(2005)187

KDR kinase inhibitor

Simultaneous determination of a novel KDR kinase inhibitor and its *N*-oxide metabolite in human plasma using 96-well solid-phase extraction and liquid chromatography/tandem mass spectrometry 817(2005)287

Lamotrigine

Determination of lamotrigine in small volumes of plasma by high-performance liquid chromatography 817(2005)199

LC-MS/MS

Detection of synthetic glucocorticoid residues in cattle tissue and hair samples after a single dose administration using LC-MS/MS 817(2005)215

Simultaneous determination of a novel KDR kinase inhibitor and its *N*-oxide metabolite in human plasma using 96-well solid-phase extraction and liquid chromatography/tandem mass spectrometry 817(2005)287

Development and validation of a liquid chromatography and tandem mass spectrometry method for determination of roscovitine in plasma and urine samples utilizing on-line sample preparation 817(2005)303

Leukemia

Interference of 7-hydroxymethotrexate with the determination of methotrexate in plasma samples from children with acute lymphoblastic leukemia employing routine clinical assays 817(2005)139

Liquid chromatography

On-line multidimensional liquid chromatography and capillary electrophoresis systems for peptides and proteins (Review) 817(2005)49

Automated method for the determination of a new MMP inhibitor in ovine plasma and serum by coupling of restricted access material for on-line sample clean-up to liquid chromatography 817(2005)109

Liquid chromatography-isotope dilution mass spectrometry

A comparison of enzymatic digestion for the quantitation of an oligonucleotide by liquid chromatography-isotope dilution mass spectrometry 817(2005)173

Liquid chromatography-mass spectrometry

Simultaneous determination of oxymatrine and its active metabolite matrine in dog plasma by liquid chromatography-mass spectrometry and its application to pharmacokinetic studies 817(2005)319

Liquid-liquid extraction

High performance liquid chromatography analysis of a 4-anilinoquinazoline derivative (PD153035), a specific inhibitor of the epidermal growth factor receptor tyrosine kinase, in rat plasma 817(2005)297

Liquid-phase microextraction

Bioanalysis of drugs by liquid-phase microextraction coupled to separation techniques (Review) 817(2005)3

Mass spectrometry

Isolation of plasma albumin by ethanol extraction is inappropriate for isotope ratio measurements during the acute phase response 817(2005)145

Matrine

Simultaneous determination of oxymatrine and its active metabolite matrine in dog plasma by liquid chromatography-mass spectrometry and its application to pharmacokinetic studies 817(2005)319

Matrix metalloproteinase inhibitor

Automated method for the determination of a new MMP inhibitor in ovine plasma and serum by coupling of restricted access material for on-line sample clean-up to liquid chromatography 817(2005)109

MEPS

Development and validation of a liquid chromatography and tandem mass spectrometry method for determination of roscovitine in plasma and urine samples utilizing on-line sample preparation 817(2005)303

Metabolism

Quantitation of the niacin metabolites 1-methylnicotinamide and 1-methyl-2-pyridone-5-carboxamide in random spot urine samples, by ion-pairing reverse-phase HPLC with UV detection, and the implications for the use of spot urine samples in the assessment of niacin status 817(2005)247

Metabolite

Simultaneous determination of oxymatrine and its active metabolite matrine in dog plasma by liquid chromatography-mass spectrometry and its application to pharmacokinetic studies 817(2005)319

Determination of bromide in whole blood and urine from humans using gas chromatography-mass spectrometry 817(2005)335

Metabolite profiling

HPLC-MS-based methods for the study of metabonomics (Review) 817(2005)67

Metabolomics

HPLC-MS-based methods for the study of metabonomics (Review) 817(2005)67

Metabonomics

HPLC-MS-based methods for the study of metabonomics (Review) 817(2005)67

Metformin

The development and validation of liquid chromatography method for the simultaneous determination of metformin and glipizide, gliclazide, glibenclamide or glimiperide in plasma 817(2005)277

Methotrexate

Interference of 7-hydroxymethotrexate with the determination of methotrexate in plasma samples from children with acute lymphoblastic leukemia employing routine clinical assays 817(2005)139

Methyl bromide

Determination of bromide in whole blood and urine from humans using gas chromatography-mass spectrometry 817(2005)335

Methyl chloroform

Evaluation of dynamic headspace with gas chromatography/mass spectrometry for the determination of 1,1,1-trichloroethane, trichloroethanol, and trichloroacetic acid in biological samples 817(2005)255

1-Methylnicotinamide

Quantitation of the niacin metabolites 1-methylnicotinamide and 1-methyl-2-pyridone-5-carboxamide in random spot urine samples, by ion-pairing reverse-phase HPLC with UV detection, and the implications for the use of spot urine samples in the assessment of niacin status 817(2005)247

1-Methyl-2-pyridone-5-carboxamide

Quantitation of the niacin metabolites 1-methylnicotinamide and 1-methyl-2-pyridone-5-carboxamide in random spot urine samples, by ion-pairing reverse-phase HPLC with UV detection, and the implications for the use of spot urine samples in the assessment of niacin status 817(2005)247

Monolithic capillary columns

Dynamic electric field assisted multi-dimensional liquid chromatography of biological samples 817(2005)127

Multidimensional liquid chromatography

Dynamic electric field assisted multi-dimensional liquid chromatography of biological samples 817(2005)127

Multidimensional separations

Multidimensional separation of peptides for effective proteomic analysis (Review) 817(2005)35

On-line multidimensional liquid chromatography and capillary electrophoresis systems for peptides and proteins (Review) 817(2005)49

Multi-wall carbon nanotubes

Nanostructured electrode based on multi-wall carbon nanotubes/Pt microparticles nanocomposite for electrochemical determination of thiols in rat striatum by high performance liquid chromatography separation 817(2005)239

Mycophenolic acid

Quantification of total and free mycophenolic acid in human plasma by liquid chromatography with fluorescence detection 817(2005)207

Simultaneous determination of mycophenolic acid and its phenolic glucuronide in human plasma using an isocratic high-performance liquid chromatography procedure 817(2005)327

Mycophenolic acid glucuronide

Simultaneous determination of mycophenolic acid and its phenolic glucuronide in human plasma using an isocratic high-performance liquid chromatography procedure 817(2005)327

Niacin

Quantitation of the niacin metabolites 1-methylnicotinamide and 1-methyl-2-pyridone-5-carboxamide in random spot urine samples, by ion-pairing reverse-phase HPLC with UV detection, and the implications for the use of spot urine samples in the assessment of niacin status 817(2005)247

Nitration

Structure specific chromatographic selection in targeted proteomics (Review) 817(2005)23

Oasis MCX solid-phase 96-well extraction plate

Simultaneous determination of a novel KDR kinase inhibitor and its *N*-oxide metabolite in human plasma using 96-well solid-phase extraction and liquid chromatography/tandem mass spectrometry 817(2005)287

Occupational exposure to toluene

Determination of urinary *ortho*- and *meta*-cresol in humans by headspace SPME gas chromatography/mass spectrometry 817(2005)309

Oligonucleotide

A comparison of enzymatic digestion for the quantitation of an oligonucleotide by liquid chromatography–isotope dilution mass spectrometry 817(2005)173

On-line coupling

Solid-phase extraction or liquid chromatography coupled on-line with gas chromatography in the analysis of biological samples (Review) 817(2005)13

On-line multidimensional liquid chromatography and capillary electrophoresis systems for peptides and proteins (Review) 817(2005)49

On-line sample clean-up

Dynamic electric field assisted multi-dimensional liquid chromatography of biological samples 817(2005)127

Oxidation

Structure specific chromatographic selection in targeted proteomics (Review) 817(2005)23

***N*-Oxide metabolite**

Simultaneous determination of a novel KDR kinase inhibitor and its *N*-oxide metabolite in human plasma using 96-well solid-phase extraction and liquid chromatography/tandem mass spectrometry 817(2005)287

Oxymatrine

Simultaneous determination of oxymatrine and its active metabolite matrine in dog plasma by liquid chromatography–mass spectrometry and its application to pharmacokinetic studies 817(2005)319

Paracetamol

Sensitive liquid chromatography–tandem mass spectrometry method for the simultaneous determination of paracetamol and guaifenesin in human plasma 817(2005)263

Peptides

Multidimensional separation of peptides for effective proteomic analysis (Review) 817(2005)35

On-line multidimensional liquid chromatography and capillary electrophoresis systems for peptides and proteins (Review) 817(2005)49

Polystyrene-type resin used for peptide synthesis: application for anion-exchange and affinity chromatography 817(2005)231

Peptide sequencing

Database independent detection of isotopically labeled MS/MS spectrum peptide pairs 817(2005)225

pH gradient

New approaches with two cyano columns to the separation of acetaminophen, phenylephrine, chlorpheniramine and related compounds 817(2005)159

Pharmacokinetics

Determination of lamotrigine in small volumes of plasma by high-performance liquid chromatography 817(2005)199

Simultaneous determination of oxymatrine and its active metabolite matrine in dog plasma by liquid chromatography–mass spectrometry and its application to pharmacokinetic studies 817(2005)319

Phosphopeptides

Reduction of non-specific binding in Ga(III) immobilized metal affinity chromatography for phosphopeptides by using endoproteinase glu-C as the digestive enzyme 817(2005)81

Phosphoproteins

Quantification of phosphoproteins with global internal standard technology 817(2005)89

Phosphorylation

Structure specific chromatographic selection in targeted proteomics (Review) 817(2005)23

Plasma

Bioanalysis of drugs by liquid-phase microextraction coupled to separation techniques (Review) 817(2005)3

Automated method for the determination of a new MMP inhibitor in ovine plasma and serum by coupling of restricted access material for on-line sample clean-up to liquid chromatography 817(2005)109

Polarity reversal

Dynamic electric field assisted multi-dimensional liquid chromatography of biological samples 817(2005)127

Polymer

Polystyrene-type resin used for peptide synthesis: application for anion-exchange and affinity chromatography 817(2005)231

Proteins

On-line multidimensional liquid chromatography and capillary electrophoresis systems for peptides and proteins (Review) 817(2005)49

On-line combination of capillary isoelectric focusing and capillary non-gel sieving electrophoresis using a hollow-fiber membrane interface: a novel two-dimensional separation system for proteins 817(2005)119

Proteomic analysis

Multidimensional separation of peptides for effective proteomic analysis (Review) 817(2005)35

Proteomics

Structure specific chromatographic selection in targeted proteomics (Review) 817(2005)23

Database independent detection of isotopically labeled MS/MS spectrum peptide pairs 817(2005)225

Pt microparticles

Nanostructured electrode based on multi-wall carbon nanotubes/Pt microparticles nanocomposite for electrochemical determination of thiols in rat striatum by high performance liquid chromatography separation 817(2005)239

PTM detection

Database independent detection of isotopically labeled MS/MS spectrum peptide pairs 817(2005)225

Purge and trap

Evaluation of dynamic headspace with gas chromatography/mass spectrometry for the determination of 1,1,1-trichloroethane, trichloroethanol, and trichloroacetic acid in biological samples 817(2005)255

Purine analogues

Development and validation of a liquid chromatography and tandem mass spectrometry method for determination of roscovitine in plasma and urine samples utilizing on-line sample preparation 817(2005)303

Quantitation

A comparison of enzymatic digestion for the quantitation of an oligonucleotide by liquid chromatography-isotope dilution mass spectrometry 817(2005)173

Rat

Simple determination of riluzole in rat brain by high-performance liquid chromatography and spectrophotometric detection 817(2005)331

Resin

Polystyrene-type resin used for peptide synthesis: application for anion-exchange and affinity chromatography 817(2005)231

Restricted access material

Automated method for the determination of a new MMP inhibitor in ovine plasma and serum by coupling of restricted access material for on-line sample clean-up to liquid chromatography 817(2005)109

Reversed phase chromatography

Dynamic electric field assisted multi-dimensional liquid chromatography of biological samples 817(2005)127

Reviews

Solid-phase extraction or liquid chromatography coupled on-line with gas chromatography in the analysis of biological samples (Review) 817(2005)13

Riluzole

Simple determination of riluzole in rat brain by high-performance liquid chromatography and spectrophotometric detection 817(2005)331

Ro 28-2653

Automated method for the determination of a new MMP inhibitor in ovine plasma and serum by coupling of restricted access material for on-line sample clean-up to liquid chromatography 817(2005)109

Roscovitine

Development and validation of a liquid chromatography and tandem mass spectrometry method for determination of roscovitine in plasma and urine samples utilizing on-line sample preparation 817(2005)303

Roxithromycin

Simultaneous determination of erythromycin propionate and base in human plasma by high-performance liquid chromatography-electrospray mass spectrometry 817(2005)153

Sample preparation

Automated method for the determination of a new MMP inhibitor in ovine plasma and serum by coupling of restricted access material for on-line sample clean-up to liquid chromatography 817(2005)109

Serum

Automated method for the determination of a new MMP inhibitor in ovine plasma and serum by coupling of restricted access material for on-line sample clean-up to liquid chromatography 817(2005)109

Size exclusion chromatography

Dynamic electric field assisted multi-dimensional liquid chromatography of biological samples 817(2005)127

Solid-phase extraction

96-Well solid-phase extraction: a brief history of its development (Review) 817(2005)77

Solid-phase microextraction

Analysis of strawberry volatiles using comprehensive two-dimensional gas chromatography with headspace solid-phase microextraction 817(2005)97

Use of solid-phase microextraction followed by on-column silylation for determining chlorinated bisphenol A in human plasma by gas chromatography-mass spectrometry 817(2005)167

SPE systems

96-Well solid-phase extraction: a brief history of its development (Review) 817(2005)77

Specific amino acid selection

Structure specific chromatographic selection in targeted proteomics (Review) 817(2005)23

Spectrophotometric detection

Simple determination of riluzole in rat brain by high-performance liquid chromatography and spectrophotometric detection 817(2005)331

Spot sampling

Quantitation of the niacin metabolites 1-methylnicotinamide and 1-methyl-2-pyridone-5-carboxamide in random spot urine samples, by ion-pairing reverse-phase HPLC with UV detection, and the implications for the use of spot urine samples in the assessment of niacin status 817(2005)247

Strong cation exchange chromatography

Dynamic electric field assisted multi-dimensional liquid chromatography of biological samples 817(2005)127

Tailor-made sorbents

Dynamic electric field assisted multi-dimensional liquid chromatography of biological samples 817(2005)127

Toxicology

Determination of bromide in whole blood and urine from humans using gas chromatography–mass spectrometry 817(2005)335

Transport mechanism

Dynamic electric field assisted multi-dimensional liquid chromatography of biological samples 817(2005)127

Trichloroacetic acid

Evaluation of dynamic headspace with gas chromatography/mass spectrometry for the determination of 1,1,1-trichloroethane, trichloroethanol, and trichloroacetic acid in biological samples 817(2005)255

Trichloroethanol

Evaluation of dynamic headspace with gas chromatography/mass spectrometry for the determination of 1,1,1-trichloroethane, trichloroethanol, and trichloroacetic acid in biological samples 817(2005)255

Ultraviolet detection

Sensitive determination of clarithromycin in human plasma by high-performance liquid chromatography with spectrophotometric detection 817(2005)193

UPLC

HPLC-MS-based methods for the study of metabonomics (Review) 817(2005)67

Urinary cresols

Determination of urinary *ortho*- and *meta*-cresol in humans by headspace SPME gas chromatography/mass spectrometry 817(2005)309

Urine

Bioanalysis of drugs by liquid-phase microextraction coupled to separation techniques (Review) 817(2005)3

Quantitation of the niacin metabolites 1-methylnicotinamide and 1-methyl-2-pyridone-5-carboxamide in random spot urine samples, by ion-pairing reverse-phase HPLC with UV detection, and the implications for the use of spot urine samples in the assessment of niacin status 817(2005)247

Whole blood

Bioanalysis of drugs by liquid-phase microextraction coupled to separation techniques (Review) 817(2005)3