

Keyword Index Vol. 818

N-Acetylneuraminic acid

Purification of IgG and insulin on supports grafted by sialic acid developing “thiophilic-like” interactions 818(2005)53

ADP-ribosylation factor-like protein

LdARL-1 His-tagged recombinant protein: purification by immobilized metal affinity expanded bed adsorption 818(2005)19

Affinity chromatography

Preparative parallel protein purification (P4) 818(2005)11

Capture of a monoclonal antibody and prediction of separation conditions using a synthetic multimodal ligand attached on chips and beads 818(2005)61

Development and characterization of an immobilized human organic cation transporter based liquid chromatographic stationary phase 818(2005)263

AlphaIIbeta3 integrin

Improvement in production and purification bioprocesses of bacterially expressed anti-alphaIIbeta3 human single-chain FV antibodies 818(2005)43

Amino acid analysis

Purification and some properties of Cu,Zn superoxide dismutase from *Radix Iethospermi* seed, kind of Chinese traditional medicine 818(2005)123

Amino acid sequence

Isolation of fibronectin type III like peptide from human placental extract used as wound healer 818(2005)67

Amosulalol

Determination of amosulalol in human plasma using solid-phase extraction combined with liquid chromatography and ultraviolet detection 818(2005)109

Analysis

Determination of Salvinorin A in body fluids by high performance liquid chromatography–atmospheric pressure chemical ionization 818(2005)221

Antibodies

Capture of a monoclonal antibody and prediction of separation conditions using a synthetic multimodal ligand attached on chips and beads 818(2005)61

Anti-prion peptide antibody

Copper binding to prion octarepeat peptides, a combined metal chelate affinity and immunochemical approaches 818(2005)75

APCT

Determination of Salvinorin A in body fluids by high performance liquid chromatography–atmospheric pressure chemical ionization 818(2005)221

Automation

Preparative parallel protein purification (P4) 818(2005)11

Background electrolyte

Carrier ampholytes as potential buffers in electrophoresis: physico-chemical study 818(2005)99

Benzodiazepines

Determination of 14 benzodiazepines and hydroxy metabolites, zaleplon and zolpidem as *tert*-butyldimethylsilyl derivatives compared with other common silylating reagents in whole blood by gas chromatography–mass spectrometry 818(2005)175

Bioequivalence

Quantitation of itopride in human serum by high-performance liquid chromatography with fluorescence detection and its application to a bioequivalence study 818(2005)213

Biomarker

A sensitive liquid chromatographic method for the spectrophotometric determination of urinary trans,trans-muconic acid 818(2005)277

Biomolecules

The use of confocal laser scanning microscopy to study the transport of biomacromolecules in a macroporous support 818(2005)89

Body fluids

Determination of Salvinorin A in body fluids by high performance liquid chromatography–atmospheric pressure chemical ionization 818(2005)221

Buffering capacity

Carrier ampholytes as potential buffers in electrophoresis: physico-chemical study 818(2005)99

Buprenorphine

Simultaneous determination of buprenorphine and its prodrug, buprenorphine propionate, by high-performance liquid chromatography with fluorescence detection: application to pharmacokinetic studies in rabbits 818(2005)233

Camptothecin

Validation study of a method for assaying DE-310, a macromolecular carrier conjugate containing an anti-tumor camptothecin derivative, and the free drug in human plasma by HPLC and LC/MS/MS 818(2005)249

Capillary chromatography

Sensitive capillary chromatography mass spectrometric methods for the determination of salcatonin in human biological matrices 818(2005)301

Capillary electrophoresis

Determination of urinary succinylacetone by capillary electrophoresis for the diagnosis of tyrosinemia type I 818(2005)309

Carboxylate

Simple and sensitive high performance liquid chromatographic method for the simultaneous quantitation of the lactone and carboxylate forms of topotecan in human plasma 818(2005)205

Carrier ampholytes

Carrier ampholytes as potential buffers in electrophoresis: physico-chemical study 818(2005)99

Catecholamines

Simple and rapid determination of serotonin and catecholamines in biological tissue using high-performance liquid chromatography with electrochemical detection 818(2005)269

CELBEADS

Adsorptive purification of pDNA on superporous rigid cross-linked cellulose matrix 818(2005)5

One step flow-through adsorptive purification of tubulin from tissue homogenate 818(2005)83

CHI

Relationship between cucurbitacins reversed-phase high-performance liquid chromatography hydrophobicity index and basal cytotoxicity on HepG2 cells 818(2005)159

Chondroitin sulfate

Quantitative analysis of chondroitin sulfate in raw materials, ophthalmic solutions, soft capsules and liquid preparations 818(2005)133

Chondroitinase ABC

Quantitative analysis of chondroitin sulfate in raw materials, ophthalmic solutions, soft capsules and liquid preparations 818(2005)133

Chromatographic hydrophobicity index

Relationship between cucurbitacins reversed-phase high-performance liquid chromatography hydrophobicity index and basal cytotoxicity on HepG2 cells 818(2005)159

Chromatography

Purification and on-column refolding of EGFP overexpressed as inclusion bodies in *Escherichia coli* with expanded bed anion exchange chromatography 818(2005)23

Cigarette smoking

A sensitive liquid chromatographic method for the spectrophotometric determination of urinary trans,trans-muconic acid 818(2005)277

Conductivity

Carrier ampholytes as potential buffers in electrophoresis: physico-chemical study 818(2005)99

Confocal microscopy

The use of confocal laser scanning microscopy to study the transport of biomacromolecules in a macroporous support 818(2005)89

Convection

The use of confocal laser scanning microscopy to study the transport of biomacromolecules in a macroporous support 818(2005)89

Copper

Copper binding to prion octarepeat peptides, a combined metal chelate affinity and immunochemical approaches 818(2005)75

Cruciferin

Large scale purification of rapeseed proteins (*Brassica napus* L.) 818(2005)35

Cucurbitacin

Relationship between cucurbitacins reversed-phase high-performance liquid chromatography hydrophobicity index and basal cytotoxicity on HepG2 cells 818(2005)159

Cytotoxicity

Relationship between cucurbitacins reversed-phase high-performance liquid chromatography hydrophobicity index and basal cytotoxicity on HepG2 cells 818(2005)159

DE-310

Validation study of a method for assaying DE-310, a macromolecular carrier conjugate containing an anti-tumor camptothecin derivative, and the free drug in human plasma by HPLC and LC/MS/MS 818(2005)249

Dextromethorphan

Sol-gel-based solid-phase microextraction and gas chromatography-mass spectrometry determination of dextromethorphan and dextrorphan in human plasma 818(2005)147

Dextrophan

Sol-gel-based solid-phase microextraction and gas chromatography-mass spectrometry determination of dextromethorphan and dextrorphan in human plasma 818(2005)147

Diffusion

The use of confocal laser scanning microscopy to study the transport of biomacromolecules in a macroporous support 818(2005)89

DNA

Adsorptive purification of pDNA on superporous rigid cross-linked cellulose matrix 818(2005)5

Dot blot

Isolation of fibronectin type III like peptide from human placental extract used as wound healer 818(2005)67

Drug transporters

Development and characterization of an immobilized human organic cation transporter based liquid chromatographic stationary phase 818(2005)263

EGFP

Purification and on-column refolding of EGFP overexpressed as inclusion bodies in *Escherichia coli* with expanded bed anion exchange chromatography 818(2005)23

Enantiomeric separation

Solid-phase microextraction and chiral HPLC analysis of ibuprofen in urine 818(2005)285

Expanded bed absorption chromatography

Single step purification of a series of wheat recombinant proteins with expanded bed absorption chromatography 818(2005)29

Expanded bed adsorption

LdARL-1 His-tagged recombinant protein: purification by immobilized metal affinity expanded bed adsorption 818(2005)19

Purification and on-column refolding of EGFP overexpressed as inclusion bodies in *Escherichia coli* with expanded bed anion exchange chromatography 818(2005)23

Fermentation

Improvement in production and purification bioprocesses of bacterially expressed anti-alphaIIbeta3 human single-chain FV antibodies 818(2005)43

Fibronectin type III

Isolation of fibronectin type III like peptide from human placental extract used as wound healer 818(2005)67

FITC

The use of confocal laser scanning microscopy to study the transport of biomacromolecules in a macroporous support 818(2005)89

Formulation material

Quantitative analysis of chondroitin sulfate in raw materials, ophthalmic solutions, soft capsules and liquid preparations 818(2005)133

Functionalized carbon nanotubes

Determination of glutathione and glutathione disulfide in hepatocytes by liquid chromatography with an electrode modified with functionalized carbon nanotubes 818(2005)227

Gas chromatography-mass spectrometry

Sol-gel-based solid-phase microextraction and gas chromatography-mass spectrometry determination of dextromethorphan and dextrorphan in human plasma 818(2005)147

GC-MS

Determination of 14 benzodiazepines and hydroxy metabolites, zaleplon and zolpidem as *tert*-butyldimethylsilyl derivatives compared with other common silylating reagents in whole blood by gas chromatography-mass spectrometry 818(2005)175

Ginsenoside Rg3

High performance liquid chromatographic-mass spectrometric determination of ginsenoside Rg3 and its metabolites in rat plasma using solid-phase extraction for pharmacokinetic studies 818(2005)167

Glutathione

Determination of glutathione and glutathione disulfide in hepatocytes by liquid chromatography with an electrode modified with functionalized carbon nanotubes 818(2005)227

Glutathione disulfide

Determination of glutathione and glutathione disulfide in hepatocytes by liquid chromatography with an electrode modified with functionalized carbon nanotubes 818(2005)227

Hepatocytes

Determination of glutathione and glutathione disulfide in hepatocytes by liquid chromatography with an electrode modified with functionalized carbon nanotubes 818(2005)227

HepG2

Relationship between cucurbitacins reversed-phase high-performance liquid chromatography hydrophobicity index and basal cytotoxicity on HepG2 cells 818(2005)159

Hereditary tyrosinemia type I

Determination of urinary succinylacetone by capillary electrophoresis for the diagnosis of tyrosinemia type I 818(2005)309

Hinge region fragmentation

Non-enzymatic hinge region fragmentation of antibodies in solution 818(2005)115

His-tagged recombinant protein

*Ld*ARL-1 His-tagged recombinant protein: purification by immobilized metal affinity expanded bed adsorption 818(2005)19

hOCT1

Development and characterization of an immobilized human organic cation transporter based liquid chromatographic stationary phase 818(2005)263

HPAC

Purification of IgG and insulin on supports grafted by sialic acid developing "thiophilic-like" interactions 818(2005)53

HPLC

Isolation of fibronectin type III like peptide from human placental extract used as wound healer 818(2005)67

Liquid chromatographic quantitation of the lactone and the total of lactone and carboxylate forms of 9-nitrocamptothecin in human plasma 818(2005)199

Simple and sensitive high performance liquid chromatographic method for the simultaneous quantitation of the lactone and carboxylate forms of topotecan in human plasma 818(2005)205

Simultaneous determination of buprenorphine and its prodrug, buprenorphine propionate, by high-performance liquid chromatography with fluorescence detection: application to pharmacokinetic studies in rabbits 818(2005)233

Validation study of a method for assaying DE-310, a macromolecular carrier conjugate containing an anti-tumor camptothecin derivative, and the free drug in human plasma by HPLC and LC/MS/MS 818(2005)249

Human placental extract

Isolation of fibronectin type III like peptide from human placental extract used as wound healer 818(2005)67

Human plasma

Determination of warfarin enantiomers and hydroxylated metabolites in human blood plasma by liquid chromatography with achiral and chiral separation 818(2005)191

Human serum

Quantitation of itopride in human serum by high-performance liquid chromatography with fluorescence detection and its application to a bioequivalence study 818(2005)213

Hydrophobic interaction chromatography

Adsorptive purification of pDNA on superporous rigid cross-linked cellulose matrix 818(2005)5

Ibuprofen enantiomers

Solid-phase microextraction and chiral HPLC analysis of ibuprofen in urine 818(2005)285

IC50

Relationship between cucurbitacins reversed-phase high-performance liquid chromatography hydrophobicity index and basal cytotoxicity on HepG2 cells 818(2005)159

IgG

Purification of IgG and insulin on supports grafted by sialic acid developing "thiophilic-like" interactions 818(2005)53

IMAC purification

Improvement in production and purification bioprocesses of bacterially expressed anti-alphaIIbeta3 human single-chain FV antibodies 818(2005)43

Immobilized metal affinity chromatography (IMAC)

LdARL-1 His-tagged recombinant protein: purification by immobilized metal affinity expanded bed adsorption 818(2005)19

Inclusion bodies

Purification and on-column refolding of EGFP overexpressed as inclusion bodies in *Escherichia coli* with expanded bed anion exchange chromatography 818(2005)23

Insulin

Purification of IgG and insulin on supports grafted by sialic acid developing "thiophilic-like" interactions 818(2005)53

Interference of sorbic acid

A sensitive liquid chromatographic method for the spectrophotometric determination of urinary trans,trans-muconic acid 818(2005)277

Ion exchange

Metal ion-selective membrane prepared by surface molecular imprinting 818(2005)141

Isotope dilution

Sensitive capillary chromatography mass spectrometric methods for the determination of salcatonin in human biological matrices 818(2005)301

Itopride

Quantitation of itopride in human serum by high-performance liquid chromatography with fluorescence detection and its application to a bioequivalence study 818(2005)213

Lactone

Liquid chromatographic quantitation of the lactone and the total of lactone and carboxylate forms of 9-nitrocaptopotecin in human plasma 818(2005)199

Simple and sensitive high performance liquid chromatographic method for the simultaneous quantitation of the lactone and carboxylate forms of topotecan in human plasma 818(2005)205

LC/MS/MS

Validation study of a method for assaying DE-310, a macromolecular carrier conjugate containing an anti-tumor camptothecin derivative, and the free drug in human plasma by HPLC and LC/MS/MS 818(2005)249

LC-MS

Determination of Salvinorin A in body fluids by high performance liquid chromatography-atmospheric pressure chemical ionization 818(2005)221

LdARL-1

LdARL-1 His-tagged recombinant protein: purification by immobilized metal affinity expanded bed adsorption 818(2005)19

Liquid preparations

Quantitative analysis of chondroitin sulfate in raw materials, ophthalmic solutions, soft capsules and liquid preparations 818(2005)133

C logP

Relationship between cucurbitacins reversed-phase high-performance liquid chromatography hydrophobicity index and basal cytotoxicity on HepG2 cells 818(2005)159

logP

Relationship between cucurbitacins reversed-phase high-performance liquid chromatography hydrophobicity index and basal cytotoxicity on HepG2 cells 818(2005)159

Low level benzene exposure

A sensitive liquid chromatographic method for the spectrophotometric determination of urinary trans,trans-muconic acid 818(2005)277

Low QC recovery from urine

Concerns in the development of an assay for determination of a highly conjugated adsorption-prone compound in human urine 818(2005)241

LTP

Large scale purification of rapeseed proteins (*Brassica napus* L.) 818(2005)35

Lymnaea stagnalis

Simple and rapid determination of serotonin and catecholamines in biological tissue using high-performance liquid chromatography with electrochemical detection 818(2005)269

Mass spectrometry

Copper binding to prion octarepeat peptides, a combined metal chelate affinity and immunochemical approaches 818(2005)75

MDCK cells

Development and characterization of an immobilized human organic cation transporter based liquid chromatographic stationary phase 818(2005)263

Membrane

Metal ion-selective membrane prepared by surface molecular imprinting 818(2005)141

2-Mercapto-5-benzimidazolesulfonic acid

Capture of a monoclonal antibody and prediction of separation conditions using a synthetic multimodal ligand attached on chips and beads 818(2005)61

Metabolism

Determination of Salvinorin A in body fluids by high performance liquid chromatography-atmospheric pressure chemical ionization 818(2005)221

Metal chelate affinity

Copper binding to prion octarepeat peptides, a combined metal chelate affinity and immunochemical approaches 818(2005)75

Metal ion

Metal ion-selective membrane prepared by surface molecular imprinting 818(2005)141

Microbore HPLC

Simple and rapid determination of serotonin and catecholamines in biological tissue using high-performance liquid chromatography with electrochemical detection 818(2005)269

Monoclonal antibodies

Non-enzymatic hinge region fragmentation of antibodies in solution 818(2005)115

Napin

Large scale purification of rapeseed proteins (*Brassica napus* L.) 818(2005)35

9-Nitrocamptothecin

Liquid chromatographic quantitation of the lactone and the total of lactone and carboxylate forms of 9-nitrocamptothecin in human plasma 818(2005)199

OATP-C

Quantification of pravastatin in human plasma and urine after solid phase extraction using high performance liquid chromatography with ultraviolet detection 818(2005)257

Occupational exposure

Application of the standard addition approach for the quantification of urinary benzene 818(2005)293

Octarepeat peptides

Copper binding to prion octarepeat peptides, a combined metal chelate affinity and immunochemical approaches 818(2005)75

Ophthalmic solutions

Quantitative analysis of chondroitin sulfate in raw materials, ophthalmic solutions, soft capsules and liquid preparations 818(2005)133

pH stability

Purification and some properties of Cu,Zn superoxide dismutase from *Radix lethospermi* seed, kind of Chinese traditional medicine 818(2005)123

Pharmacokinetics

High performance liquid chromatographic–mass spectrometric determination of ginsenoside Rg3 and its metabolites in rat plasma using solid-phase extraction for pharmacokinetic studies 818(2005)167

Simultaneous determination of buprenorphine and its prodrug, buprenorphine propionate, by high-performance liquid chromatography with fluorescence detection: application to pharmacokinetic studies in rabbits 818(2005)233

Quantification of pravastatin in human plasma and urine after solid phase extraction using high performance liquid chromatography with ultraviolet detection 818(2005)257

Pichia pastoris

Single step purification of a series of wheat recombinant proteins with expanded bed absorption chromatography 818(2005)29

Plasma

Liquid chromatographic quantitation of the lactone and the total of lactone and carboxylate forms of 9-nitrocamptothecin in human plasma 818(2005)199

Simple and sensitive high performance liquid chromatographic method for the simultaneous quantitation of the lactone and carboxylate forms of topotecan in human plasma 818(2005)205

Determination of Salvinorin A in body fluids by high performance liquid chromatography–atmospheric pressure chemical ionization 818(2005)221

Sensitive capillary chromatography mass spectrometric methods for the determination of salcatonin in human biological matrices 818(2005)301

Plasma samples

Sol–gel-based solid-phase microextraction and gas chromatography–mass spectrometry determination of dextromethorphan and dextrorphan in human plasma 818(2005)147

Plasmid

Adsorptive purification of pDNA on superporous rigid cross-linked cellulose matrix 818(2005)5

Pravastatin

Quantification of pravastatin in human plasma and urine after solid phase extraction using high performance liquid chromatography with ultraviolet detection 818(2005)257

Preparative scale

Large scale purification of rapeseed proteins (*Brassica napus* L.) 818(2005)35

Prion

Copper binding to prion octarepeat peptides, a combined metal chelate affinity and immunochemical approaches 818(2005)75

Propionate

Simultaneous determination of buprenorphine and its prodrug, buprenorphine propionate, by high-performance liquid chromatography with fluorescence detection: application to pharmacokinetic studies in rabbits 818(2005)233

Protease inhibitors

Non-enzymatic hinge region fragmentation of antibodies in solution 818(2005)115

Protein purification

Preparative parallel protein purification (P4) 818(2005)11

One step flow-through adsorptive purification of tubulin from tissue homogenate 818(2005)83

Protein transport

The use of confocal laser scanning microscopy to study the transport of biomacromolecules in a macroporous support 818(2005)89

ProteinChips®

Capture of a monoclonal antibody and prediction of separation conditions using a synthetic multimodal ligand attached on chips and beads 818(2005)61

20(S)-Protopanaxadiol (ppd)

High performance liquid chromatographic–mass spectrometric determination of ginsenoside Rg3 and its metabolites in rat plasma using solid-phase extraction for pharmacokinetic studies 818(2005)167

Purification

Purification and on-column refolding of EGFP overexpressed as inclusion bodies in *Escherichia coli* with expanded bed anion exchange chromatography 818(2005)23

Large scale purification of rapeseed proteins (*Brassica napus* L.) 818(2005)35

Purification and some properties of Cu,Zn superoxide dismutase from *Radix lethospermi* seed, kind of Chinese traditional medicine 818(2005)123

Quantitation

Sensitive capillary chromatography mass spectrometric methods for the determination of salcatonin in human biological matrices 818(2005)301

***Radix lethospermi* seed**

Purification and some properties of Cu,Zn superoxide dismutase from *Radix lethospermi* seed, kind of Chinese traditional medicine 818(2005)123

Rapeseed

Large scale purification of rapeseed proteins (*Brassica napus* L.) 818(2005)35

Recombinant protein purification

Single step purification of a series of wheat recombinant proteins with expanded bed absorption chromatography 818(2005)29

Refolding

Purification and on-column refolding of EGFP overexpressed as inclusion bodies in *Escherichia coli* with expanded bed anion exchange chromatography 818(2005)23

Rh2

High performance liquid chromatographic–mass spectrometric determination of ginsenoside Rg3 and its metabolites in rat plasma using solid-phase extraction for pharmacokinetic studies 818(2005)167

RP-HPLC

Relationship between cucurbitacins reversed-phase high-performance liquid chromatography hydrophobicity index and basal cytotoxicity on HepG2 cells 818(2005)159

Salcatonin

Sensitive capillary chromatography mass spectrometric methods for the determination of salcatonin in human biological matrices 818(2005)301

Salvinorin

Determination of Salvinorin A in body fluids by high performance liquid chromatography–atmospheric pressure chemical ionization 818(2005)221

Salvinorin A

Determination of Salvinorin A in body fluids by high performance liquid chromatography–atmospheric pressure chemical ionization 818(2005)221

SAR

Relationship between cucurbitacins reversed-phase high-performance liquid chromatography hydrophobicity index and basal cytotoxicity on HepG2 cells 818(2005)159

Separation

Metal ion-selective membrane prepared by surface molecular imprinting 818(2005)141

Serotonin

Simple and rapid determination of serotonin and catecholamines in biological tissue using high-performance liquid chromatography with electrochemical detection 818(2005)269

Silica

Purification of IgG and insulin on supports grafted by sialic acid developing “thiophilic-like” interactions 818(2005)53

Silylation

Determination of 14 benzodiazepines and hydroxy metabolites, zaleplon and zolpidem as *tert*-butyldimethylsilyl derivatives compared with other common silylating reagents in whole blood by gas chromatography–mass spectrometry 818(2005)175

Single-chain Fv antibody fragment

Improvement in production and purification bioprocesses of bacterially expressed anti-alphaIIb beta3 human single-chain FV antibodies 818(2005)43

Size-exclusion chromatography

Non-enzymatic hinge region fragmentation of antibodies in solution 818(2005)115

Soft capsules

Quantitative analysis of chondroitin sulfate in raw materials, ophthalmic solutions, soft capsules and liquid preparations 818(2005)133

Sol-gel technology

Sol-gel-based solid-phase microextraction and gas chromatography-mass spectrometry determination of dextromethorphan and dextrorphan in human plasma 818(2005)147

Solid-phase extraction and LC-MS/MS

Concerns in the development of an assay for determination of a highly conjugated adsorption-prone compound in human urine 818(2005)241

Solid-phase microextraction

Sol-gel-based solid-phase microextraction and gas chromatography-mass spectrometry determination of dextromethorphan and dextrorphan in human plasma 818(2005)147

Solid-phase microextraction and chiral HPLC analysis of ibuprofen in urine 818(2005)285

Stability

Non-enzymatic hinge region fragmentation of antibodies in solution 818(2005)115

Standard addition approach

Application of the standard addition approach for the quantification of urinary benzene 818(2005)293

Structure-activity relationship

Relationship between cucurbitacins reversed-phase high-performance liquid chromatography hydrophobicity index and basal cytotoxicity on HepG2 cells 818(2005)159

Succinylacetone

Determination of urinary succinylacetone by capillary electrophoresis for the diagnosis of tyrosinemia type I 818(2005)309

Superoxide dismutase

Purification and some properties of Cu,Zn superoxide dismutase from *Radix lethospermi* seed, kind of Chinese traditional medicine 818(2005)123

Surface enhanced laser desorption ionisation–time of flight–mass spectrometry (SELDI-TOF-MS)

Capture of a monoclonal antibody and prediction of separation conditions using a synthetic multimodal ligand attached on chips and beads 818(2005)61

Surface template polymerization

Metal ion-selective membrane prepared by surface molecular imprinting 818(2005)141

Thermal stability

Purification and some properties of Cu,Zn superoxide dismutase from *Radix lethospermi* seed, kind of Chinese traditional medicine 818(2005)123

Thiophilic interactions

Purification of IgG and insulin on supports grafted by sialic acid developing “thiophilic-like” interactions 818(2005)53

Time-of-flight mass spectrometry

Sensitive capillary chromatography mass spectrometric methods for the determination of salcatonin in human biological matrices 818(2005)301

Topotecan

Simple and sensitive high performance liquid chromatographic method for the simultaneous quantitation of the lactone and carboxylate forms of topotecan in human plasma 818(2005)205

Total

Liquid chromatographic quantitation of the lactone and the total of lactone and carboxylate forms of 9-nitrocamptothecin in human plasma 818(2005)199

Tubulin

One step flow-through adsorptive purification of tubulin from tissue homogenate 818(2005)83

Tween-20

Concerns in the development of an assay for determination of a highly conjugated adsorption-prone compound in human urine 818(2005)241

Urinary benzene

Application of the standard addition approach for the quantification of urinary benzene 818(2005)293

Urine

Determination of Salvinorin A in body fluids by high performance liquid chromatography-atmospheric pressure chemical ionization 818(2005)221

Solid-phase microextraction and chiral HPLC analysis of ibuprofen in urine 818(2005)285

Sensitive capillary chromatography mass spectrometric methods for the determination of salcatonin in human biological matrices 818(2005)301

Urine assay

Concerns in the development of an assay for determination of a highly conjugated adsorption-prone compound in human urine 818(2005)241

Validation

Quantitation of itopride in human serum by high-performance liquid chromatography with fluorescence detection and its application to a bioequivalence study 818(2005)213

Warfarin enantiomers

Determination of warfarin enantiomers and hydroxylated metabolites in human blood plasma by liquid chromatography with achiral and chiral separation 818(2005)191

Warfarin monohydroxylated metabolites

Determination of warfarin enantiomers and hydroxylated metabolites in human blood plasma by liquid chromatography with achiral and chiral separation 818(2005)191

Wheat ns-LTP

Single step purification of a series of wheat recombinant proteins with expanded bed absorption chromatography 818(2005)29

Zaleplon

Determination of 14 benzodiazepines and hydroxy metabolites, zaleplon and zolpidem as *tert*-butyldimethylsilyl derivatives compared with other common silylating reagents in whole blood by gas chromatography-mass spectrometry 818(2005)175

Zolpidem

Determination of 14 benzodiazepines and hydroxy metabolites, zaleplon and zolpidem as *tert*-butyldimethylsilyl derivatives compared with other common silylating reagents in whole blood by gas chromatography-mass spectrometry 818(2005)175