

Keyword Index Vol. 819

Activity assay

A novel assay method for theanine synthetase activity by capillary electrophoresis 819(2005)81

Adipose tissue

Determination and occurrence of polybrominated diphenyl ethers in maternal adipose tissue from inhabitants of Singapore 819(2005)253

Adsorption

Adsorption of bilirubin with polylysine carrying chitosan-coated nylon affinity membranes 819(2005)301

Affinity chromatography

Qualitative assessment of IC₅₀ values of inhibitors of the neuronal nicotinic acetylcholine receptor using a single chromatographic experiment and multivariate cluster analysis 819(2005)169

Affinity membrane

Adsorption of bilirubin with polylysine carrying chitosan-coated nylon affinity membranes 819(2005)301

Allopurinol

Simultaneous determination of 16 purine derivatives in urinary calculi by gradient reversed-phase high-performance liquid chromatography with UV detection 819(2005)229

Aminopentol-1

Simple method for the simultaneous isolation and determination of fumonisin B₁ and its metabolite aminopentol-1 in swine liver by liquid chromatography–fluorescence detection 819(2005)97

2-Aminothiazoline-4-carboxylic acid

Determination of the cyanide metabolite 2-aminothiazoline-4-carboxylic acid in urine and plasma by gas chromatography–mass spectrometry 819(2005)237

Amprenavir

Intracellular measurements of anti-HIV drugs indinavir, amprenavir, saquinavir, ritonavir, nelfinavir, lopinavir, atazanavir, efavirenz and nevirapine in peripheral blood mononuclear cells by liquid chromatography coupled to tandem mass spectrometry 819(2005)259

Antiepileptic drugs

Determination of levetiracetam in human plasma with minimal sample pretreatment 819(2005)197

Antiproliferative activity

Characterization of lipophilicity and antiproliferative activity of *E*-2-aryl-methylene-1-tetralones and their heteroanalogues 819(2005)283

Atazanavir

Intracellular measurements of anti-HIV drugs indinavir, amprenavir, saquinavir, ritonavir, nelfinavir, lopinavir, atazanavir, efavirenz and nevirapine in peripheral blood mononuclear cells by liquid chromatography coupled to tandem mass spectrometry 819(2005)259

Automated liquid–liquid extraction

Fully automated liquid–liquid extraction for the determination of a novel insulin sensitizer in human plasma by heated nebulizer and turbo ionspray liquid chromatography–tandem mass spectrometry 819(2005)293

Automation

Analysis of protein fragmentation inhibition by an MMP-inhibitor in an in vivo model of heart failure using automated chromatography 819(2005)219

B cell

Protein expression profiling of CLL B cells using replicate off-line strong cation exchange chromatography and LC–MS/MS 819(2005)33

N-Benzylpiperazine

Development of simultaneous gas chromatography–mass spectrometric and liquid chromatography–electrospray ionization mass spectrometric determination method for the new designer drugs, *N*-benzylpiperazine (BZP), 1-(3-trifluoromethylphenyl)piperazine (TFMPP) and their main metabolites in urine 819(2005)315

Bilirubin

Adsorption of bilirubin with polylysine carrying chitosan-coated nylon affinity membranes 819(2005)301

Biomarkers

Analysis of protein fragmentation inhibition by an MMP-inhibitor in an in vivo model of heart failure using automated chromatography 819(2005)219

BisphenolA

Analysis of environmental biomarkers in urine using an electrochemical detector 819(2005)155

Blood samples

Determination of WR-1065 in human blood by high-performance liquid chromatography following fluorescent derivatization by a maleimide reagent ThioGloTM3 819(2005)161

Breast cancer

Peptide profiling in epithelial tumor plasma by the emerging proteomic techniques 819(2005)59

***N*-Butyryl glucosamine**

High performance liquid chromatographic determination of *N*-butyryl glucosamine in rat plasma 819(2005)91

BZP

Development of simultaneous gas chromatography–mass spectrometric and liquid chromatography–electrospray ionization mass spectrometric determination method for the new designer drugs, *N*-benzylpiperazine (BZP), 1-(3-trifluoromethylphenyl)piperazine (TFMPP) and their main metabolites in urine 819(2005)315

C₁₈ columns

High performance liquid chromatographic determination of *N*-butyryl glucosamine in rat plasma 819(2005)91

Calcium channel blockers

Gas chromatography–mass spectrometry identification of photoproducts of hexahydroquinoline derivatives: Potential calcium channel antagonists 819(2005)17

Canine plasma

Optimized determination of lycopene in canine plasma using reversed-phase high-performance liquid chromatography 819(2005)149

Capillary zone electrophoresis

Capillary electrophoretic determination of methotrexate, leucovorin and folic acid in human urine 819(2005)141

Catecholamines

Rapid assay for catechol-*O*-methyltransferase activity by high-performance liquid chromatography–fluorescence detection 819(2005)41

Catechol-*O*-methyltransferase

Rapid assay for catechol-*O*-methyltransferase activity by high-performance liquid chromatography–fluorescence detection 819(2005)41

Cefixime

Sensitive liquid chromatography–tandem mass spectrometry method for the determination of cefixime in human plasma: Application to a pharmacokinetic study 819(2005)277

Chemical warfare agent

Determination of the cyanide metabolite 2-aminothiazoline-4-carboxylic acid in urine and plasma by gas chromatography–mass spectrometry 819(2005)237

Chemotherapeutic agents

Capillary electrophoretic determination of methotrexate, leucovorin and folic acid in human urine 819(2005)141

Chiralpak® AD

Improved enantioselective analysis of polyunsaturated hydroxy fatty acids in psoriatic skin scales using high-performance liquid chromatography 819(2005)323

Chitosan

Adsorption of bilirubin with polylysine carrying chitosan-coated nylon affinity membranes 819(2005)301

CHO cells

Characterization by liquid chromatography combined with mass spectrometry of monoclonal anti-IGF-1 receptor antibodies produced in CHO and NS0 cells 819(2005)203

Cholesterol

Novel and simple high-performance liquid chromatographic method for determination of 3-hydroxy-3-methylglutaryl-coenzyme A reductase activity 819(2005)307

Chromatographic supports

Application of immobilized enzyme reactor in on-line high performance liquid chromatography: A review (Review) 819(2005)3

Chromatography

Analysis of protein fragmentation inhibition by an MMP-inhibitor in an in vivo model of heart failure using automated chromatography 819(2005)219

CLL

Protein expression profiling of CLL B cells using replicate off-line strong cation exchange chromatography and LC–MS/MS 819(2005)33

Coupled-column

Determination of urinary nucleosides by direct injection and coupled-column high-performance liquid chromatography 819(2005)85

COX-2 inhibitors

Determination of deracoxib in feline plasma samples using high performance liquid chromatography 819(2005)181

Cyanide

Determination of the cyanide metabolite 2-aminothiazoline-4-carboxylic acid in urine and plasma by gas chromatography–mass spectrometry 819(2005)237

Cytochrome P450

Validation of a liquid chromatography–mass spectrometry method to assess the metabolism of dextromethorphan in rat everted gut sacs 819(2005)105

Deracoxib

Determination of deracoxib in feline plasma samples using high performance liquid chromatography 819(2005)181

Dextromethorphan

Validation of a liquid chromatography–mass spectrometry method to assess the metabolism of dextromethorphan in rat everted gut sacs 819(2005)105

Dihydropyridine derivatives

Gas chromatography–mass spectrometry identification of photoproducts of hexahydroquinoline derivatives: Potential calcium channel antagonists 819(2005)17

Dihydroxyadeninuria

Simultaneous determination of 16 purine derivatives in urinary calculi by gradient reversed-phase high-performance liquid chromatography with UV detection 819(2005)229

Dinucleoside monophosphates

Isolation and quantification of dinucleoside polyphosphates by using monolithic reversed phase chromatography columns 819(2005)131

2D-LC–MS/MS

Protein expression profiling of CLL B cells using replicate off-line strong cation exchange chromatography and LC–MS/MS 819(2005)33

Drug analysis

A sensitive liquid chromatography–tandem mass spectrometry method for the quantification of mometasone furoate in human plasma 819(2005)175

Drug discovery

Qualitative assessment of IC₅₀ values of inhibitors of the neuronal nicotinic acetylcholine receptor using a single chromatographic experiment and multivariate cluster analysis 819(2005)169

Efavirenz

Intracellular measurements of anti-HIV drugs indinavir, amprenavir, saquinavir, ritonavir, nelfinavir, lopinavir, atazanavir, efavirenz and nevirapine in peripheral blood mononuclear cells by liquid chromatography coupled to tandem mass spectrometry 819(2005)259

Electrochemical detector

Analysis of environmental biomarkers in urine using an electrochemical detector 819(2005)155

Enantioselective analysis

Improved enantioselective analysis of polyunsaturated hydroxy fatty acids in psoriatic skin scales using high-performance liquid chromatography 819(2005)323

7-Ethoxycoumarin

Evaluation of evaporative light-scattering detection for metabolite quantification without authentic analytical standards or radiolabel 819(2005)339

Evaporative light-scattering detector

Evaluation of evaporative light-scattering detection for metabolite quantification without authentic analytical standards or radiolabel 819(2005)339

Expression profiling

Protein expression profiling of CLL B cells using replicate off-line strong cation exchange chromatography and LC-MS/MS 819(2005)33

Flame retardants

Determination and occurrence of polybrominated diphenyl ethers in maternal adipose tissue from inhabitants of Singapore 819(2005)253

Fluorescence detection (FL)

Simple method for the simultaneous isolation and determination of fumonisin B₁ and its metabolite aminopentol-1 in swine liver by liquid chromatography–fluorescence detection 819(2005)97

Fluorescent derivatization

Determination of WR-1065 in human blood by high-performance liquid chromatography following fluorescent derivatization by a maleimide reagent ThioGloTM3 819(2005)161

Flurogestone acetate

Development of a high-performance liquid chromatography–tandem mass spectrometry method for the determination of flurogestone acetate in ovine plasma 819(2005)245

Folic acid

Capillary electrophoretic determination of methotrexate, leucovorin and folic acid in human urine 819(2005)141

Folinic acid

Capillary electrophoretic determination of methotrexate, leucovorin and folic acid in human urine 819(2005)141

Fucose

High performance liquid chromatographic determination of *N*-butyryl glucosamine in rat plasma 819(2005)91

Fumonisin B₁

Simple method for the simultaneous isolation and determination of fumonisin B₁ and its metabolite aminopentol-1 in swine liver by liquid chromatography–fluorescence detection 819(2005)97

GC-MS

Determination of the cyanide metabolite 2-aminothiazoline-4-carboxylic acid in urine and plasma by gas chromatography–mass spectrometry 819(2005)237

Development of simultaneous gas chromatography–mass spectrometric and liquid chromatography–electrospray ionization mass spectrometric determination method for the new designer drugs, *N*-benzylpiperazine (BZP), 1-(3-trifluoromethylphenyl)piperazine (TFMPP) and their main metabolites in urine 819(2005)315

Gefitinib

Specific method for determination of gefitinib in human plasma, mouse plasma and tissues using high performance liquid chromatography coupled to tandem mass spectrometry 819(2005)73

Glucocorticoid

A sensitive liquid chromatography–tandem mass spectrometry method for the quantification of mometasone furoate in human plasma 819(2005)175

Glucosamine

High performance liquid chromatographic determination of *N*-butyryl glucosamine in rat plasma 819(2005)91

Glycopeptide mapping

Characterization by liquid chromatography combined with mass spectrometry of monoclonal anti-IGF-1 receptor antibodies produced in CHO and NS0 cells 819(2005)203

Heart

Analysis of protein fragmentation inhibition by an MMP-inhibitor in an in vivo model of heart failure using automated chromatography 819(2005)219

Hexahydroquinoline derivatives

Gas chromatography–mass spectrometry identification of photoproducts of hexahydroquinoline derivatives: Potential calcium channel antagonists 819(2005)17

High-performance liquid chromatography

Application of immobilized enzyme reactor in on-line high performance liquid chromatography: A review (Review) 819(2005)3

Measurement of homocysteine thiolactone hydrolase activity using high-performance liquid chromatography with fluorescence detection and polymorphisms of paraoxonase in normal human serum 819(2005)67

Determination of urinary nucleosides by direct injection and coupled-column high-performance liquid chromatography 819(2005)85

High performance liquid chromatographic determination of *N*-butyryl glucosamine in rat plasma 819(2005)91

Simple method for the simultaneous isolation and determination of fumonisin B₁ and its metabolite aminopentol-1 in swine liver by liquid chromatography–fluorescence detection 819(2005)97

Determination of WR-1065 in human blood by high-performance liquid chromatography following fluorescent derivatization by a maleimide reagent ThioGloTM3 819(2005)161

Determination of deracoxib in feline plasma samples using high performance liquid chromatography 819(2005)181

Determination of lauroyl-indapamide in rat whole blood by high-performance liquid chromatography 819(2005)191

Determination of levetiracetam in human plasma with minimal sample pretreatment 819(2005)197

Simultaneous determination of 16 purine derivatives in urinary calculi by gradient reversed-phase high-performance liquid chromatography with UV detection 819(2005)229

Improved enantioselective analysis of polyunsaturated hydroxy fatty acids in psoriatic skin scales using high-performance liquid chromatography 819(2005)323

Evaluation of evaporative light-scattering detection for metabolite quantification without authentic analytical standards or radiolabel 819(2005)339

Hippocampus

The rat brain hippocampus proteome 819(2005)115

Homocysteine thiolactone hydrolase

Measurement of homocysteine thiolactone hydrolase activity using high-performance liquid chromatography with fluorescence detection and polymorphisms of paraoxonase in normal human serum 819(2005)67

HPLC analysis

Novel and simple high-performance liquid chromatographic method for determination of 3-hydroxy-3-methylglutaryl-coenzyme A reductase activity 819(2005)307

HPLC-MS/MS

Intracellular measurements of anti-HIV drugs indinavir, amprenavir, saquinavir, ritonavir, nelfinavir, lopinavir, atazanavir, efavirenz and nevirapine in peripheral blood mononuclear cells by liquid chromatography coupled to tandem mass spectrometry 819(2005)259

HPLC-MS-MS

A sensitive liquid chromatography-tandem mass spectrometry method for the quantification of mometasone furoate in human plasma 819(2005)175

Human plasma

Fully automated liquid-liquid extraction for the determination of a novel insulin sensitizer in human plasma by heated nebulizer and turbo ionspray liquid chromatography-tandem mass spectrometry 819(2005)293

Human urine

Capillary electrophoretic determination of methotrexate, leucovorin and folic acid in human urine 819(2005)141

Hydroxy-1-(3-trifluoromethylphenyl)piperazine

Development of simultaneous gas chromatography-mass spectrometric and liquid chromatography-electrospray ionization mass spectrometric determination method for the new designer drugs, *N*-benzylpiperazine (BZP), 1-(3-trifluoromethylphenyl)piperazine (TFMPP) and their main metabolites in urine 819(2005)315

Hydroxy-*N*-benzylpiperazine

Development of simultaneous gas chromatography-mass spectrometric and liquid chromatography-electrospray ionization mass spectrometric determination method for the new designer drugs, *N*-benzylpiperazine (BZP), 1-(3-trifluoromethylphenyl)piperazine (TFMPP) and their main metabolites in urine 819(2005)315

Immobilized enzyme reactor

Application of immobilized enzyme reactor in on-line high performance liquid chromatography: A review (Review) 819(2005)3

Immobilized receptors

Qualitative assessment of IC₅₀ values of inhibitors of the neuronal nicotinic acetylcholine receptor using a single chromatographic experiment and multivariate cluster analysis 819(2005)169

Inborn errors of purine metabolism

Simultaneous determination of 16 purine derivatives in urinary calculi by gradient reversed-phase high-performance liquid chromatography with UV detection 819(2005)229

Indinavir

Intracellular measurements of anti-HIV drugs indinavir, amprenavir, saquinavir, ritonavir, nelfinavir, lopinavir, atazanavir, efavirenz and nevirapine in peripheral blood mononuclear cells by liquid chromatography coupled to tandem mass spectrometry 819(2005)259

Insulin sensitizer

Fully automated liquid-liquid extraction for the determination of a novel insulin sensitizer in human plasma by heated nebulizer and turbo ionspray liquid chromatography-tandem mass spectrometry 819(2005)293

Insulin-like growth factor-1 receptor

Characterization by liquid chromatography combined with mass spectrometry of monoclonal anti-IGF-1 receptor antibodies produced in CHO and NS0 cells 819(2005)203

Intestine

Validation of a liquid chromatography-mass spectrometry method to assess the metabolism of dextromethorphan in rat everted gut sacs 819(2005)105

Intracellular

Development of an assay method for the detection and quantification of protease and non-nucleoside reverse transcriptase inhibitors in plasma and in peripheral blood mononuclear cells by liquid chromatography coupled with ultraviolet or tandem mass spectrometry detection 819(2005)47

Isolation

Isolation and quantification of dinucleoside polyphosphates by using monolithic reversed phase chromatography columns 819(2005)131

Lauroyl-indapamide

Determination of lauroyl-indapamide in rat whole blood by high-performance liquid chromatography 819(2005)191

LC/MS/MS

Specific method for determination of gefitinib in human plasma, mouse plasma and tissues using high performance liquid chromatography coupled to tandem mass spectrometry 819(2005)73

LC-ESI-MS

Development of simultaneous gas chromatography-mass spectrometric and liquid chromatography-electrospray ionization mass spectrometric determination method for the new designer drugs, *N*-benzylpiperazine (BZP), 1-(3-trifluoromethylphenyl)piperazine (TFMPP) and their main metabolites in urine 819(2005)315

LC-MS

Validation of a liquid chromatography-mass spectrometry method to assess the metabolism of dextromethorphan in rat everted gut sacs 819(2005)105

LC-MS/MS

Development of an assay method for the detection and quantification of protease and non-nucleoside reverse transcriptase inhibitors in plasma

and in peripheral blood mononuclear cells by liquid chromatography coupled with ultraviolet or tandem mass spectrometry detection 819(2005)47

Fully automated liquid–liquid extraction for the determination of a novel insulin sensitizer in human plasma by heated nebulizer and turbo ionspray liquid chromatography–tandem mass spectrometry 819(2005)293

Quantitative determination of perfluorooctanoic acid in serum and plasma by liquid chromatography tandem mass spectrometry 819(2005)329

LC–UV

Development of an assay method for the detection and quantification of protease and non-nucleoside reverse transcriptase inhibitors in plasma and in peripheral blood mononuclear cells by liquid chromatography coupled with ultraviolet or tandem mass spectrometry detection 819(2005)47

Levetiracetam

Determination of levetiracetam in human plasma with minimal sample pretreatment 819(2005)197

Levodropropizine

Rapid and sensitive liquid chromatography–tandem mass spectrometry method for the quantitation of levodropropizine in human plasma 819(2005)185

Lipophilicity

Characterization of lipophilicity and antiproliferative activity of *E-2*-aryl-methylene-1-tetralones and their heteroanalogues 819(2005)283

Liquid chromatography–tandem mass spectrometry

A sensitive liquid chromatography–tandem mass spectrometry method for the quantification of mometasone furoate in human plasma 819(2005)175

Liquid–liquid extraction (LLE)

Optimized determination of lycopene in canine plasma using reversed-phase high-performance liquid chromatography 819(2005)149

Lopinavir

Intracellular measurements of anti-HIV drugs indinavir, amprenavir, saquinavir, ritonavir, nelfinavir, lopinavir, atazanavir, efavirenz and nevirapine in peripheral blood mononuclear cells by liquid chromatography coupled to tandem mass spectrometry 819(2005)259

Lycopene

Optimized determination of lycopene in canine plasma using reversed-phase high-performance liquid chromatography 819(2005)149

Mass spectrometry

Gas chromatography–mass spectrometry identification of photoproducts of hexahydroquinoline derivatives: Potential calcium channel antagonists 819(2005)17

The rat brain hippocampus proteome 819(2005)115

Matrix metalloprotease

Analysis of protein fragmentation inhibition by an MMP-inhibitor in an in vivo model of heart failure using automated chromatography 819(2005)219

Melanoma

Peptide profiling in epithelial tumor plasma by the emerging proteomic techniques 819(2005)59

Memory

The rat brain hippocampus proteome 819(2005)115

Metabolism

Validation of a liquid chromatography–mass spectrometry method to assess the metabolism of dextromethorphan in rat everted gut sacs 819(2005)105

Evaluation of evaporative light-scattering detection for metabolite quantification without authentic analytical standards or radiolabel 819(2005)339

Metabolite identification

Evaluation of evaporative light-scattering detection for metabolite quantification without authentic analytical standards or radiolabel 819(2005)339

Methotrexate

Capillary electrophoretic determination of methotrexate, leucovorin and folic acid in human urine 819(2005)141

Methylxanthines

Simultaneous determination of 16 purine derivatives in urinary calculi by gradient reversed-phase high-performance liquid chromatography with UV detection 819(2005)229

Mevalonolactone

Novel and simple high-performance liquid chromatographic method for determination of 3-hydroxy-3-methylglutaryl-coenzyme A reductase activity 819(2005)307

Mevastatin

Novel and simple high-performance liquid chromatographic method for determination of 3-hydroxy-3-methylglutaryl-coenzyme A reductase activity 819(2005)307

Micellar electrokinetic capillary chromatography

A novel assay method for theanine synthetase activity by capillary electrophoresis 819(2005)81

Microwave-assisted extraction

Determination and occurrence of polybrominated diphenyl ethers in maternal adipose tissue from inhabitants of Singapore 819(2005)253

Molecular library

Characterization of lipophilicity and antiproliferative activity of *E-2*-aryl-methylene-1-tetralones and their heteroanalogues 819(2005)283

Mometasone furoate

A sensitive liquid chromatography–tandem mass spectrometry method for the quantification of mometasone furoate in human plasma 819(2005)175

Monolithic columns

Isolation and quantification of dinucleoside polyphosphates by using monolithic reversed phase chromatography columns 819(2005)131

Nelfinavir

Intracellular measurements of anti-HIV drugs indinavir, amprenavir, saquinavir, ritonavir, nelfinavir, lopinavir, atazanavir, efavirenz and nevirapine in peripheral blood mononuclear cells by liquid chromatography coupled to tandem mass spectrometry 819(2005)259

Nevirapine

Intracellular measurements of anti-HIV drugs indinavir, amprenavir, saquinavir, ritonavir, nelfinavir, lopinavir, atazanavir, efavirenz and nevirapine in peripheral blood mononuclear cells by liquid chromatography coupled to tandem mass spectrometry 819(2005)259

Nicotinic acetylcholine receptor stationary phase

Qualitative assessment of IC₅₀ values of inhibitors of the neuronal nicotinic acetylcholine receptor using a single chromatographic experiment and multivariate cluster analysis 819(2005)169

NNRTI

Development of an assay method for the detection and quantification of protease and non-nucleoside reverse transcriptase inhibitors in plasma and in peripheral blood mononuclear cells by liquid chromatography coupled with ultraviolet or tandem mass spectrometry detection 819(2005)47

Non-nucleoside reverse transcriptase inhibitors

Intracellular measurements of anti-HIV drugs indinavir, amprenavir, saquinavir, ritonavir, nelfinavir, lopinavir, atazanavir, efavirenz and nevirapine in peripheral blood mononuclear cells by liquid chromatography coupled to tandem mass spectrometry 819(2005)259

Norepinephrine

Rapid assay for catechol-*O*-methyltransferase activity by high-performance liquid chromatography-fluorescence detection 819(2005)41

Normetanephrine

Rapid assay for catechol-*O*-methyltransferase activity by high-performance liquid chromatography-fluorescence detection 819(2005)41

NS0 cells

Characterization by liquid chromatography combined with mass spectrometry of monoclonal anti-IGF-1 receptor antibodies produced in CHO and NS0 cells 819(2005)203

Oestrus synchronization

Development of a high-performance liquid chromatography–tandem mass spectrometry method for the determination of flurogestone acetate in ovine plasma 819(2005)245

Off-line SCX

Protein expression profiling of CLL B cells using replicate off-line strong cation exchange chromatography and LC–MS/MS 819(2005)33

PBMCs

Intracellular measurements of anti-HIV drugs indinavir, amprenavir, saquinavir, ritonavir, nelfinavir, lopinavir, atazanavir, efavirenz and nevirapine in peripheral blood mononuclear cells by liquid chromatography coupled to tandem mass spectrometry 819(2005)259

Peptide mapping

Characterization by liquid chromatography combined with mass spectrometry of monoclonal anti-IGF-1 receptor antibodies produced in CHO and NS0 cells 819(2005)203

Peptides

Analysis of protein fragmentation inhibition by an MMP-inhibitor in an in vivo model of heart failure using automated chromatography 819(2005)219

Perfluorooctanoic acid

Quantitative determination of perfluorooctanoic acid in serum and plasma by liquid chromatography tandem mass spectrometry 819(2005)329

Peripheral blood mononuclear cells

Intracellular measurements of anti-HIV drugs indinavir, amprenavir, saquinavir, ritonavir, nelfinavir, lopinavir, atazanavir, efavirenz and nevirapine in peripheral blood mononuclear cells by liquid chromatography coupled to tandem mass spectrometry 819(2005)259

Pharmacokinetic study

Determination of lauroyl-indapamide in rat whole blood by high-performance liquid chromatography 819(2005)191

Pharmacokinetics

Specific method for determination of gefitinib in human plasma, mouse plasma and tissues using high performance liquid chromatography coupled to tandem mass spectrometry 819(2005)73

1-Phenyl-3-methyl-5-pyrazolone

High performance liquid chromatographic determination of *N*-butyryl glucosamine in rat plasma 819(2005)91

Photodegradation

Gas chromatography–mass spectrometry identification of photoproducts of hexahydroquinoline derivatives: Potential calcium channel antagonists 819(2005)17

Phytoestrogens

Analysis of environmental biomarkers in urine using an electrochemical detector 819(2005)155

PI

Development of an assay method for the detection and quantification of protease and non-nucleoside reverse transcriptase inhibitors in plasma and in peripheral blood mononuclear cells by liquid chromatography coupled with ultraviolet or tandem mass spectrometry detection 819(2005)47

Plasma

Development of an assay method for the detection and quantification of protease and non-nucleoside reverse transcriptase inhibitors in plasma and in peripheral blood mononuclear cells by liquid chromatography coupled with ultraviolet or tandem mass spectrometry detection 819(2005)47

Quantitative determination of perfluorooctanoic acid in serum and plasma by liquid chromatography tandem mass spectrometry 819(2005)329

Plasma peptide component

Peptide profiling in epithelial tumor plasma by the emerging proteomic techniques 819(2005)59

Polybrominated diphenyl ethers

Determination and occurrence of polybrominated diphenyl ethers in maternal adipose tissue from inhabitants of Singapore 819(2005)253

Poly-L-lysine

Adsorption of bilirubin with polylysine carrying chitosan-coated nylon affinity membranes 819(2005)301

Polymorphism

Measurement of homocysteine thiolactone hydrolase activity using high-performance liquid chromatography with fluorescence detection and polymorphisms of paraoxonase in normal human serum 819(2005)67

Polyunsaturated hydroxy fatty acids

Improved enantioselective analysis of polyunsaturated hydroxy fatty acids in psoriatic skin scales using high-performance liquid chromatography 819(2005)323

Porous graphitic carbon

Determination of levetiracetam in human plasma with minimal sample pretreatment 819(2005)197

Post-column derivatization

High performance liquid chromatographic determination of *N*-butyryl glucosamine in rat plasma 819(2005)91

PPAR

Fully automated liquid–liquid extraction for the determination of a novel insulin sensitizer in human plasma by heated nebulizer and turbo ionspray liquid chromatography–tandem mass spectrometry 819(2005)293

Protease inhibitors

Intracellular measurements of anti-HIV drugs indinavir, amprenavir, saquinavir, ritonavir, nelfinavir, lopinavir, atazanavir, efavirenz and

nevirapine in peripheral blood mononuclear cells by liquid chromatography coupled to tandem mass spectrometry 819(2005)259

Protein isolation

Partition of whey milk proteins in aqueous two-phase systems of polyethylene glycol–phosphate as a starting point to isolate proteins expressed in transgenic milk 819(2005)25

Proteome

The rat brain hippocampus proteome 819(2005)115

Proteomics

The rat brain hippocampus proteome 819(2005)115

Analysis of protein fragmentation inhibition by an MMP-inhibitor in an in vivo model of heart failure using automated chromatography 819(2005)219

Psoriasis

Improved enantioselective analysis of polyunsaturated hydroxy fatty acids in psoriatic skin scales using high-performance liquid chromatography 819(2005)323

Purines

Simultaneous determination of 16 purine derivatives in urinary calculi by gradient reversed-phase high-performance liquid chromatography with UV detection 819(2005)229

Quantification

Isolation and quantification of dinucleoside polyphosphates by using monolithic reversed phase chromatography columns 819(2005)131

Rat brain

The rat brain hippocampus proteome 819(2005)115

Rat plasma

High performance liquid chromatographic determination of *N*-butyryl glucosamine in rat plasma 819(2005)91

Rat whole blood

Determination of lauroyl-indapamide in rat whole blood by high-performance liquid chromatography 819(2005)191

Recombinant monoclonal antibodies

Characterization by liquid chromatography combined with mass spectrometry of monoclonal anti-IGF-1 receptor antibodies produced in CHO and NS0 cells 819(2005)203

Reproducibility

Protein expression profiling of CLL B cells using replicate off-line strong cation exchange chromatography and LC–MS/MS 819(2005)33

Retention factor and CLOGP calculation

Characterization of lipophilicity and antiproliferative activity of *E*-2-aryl-methylene-1-tetralones and their heteroanalogues 819(2005)283

Ritonavir

Intracellular measurements of anti-HIV drugs indinavir, amprenavir, saquinavir, ritonavir, nelfinavir, lopinavir, atazanavir, efavirenz and nevirapine in peripheral blood mononuclear cells by liquid chromatography coupled to tandem mass spectrometry 819(2005)259

RP-HPLC

Optimized determination of lycopene in canine plasma using reversed-phase high-performance liquid chromatography 819(2005)149

Saquinavir

Intracellular measurements of anti-HIV drugs indinavir, amprenavir, saquinavir, ritonavir, nelfinavir, lopinavir, atazanavir, efavirenz and

nevirapine in peripheral blood mononuclear cells by liquid chromatography coupled to tandem mass spectrometry 819(2005)259

SELDI-TOF MS

Peptide profiling in epithelial tumor plasma by the emerging proteomic techniques 819(2005)59

Serum

Quantitative determination of perfluorooctanoic acid in serum and plasma by liquid chromatography tandem mass spectrometry 819(2005)329

Singapore

Determination and occurrence of polybrominated diphenyl ethers in maternal adipose tissue from inhabitants of Singapore 819(2005)253

Solid phase extraction (SPE)

Simple method for the simultaneous isolation and determination of fumonisin B₁ and its metabolite aminopenitol-1 in swine liver by liquid chromatography–fluorescence detection 819(2005)97

Soxhlet extraction

Determination and occurrence of polybrominated diphenyl ethers in maternal adipose tissue from inhabitants of Singapore 819(2005)253

SPE

Analysis of protein fragmentation inhibition by an MMP-inhibitor in an in vivo model of heart failure using automated chromatography 819(2005)219

Swine liver

Simple method for the simultaneous isolation and determination of fumonisin B₁ and its metabolite aminopenitol-1 in swine liver by liquid chromatography–fluorescence detection 819(2005)97

Systemic treatment

Improved enantioselective analysis of polyunsaturated hydroxy fatty acids in psoriatic skin scales using high-performance liquid chromatography 819(2005)323

Tetralones

Characterization of lipophilicity and antiproliferative activity of *E*-2-arylmethylene-1-tetralones and their heteroanalogues 819(2005)283

TFMPP

Development of simultaneous gas chromatography–mass spectrometric and liquid chromatography–electrospray ionization mass spectrometric determination method for the new designer drugs, *N*-benzylpiperazine (BZP), 1-(3-trifluoromethylphenyl)piperazine (TFMPP) and their main metabolites in urine 819(2005)315

Theanine

A novel assay method for theanine synthetase activity by capillary electrophoresis 819(2005)81

Theanine synthetase

A novel assay method for theanine synthetase activity by capillary electrophoresis 819(2005)81

ThioGlo™₃

Determination of WR-1065 in human blood by high-performance liquid chromatography following fluorescent derivatization by a maleimide reagent ThioGlo™₃ 819(2005)161

Transgenic milk

Partition of whey milk proteins in aqueous two-phase systems of polyethylene glycol–phosphate as a starting point to isolate proteins expressed in transgenic milk 819(2005)25

1-(3-Trifluoromethylphenyl)piperazine

Development of simultaneous gas chromatography–mass spectrometric and liquid chromatography–electrospray ionization mass spectrometric determination method for the new designer drugs, *N*-benzylpiperazine (BZP), 1-(3-trifluoromethylphenyl)piperazine (TFMPP) and their main metabolites in urine 819(2005)315

Two-dimensional protein database

The rat brain hippocampus proteome 819(2005)115

Uric acid

Simultaneous determination of 16 purine derivatives in urinary calculi by gradient reversed-phase high-performance liquid chromatography with UV detection 819(2005)229

Urinary calculi

Simultaneous determination of 16 purine derivatives in urinary calculi by gradient reversed-phase high-performance liquid chromatography with UV detection 819(2005)229

Urinary nucleosides

Determination of urinary nucleosides by direct injection and coupled-column high-performance liquid chromatography 819(2005)85

Urine

Analysis of environmental biomarkers in urine using an electrochemical detector 819(2005)155

Urolithiasis

Simultaneous determination of 16 purine derivatives in urinary calculi by gradient reversed-phase high-performance liquid chromatography with UV detection 819(2005)229

UVB

Improved enantioselective analysis of polyunsaturated hydroxy fatty acids in psoriatic skin scales using high-performance liquid chromatography 819(2005)323

Vasoregulatory hormones

Isolation and quantification of dinucleoside polyphosphates by using monolithic reversed phase chromatography columns 819(2005)131

Whey milk proteins

Partition of whey milk proteins in aqueous two-phase systems of polyethylene glycol–phosphate as a starting point to isolate proteins expressed in transgenic milk 819(2005)25

Women

Determination and occurrence of polybrominated diphenyl ethers in maternal adipose tissue from inhabitants of Singapore 819(2005)253

WR-1065

Determination of WR-1065 in human blood by high-performance liquid chromatography following fluorescent derivatization by a maleimide reagent ThioGloTM3 819(2005)161

Xanthinuria

Simultaneous determination of 16 purine derivatives in urinary calculi by gradient reversed-phase high-performance liquid chromatography with UV detection 819(2005)229

ZD1839

Specific method for determination of gefitinib in human plasma, mouse plasma and tissues using high performance liquid chromatography coupled to tandem mass spectrometry 819(2005)73

Zolmitriptan

Rapid and sensitive liquid chromatography–tandem mass spectrometry method for the quantitation of levodropropizine in human plasma 819(2005)185