



Author Index Vol. 821

- Abdel-Rehim, M., see Vita, M. 821(2005)75
- Agrofoglio, L., see Bezy, V. 821(2005)132
- Aittokallio, T., Salmi, J., Nyman, T.A. and Nevalainen, O.S.
Erratum to “Geometrical distortions in two-dimensional gels: applicable correction methods”. [J. Chromatogr. B 815 (2005) 25–37] 821(2005)244
- Akinsanya, B., see Barrett, Y.C. 821(2005)159
- Akiyama, H., see Shimokawa, Y. 821(2005)8
- Auriola, S., see Palmgren, J.J. 821(2005)144
- Baek, M., see Lee, H.W. 821(2005)215
- Balínová, P., see Tůma, P. 821(2005)53
- Barot, D., see Singh, S.S. 821(2005)173
- Barrett, Y.C., Akinsanya, B., Chang, S.-Y. and Vesterqvist, O.
Automated on-line SPE LC-MS/MS method to quantitate 6beta-hydroxcortisol and cortisol in human urine: Use of the 6beta-hydroxcortisol to cortisol ratio as an indicator of CYP3A4 activity 821(2005)159
- Bautista-Sánchez, A., see Cañada-Cañada, F. 821(2005)166
- Bernard-Gallon, D.J., see Chalabi, N. 821(2005)188
- Bezy, V., Morin, P., Couerbe, P., Leleu, G. and Agrofoglio, L.
Simultaneous analysis of several antiretroviral nucleosides in rat-plasma by high-performance liquid chromatography with UV using acetic acid/hydroxylamine buffer. Test of this new volatile medium-pH for HPLC-ESI-MS/MS 821(2005)132
- Bignon, Y.-J., see Chalabi, N. 821(2005)188
- Cañada-Cañada, F., Bautista-Sánchez, A., Taverna, M., Prognon, P., Maillard, P., Grierson, D.S. and Kasselouri, A.
Simple sensitive and simultaneous high-performance liquid chromatography method of glucoconjugated and non-glucoconjugated porphyrins and chlorins using near infra-red fluorescence detection 821(2005)166
- Carr, P.W., see Sarkar, S. 821(2005)124
- Caruso, R., see Rizzo, M. 821(2005)15
- Chalabi, N., Maurizis, J.-C., Le Corre, L., Delort, L., Bignon, Y.-J. and Bernard-Gallon, D.J.
Quantification by affinity perfusion chromatography of phosphorylated BRCA1 and BRCA2 proteins from tumor cells after lycopene treatment 821(2005)188
- Chan, E., see Yang, X. 821(2005)221
- Chan, S.Y., see Yang, X. 821(2005)221
- Chang, S.-Y., see Barrett, Y.C. 821(2005)159
- Chen, Z., see Zeng, Z. 821(2005)202
- Chiesa, O.A., see Heller, D.N. 821(2005)22
- Chimirri, A., see Rizzo, M. 821(2005)15
- Cho, S.H., see Lee, H.W. 821(2005)215
- Chung, J.H., see Lee, H.W. 821(2005)215
- Couerbe, P., see Bezy, V. 821(2005)132
- De Sarro, G., see Rizzo, M. 821(2005)15
- Delort, L., see Chalabi, N. 821(2005)188
- Dingemanse, P.J., see Luykx, D.M.A.M. 821(2005)45
- Dong, A., see Zeng, Z. 821(2005)202
- Duan, W., see Yang, X. 821(2005)221
- Edwards, G., see Muchohi, S.N. 821(2005)1
- Erb, N., see Khalil, M.N. 821(2005)105
- Escherich, G., see Khalil, M.N. 821(2005)105
- Farruggia, B., see Spelzini, D. 821(2005)60
- Fawcett, J.P., see Gu, Y. 821(2005)240
- Feng, Y., Zhang, S., Poloyac, S., Strom, S. and Venkataramanan, R.
Determination of 13-O-demethyl tacrolimus in human liver microsomal incubates using liquid chromatography-mass spectrometric assay (LC-MS) 821(2005)31
- Gasser, A. and Guse, A.H.
Determination of intracellular concentrations of the TRPM2 agonist ADP-ribose by reversed-phase HPLC 821(2005)181
- Gitto, R., see Rizzo, M. 821(2005)15
- Goerdhayal, S.S., see Luykx, D.M.A.M. 821(2005)45
- Goh, B.C., see Yang, X. 821(2005)221
- Grierson, D.S., see Cañada-Cañada, F. 821(2005)166
- Gu, Y. and Fawcett, J.P.
Improved HPLC method for the simultaneous determination of tramadol and O-desmethyltramadol in human plasma 821(2005)240
- Guan, Y., Wu, T. and Ye, J.
Determination of uric acid and p-aminohippuric acid in human saliva and urine using capillary electrophoresis with electrochemical detection. Potential application in fast diagnosis of renal disease 821(2005)229
- Guse, A.H., see Gasser, A. 821(2005)181
- Ha, Y.H., see Lee, H.W. 821(2005)215
- Hagiwara, K., Yonedu, S., Saito, K., Shiraishi, T., Sugo, T., Tojyo, T. and Katayama, E.
High-performance purification of gelsolin from plasma using anion-exchange porous hollow-fiber membrane 821(2005)153
- Harada, Y., see Yoshida, H. 821(2005)88
- Hassan, M., see Vita, M. 821(2005)75
- Hassan, Z., see Vita, M. 821(2005)75
- He, B., see Song, M. 821(2005)38
- Heller, D.N., Peggins, J.O., Nochetto, C.B., Smith, M.L., Chiesa, O.A. and Moulton, K.
LC/MS/MS measurement of gentamicin in bovine plasma, urine, milk, and biopsy samples taken from kidneys of standing animals 821(2005)22
- Hu, Z., see Yang, X. 821(2005)221

- Huang, C., see Zhao, L. 821(2005)67
 Huang, X., see Zeng, Z. 821(2005)202
- Janka-Schaub, G.E., see Khalil, M.N. 821(2005)105
 Jiang, G., see Song, M. 821(2005)38
 Jin, G., see Zhang, L. 821(2005)112
 Jiskoot, W., see Luykx, D.M.A.M. 821(2005)45
 Jongen, P.M.J.M., see Luykx, D.M.A.M. 821(2005)45
- Karnes, H.T.
 A message to our readers, authors and reviewers regarding publication ethics 821(2005)123
- Kashiyama, E., see Shimokawa, Y. 821(2005)8
 Kasselouri, A., see Cañada-Cañada, F. 821(2005)166
 Katayama, E., see Hagiwara, K. 821(2005)153
 Khalil, M.N., Erb, N., Khalil, P.N., Escherich, G. and Janka-Schaub, G.E.
 Interference free and simplified liquid chromatography-based determination of thiopurine S-methyltransferase activity in erythrocytes 821(2005)105
 Khalil, P.N., see Khalil, M.N. 821(2005)105
 Kim, K.-R., see Paik, M.-J. 821(2005)94
 Koga, T., see Shimokawa, Y. 821(2005)8
 Kokwaro, G.O., see Muchohi, S.N. 821(2005)1
- Le Corre, L., see Chalabi, N. 821(2005)188
 Lee, H.-J., see Paik, M.-J. 821(2005)94
 Lee, H.W., Won, K.J., Cho, S.H., Ha, Y.H., Park, W.S., Yim, H.T., Baek, M., Rew, J.H., Yoon, S.H., Yim, S.V., Chung, J.H. and Lee, K.T.
 Quantitation of niflumic acid in human plasma by high-performance liquid chromatography with ultraviolet absorbance detection and its application to a bioequivalence study of talniflumate tablets 821(2005)215
 Lee, K.T., see Lee, H.W. 821(2005)215
 Leleu, G., see Bezy, V. 821(2005)132
 Li, F., see Li, Y. 821(2005)235
 Li, Y., Xiong, Z. and Li, F.
 Determination of epimedin C in rat plasma by reversed-phase high-performance chromatography after oral administration of Herba Epimedii extract 821(2005)235
 Lohray, V.B., see Singh, S.S. 821(2005)173
 López, M. and Nowak, G.
 Characterization of the urinary metabolites of dipetarudin 821(2005)210
 Luykx, D.M.A.M., Goerdeler, S.S., Dingemanse, P.J., Jiskoot, W. and Jongen, P.M.J.M.
 HPLC and tandem detection to monitor conformational properties of biopharmaceuticals 821(2005)45
- Maillard, P., see Cañada-Cañada, F. 821(2005)166
 Mauriala, T., see Palmgrén, J.J. 821(2005)144
 Maurizis, J.-C., see Chalabi, N. 821(2005)188
 Mei, L., see Zhao, L. 821(2005)67
 Meurling, L., see Vita, M. 821(2005)75
 Miyamoto, G., see Shimokawa, Y. 821(2005)8
 Mohan, P.R., see Singh, S.S. 821(2005)173
 Mönkkönen, J., see Palmgrén, J.J. 821(2005)144
 Morin, P., see Bezy, V. 821(2005)132
 Morris, M.E., see Wang, L. 821(2005)194
 Moulton, K., see Heller, D.N. 821(2005)22
 Muchohi, S.N., Ward, S.A., Preston, L., Newton, C.R.J.C., Edwards, G. and Kokwaro, G.O.
 Determination of midazolam and its major metabolite 1'-hydroxymidazolam by high-performance liquid chromatography-electrospray mass spectrometry in plasma from children 821(2005)1
- Nevalainen, O.S., see Aittokallio, T. 821(2005)244
 Newton, C.R.J.C., see Muchohi, S.N. 821(2005)1
- Nilsson, C., see Vita, M. 821(2005)75
 Nochetto, C.B., see Heller, D.N. 821(2005)22
 Nohta, H., see Yoshida, H. 821(2005)88
 Nowak, G., see López, M. 821(2005)210
 Nyman, T.A., see Aittokallio, T. 821(2005)244
- Paik, M.-J., Lee, H.-J. and Kim, K.-R.
 Simultaneous retention index analysis of urinary amino acids and carboxylic acids for graphic recognition of abnormal state 821(2005)94
 Palmgrén, J.J., Töyräs, A., Mauriala, T., Mönkkönen, J. and Auriola, S.
 Quantitative determination of cholesterol, sitosterol, and sitostanol in cultured Caco-2 cells by liquid chromatography-atmospheric pressure chemical ionization mass spectrometry 821(2005)144
 Park, W.S., see Lee, H.W. 821(2005)215
 Peggins, J.O., see Heller, D.N. 821(2005)22
 Picó, G., see Spelzini, D. 821(2005)60
 Poloyac, S., see Feng, Y. 821(2005)31
 Preston, L., see Muchohi, S.N. 821(2005)1
 Prognon, P., see Cañada-Cañada, F. 821(2005)166
- Rew, J.H., see Lee, H.W. 821(2005)215
 Rizzo, M., Ventrice, D., De Sarro, G., Gitto, R., Caruso, R. and Chimirri, A.
 SPE-HPLC determination of new tetrahydroisoquinoline derivatives in rat plasma 821(2005)15
- Saito, K., see Hagiwara, K. 821(2005)153
 Salmi, J., see Aittokallio, T. 821(2005)244
 Samcová, E., see Tůma, P. 821(2005)53
 Sarkar, S. and Subramanian, A.
 Modeling of immunoglobulin uptake by *N,N,N',N'*-ethylenediaminetetramethylenephosphonic acid-modified zirconia particles under static and dynamic conditions 821(2005)81
 Sarkar, S., Carr, P.W. and Subramanian, A.
 Identification of the mass transfer mechanisms involved in the transport of human immunoglobulin-G in *N,N,N',N'*-ethylenediaminetetramethylenephosphonic acid-modified zirconia 821(2005)124
 Shan, Z., see Zhao, L. 821(2005)67
 Shao, J., see Song, M. 821(2005)38
 Sharma, K., see Singh, S.S. 821(2005)173
 Shi, G., see Song, M. 821(2005)38
 Shimokawa, Y., Akiyama, H., Kashiyama, E., Koga, T. and Miyamoto, G.
 High performance liquid chromatographic methods for the determination of aripiprazole with ultraviolet detection in rat plasma and brain: Application to the pharmacokinetic study 821(2005)8
 Shiraishi, T., see Hagiwara, K. 821(2005)153
 Singh, S.S., Sharma, K., Barot, D., Mohan, P.R. and Lohray, V.B.
 Estimation of carboxylic acid metabolite of clopidogrel in Wistar rat plasma by HPLC and its application to a pharmacokinetic study 821(2005)173
 Skansen, P., see Vita, M. 821(2005)75
 Smith, M.L., see Heller, D.N. 821(2005)22
 Song, M., Wang, J., Shao, J., He, B., Jiang, G. and Shi, G.
 Separation and detection of vitellogenin in fish plasma by capillary zone electrophoresis 821(2005)38
 Spelzini, D., Farruggia, B. and Picó, G.
 Features of the acid protease partition in aqueous two-phase systems of polyethylene glycol-phosphate: Chymosin and pepsin 821(2005)60
 Strom, S., see Feng, Y. 821(2005)31
 Subramanian, A., see Sarkar, S. 821(2005)124, 81
 Sugo, T., see Hagiwara, K. 821(2005)153
- Tůma, P., Samcová, E. and Balínová, P.
 Determination of 3-methylhistidine and 1-methylhistidine in untreated urine samples by capillary electrophoresis 821(2005)53
 Taverna, M., see Cañada-Cañada, F. 821(2005)166

- Todoroki, K., see Yoshida, H. 821(2005)88
Tojo, T., see Hagiwara, K. 821(2005)153
Töyräs, A., see Palmgrén, J.J. 821(2005)144
- van Kuilenburg, A.B.P. and Zoetekouw, L.
Erratum to "Determination of thymidine phosphorylase activity by a non-radiochemical assay using reversed-phase high-performance liquid chromatography" [J. Chromatogr. B 820 (2005) 271–275] 821(2005)245
- Venkataraman, R., see Feng, Y. 821(2005)31
Ventrice, D., see Rizzo, M. 821(2005)15
Vesterqvist, O., see Barrett, Y.C. 821(2005)159
Vita, M., Abdel-Rehim, M., Nilsson, C., Hassan, Z., Skansen, P., Wan, H., Meurling, L. and Hassan, M.
Stability, pKa and plasma protein binding of roscovitine 821(2005)75
- Wan, H., see Vita, M. 821(2005)75
Wang, J., see Song, M. 821(2005)38
Wang, L. and Morris, M.E.
Liquid chromatography–tandem mass spectroscopy assay for quercetin and conjugated quercetin metabolites in human plasma and urine 821(2005)194
- Ward, S.A., see Muchohi, S.N. 821(2005)1
Won, K.J., see Lee, H.W. 821(2005)215
Wu, T., see Guan, Y. 821(2005)229
- Xiang, B., see Zhao, L. 821(2005)67
Xiong, Z., see Li, Y. 821(2005)235
- Yamagata, K., see Yoshida, H. 821(2005)88
Yamaguchi, M., see Yoshida, H. 821(2005)88
Yang, G., see Zeng, Z. 821(2005)202
- Yang, X., Hu, Z., Chan, S.Y., Goh, B.C., Duan, W., Chan, E. and Zhou, S.
Simultaneous determination of the lactone and carboxylate forms of irinotecan (CPT-11) and its active metabolite SN-38 by high-performance liquid chromatography: Application to plasma pharmacokinetic studies in the rat 821(2005)221
- Ye, J., see Guan, Y. 821(2005)229
Yim, H.T., see Lee, H.W. 821(2005)215
Yim, S.V., see Lee, H.W. 821(2005)215
Yoneda, S., see Hagiwara, K. 821(2005)153
Yoon, S.H., see Lee, H.W. 821(2005)215
Yoshida, H., Nohta, H., Harada, Y., Yoshitake, M., Todoroki, K., Yamagata, K. and Yamaguchi, M.
A simple liquid chromatographic method based on intramolecular excimer-forming derivatization and fluorescence detection for the determination of tyrosine and tyramine in urine 821(2005)88
- Yoshitake, M., see Yoshida, H. 821(2005)88
- Zeng, Z., Dong, A., Yang, G., Chen, Z. and Huang, X.
Simultaneous determination of nine fluoroquinolones in egg white and egg yolk by liquid chromatography with fluorescence detection 821(2005)202
- Zhang, L. and Jin, G.
Bilirubin removal from human plasma by Cibacron Blue F3GA using immobilized microporous affinity membranous capillary method 821(2005)112
- Zhang, S., see Feng, Y. 821(2005)31
Zhao, L., Huang, C., Shan, Z., Xiang, B. and Mei, L.
Fingerprint analysis of *Psoralea corylifolia* L. by HPLC and LC–MS 821(2005)67
- Zhou, S., see Yang, X. 821(2005)221
Zoetekouw, L., see van Kuilenburg, A.B.P. 821(2005)245