

Keyword Index Vol. 822

Adenosine deaminase

Merits of HPLC-based method over spectrophotometric method for assessing the kinetics and inhibition of mammalian adenosine deaminase 822(2005)146

Adenosine

Merits of HPLC-based method over spectrophotometric method for assessing the kinetics and inhibition of mammalian adenosine deaminase 822(2005)146

Affinity chromatography

Biochemical and molecular modeling analysis of the ability of two *p*-aminobenzamidine-based sorbents to selectively purify serine proteases (fibrinogenases) from snake venoms 822(2005)1

AFM

Immobilisation of oligo-peptidic probes for microarray implementation: Characterisation by FTIR, Atomic Force Microscopy and 2D fluorescence 822(2005)304

p-Aminobenzamidine

Biochemical and molecular modeling analysis of the ability of two *p*-aminobenzamidine-based sorbents to selectively purify serine proteases (fibrinogenases) from snake venoms 822(2005)1

Anagrelide

High-performance liquid chromatography–mass spectrometry method for determination of anagrelide in human plasma 822(2005)238

Antimalarial

High throughput assay for the determination of lumefantrine in plasma 822(2005)330

Antioxidants

Capillary electrophoresis of glutathione to monitor oxidative stress and response to antioxidant treatments in an animal model 822(2005)61

Antiretroviral

Simultaneous quantification of emtricitabine and tenofovir in human plasma using high-performance liquid chromatography after solid phase extraction 822(2005)201

Aripiprazole

Development and validation of an LC–MS/MS method for the quantitative determination of aripiprazole and its main metabolite, OPC-14857, in human plasma 822(2005)294

Astragaloside IV

Quantitative determination of Astragaloside IV, a natural product with cardioprotective activity, in plasma, urine and other biological samples by HPLC coupled with tandem mass spectrometry 822(2005)170

BACE

A hybrid LC–Gel-MS method for proteomics research and its application to protease functional pathway mapping 822(2005)98

Benzene

Effect of hippuric acid on the gaschromatographic retention of *S*-phenylmercapturic acid 822(2005)209

Benzodiazepine

Direct liquid chromatography determination of the reactive imine SJG-136 (NSC 694501) 822(2005)10

Biochemical effect monitoring

Determination of DMF modified DNA base *N*⁴-methylcarbamoylcytosine in human urine using off-line sample clean-up, two-dimensional LC and ESI-MS/MS detection 822(2005)124

Bioequivalence

Quantification of carvedilol in human plasma by high-performance liquid chromatography coupled to electrospray tandem mass spectrometry. Application to bioequivalence study 822(2005)253

Biological monitoring

Effect of hippuric acid on the gaschromatographic retention of *S*-phenylmercapturic acid 822(2005)209

Biological samples

Solid phase microextraction gas chromatographic analysis of organo-phosphorus pesticides in biological samples 822(2005)194

Biotin

Immobilisation of oligo-peptidic probes for microarray implementation: Characterisation by FTIR, Atomic Force Microscopy and 2D fluorescence 822(2005)304

Blood

Capillary electrophoresis of glutathione to monitor oxidative stress and response to antioxidant treatments in an animal model 822(2005)61

Preliminary investigation of using volatile organic compounds from human expired air, blood and urine for locating entrapped people in earthquakes 822(2005)112

High-performance liquid chromatography of nalbuphine, butorphanol and morphine in blood and brain microdialysate samples: Application to pharmacokinetic/pharmacodynamic studies in rats 822(2005)230

Bothrops jararacussu

Biochemical and molecular modeling analysis of the ability of two *p*-aminobenzamidine-based sorbents to selectively purify serine proteases (fibrinogenases) from snake venoms 822(2005)1

Broiler liver

Efficient HPLC method for the determination of nicarbazin, as dinitro-carbanilide in broiler liver 822(2005)154

***Candida cylindracea* lipase**

Immobilization of lipase onto micron-size magnetic beads 822(2005)91

***Candida* species**

Differentiation between *Candida* species isolated from diabetic foot by fatty acid methyl ester analysis using gas chromatography 822(2005)118

Capillary zone electrophoresis

Detection of D-Serine in rat brain by capillary electrophoresis with laser induced fluorescence detection 822(2005)334

Carbamates

Detection of prenatal exposure to several classes of environmental toxicants and their metabolites by gas chromatography–mass spectrometry in maternal and umbilical cord blood 822(2005)221

Carvedilol

Gas chromatograph–mass spectrometric method for the determination of carvedilol and its metabolites in human urine 822(2005)70

Quantification of carvedilol in human plasma by high-performance liquid chromatography coupled to electrospray tandem mass spectrometry. Application to bioequivalence study 822(2005)253

Cationic peptide

Separation and quantification of a novel two-component vaccine adjuvant 822(2005)263

Cell fatty acids

Differentiation between *Candida* species isolated from diabetic foot by fatty acid methyl ester analysis using gas chromatography 822(2005)118

Chlorpyrifos

Determination of chlorpyrifos metabolites in human urine by reversed-phase/weak anion exchange liquid chromatography–electrospray ionisation–tandem mass spectrometry 822(2005)160

Chromatography

Simultaneous quantification of emtricitabine and tenofovir in human plasma using high-performance liquid chromatography after solid phase extraction 822(2005)201

C₁₈ SPE

Efficient HPLC method for the determination of nicarbazin, as dinitro-carbanilide in broiler liver 822(2005)154

Complex dissociation

Separation and quantification of a novel two-component vaccine adjuvant 822(2005)263

Concentration in aqueous humor

HPLC determination of pirenzepine dihydrochloride in rabbit aqueous humor 822(2005)300

Concurrent application

Simultaneous analysis of insect repellent DEET, sunscreen oxybenzone and five relevant metabolites by reversed-phase HPLC with UV detection: Application to an in vivo study in a piglet model 822(2005)271

Cord blood

Detection of prenatal exposure to several classes of environmental toxicants and their metabolites by gas chromatography–mass spectrometry in maternal and umbilical cord blood 822(2005)221

***Corynebacterium* sp**

Effects of pure *n*-alkanes and crude oil on bacterial phospholipid classes and molecular species determined by electrospray ionization mass spectrometry 822(2005)40

CYP3A4

A highly sensitive LC–MS–MS assay for analysis of midazolam and its major metabolite in human plasma: Applications to drug metabolism 822(2005)27

D-Serine determination

Detection of D-Serine in rat brain by capillary electrophoresis with laser induced fluorescence detection 822(2005)334

Dendrimer–drug conjugate

HPLC analysis of PAMAM dendrimer based multifunctional devices 822(2005)21

Development

Direct liquid chromatography determination of the reactive imine SJG-136 (NSC 694501) 822(2005)10

Diabetic foot ulcers

Differentiation between *Candida* species isolated from diabetic foot by fatty acid methyl ester analysis using gas chromatography 822(2005)118

***N,N*-Dimethylformamide**

Determination of DMF modified DNA base *N*⁴-methylcarbamoylcytosine in human urine using off-line sample clean-up, two-dimensional LC and ESI-MS/MS detection 822(2005)124

Dinitrocarbanilide

Efficient HPLC method for the determination of nicarbazin, as dinitro-carbanilide in broiler liver 822(2005)154

DNA-adduct

Determination of DMF modified DNA base *N*⁴-methylcarbamoylcytosine in human urine using off-line sample clean-up, two-dimensional LC and ESI-MS/MS detection 822(2005)124

Drug delivery

HPLC analysis of PAMAM dendrimer based multifunctional devices 822(2005)21

Earthquakes

Preliminary investigation of using volatile organic compounds from human expired air, blood and urine for locating entrapped people in earthquakes 822(2005)112

EHNA

Merits of HPLC-based method over spectrophotometric method for assessing the kinetics and inhibition of mammalian adenosine deaminase 822(2005)146

Electrophoresis

Analysis of mitochondrial DNA in microfluidic systems 822(2005)78

Enantiomeric separation

Detection of D-Serine in rat brain by capillary electrophoresis with laser induced fluorescence detection 822(2005)334

Enterodiol

A validated method for the quantification of enterodiol and enterolactone in plasma using isotope dilution liquid chromatography with tandem mass spectrometry 822(2005)178

Enterolactone

A validated method for the quantification of enterodiol and enterolactone in plasma using isotope dilution liquid chromatography with tandem mass spectrometry 822(2005)178

Entrapped people

Preliminary investigation of using volatile organic compounds from human expired air, blood and urine for locating entrapped people in earthquakes 822(2005)112

Environmental pollutants

Detection of prenatal exposure to several classes of environmental toxicants and their metabolites by gas chromatography–mass spectrometry in maternal and umbilical cord blood 822(2005)221

Enzymatic specificity

Biochemical and molecular modeling analysis of the ability of two *p*-aminobenzamidine-based sorbents to selectively purify serine proteases (fibrinogenases) from snake venoms 822(2005)1

Erectile dysfunction

Determination of tadalafil in small volumes of plasma by high-performance liquid chromatography with UV detection 822(2005)278

Expired air

Preliminary investigation of using volatile organic compounds from human expired air, blood and urine for locating entrapped people in earthquakes 822(2005)112

Fast analysis

Fast analysis of pravastatin in production media 822(2005)311

Fast MECK method

Fast analysis of pravastatin in production media 822(2005)311

Fat-soluble vitamins

Method development and validation for monitoring in vivo oxidative stress: Evaluation of lipid peroxidation and fat-soluble vitamin status by HPLC in rat plasma 822(2005)33

Fingerprint characteristics

The study of fingerprint characteristics of the emanations from human arm skin using the original sampling system by SPME-GC/MS 822(2005)244

Fluorescence

Immobilisation of oligo-peptidic probes for microarray implementation: Characterisation by FTIR, Atomic Force Microscopy and 2D fluorescence 822(2005)304

Fluorimetric detection

Quantitation of ibogaine and 12-hydroxyibogamine in human plasma by liquid chromatography with fluorimetric detection 822(2005)285

Fluoroquinolones

HPLC determination of enoxacin, ciprofloxacin, norfloxacin and ofloxacin with photoinduced fluorimetric (PIF) detection and multiemission scanning. Application to urine and serum 822(2005)185

FTIR

Immobilisation of oligo-peptidic probes for microarray implementation: Characterisation by FTIR, Atomic Force Microscopy and 2D fluorescence 822(2005)304

Gas chromatography

Differentiation between *Candida* species isolated from diabetic foot by fatty acid methyl ester analysis using gas chromatography 822(2005)118

Simultaneous analysis of Thebaine, 6-MAM and six abused opiates in postmortem fluids and tissues using Zymark® automated solid-phase extraction and gas chromatography–mass spectrometry 822(2005)137

GC–MS

Gas chromatograph–mass spectrometric method for the determination of carvedilol and its metabolites in human urine 822(2005)70

Detection of prenatal exposure to several classes of environmental toxicants and their metabolites by gas chromatography–mass spectrometry in maternal and umbilical cord blood 822(2005)221

Glutathione

Capillary electrophoresis of glutathione to monitor oxidative stress and response to antioxidant treatments in an animal model 822(2005)61

Gram-positive bacteria

Effects of pure *n*-alkanes and crude oil on bacterial phospholipid classes and molecular species determined by electrospray ionization mass spectrometry 822(2005)40

Healthy volunteer

Quantification of carvedilol in human plasma by high-performance liquid chromatography coupled to electrospray tandem mass spectrometry. Application to bioequivalence study 822(2005)253

Heparin

Separation and quantification of a novel two-component vaccine adjuvant 822(2005)263

Herbicide

Detection of prenatal exposure to several classes of environmental toxicants and their metabolites by gas chromatography–mass spectrometry in maternal and umbilical cord blood 822(2005)221

Heteroduplex analysis

Analysis of mitochondrial DNA in microfluidic systems 822(2005)78

High pH mobile phase

The analysis of thiamin and its derivatives in whole blood samples under high pH conditions of the mobile phase 822(2005)316

High throughput

High throughput assay for the determination of lumefantrine in plasma 822(2005)330

High-performance liquid chromatography

Determination of telithromycin in human plasma and microdialysates by high-performance liquid chromatography 822(2005)133

Quantitation of ibogaine and 12-hydroxyibogamine in human plasma by liquid chromatography with fluorimetric detection 822(2005)285

Hippuric acid

Effect of hippuric acid on the gaschromatographic retention of *S*-phenylmercapturic acid 822(2005)209

HIV

Simultaneous quantification of emtricitabine and tenofovir in human plasma using high-performance liquid chromatography after solid phase extraction 822(2005)201

HPLC assay

Direct liquid chromatography determination of the reactive imine SJG-136 (NSC 694501) 822(2005)10

HPLC

HPLC analysis of PAMAM dendrimer based multifunctional devices 822(2005)21

Application of solid phase extraction and high-performance liquid chromatography to qualitative and quantitative analysis of nucleotides and nucleosides in human cerebrospinal fluid 822(2005)85

Quantitative determination of Astragaloside IV, a natural product with cardioprotective activity, in plasma, urine and other biological samples by HPLC coupled with tandem mass spectrometry 822(2005)170

HPLC determination of enoxacin, ciprofloxacin, norfloxacin and ofloxacin with photoinduced fluorimetric (PIF) detection and multiemission scanning. Application to urine and serum 822(2005)185

High-performance liquid chromatography of nalbuphine, butorphanol and morphine in blood and brain microdialysate samples: Application to pharmacokinetic/pharmacodynamic studies in rats 822(2005)230

Simultaneous quantification of emtricitabine and tenofovir in human plasma using high-performance liquid chromatography after solid phase extraction 822(2005)201

High-performance liquid chromatography–mass spectrometry method for determination of anagrelide in human plasma 822(2005)238

Determination of tadalafil in small volumes of plasma by high-performance liquid chromatography with UV detection 822(2005)278

HPLC determination of pirenzepine dihydrochloride in rabbit aqueous humor 822(2005)300

The analysis of thiamin and its derivatives in whole blood samples under high pH conditions of the mobile phase 822(2005)316

High performance liquid chromatographic determination of topiramate in human serum using UV detection 822(2005)322

High-performance liquid chromatography method for the quantification of pantoprazole in human plasma 822(2005)326

HPLC-UV

Efficient HPLC method for the determination of nicarbazin, as dinitro-carbanilide in broiler liver 822(2005)154

Human cerebrospinal fluid

Application of solid phase extraction and high-performance liquid chromatography to qualitative and quantitative analysis of nucleotides and nucleosides in human cerebrospinal fluid 822(2005)85

Human emanations

The study of fingerprint characteristics of the emanations from human arm skin using the original sampling system by SPME-GC/MS 822(2005)244

Human plasma

High-performance liquid chromatography method for the quantification of pantoprazole in human plasma 822(2005)326

Human poisoning

Determination of chlorpyrifos metabolites in human urine by reversed-phase/weak anion exchange liquid chromatography–electrospray ionisation–tandem mass spectrometry 822(2005)160

Human

High-performance liquid chromatography–mass spectrometry method for determination of anagrelide in human plasma 822(2005)238

Hydrophobic substrates

Effects of pure *n*-alkanes and crude oil on bacterial phospholipid classes and molecular species determined by electrospray ionization mass spectrometry 822(2005)40

12-Hydroxyibogaine

Quantitation of ibogaine and 12-hydroxyibogamine in human plasma by liquid chromatography with fluorimetric detection 822(2005)285

Ibogaine

Quantitation of ibogaine and 12-hydroxyibogamine in human plasma by liquid chromatography with fluorimetric detection 822(2005)285

Immobilization

Immobilization of lipase onto micron-size magnetic beads 822(2005)91

In vivo assay

Capillary electrophoresis of glutathione to monitor oxidative stress and response to antioxidant treatments in an animal model 822(2005)61

Inosine

Merits of HPLC-based method over spectrophotometric method for assessing the kinetics and inhibition of mammalian adenosine deaminase 822(2005)146

Ketolide

Determination of telithromycin in human plasma and microdialysates by high-performance liquid chromatography 822(2005)133

Lab-on-a-chip

Analysis of mitochondrial DNA in microfluidic systems 822(2005)78

Lachesis muta rhombeata

Biochemical and molecular modeling analysis of the ability of two *p*-aminobenzamidine-based sorbents to selectively purify serine proteases (fibrinogenases) from snake venoms 822(2005)1

LC/MS/MS

Quantitative determination of Astragaloside IV, a natural product with cardioprotective activity, in plasma, urine and other biological samples by HPLC coupled with tandem mass spectrometry 822(2005)170

LC–MS/MS

Quantification of carvedilol in human plasma by high-performance liquid chromatography coupled to electrospray tandem mass spectrometry. Application to bioequivalence study 822(2005)253

Development and validation of an LC–MS/MS method for the quantitative determination of aripiprazole and its main metabolite, OPC-14857, in human plasma 822(2005)294

LC–MS–MS

A highly sensitive LC–MS–MS assay for analysis of midazolam and its major metabolite in human plasma: Applications to drug metabolism 822(2005)27

Lignans

A validated method for the quantification of enterodiol and enterolactone in plasma using isotope dilution liquid chromatography with tandem mass spectrometry 822(2005)178

Lipid peroxidation

Method development and validation for monitoring in vivo oxidative stress: Evaluation of lipid peroxidation and fat-soluble vitamin status by HPLC in rat plasma 822(2005)33

Liquid chromatography

A validated method for the quantification of enterodiol and enterolactone in plasma using isotope dilution liquid chromatography with tandem mass spectrometry 822(2005)178

High throughput assay for the determination of lumefantrine in plasma 822(2005)330

Liquid chromatography–tandem mass spectrometry

Determination of chlorpyrifos metabolites in human urine by reversed-phase/weak anion exchange liquid chromatography–electrospray ionisation–tandem mass spectrometry 822(2005)160

Liver

Capillary electrophoresis of glutathione to monitor oxidative stress and response to antioxidant treatments in an animal model 822(2005)61

Lumefantrine

High throughput assay for the determination of lumefantrine in plasma 822(2005)330

Magnetic microsphere

Immobilization of lipase onto micron-size magnetic beads 822(2005)91

Mass spectrometry

A hybrid LC–Gel-MS method for proteomics research and its application to protease functional pathway mapping 822(2005)98

A validated method for the quantification of enterodiol and enterolactone in plasma using isotope dilution liquid chromatography with tandem mass spectrometry 822(2005)178

Metabolites

Gas chromatograph–mass spectrometric method for the determination of carvedilol and its metabolites in human urine 822(2005)70

Determination of chlorpyrifos metabolites in human urine by reversed-phase/weak anion exchange liquid chromatography–electrospray ionisation–tandem mass spectrometry 822(2005)160

Microarray

Immobilisation of oligo-peptidic probes for microarray implementation: Characterisation by FTIR, Atomic Force Microscopy and 2D fluorescence 822(2005)304

Microdialysate

High-performance liquid chromatography of nalbuphine, butorphanol and morphine in blood and brain microdialysate samples: Application to pharmacokinetic/pharmacodynamic studies in rats 822(2005)230

Microdialysis

Determination of telithromycin in human plasma and microdialysates by high-performance liquid chromatography 822(2005)133

Microfluidic

Analysis of mitochondrial DNA in microfluidic systems 822(2005)78

Midazolam

A highly sensitive LC–MS–MS assay for analysis of midazolam and its major metabolite in human plasma: Applications to drug metabolism 822(2005)27

Mixed micelles

A fast, sensitive method for the simultaneous determination of α -tocopherol and α -tocopheryl acetate in mixed micelles 822(2005)339

Molecular modelling

Biochemical and molecular modeling analysis of the ability of two *p*-aminobenzamidine-based sorbents to selectively purify serine proteases (fibrinogenases) from snake venoms 822(2005)1

Monolith column

Fast analysis of pravastatin in production media 822(2005)311

Multidimensional protein profiling

A hybrid LC–Gel-MS method for proteomics research and its application to protease functional pathway mapping 822(2005)98

Multifunctional device

HPLC analysis of PAMAM dendrimer based multifunctional devices 822(2005)21

Neurological diseases

Application of solid phase extraction and high-performance liquid chromatography to qualitative and quantitative analysis of nucleotides and nucleosides in human cerebrospinal fluid 822(2005)85

Nicarbazin

Efficient HPLC method for the determination of nicarbazin, as dinitro-carbanilide in broiler liver 822(2005)154

NMR

Direct liquid chromatography determination of the reactive imine SJG-136 (NSC 694501) 822(2005)10

NRTI

Simultaneous quantification of emtricitabine and tenofovir in human plasma using high-performance liquid chromatography after solid phase extraction 822(2005)201

NSC 694501

Direct liquid chromatography determination of the reactive imine SJG-136 (NSC 694501) 822(2005)10

NtRTI

Simultaneous quantification of emtricitabine and tenofovir in human plasma using high-performance liquid chromatography after solid phase extraction 822(2005)201

Nucleotides

Application of solid phase extraction and high-performance liquid chromatography to qualitative and quantitative analysis of nucleotides and nucleosides in human cerebrospinal fluid 822(2005)85

ODN

Separation and quantification of a novel two-component vaccine adjuvant 822(2005)263

Oligo-peptide immobilization

Immobilisation of oligo-peptidic probes for microarray implementation: Characterisation by FTIR, Atomic Force Microscopy and 2D fluorescence 822(2005)304

OPC-14857

Development and validation of an LC–MS/MS method for the quantitative determination of aripiprazole and its main metabolite, OPC-14857, in human plasma 822(2005)294

Opiate

Simultaneous analysis of Thebaine, 6-MAM and six abused opiates in postmortem fluids and tissues using Zymark® automated solid-phase extraction and gas chromatography–mass spectrometry 822(2005)137

Opioids

High-performance liquid chromatography of nalbuphine, butorphanol and morphine in blood and brain microdialysate samples: Application to pharmacokinetic/pharmacodynamic studies in rats 822(2005)230

Organophosphates

Detection of prenatal exposure to several classes of environmental toxicants and their metabolites by gas chromatography–mass spectrometry in maternal and umbilical cord blood 822(2005)221

Organophosphorus pesticides

Solid phase microextraction gas chromatographic analysis of organophosphorus pesticides in biological samples 822(2005)194

Original sampling system

The study of fingerprint characteristics of the emanations from human arm skin using the original sampling system by SPME-GC/MS 822(2005)244

Oxidative stress

Method development and validation for monitoring in vivo oxidative stress: Evaluation of lipid peroxidation and fat-soluble vitamin status by HPLC in rat plasma 822(2005)33

Capillary electrophoresis of glutathione to monitor oxidative stress and response to antioxidant treatments in an animal model 822(2005)61

PAMAM dendrimer

HPLC analysis of PAMAM dendrimer based multifunctional devices 822(2005)21

Pantoprazole

High-performance liquid chromatography method for the quantification of pantoprazole in human plasma 822(2005)326

Parental pesticide exposure

Detection of prenatal exposure to several classes of environmental toxicants and their metabolites by gas chromatography–mass spectrometry in maternal and umbilical cord blood 822(2005)221

PEI

Application of superparamagnetic nanoparticles in purification of plasmid DNA from bacterial cells 822(2005)54

Pesticides

Detection of prenatal exposure to several classes of environmental toxicants and their metabolites by gas chromatography–mass spectrometry in maternal and umbilical cord blood 822(2005)221

Petroleum

Effects of pure *n*-alkanes and crude oil on bacterial phospholipid classes and molecular species determined by electrospray ionization mass spectrometry 822(2005)40

Pharmaceutical analysis

Fast analysis of pravastatin in production media 822(2005)311

Pharmacokinetic/pharmacodynamic studies

High-performance liquid chromatography of nalbuphine, butorphanol and morphine in blood and brain microdialysate samples: Application to pharmacokinetic/pharmacodynamic studies in rats 822(2005)230

Pharmacokinetics

A highly sensitive LC–MS–MS assay for analysis of midazolam and its major metabolite in human plasma: Applications to drug metabolism 822(2005)27

Quantitative determination of Astragaloside IV, a natural product with cardioprotective activity, in plasma, urine and other biological samples by HPLC coupled with tandem mass spectrometry 822(2005)170

Quantification of carvedilol in human plasma by high-performance liquid chromatography coupled to electrospray tandem mass spectrometry. Application to bioequivalence study 822(2005)253

Determination of tadalafil in small volumes of plasma by high-performance liquid chromatography with UV detection 822(2005)278

Phase soaking

Effect of hippuric acid on the gaschromatographic retention of *S*-phenylmercapturic acid 822(2005)209

Photoinduced fluorescence (PIF)

HPLC determination of enoxacin, ciprofloxacin, norfloxacin and ofloxacin with photoinduced fluorimetric (PIF) detection and multiemission scanning. Application to urine and serum 822(2005)185

Pirenzepine

HPLC determination of pirenzepine dihydrochloride in rabbit aqueous humor 822(2005)300

Plasma

A highly sensitive LC–MS–MS assay for analysis of midazolam and its major metabolite in human plasma: Applications to drug metabolism 822(2005)27

A validated method for the quantification of enterodiol and enterolactone in plasma using isotope dilution liquid chromatography with tandem mass spectrometry 822(2005)178

Quantification of carvedilol in human plasma by high-performance liquid chromatography coupled to electrospray tandem mass spectrometry. Application to bioequivalence study 822(2005)253

Quantitation of ibogaine and 12-hydroxyibogamine in human plasma by liquid chromatography with fluorimetric detection 822(2005)285

Plasmid DNA

Application of superparamagnetic nanoparticles in purification of plasmid DNA from bacterial cells 822(2005)54

Postmortem

Simultaneous analysis of Thebaine, 6-MAM and six abused opiates in postmortem fluids and tissues using Zymark® automated solid-phase extraction and gas chromatography–mass spectrometry 822(2005)137

Pravastain

Fast analysis of pravastatin in production media 822(2005)311

Purification

Application of superparamagnetic nanoparticles in purification of plasmid DNA from bacterial cells 822(2005)54

Pyrethroids

Detection of prenatal exposure to several classes of environmental toxicants and their metabolites by gas chromatography–mass spectrometry in maternal and umbilical cord blood 822(2005)221

Quantification

High-performance liquid chromatography method for the quantification of pantoprazole in human plasma 822(2005)326

Rat

Capillary electrophoresis of glutathione to monitor oxidative stress and response to antioxidant treatments in an animal model 822(2005)61

Relevant metabolites

Simultaneous analysis of insect repellent DEET, sunscreen oxybenzone and five relevant metabolites by reversed-phase HPLC with UV detection: Application to an in vivo study in a piglet model 822(2005)271

Repellent DEET

Simultaneous analysis of insect repellent DEET, sunscreen oxybenzone and five relevant metabolites by reversed-phase HPLC with UV detection: Application to an in vivo study in a piglet model 822(2005)271

Restriction enzyme digest

Analysis of mitochondrial DNA in microfluidic systems 822(2005)78

Reverse phase chromatography

High performance liquid chromatographic determination of topiramate in human serum using UV detection 822(2005)322

Reverse phase HPLC

A fast, sensitive method for the simultaneous determination of α -tocopherol and α -tocopheryl acetate in mixed micelles 822(2005)339

Reversed-phase HPLC with UV detection

Simultaneous analysis of insect repellent DEET, sunscreen oxybenzone and five relevant metabolites by reversed-phase HPLC with UV detection: Application to an in vivo study in a piglet model 822(2005)271

Reversed-phase HPLC

Separation and quantification of a novel two-component vaccine adjuvant 822(2005)263

Reversed-phase/weak anion exchange stationary phase

Determination of chlorpyrifos metabolites in human urine by reversed-phase/weak anion exchange liquid chromatography–electrospray ionisation–tandem mass spectrometry 822(2005)160

Reverse-phase HPLC

Merits of HPLC-based method over spectrophotometric method for assessing the kinetics and inhibition of mammalian adenosine deaminase 822(2005)146

RP-HPLC/ESI/MS

Effects of pure *n*-alkanes and crude oil on bacterial phospholipid classes and molecular species determined by electrospray ionization mass spectrometry 822(2005)40

S-phenylmercapturic acid

Effect of hippuric acid on the gaschromatographic retention of S-phenylmercapturic acid 822(2005)209

Sample preparation

Solid phase microextraction gas chromatographic analysis of organophosphorus pesticides in biological samples 822(2005)194

SAX

A hybrid LC–Gel-MS method for proteomics research and its application to protease functional pathway mapping 822(2005)98

SDS-PAGE

A hybrid LC–Gel-MS method for proteomics research and its application to protease functional pathway mapping 822(2005)98

Serine proteinase

Biochemical and molecular modeling analysis of the ability of two *p*-aminobenzamidine-based sorbents to selectively purify serine proteases (fibrinogenases) from snake venoms 822(2005)1

Serum

HPLC determination of enoxacin, ciprofloxacin, norfloxacin and ofloxacin with photoinduced fluorimetric (PIF) detection and multiemission scanning. Application to urine and serum 822(2005)185

SJG-136

Direct liquid chromatography determination of the reactive imine SJG-136 (NSC 694501) 822(2005)10

Small particle column

Fast analysis of pravastatin in production media 822(2005)311

Solid phase extraction

High throughput assay for the determination of lumefantrine in plasma 822(2005)330

SPE

Application of solid phase extraction and high-performance liquid chromatography to qualitative and quantitative analysis of nucleotides and nucleosides in human cerebrospinal fluid 822(2005)85

Spectrophotometric-enzyme kinetics

Merits of HPLC-based method over spectrophotometric method for assessing the kinetics and inhibition of mammalian adenosine deaminase 822(2005)146

SPME

Preliminary investigation of using volatile organic compounds from human expired air, blood and urine for locating entrapped people in earthquakes 822(2005)112

Solid phase microextraction gas chromatographic analysis of organophosphorus pesticides in biological samples 822(2005)194

The study of fingerprint characteristics of the emanations from human arm skin using the original sampling system by SPME-GC/MS 822(2005)244

Streptavidin

Immobilisation of oligo-peptidic probes for microarray implementation: Characterisation by FTIR, Atomic Force Microscopy and 2D fluorescence 822(2005)304

Sunscreen oxybenzone

Simultaneous analysis of insect repellent DEET, sunscreen oxybenzone and five relevant metabolites by reversed-phase HPLC with UV detection: Application to an in vivo study in a piglet model 822(2005)271

Superparamagnetic nanoparticles

Application of superparamagnetic nanoparticles in purification of plasmid DNA from bacterial cells 822(2005)54

Suspension polymerization

Immobilization of lipase onto micron-size magnetic beads 822(2005)91

Synthesis

Immobilization of lipase onto micron-size magnetic beads 822(2005)91

Tadalafil

Determination of tadalafil in small volumes of plasma by high-performance liquid chromatography with UV detection 822(2005)278

Tandem ESI/MS/MS

Effects of pure *n*-alkanes and crude oil on bacterial phospholipid classes and molecular species determined by electrospray ionization mass spectrometry 822(2005)40

Telithromycin

Determination of telithromycin in human plasma and microdialysates by high-performance liquid chromatography 822(2005)133

Thebaine

Simultaneous analysis of Thebaine, 6-MAM and six abused opiates in postmortem fluids and tissues using Zymark[®] automated solid-phase extraction and gas chromatography–mass spectrometry 822(2005)137

Thermal desorption

Preliminary investigation of using volatile organic compounds from human expired air, blood and urine for locating entrapped people in earthquakes 822(2005)112

Thiamin

The analysis of thiamin and its derivatives in whole blood samples under high pH conditions of the mobile phase 822(2005)316

Thrombin-like

Biochemical and molecular modeling analysis of the ability of two *p*-aminobenzamidine-based sorbents to selectively purify serine proteases (fibrinogenases) from snake venoms 822(2005)1

 α -Tocopheryl acetate

A fast, sensitive method for the simultaneous determination of α -tocopherol and α -tocopheryl acetate in mixed micelles 822(2005)339

 α -Tocopherol

A fast, sensitive method for the simultaneous determination of α -tocopherol and α -tocopheryl acetate in mixed micelles 822(2005)339

Toluene

Effect of hippuric acid on the gaschromatographic retention of *S*-phenylmercapturic acid 822(2005)209

Topiramate

High performance liquid chromatographic determination of topiramate in human serum using UV detection 822(2005)322

Urine

Preliminary investigation of using volatile organic compounds from human expired air, blood and urine for locating entrapped people in earthquakes 822(2005)112

Determination of DMF modified DNA base *N*⁴-methylcarbamoylcytosine in human urine using off-line sample clean-up, two-dimensional LC and ESI-MS/MS detection 822(2005)124

Determination of chlorpyrifos metabolites in human urine by reversed-phase/weak anion exchange liquid chromatography–electrospray ionisation–tandem mass spectrometry 822(2005)160

HPLC determination of enoxacin, ciprofloxacin, norfloxacin and ofloxacin with photoinduced fluorimetric (PIF) detection and multiemission scanning. Application to urine and serum 822(2005)185

UV detection

High performance liquid chromatographic determination of topiramate in human serum using UV detection 822(2005)322

Validation

Direct liquid chromatography determination of the reactive imine SJG-136 (NSC 694501) 822(2005)10

Quantitation of ibogaine and 12-hydroxyibogamine in human plasma by liquid chromatography with fluorimetric detection 822(2005)285

Vitamin B1

The analysis of thiamin and its derivatives in whole blood samples under high pH conditions of the mobile phase 822(2005)316

VOCs

Preliminary investigation of using volatile organic compounds from human expired air, blood and urine for locating entrapped people in earthquakes 822(2005)112

Water adducts

Direct liquid chromatography determination of the reactive imine SJG-136 (NSC 694501) 822(2005)10

96-Well

High throughput assay for the determination of lumefantrine in plasma 822(2005)330

Whole blood analysis

The analysis of thiamin and its derivatives in whole blood samples under high pH conditions of the mobile phase 822(2005)316

Whole blood

Detection of prenatal exposure to several classes of environmental toxicants and their metabolites by gas chromatography–mass spectrometry in maternal and umbilical cord blood 822(2005)221

Zymark[®]

Simultaneous analysis of Thebaine, 6-MAM and six abused opiates in postmortem fluids and tissues using Zymark[®] automated solid-phase extraction and gas chromatography–mass spectrometry 822(2005)137