



Author Index Vol. 823

- Adachi, J., Yoshioka, N., Sato, M., Nakagawa, K., Yamamoto, Y. and Ueno, Y.
Detection of phosphatidylcholine oxidation products in rat heart using quadrupole time-of-flight mass spectrometry 823(2005)37
- Akahane, K., see Hasegawa, H. 823(2005)203
- Aoki, T., see Mori, Y. 823(2005)82
- Ardakani, Y.H., see Rouini, M. 823(2005)167
- Aso, Y., see Murao, N. 823(2005)61
- Badri, G., see Rouini, M. 823(2005)167
- Bahrami, G., Mirzaeei, S., Kiani, A. and Mohammadi, B.
High-performance liquid chromatographic determination of lamivudine in human serum using liquid–liquid extraction; application to pharmacokinetic studies 823(2005)213
- Bodhankar, S.L., see Patil, K.M. 823(2005)152
- Boisdrone-Celle, M., see Remaud, G. 823(2005)98
- Bolarinwa, A. and Linseisen, J.
Validated application of a new high-performance liquid chromatographic method for the determination of selected flavonoids and phenolic acids in human plasma using electrochemical detection 823(2005)143
- Boralli, V.B., Coelho, E.B., Cerqueira, P.M. and Lanchote, V.L.
Stereoselective analysis of metoprolol and its metabolites in rat plasma with application to oxidative metabolism 823(2005)195
- Brown, D.C., see Mannes, A.J. 823(2005)184
- Caudle, R.M., see Mannes, A.J. 823(2005)184
- Cerqueira, P.M., see Boralli, V.B. 823(2005)195
- Chauhan, B., Rani, S., Guttikar, S., Zope, A., Jadon, N. and Padh, H.
Analytical method development and validation of mianserin hydrochloride and its metabolite in human plasma by LC–MS 823(2005)69
- Chidambara, J., see Ramakrishna, N.V.S. 823(2005)189
- Coburn, S.P., see Ericson, K.L. 823(2005)218
- Coelho, E.B., see Boralli, V.B. 823(2005)195
- Cordes, L., see Mannes, A.J. 823(2005)184
- Cui, F.-d., see You, J. 823(2005)172
- Eckenhoff, R.G., see Mannes, A.J. 823(2005)184
- Ericson, K.L., Mahuren, J.D., Zubovic, Y.M. and Coburn, S.P.
Use of chlorite to improve HPLC detection of pyridoxal 5'-phosphate 823(2005)218
- Gamelin, E., see Remaud, G. 823(2005)98
- Gross, A.S., see Loboz, K.K. 823(2005)115
- Guttikar, S., see Chauhan, B. 823(2005)69
- Hakemi, L., see Rouini, M. 823(2005)167
- Hamelin, C., see Remaud, G. 823(2005)98
- Han, X., see You, J. 823(2005)172
- Hasegawa, H., Shinohara, Y., Akahane, K. and Hashimoto, T.
Determination of D- and L-enantiomers of methionine and [$^{2}\text{H}_3$]methionine in plasma by gas chromatography–mass spectrometry 823(2005)203
- Hasegawa, Y., Iga, M., Kimura, M., Shigematsu, Y. and Yamaguchi, S.
Prenatal diagnosis for organic acid disorders using two mass spectrometric methods, gas chromatography mass spectrometry and tandem mass spectrometry 823(2005)13
- Hasegawa, Y., see Tajima, G. 823(2005)122
- Hashimoto, T., see Hasegawa, H. 823(2005)203
- Hata, I., see Shigematsu, Y. 823(2005)7
- Hata, I., see Tajima, G. 823(2005)122
- Hieda, Y., Tsujino, Y. and Takeshita, H.
Skin analysis to determine causative agent in dermal exposure to petroleum products 823(2005)53
- Hirohashi, S., see Mori, Y. 823(2005)82
- Houjou, T., see Taguchi, R. 823(2005)26
- Huck, J.H.J., see Wamelink, M.M.C. 823(2005)18
- Iadarola, M.J., see Mannes, A.J. 823(2005)184
- Iga, M., see Hasegawa, Y. 823(2005)13
- Iida, T., Kamo, M., Uozumi, N., Inui, T. and Imai, K.
Further application of a two-step heparin affinity chromatography method using divalent cations as eluents: Purification and identification of membrane-bound heparin binding proteins from the mitochondrial fraction of HL-60 cells 823(2005)209
- Ikeda, N., see Ishida, T. 823(2005)47
- Imagawa, M., see Taguchi, R. 823(2005)26
- Imai, K., see Iida, T. 823(2005)209
- Imokawa, G., see Masukawa, Y. 823(2005)131
- Inoue, H., see Ishida, T. 823(2005)47
- Inoue, Y., see Shinka, T. 823(2005)44
- Inoue, Y., Shinka, T., Ohse, M. and Kuhara, T.
Differential chemical diagnosis of primary hyperoxaluria type II.
Highly sensitive analysis of optical isomers of glyceric acid by GC/MS as diastereoisomeric derivatives 823(2005)2
- Inui, T., see Iida, T. 823(2005)209
- Ishida, M., see Taguchi, R. 823(2005)26
- Ishida, T., Kudo, K., Kiyoshima, A., Inoue, H., Tsuji, A. and Ikeda, N.
Sensitive determination of alpha-methyltryptamine (AMT) and 5-methoxy-N,N-diisopropyltryptamine (5MeO-DIPT) in whole blood and urine using gas chromatography–mass spectrometry 823(2005)47
- Ishigai, M., see Murao, N. 823(2005)61
- Jadon, N., see Chauhan, B. 823(2005)69
- Jakobs, C., see Wamelink, M.M.C. 823(2005)18

- Kamo, M., see Iida, T. 823(2005)209
 Kawanishi, T., see Murao, N. 823(2005)61
 Keller, J., see Mannes, A.J. 823(2005)184
 Kiani, A., see Bahrami, G. 823(2005)213
 Kim, H.S. and Wainer, I.W.
 The covalent immobilization of microsomal uridine diphosphoglucuronosyltransferase (UDPGT): Initial synthesis and characterization of an UDPGT immobilized enzyme reactor for the on-line study of glucuronidation 823(2005)158
- Kimura, M., see Hasegawa, Y. 823(2005)13
 Kimura, M., see Tajima, G. 823(2005)122
 Kiyoshima, A., see Ishida, T. 823(2005)47
 Kobayashi, M., see Tajima, G. 823(2005)122
 Kondo, T., see Mori, Y. 823(2005)82
 Koteshwara, M., see Ramakrishna, N.V.S. 823(2005)189
 Kudo, K., see Ishida, T. 823(2005)47
 Kuhara, T., see Inoue, Y. 823(2005)2
 Kuhara, T., see Shinka, T. 823(2005)44
- Lanchote, V.L., see Boralli, V.B. 823(2005)195
 Lee, D.Y.W., see Ma, Z. 823(2005)108
 Lehmann, S., see Nayak, D.P. 823(2005)75
 Li, Q.-p., see You, J. 823(2005)172
 Linseisen, J., see Bolarinwa, A. 823(2005)143
 Lobo, K.K., Gross, A.S., Ray, J. and McLachlan, A.J.
 HPLC assay for bupropion and its major metabolites in human plasma 823(2005)115
 Lukas, S.E., see Ma, Z. 823(2005)108
- Ma, Z., Wu, Q., Lee, D.Y.W., Tracy, M. and Lukas, S.E.
 Determination of puerarin in human plasma by high performance liquid chromatography 823(2005)108
 Mahuren, J.D., see Ericson, K.L. 823(2005)218
 Mannes, A.J., Brown, D.C., Keller, J., Cordes, L., Eckenhoff, R.G., Caudle, R.M., Iadarola, M.J. and Meng, Q.C.
 Measurement of resiniferatoxin in serum samples by high-performance liquid chromatography 823(2005)184
 Masukawa, Y., Tsujimura, H. and Imokawa, G.
 A systematic method for the sensitive and specific determination of hair lipids in combination with chromatography 823(2005)131
 McLachlan, A.J., see Lobo, K.K. 823(2005)115
 Meng, Q.C., see Mannes, A.J. 823(2005)184
 Mirzaei, S., see Bahrami, G. 823(2005)213
 Mohammadi, B., see Bahrami, G. 823(2005)213
 Mokhberi, M., see Rouini, M. 823(2005)167
 Morel, A., see Remaud, G. 823(2005)98
 Mori, Y., Kondo, T., Yamada, T., Tsuchida, A., Aoki, T. and Hirohashi, S.
 Two-dimensional electrophoresis database of fluorescence-labeled proteins of colon cancer cells 823(2005)82
 Murao, N., Ohishi, N., Nabuchi, Y., Ishigai, M., Kawanishi, T. and Aso, Y.
 The determination of 2β-(3-hydroxypropoxy)-1α,25-dihydroxy vitamin D₃ (ED-71) in human serum by high-performance liquid chromatography-electrospray tandem mass spectrometry 823(2005)61
- Nabuchi, Y., see Murao, N. 823(2005)61
 Naito, E., see Shigematsu, Y. 823(2005)7
 Nakagawa, K., see Adachi, J. 823(2005)37
 Nakanishi, H., see Taguchi, R. 823(2005)26
 Nayak, D.P., Lehmann, S. and Reichl, U.
 Downstream processing of MDCK cell-derived equine influenza virus 823(2005)75
 Nishimura, Y., see Tajima, G. 823(2005)122
 Niwa, T., see Yamaguchi, S. 823(2005)1
 Novakovic, J., see Tesoro, A. 823(2005)177
- Ohishi, N., see Murao, N. 823(2005)61
 Ohse, M., see Inoue, Y. 823(2005)2
 Ohse, M., see Shinka, T. 823(2005)44
 Ono, H., see Tajima, G. 823(2005)122
- Padh, H., see Chauhan, B. 823(2005)69
 Patil, K.M. and Bodhankar, S.L.
 High-performance thin-layer chromatographic determination of lamotrigine in serum 823(2005)152
- Ramakrishna, N.V.S., Vishwottam, K.N., Wishu, S., Koteshwara, M. and Chidambaram, J.
 High-performance liquid chromatography method for the quantification of entacapone in human plasma 823(2005)189
 Rani, S., see Chauhan, B. 823(2005)69
 Ray, J., see Lobo, K.K. 823(2005)115
 Reichl, U., see Nayak, D.P. 823(2005)75
 Remaud, G., Boisdon-Celle, M., Hameline, C., Morel, A. and Gamelin, E.
 An accurate dihydouracil/uracil determination using improved high performance liquid chromatography method for preventing fluoropyrimidines-related toxicity in clinical practice 823(2005)98
 Roos, B., see Wamelink, M.M.C. 823(2005)18
 Rouini, M., Ardakani, Y.H., Hakemi, L., Mokhberi, M. and Badri, G.
 Simultaneous determination of clobazam and its major metabolite in human plasma by a rapid HPLC method 823(2005)167
- Sakura, N., see Shigematsu, Y. 823(2005)7
 Sakura, N., see Tajima, G. 823(2005)122
 Sato, M., see Adachi, J. 823(2005)37
 Shigematsu, Y., Hata, I., Tanaka, Y., Tajima, G., Sakura, N., Naito, E. and Yorifuji, T.
 Stable-isotope dilution gas chromatography-mass spectrometric measurement of 3-hydroxyglutaric acid, glutaric acid and related metabolites in body fluids of patients with glutaric aciduria type 1 found in newborn screening 823(2005)7
 Shigematsu, Y., see Hasegawa, Y. 823(2005)13
 Shigematsu, Y., see Tajima, G. 823(2005)122
 Shimizu, A., see Yamaguchi, S. 823(2005)1
 Shimizu, T., see Taguchi, R. 823(2005)26
 Shinka, T., Ohse, M., Inoue, Y. and Kuhara, T.
 Stability of 5-aminolevulinic acid on dried urine filter paper for a diagnostic marker of tyrosinemia type I 823(2005)44
 Shinka, T., see Inoue, Y. 823(2005)2
 Shinohara, Y., see Hasegawa, H. 823(2005)203
 Spino, M., see Tesoro, A. 823(2005)177
 Struys, E.A., see Wamelink, M.M.C. 823(2005)18
- Taguchi, R., Houjou, T., Nakanishi, H., Yamazaki, T., Ishida, M., Imagawa, M. and Shimizu, T.
 Focused lipidomics by tandem mass spectrometry 823(2005)26
 Tajima, G., Sakura, N., Yofune, H., Nishimura, Y., Ono, H., Hasegawa, Y., Hata, I., Kimura, M., Yamaguchi, S., Shigematsu, Y. and Kobayashi, M.
 Enzymatic diagnosis of medium-chain acyl-CoA dehydrogenase deficiency by detecting 2-octenoyl-CoA production using high-performance liquid chromatography: A practical confirmatory test for tandem mass spectrometry newborn screening in Japan 823(2005)122
- Tajima, G., see Shigematsu, Y. 823(2005)7
 Takeshita, H., see Hieda, Y. 823(2005)53
 Tanaka, Y., see Shigematsu, Y. 823(2005)7
 Tesoro, A., Novakovic, J., Thiessen, J.J. and Spino, M.
 Validated HPLC assay for iron determination in biological matrices based on ferrioxamine formation 823(2005)177
 Thiessen, J.J., see Tesoro, A. 823(2005)177
 Tracy, M., see Ma, Z. 823(2005)108
 Tsuchida, A., see Mori, Y. 823(2005)82
 Tsuji, A., see Ishida, T. 823(2005)47

- Tsujimura, H., see Masukawa, Y. 823(2005)131
Tsujino, Y., see Hieda, Y. 823(2005)53
- Ueno, Y., see Adachi, J. 823(2005)37
Uozumi, N., see Iida, T. 823(2005)209
- van der Knaap, M.S., see Wamelink, M.M.C. 823(2005)18
Verhoeven, N.M., see Wamelink, M.M.C. 823(2005)18
Vishwottam, K.N., see Ramakrishna, N.V.S. 823(2005)189
- Wainer, I.W., see Kim, H.S. 823(2005)158
Wamelink, M.M.C., Struys, E.A., Huck, J.H.J., Roos, B., van der Knaap, M.S., Jakobs, C. and Verhoeven, N.M.
Quantification of sugar phosphate intermediates of the pentose phosphate pathway by LC-MS/MS: application to two new inherited defects of metabolism 823(2005)18
- Wishu, S., see Ramakrishna, N.V.S. 823(2005)189
Wu, Q., see Ma, Z. 823(2005)108
- Yamada, T., see Mori, Y. 823(2005)82
Yamaguchi, S., Niwa, T. and Shimizu, A.
Preface 823(2005)1
- Yamaguchi, S., see Hasegawa, Y. 823(2005)13
Yamaguchi, S., see Tajima, G. 823(2005)122
Yamamoto, Y., see Adachi, J. 823(2005)37
Yamazaki, T., see Taguchi, R. 823(2005)26
Yofune, H., see Tajima, G. 823(2005)122
Yong-sheng, W., see You, J. 823(2005)172
Yorifuji, T., see Shigematsu, Y. 823(2005)7
Yoshioka, N., see Adachi, J. 823(2005)37
You, J., Cui, F.-d., Li, Q.-p., Yong-sheng, W., Han, X. and Yu, Y.-w.
A HPLC method for the analysis of germacrone in rabbit plasma and its application to a pharmacokinetic study of germacrone after administration of zedoary turmeric oil 823(2005)172
Yu, Y.-w., see You, J. 823(2005)172
- Zope, A., see Chauhan, B. 823(2005)69
Zubovic, Y.M., see Ericson, K.L. 823(2005)218