

## Author Index Vol. 824

- Ahmadiani, A., see Amini, H. 824(2005)319
- Amini, H., Ahmadiani, A. and Gazerani, P.  
Determination of metformin in human plasma by high-performance liquid chromatography 824(2005)319
- Anderson, T.A., see Zhang, B. 824(2005)277
- Angerer, J., see Boettcher, M.I. 824(2005)283
- Antonelli, G., see Gatti, R. 824(2005)51
- Arias, F., see Currie, C.A. 824(2005)201
- Begum, A.N., see Heath, D.D. 824(2005)206
- Beijnen, J.H., see Rook, E.J. 824(2005)213
- Bennett, P., see Liang, H.R. 824(2005)36
- Blomhoff, R., see Karlsen, A. 824(2005)132
- Boettcher, M.I. and Angerer, J.  
Determination of the major mercapturic acids of acrylamide and glycidamide in human urine by LC-ESI-MS/MS 824(2005)283
- Boisdrion-Celle, M., see Remaud, G. 824(2005)153
- Brenner, D.E., see Heath, D.D. 824(2005)206
- Butter, J.J., Koopmans, R.P. and Michel, M.C.  
A rapid and validated HPLC method to quantify sphingosine 1-phosphate in human plasma using solid-phase extraction followed by derivatization with fluorescence detection 824(2005)65
- Cai, J., see Chen, J. 824(2005)249
- Cappellin, E., see Gatti, R. 824(2005)51
- Chen, B.H., see Rajendran, V. 824(2005)99
- Chen, G., Lambert, I.B., Douglas, G.R. and White, P.A.  
Assessment of 3-nitrobenzanthrone reductase activity in mammalian tissues by normal-phase HPLC with fluorescence detection 824(2005)229
- Chen, H., Wang, H., Chen, Y. and Zhang, H.  
Liquid chromatography-tandem mass spectrometry analysis of anisodamine and its phase I and II metabolites in rat urine (Review) 824(2005)21
- Chen, J., Jiang, W., Cai, J., Tao, W., Gao, X. and Jiang, X.  
Quantification of lipoic acid in plasma by high-performance liquid chromatography-electrospray ionization mass spectrometry 824(2005)249
- Chen, X., Zheng, Y. and Shen, Y.  
Quantitative analysis of valienamine in the microbial degradation of validamycin A after derivatization with *p*-nitrofluorobenzene by reversed-phase high-performance liquid chromatography 824(2005)341
- Chen, Y., see Chen, H. 824(2005)21
- Ciesielski, W., see Zakrzewski, R. 824(2005)222, 327
- Cobb, G.P., see Zhang, B. 824(2005)277
- Cui, H., see Wan, G.-H. 824(2005)57
- Currie, C.A., Heineman, W.R., Halsall, H.B., Seliskar, C.J., Limbach, P.A., Arias, F. and Wehmeyer, K.R.  
Estimation of  $pK_a$  values using microchip capillary electrophoresis and indirect fluorescence detection 824(2005)201
- De Nucci, G., see Finzi, J.K. 824(2005)30
- De Palo, E.F., see Gatti, R. 824(2005)51
- Donato, J.L., see Finzi, J.K. 824(2005)30
- Douglas, G.R., see Chen, G. 824(2005)229
- Edwards, G., see Muchohi, S.N. 824(2005)333
- Ewald, A.H., Peters, F.T., Weise, M. and Maurer, H.H.  
Studies on the metabolism and toxicological detection of the designer drug 4-methylthioamphetamine (4-MTA) in human urine using gas chromatography-mass spectrometry 824(2005)123
- Finzi, J.K., Donato, J.L., Sucupira, M. and De Nucci, G.  
Determination of nitrofurantoin metabolites in poultry muscle and eggs by liquid chromatography-tandem mass spectrometry 824(2005)30
- Foltz, R.L., see Liang, H.R. 824(2005)36
- Frautschy, S.A., see Heath, D.D. 824(2005)206
- Frerichs, V.A., Zaranek, C. and Haas, C.E.  
Analysis of omeprazole, midazolam and hydroxy-metabolites in plasma using liquid chromatography coupled to tandem mass spectrometry 824(2005)71
- Fritsch, G., see Peters, F.T. 824(2005)81
- Gamelin, A., see Remaud, G. 824(2005)153
- Gao, X., see Chen, J. 824(2005)249
- Gatti, R., Cappellin, E., Zecchin, B., Antonelli, G., Spinella, P., Mantero, F. and De Palo, E.F.  
Urinary high performance reverse phase chromatography cortisol and cortisone analyses before and at the end of a race in elite cyclists 824(2005)51
- Gazerani, P., see Amini, H. 824(2005)319
- Gibbs, D.D., see Wood, N. 824(2005)181
- Githiga, I.M., see Muchohi, S.N. 824(2005)333
- Grases, F., see Perelló, J. 824(2005)175
- Gundersen, T.E., see Karlsen, A. 824(2005)132
- Guo, D.-A., see Yan, L.-X. 824(2005)244
- Haas, C.E., see Frerichs, V.A. 824(2005)71
- Halsall, H.B., see Currie, C.A. 824(2005)201
- Heath, D.D., Pruitt, M.A., Brenner, D.E., Begum, A.N., Frautschy, S.A. and Rock, C.L.  
Tetrahydrocurcumin in plasma and urine: Quantitation by high performance liquid chromatography 824(2005)206
- Heineman, W.R., see Currie, C.A. 824(2005)201

- Henley, A., see Wood, N. 824(2005)181
- Hillebrand, M.J.X., see Rook, E.J. 824(2005)213
- Hori, Y., see Kakinuma, M. 824(2005)161
- Huber, A., see Praznik, W. 824(2005)295
- Ingi, T., Mori, H. and Inuzuka, M.  
Identification of human calphoglin-induced phosphoglucomutase phosphorylation in *Escherichia coli* 824(2005)312
- Inuzuka, M., see Ingi, T. 824(2005)312
- Jackman, A.L., see Wood, N. 824(2005)181
- Janson, J.-C., see Xu, J. 824(2005)323
- Jiang, W., see Chen, J. 824(2005)249
- Jiang, X., see Chen, J. 824(2005)249
- Kakinuma, M., Watanabe, Y., Hori, Y., Oh-i, T. and Tsuboi, R.  
Quantification of hydroxyproline in small amounts of skin tissue using isocratic high performance liquid chromatography with NBD-F as fluorogenic reagent 824(2005)161
- Kanfer, I., see Mohammadi, A. 824(2005)148
- Karlsen, A., Blomhoff, R. and Gundersen, T.E.  
High-throughput analysis of Vitamin C in human plasma with the use of HPLC with monolithic column and UV-detection 824(2005)132
- Karlsson, N.G., Schulz, B.L., Packer, N.H. and Whitelock, J.M.  
Use of graphitised carbon negative ion LC-MS to analyse enzymatically digested glycosaminoglycans 824(2005)139
- Karupiah, S., see Ramanathan, S. 824(2005)45
- Kazachkov, M. and Yu, P.H.  
A novel HPLC procedure for detection and quantification of aminoacetone, a precursor of methylglyoxal, in biological samples 824(2005)116
- Khalil, M.N.  
Erratum to "Interference free and simplified liquid chromatography-based determination of thiopurine S-methyltransferase activity in erythrocytes" [J. Chromatogr. B 821 (1) (2005) 105-111] 824(2005)348
- Kokwaro, G.O., see Muchohi, S.N. 824(2005)333
- Koopmans, R.P., see Butter, J.J. 824(2005)65
- Lambert, I.B., see Chen, G. 824(2005)229
- Lardy, H., see Marwah, A. 824(2005)107
- Liang, H.R., Takagaki, T., Foltz, R.L. and Bennett, P.  
Quantitative determination of endogenous sorbitol and fructose in human erythrocytes by atmospheric-pressure chemical ionization LC tandem mass spectrometry 824(2005)36
- Liao, K.H., Mayeno, A.N., Reardon, K.F. and Yang, R.S.H.  
A novel, sensitive method for determining benzo[a]pyrene-diones using high-performance liquid chromatography with post-column zinc reduction 824(2005)166
- Limbach, P.A., see Currie, C.A. 824(2005)201
- Liu, L.-J., see Wan, G.-H. 824(2005)57
- Mansor, S.M., see Ramanathan, S. 824(2005)45
- Mantero, F., see Gatti, R. 824(2005)51
- Marwah, A., Marwah, P. and Lardy, H.  
Development and validation of a high performance liquid chromatography assay for 17 $\alpha$ -methyltestosterone in fish feed 824(2005)107
- Marwah, P., see Marwah, A. 824(2005)107
- Maurer, H.H., see Ewald, A.H. 824(2005)123
- Maurer, H.H., see Peters, F.T. 824(2005)81
- Mayeno, A.N., see Liao, K.H. 824(2005)166
- Mena, J.A., Ramírez, O.T. and Palomares, L.A.  
Quantification of rotavirus-like particles by gel permeation chromatography 824(2005)267
- Meulemans, A.  
Capillary electrophoresis of the electrochemical oxidation products of Ng-hydroxy-L-arginine at physiological pH 824(2005)308
- Meyer, M.R., see Peters, F.T. 824(2005)81
- Michel, M.C., see Butter, J.J. 824(2005)65
- Mohammadi, A., Kanfer, I., Sewram, V. and Walker, R.B.  
An LC-MS-MS method for the determination of cyclizine in human serum 824(2005)148
- Morel, A., see Remaud, G. 824(2005)153
- Mori, H., see Ingi, T. 824(2005)312
- Muchohi, S.N., Obiero, K., Kokwaro, G.O., Ogutu, B.R., Githiga, I.M., Edwards, G. and Newton, C.R.J.C.  
Determination of lorazepam in plasma from children by high-performance liquid chromatography with UV detection 824(2005)333
- Nair, N.K., see Ramanathan, S. 824(2005)45
- Navaratnam, V., see Ramanathan, S. 824(2005)45
- Newton, C.R.J.C., see Muchohi, S.N. 824(2005)333
- Niwa, M., Watanabe, N., Ochiai, H. and Yamashita, K.  
Determination of testosterone concentrations in rat plasma using liquid chromatography-atmospheric pressure chemical ionization mass spectrometry combined with ethyl oxime and acetyl ester derivatization 824(2005)258
- Obiero, K., see Muchohi, S.N. 824(2005)333
- Ochiai, H., see Niwa, M. 824(2005)258
- Ogutu, B.R., see Muchohi, S.N. 824(2005)333
- Oh-i, T., see Kakinuma, M. 824(2005)161
- Olliaro, P.L., see Ramanathan, S. 824(2005)45
- Packer, N.H., see Karlsson, N.G. 824(2005)139
- Palomares, L.A., see Mena, J.A. 824(2005)267
- Pan, X., see Zhang, B. 824(2005)277
- Perelló, J., Sanchis, P. and Grases, F.  
Determination of uric acid in urine, saliva and calcium oxalate renal calculi by high-performance liquid chromatography/mass spectrometry 824(2005)175
- Peters, F.T., Meyer, M.R., Fritschi, G. and Maurer, H.H.  
Studies on the metabolism and toxicological detection of the new designer drug 4'-methyl- $\alpha$ -pyrrolidinobutyrophenone (MPBP) in rat urine using gas chromatography-mass spectrometry 824(2005)81
- Peters, F.T., see Ewald, A.H. 824(2005)123
- Praznik, W. and Huber, A.  
De facto molecular weight distributions of glucans by size-exclusion chromatography combined with mass/molar-detection of fluorescence labeled terminal hemiacetals 824(2005)295
- Pruitt, M.A., see Heath, D.D. 824(2005)206
- Pu, Y.S., see Rajendran, V. 824(2005)99
- Rajendran, V., Pu, Y.S. and Chen, B.H.  
An improved HPLC method for determination of carotenoids in human serum 824(2005)99
- Ramanathan, S., Karupiah, S., Nair, N.K., Olliaro, P.L., Navaratnam, V., Wernsdorfer, W.H. and Mansor, S.M.  
A new and simple solid-phase extraction method for LC determination of pyronaridine in human plasma 824(2005)45
- Ramírez, O.T., see Mena, J.A. 824(2005)267
- Raynaud, F., see Wood, N. 824(2005)181
- Reardon, K.F., see Liao, K.H. 824(2005)166
- Remaud, G., Boisdron-Celle, M., Morel, A. and Gamelin, A.  
Sensitive MS/MS-liquid chromatography assay for simultaneous determination of tegafur, 5-fluorouracil and 5-fluorodihydrouracil in plasma 824(2005)153
- Rock, C.L., see Heath, D.D. 824(2005)206
- Rook, E.J., Hillebrand, M.J.X., Rosing, H., van Ree, J.M. and Beijnen, J.H.  
The quantitative analysis of heroin, methadone and their metabolites and the simultaneous detection of cocaine, acetylcodeine and their metabolites in human plasma by high-performance liquid chromatography coupled with tandem mass spectrometry 824(2005)213
- Rosing, H., see Rook, E.J. 824(2005)213

- Sanchis, P., see Perelló, J. 824(2005)175  
Schulz, B.L., see Karlsson, N.G. 824(2005)139  
Seliskar, C.J., see Currie, C.A. 824(2005)201  
Sewram, V., see Mohammadi, A. 824(2005)148  
Shen, Y., see Chen, X. 824(2005)341  
Shimizu, M., see Uno, T. 824(2005)238  
Smyth, W.F.  
Recent studies on the electrospray ionisation mass spectrometric behaviour of selected nitrogen-containing drug molecules and its application to drug analysis using liquid chromatography–electrospray ionisation mass spectrometry (Review) 824(2005)1  
Spinella, P., see Gatti, R. 824(2005)51  
Storms, H.F., van der Heijden, R., Tjaden, U.R. and van der Greef, J.  
Optimization of protein identification from digests as analyzed by capillary isoelectric focusing-mass spectrometry 824(2005)189  
Sucupira, M., see Finzi, J.K. 824(2005)30  
Sugawara, K., see Uno, T. 824(2005)238  
  
Takagaki, T., see Liang, H.R. 824(2005)36  
Tan, T., see Xu, J. 824(2005)323  
Tao, W., see Chen, J. 824(2005)249  
Tateishi, T., see Uno, T. 824(2005)238  
Tian, Y., see Zhang, B. 824(2005)92  
Tjaden, U.R., see Storms, H.F. 824(2005)189  
Tsuboi, R., see Kakinuma, M. 824(2005)161  
  
Uno, T., Yasui-Furukori, N., Shimizu, M., Sugawara, K. and Tateishi, T.  
Determination of rabeprazole and its active metabolite, rabeprazole thioether in human plasma by column-switching high-performance liquid chromatography and its application to pharmacokinetic study 824(2005)238  
  
van der Greef, J., see Storms, H.F. 824(2005)189  
van der Heijden, R., see Storms, H.F. 824(2005)189  
van Ree, J.M., see Rook, E.J. 824(2005)213  
  
Walker, R.B., see Mohammadi, A. 824(2005)148  
Wan, G.-H., Cui, H., Zheng, H.-S., Zhou, J., Liu, L.-J. and Yu, X.-F.  
Determination of tetracyclines residues in honey using high-performance liquid chromatography with potassium permanganate–sodium sulfite– $\beta$ -cyclodextrin chemiluminescence detection 824(2005)57  
Wang, H., see Chen, H. 824(2005)21  
Watanabe, N., see Niwa, M. 824(2005)258  
Watanabe, Y., see Kakinuma, M. 824(2005)161  
Wehmeyer, K.R., see Currie, C.A. 824(2005)201  
Weise, M., see Ewald, A.H. 824(2005)123  
Wernsdorfer, W.H., see Ramanathan, S. 824(2005)45  
White, P.A., see Chen, G. 824(2005)229  
  
Whitelock, J.M., see Karlsson, N.G. 824(2005)139  
Wood, N., Gibbs, D.D., Jackman, A.L., Henley, A., Workman, P. and Raynaud, F.  
A liquid chromatographic–tandem mass spectrometric method for the determination of two selective thymidylate synthase inhibitors, BGC945 and BGC638, in mouse plasma 824(2005)181  
Workman, P., see Wood, N. 824(2005)181  
  
Xu, F., see Zhang, B. 824(2005)92  
Xu, J., Zhang, G., Tan, T. and Janson, J.-C.  
One-step purification of epigallocatechin gallate from crude green tea extracts by isocratic hydrogen bond adsorption chromatography on  $\beta$ -cyclodextrin substituted agarose gel media 824(2005)323  
  
Yamashita, K., see Niwa, M. 824(2005)258  
Yan, L.-X. and Guo, D.-A.  
Quantitation of astragaloside IV in rat plasma by liquid chromatography–tandem mass spectrometry 824(2005)244  
Yang, R.S.H., see Liao, K.H. 824(2005)166  
Yasui-Furukori, N., see Uno, T. 824(2005)238  
Yu, P.H., see Kazachkov, M. 824(2005)116  
Yu, X.-F., see Wan, G.-H. 824(2005)57  
  
Zakrzewski, R. and Ciesielski, W.  
Detection of mercaptopyridines and mercaptopyrimidines in planar chromatography with iodine–azide reaction as a detection system 824(2005)222  
Zakrzewski, R. and Ciesielski, W.  
Determination of thiopental in urine sample with high-performance liquid chromatography using iodine–azide reaction as a postcolumn detection system 824(2005)327  
Zaraneck, C., see Frerichs, V.A. 824(2005)71  
Zecchin, B., see Gatti, R. 824(2005)51  
Zhang, B., Pan, X., Cobb, G.P. and Anderson, T.A.  
Use of pressurized liquid extraction (PLE)/gas chromatography–electron capture detection (GC–ECD) for the determination of biodegradation intermediates of hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX) in soils 824(2005)277  
Zhang, B., Zhang, Z., Tian, Y. and Xu, F.  
High performance liquid chromatography-electrospray ionization mass spectrometric determination of tolterodine tartrate in human plasma 824(2005)92  
Zhang, G., see Xu, J. 824(2005)323  
Zhang, H., see Chen, H. 824(2005)21  
Zhang, Z., see Zhang, B. 824(2005)92  
Zheng, H.-S., see Wan, G.-H. 824(2005)57  
Zheng, Y., see Chen, X. 824(2005)341  
Zhou, J., see Wan, G.-H. 824(2005)57