

Author Index Vol. 830

- Abdine, H.H., see Radwan, M.A. 830(2006)114
- Aboul-Enein, H.Y., see Radwan, M.A. 830(2006)114
- Aboul-Enein, H.Y., see Rouini, M.-R. 830(2006)207
- Ahmadiani, A., see Amini, H. 830(2006)368
- Akhtar, S., see Chen, Y.-L. 830(2006)330
- Al Za'abi, M.A., Dehghanzadeh, G.H., Norris, R.L.G. and Charles, B.G.
A rapid and sensitive microscale HPLC method for the determination of indomethacin in plasma of premature neonates with patent ductus arteriosus 830(2006)364
- Al-Quadeb, B.T., see Radwan, M.A. 830(2006)114
- Allaouchiche, B., see Gordien, J.-B. 830(2006)218
- Amini, H., Javan, M. and Ahmadiani, A.
Development and validation of a sensitive assay of valproic acid in human plasma by high-performance liquid chromatography without prior derivatization 830(2006)368
- Araujo, P. and Frøyland, L.
Optimisation of an extraction method for the determination of prostaglandin E₂ in plasma using experimental design and liquid chromatography tandem mass spectrometry 830(2006)212
- Ardakani, Y.H., see Rouini, M.-R. 830(2006)207
- Bahrami, G. and Mohammadi, B.
A new on-line, in-tube pre-column derivatization technique for high performance liquid chromatographic determination of azithromycin in human serum 830(2006)355
- Balimane, P., see Smalley, J. 830(2006)270
- Barr, D.B., see Norrgran, J. 830(2006)185
- Begg, E.J., see Zhang, M. 830(2006)245
- Bishop, A.M., see Norrgran, J. 830(2006)185
- Boselli, E., see Gordien, J.-B. 830(2006)218
- Bravo, R., see Norrgran, J. 830(2006)185
- Breihl, D., see Gordien, J.-B. 830(2006)218
- Brink, A., Lutz, U., Völkel, W. and Lutz, W.K.
Simultaneous determination of O⁶-methyl-2'-deoxyguanosine, 8-oxo-7,8-dihydro-2'-deoxyguanosine, and 1,N⁶-etheno-2'-deoxyadenosine in DNA using on-line sample preparation by HPLC column switching coupled to ESI-MS/MS 830(2006)255
- Brito, D.M., see de Oca Porto, R.M. 830(2006)178
- Bushman, L., see Delahunty, T. 830(2006)6
- Cai, J., see Chen, J. 830(2006)201
- Cao, S., see Chen, J. 830(2006)201
- Cascorbi, I., see Oswald, S. 830(2006)143
- Castellote, A.I., see Romeu-Nadal, M. 830(2006)41
- Charles, B.G., see Al Za'abi, M.A. 830(2006)364
- Charman, W.N., see Leveque, N.L. 830(2006)314
- Chen, J., Cai, J., Tao, W., Mei, N., Cao, S. and Jiang, X.
Determination of apovincaminic acid in human plasma by high-performance liquid chromatography using solid-phase extraction and ultraviolet detection 830(2006)201
- Chen, S.-H., see Lin, S.-J. 830(2006)306
- Chen, Y.-L., Hirabayashi, H., Akhtar, S., Pelzer, M. and Kobayashi, M.
Simultaneous determination of three isomeric metabolites of tacrolimus (FK506) in human whole blood and plasma using high performance liquid chromatography–tandem mass spectrometry 830(2006)330
- Chen, Y.-R., see Lin, S.-J. 830(2006)306
- Chiesa, O.A., see Heller, D.N. 830(2006)91
- Chiu, F.C.K., see Leveque, N.L. 830(2006)314
- Choi, S.O., Um, S.Y., Jung, S.H., Jung, S.J., Kim, J.I., Lee, H.J. and Chung, S.Y.
Column-switching high-performance liquid chromatographic method for the determination of zaltopropfen in rat plasma 830(2006)301
- Chung, S.Y., see Choi, S.O. 830(2006)301
- de Oca Porto, R.M., Fernández, A.R., Brito, D.M., Vidal, T.C. and Diaz, A.L.
Gas chromatography/mass spectrometry characterization of urinary metabolites of danazol after oral administration in human 830(2006)178
- de Vlieger, J.S.B., see Hoos, J.S. 830(2006)262
- Dehghanzadeh, G.H., see Al Za'abi, M.A. 830(2006)364
- Delahunty, T., Bushman, L. and Fletcher, C.V.
Sensitive assay for determining plasma tenofovir concentrations by LC/MS/MS 830(2006)6
- Diaz, A.L., see de Oca Porto, R.M. 830(2006)178
- Dong, Y., see Li, Y. 830(2006)71
- Fang, F., see Yulan, S. 830(2006)1
- Farruggia, B., see Picó, G. 830(2006)286
- Fernández, A.R., see de Oca Porto, R.M. 830(2006)178
- Figg, W.D., see Hwang, K. 830(2006)35
- Fletcher, C.V., see Delahunty, T. 830(2006)6
- Fleureau, C., see Gordien, J.-B. 830(2006)218
- Foroumadi, A., see Rouini, M.-R. 830(2006)207
- Fox, L.M., see Wang, T. 830(2006)13
- Frøyland, L., see Araujo, P. 830(2006)212
- Fujimoto, T., see Machida, M. 830(2006)249
- Gardiner, S.J., see Zhang, M. 830(2006)245
- George, K.M., see Spaulding, R.S. 830(2006)105
- Gibson, K.M., see Jansen, E.E.W. 830(2006)196
- Giraud, E., Rey, E., Tréluyer, J.-M., Pons, G. and Jullien, V.
Quantification of tipranavir in human plasma by high-performance liquid chromatography with UV detection 830(2006)86
- Godber, J.S., see Sun, T. 830(2006)158
- Gordien, J.-B., Boselli, E., Fleureau, C., Allaouchiche, B., Janvier, G., Lalaude, O., Saux, M.-C. and Breihl, D.
Determination of free ertapenem in plasma and bronchoalveolar lavage by high-performance liquid chromatography with ultraviolet detection 830(2006)218
- Groot, M.J., see Nielen, M.W.F. 830(2006)126
- Gupta, R.C., see Suryawanshi, S. 830(2006)54
- Gutierrez, M., see Hwang, K. 830(2006)35
- Härtter, S., see Sachse, J. 830(2006)342
- Haselberg, R., Hempel, C., van Leeuwen, S.M., Vogel, M. and Karst, U.
Analysis of microperoxidases using liquid chromatography, post-column substrate conversion and fluorescence detection 830(2006)47

- Haverkamp, J., see van Platerink, C.J. 830(2006)151
- Heller, D.N., Smith, M.L. and Chiesa, O.A. LC/MS/MS measurement of penicillin G in bovine plasma, urine, and biopsy samples taken from kidneys of standing animals 830(2006)91
- Hempen, C., see Haselberg, R. 830(2006)47
- Hiemke, C., see Sachse, J. 830(2006)342
- Hirabayashi, H., see Chen, Y.-L. 830(2006)330
- Hoelck, J.-P., see Hoos, J.S. 830(2006)262
- Hoos, J.S., Sudergat, H., Hoelck, J.-P., Stahl, M., de Vlieger, J.S.B., Niessen, W.M.A., Lingeman, H. and Irth, H. Selective quantitative bioanalysis of proteins in biological fluids by on-line immunoaffinity chromatography–protein digestion–liquid chromatography–mass spectrometry 830(2006)262
- Horsten, R., see van Platerink, C.J. 830(2006)151
- Hwang, K., Scripture, C.D., Gutierrez, M., Kummar, S., Figg, W.D. and Sparreboom, A. Determination of the heat shock protein 90 inhibitor 17-dimethyl-aminoethylamino-17-demethoxygeldanamycin in plasma by liquid chromatography–electrospray mass spectrometry 830(2006)35
- Ikeda, N., see Kudo, K. 830(2006)359
- Inoue, H., see Kudo, K. 830(2006)359
- Irth, H., see Hoos, J.S. 830(2006)262
- Ishida, T., see Kudo, K. 830(2006)359
- Jakobs, C., see Jansen, E.E.W. 830(2006)196
- Jansen, E.E.W., Gibson, K.M., Shigematsu, Y., Jakobs, C. and Verhoeven, N.M. A novel, quantitative assay for homocarnosine in cerebrospinal fluid using stable-isotope dilution liquid chromatography–tandem mass spectrometry 830(2006)196
- Janssen, H.-G.M., see van Platerink, C.J. 830(2006)151
- Janvier, G., see Gordien, J.-B. 830(2006)218
- Javan, M., see Amini, H. 830(2006)368
- Jiang, X., see Chen, J. 830(2006)201
- Jin, X., see Qi, M. 830(2006)81
- Jovanovic, D., see Kovacevic, I. 830(2006)372
- Jullien, V., see Giraud, E. 830(2006)86
- Jung, S.H., see Choi, S.O. 830(2006)301
- Jung, S.J., see Choi, S.O. 830(2006)301
- Kadiyala, P., see Smalley, J. 830(2006)270
- Kakinoki, S., see Machida, M. 830(2006)249
- Kamada, S., see Machida, M. 830(2006)249
- Kamata, T., see Shima, N. 830(2006)64
- Kanz, M.F., see Kaphalia, L. 830(2006)231
- Kaphalia, B.S., see Kaphalia, L. 830(2006)231
- Kaphalia, L., Kaphalia, B.S., Kumar, S., Kanz, M.F. and Treinen-Moslen, M. Efficient high performance liquid chromatograph/ultraviolet method for determination of diclofenac and 4'-hydroxydiclofenac in rat serum 830(2006)231
- Karst, U., see Haselberg, R. 830(2006)47
- Katagi, M., see Shima, N. 830(2006)64
- Khandavilli, S., see Sarkar, M. 830(2006)349
- Kim, J.I., see Choi, S.O. 830(2006)301
- Kimura, T., see Oka, K. 830(2006)173
- Klejdus, B., see Psotová, J. 830(2006)165
- Köller, J., see Sachse, J. 830(2006)342
- Kobayashi, M., see Chen, Y.-L. 830(2006)330
- Kosina, P., see Psotová, J. 830(2006)165
- Kovacevic, I., Pokrajac, M., Miljkovic, B., Jovanovic, D. and Prostran, M. Comparison of liquid chromatography with fluorescence detection to liquid chromatography–mass spectrometry for the determination of fluoxetine and norfluoxetine in human plasma 830(2006)372
- Kubesch, K.M., see Mascher, D.G. 830(2006)25
- Kubáň, V., see Psotová, J. 830(2006)165
- Kudo, K., Ishida, T., Nishida, N., Yoshioka, N., Inoue, H., Tsuji, A. and Ikeda, N. Simple and sensitive determination of free and total morphine in human liver and kidney using gas chromatography–mass spectrometry 830(2006)359
- Kumar, S., see Kaphalia, L. 830(2006)231
- Kummar, S., see Hwang, K. 830(2006)35
- Lalaude, O., see Gordien, J.-B. 830(2006)218
- Lasaroms, J.J.P., see Nielen, M.W.F. 830(2006)126
- Lee, H.J., see Choi, S.O. 830(2006)301
- Leveque, N.L., Charman, W.N. and Chiu, F.C.K. Sensitive method for the quantitative determination of proguanil and its metabolites in rat blood and plasma by liquid chromatography–mass spectrometry 830(2006)314
- Li, Y., see Xiao, Q. 830(2006)322
- Li, Y., Sun, Y., Dong, Y., Zhang, Y. and Zhong, D. Identification and quantitative determination of benproperine metabolites in human plasma and urine by liquid chromatography–tandem mass spectrometry 830(2006)71
- Lin, S.-J., Chen, Y.-R., Su, Y.-H., Tseng, H.-I. and Chen, S.-H. Determination of indomethacin in plasma by micellar electrokinetic chromatography with UV detection for premature infants with patent ducts arteriosus 830(2006)306
- Lingeman, H., see Hoos, J.S. 830(2006)262
- Liu, C., see Wei, G. 830(2006)120
- Liu, F., see Peng, Y. 830(2006)224
- López-Sabater, M.C., see Romeu-Nadal, M. 830(2006)41
- Lu, R., see Wei, G. 830(2006)120
- Lutz, U., see Brink, A. 830(2006)255
- Lutz, W.K., see Brink, A. 830(2006)255
- Machida, M., Sakaguchi, A., Kamada, S., Fujimoto, T., Takechi, S., Kakinoki, S. and Nomura, A. Simultaneous analysis of human plasma catecholamines by high-performance liquid chromatography with a reversed-phase triacontylsilyl silica column 830(2006)249
- Marcocci, C., see Raffaelli, A. 830(2006)278
- Marín, P., see Prado, C. 830(2006)18
- Mascher, D.G., Zech, K., Nave, R., Kubesch, K.M. and Mascher, H.J. Ultra-sensitive determination of Formoterol in human serum by high performance liquid chromatography and electrospray tandem mass spectrometry 830(2006)25
- Mascher, H.J., see Mascher, D.G. 830(2006)25
- Mastrangelo, L., see Rossano, R. 830(2006)161
- Matuszewski, B.K. Standard line slopes as a measure of a relative matrix effect in quantitative HPLC–MS bioanalysis 830(2006)293
- Mei, N., see Chen, J. 830(2006)201
- Miki, A., see Shima, N. 830(2006)64
- Miljkovic, B., see Kovacevic, I. 830(2006)372
- Mohammadi, B., see Bahrami, G. 830(2006)355
- Moore, G.A., see Zhang, M. 830(2006)245
- Morera-Pons, S., see Romeu-Nadal, M. 830(2006)41
- Morinaga, O., Tanaka, H. and Shoyama, Y. Detection and quantification of ginsenoside Re in ginseng samples by a chromatographic immunostaining method using monoclonal antibody against ginsenoside Re 830(2006)100
- Mulder, P.P.J., see Nielen, M.W.F. 830(2006)126
- Naidong, W., see Song, Q. 830(2006)135
- Nakashima, K., see Radwan, M.A. 830(2006)114
- Nave, R., see Mascher, D.G. 830(2006)25
- Needham, L.L., see Norrgran, J. 830(2006)185
- Nerli, B., see Picó, G. 830(2006)286
- Nielen, M.W.F., Lasaroms, J.J.P., Mulder, P.P.J., Van Hende, J., van Rhijn, J. (Hans) A. and Groot, M.J. Multi residue screening of intact testosterone esters and boldenone unde-

- cylenate in bovine hair using liquid chromatography electrospray tandem mass spectrometry 830(2006)126
- Niessen, W.M.A., see Hoos, J.S. 830(2006)262
- Nishida, N., see Kudo, K. 830(2006)359
- Nishikawa, M., see Shima, N. 830(2006)64
- Nomura, A., see Machida, M. 830(2006)249
- Norrgran, J., Bravo, R., Bishop, A.M., Restrepo, P., Whitehead, R.D., Needham, L.L. and Barr, D.B.
Quantification of six herbicide metabolites in human urine 830(2006)185
- Norris, R.L.G., see Al Za'abi, M.A. 830(2006)364
- Ohmori, S., see Oka, K. 830(2006)173
- Oka, K., Kimura, T., Otsuka, M. and Ohmori, S.
Specific determination of threonine in biological samples by gas chromatography with electron capture detection 830(2006)173
- Olah, T., see Smalley, J. 830(2006)270
- Oswald, S., Scheuch, E., Cascorbi, I. and Siegmund, W.
A LC-MS/MS method to quantify the novel cholesterol lowering drug ezetimibe in human serum, urine and feces in healthy subjects genotyped for SLCO1B1 830(2006)143
- Otsuka, M., see Oka, K. 830(2006)173
- Ouyang, H., see Xiao, Q. 830(2006)322
- Panchagnula, R., see Sarkar, M. 830(2006)349
- Pelzer, M., see Chen, Y.-L. 830(2006)330
- Peng, Y., Liu, F. and Ye, J.
Quantitative and qualitative analysis of flavonoid markers in *Frucus aurantii* of different geographical origin by capillary electrophoresis with electrochemical detection 830(2006)224
- Periago, J.F., see Prado, C. 830(2006)18
- Picó, G., Romanini, D., Nerli, B. and Farruggia, B.
Polyethyleneglycol molecular mass and polydispersivity effect on protein partitioning in aqueous two-phase systems 830(2006)286
- Pokrajac, M., see Kovacevic, I. 830(2006)372
- Pons, G., see Giraud, E. 830(2006)86
- Prado, C., Marín, P., Simon, P. and Periago, J.F.
SPE-GC-MS for the sampling and determination of unmetabolized styrene in urine 830(2006)18
- Prostran, M., see Kovacevic, I. 830(2006)372
- Psotová, J., Klejdus, B., Večeřa, R., Kosina, P., Kubáň, V., Vičar, J., Šimánek, V. and Ulrichová, J.
A liquid chromatographic-mass spectrometric evidence of dihydrosanguinarine as a first metabolite of sanguinarine transformation in rat 830(2006)165
- Qi, M., Wang, P. and Jin, X.
Liquid chromatography-mass spectrometry method for the determination of nicardipine in human plasma 830(2006)81
- Radwan, M.A., Abdine, H.H., Al-Quadeb, B.T., Aboul-Enein, H.Y. and Nakashima, K.
Stereoselective HPLC assay of donepezil enantiomers with UV detection and its application to pharmacokinetics in rats 830(2006)114
- Raffaelli, A., Saba, A., Vignal, E., Marcocci, C. and Salvadori, P.
Direct determination of the ratio of tetrahydrocortisol + allo-tetrahydrocortisol to tetrahydrocortisone in urine by LC-MS-MS 830(2006)278
- Restrepo, P., see Norrgran, J. 830(2006)185
- Rey, E., see Giraud, E. 830(2006)86
- Riccio, P., see Rossano, R. 830(2006)161
- Romanini, D., see Picó, G. 830(2006)286
- Romeu-Nadal, M., Morera-Pons, S., Castellote, A.I. and López-Sabater, M.C.
Rapid high-performance liquid chromatographic method for Vitamin C determination in human milk versus an enzymatic method 830(2006)41
- Rossano, R., Mastrangelo, L., Ungaro, N. and Riccio, P.
Influence of storage temperature and freezing time on histamine level in the European anchovy *Engraulis encrasicholus* (L., 1758): A study by capillary electrophoresis 830(2006)161
- Rouini, M.-R., Ardakani, Y.H., Soltani, F., Aboul-Enein, H.Y. and Foroumadi, A.
Development and validation of a rapid HPLC method for simultaneous determination of tramadol, and its two main metabolites in human plasma 830(2006)207
- Saba, A., see Raffaelli, A. 830(2006)278
- Sachse, J., Köller, J., Härtter, S. and Hiemke, C.
Automated analysis of quetiapine and other antipsychotic drugs in human blood by high performance-liquid chromatography with column-switching and spectrophotometric detection 830(2006)342
- Sakaguchi, A., see Machida, M. 830(2006)249
- Salvadori, P., see Raffaelli, A. 830(2006)278
- Sarkar, M., Khandavilli, S. and Panchagnula, R.
Development and validation of RP-HPLC and ultraviolet spectrophotometric methods of analysis for the quantitative estimation of antiretroviral drugs in pharmaceutical dosage forms 830(2006)349
- Saux, M.-C., see Gordien, J.-B. 830(2006)218
- Scheuch, E., see Oswald, S. 830(2006)143
- Scripture, C.D., see Hwang, K. 830(2006)35
- Shigematsu, Y., see Jansen, E.E.W. 830(2006)196
- Shima, N., Tsutsumi, H., Kamata, T., Nishikawa, M., Katagi, M., Miki, A. and Tsuchihashi, H.
Direct determination of glucuronide and sulfate of *p*-hydroxymethylamphetamine in methamphetamine users' urine 830(2006)64
- Shoyama, Y., see Morinaga, O. 830(2006)100
- Siegmund, W., see Oswald, S. 830(2006)143
- Šimánek, V., see Psotová, J. 830(2006)165
- Simon, P., see Prado, C. 830(2006)18
- Singh, S.K., see Suryawanshi, S. 830(2006)54
- Smalley, J., Kadiyala, P., Xin, B., Balimane, P. and Olah, T.
Development of an on-line extraction turbulent flow chromatography tandem mass spectrometry method for cassette analysis of Caco-2 cell based bi-directional assay samples 830(2006)270
- Smith, M.L., see Heller, D.N. 830(2006)91
- Soltani, F., see Rouini, M.-R. 830(2006)207
- Song, Q. and Naidong, W.
Analysis of omeprazole and 5-OH omeprazole in human plasma using hydrophilic interaction chromatography with tandem mass spectrometry (HILIC-MS/MS)—Eliminating evaporation and reconstitution steps in 96-well liquid/liquid extraction 830(2006)135
- Sparreboom, A., see Hwang, K. 830(2006)35
- Spaulding, R.S., George, K.M. and Thompson, C.M.
Analysis and sequencing of the active-site peptide from native and organophosphate-inactivated acetylcholinesterase by electrospray ionization, quadrupole/time-of-flight (QTOF) mass spectrometry 830(2006)105
- Stahl, M., see Hoos, J.S. 830(2006)262
- Su, Y.-H., see Lin, S.-J. 830(2006)306
- Sudergat, H., see Hoos, J.S. 830(2006)262
- Sun, T., Xu, Z. and Godber, J.S.
Ultrasound assisted extraction in quantifying lutein from chicken liver using high-performance liquid chromatography 830(2006)158
- Sun, Y., see Li, Y. 830(2006)71
- Suryawanshi, S., Singh, S.K. and Gupta, R.C.
A sensitive and selective HPLC/ESI-MS/MS assay for the simultaneous quantification of 16-dehydropregnolone and its major metabolites in rabbit plasma 830(2006)54
- Takechi, S., see Machida, M. 830(2006)249
- Tanaka, H., see Morinaga, O. 830(2006)100
- Tao, W., see Chen, J. 830(2006)201
- Theodoridis, G.
Application of solid-phase microextraction in the investigation of protein binding of pharmaceuticals 830(2006)238
- Thompson, C.M., see Spaulding, R.S. 830(2006)105
- Treinen-Moslen, M., see Kaphalia, L. 830(2006)231
- Tréulyer, J.-M., see Giraud, E. 830(2006)86
- Tseng, H.-I., see Lin, S.-J. 830(2006)306

- Tsuchihashi, H., see Shima, N. 830(2006)64
Tsuiji, A., see Kudo, K. 830(2006)359
Tsutsumi, H., see Shima, N. 830(2006)64
- Ulrichová, J., see Psotová, J. 830(2006)165
Um, S.Y., see Choi, S.O. 830(2006)301
Ungaro, N., see Rossano, R. 830(2006)161
- Van Hende, J., see Nielen, M.W.F. 830(2006)126
van Leeuwen, S.M., see Haselberg, R. 830(2006)47
van Platerink, C.J., Janssen, H.-G.M., Horsten, R. and Haverkamp, J.
Quantification of ACE inhibiting peptides in human plasma using
high performance liquid chromatography–mass spectrometry
830(2006)151
- van Rhijn, J. (Hans) A., see Nielen, M.W.F. 830(2006)126
Večeřa, R., see Psotová, J. 830(2006)165
Verhoeven, N.M., see Jansen, E.E.W. 830(2006)196
Vičar, J., see Psotová, J. 830(2006)165
Vidal, T.C., see de Oca Porto, R.M. 830(2006)178
Vignali, E., see Raffaelli, A. 830(2006)278
Völkel, W., see Brink, A. 830(2006)255
Vogel, M., see Haselberg, R. 830(2006)47
- Wang, D., see Wang, T. 830(2006)13
Wang, P., see Qi, M. 830(2006)81
Wang, T., Fox, L.M. and Wang, D.
Validation of HPLC analysis method of a novel antihypertensive agent
MS23 in rat plasma 830(2006)13
- Wei, G., Xiao, S., Lu, R. and Liu, C.
Simultaneous determination of ZT-1 and its metabolite Huperzine A in
plasma by high-performance liquid chromatography with ultraviolet
detection 830(2006)120
- Whitehead, R.D., see Norrgran, J. 830(2006)185
Wu, D., see Xiao, Q. 830(2006)322
- Xiao, Q., Li, Y., Ouyang, H., Xu, P. and Wu, D.
High-performance liquid chromatographic analysis of bisphenol A and
4-nonylphenol in serum, liver and testis tissues after oral administration
to rats and its application to toxicokinetic study 830(2006)322
- Xiao, S., see Wei, G. 830(2006)120
Xin, B., see Smalley, J. 830(2006)270
Xu, P., see Xiao, Q. 830(2006)322
Xu, Z., see Sun, T. 830(2006)158
- Ye, J., see Peng, Y. 830(2006)224
Yoshioka, N., see Kudo, K. 830(2006)359
Yulan, S. and Fang, F.
Sensitive liquid chromatography–tandem mass spectrometry method for
the determination of scutellarin in human plasma: Application to a
pharmacokinetic study 830(2006)1
- Zech, K., see Mascher, D.G. 830(2006)25
Zhang, M., Moore, G.A., Gardiner, S.J. and Begg, E.J.
Determination of celecoxib in human plasma and breast milk by
high-performance liquid chromatographic assay 830(2006)245
- Zhang, Y., see Li, Y. 830(2006)71
Zhong, D., see Li, Y. 830(2006)71