

Keyword Index Vol. 830

Acetochlor

Quantification of six herbicide metabolites in human urine 830(2006)185

Acetylcholinesterase

Analysis and sequencing of the active-site peptide from native and organophosphate-inactivated acetylcholinesterase by electrospray ionization, quadrupole/time-of-flight (QTOF) mass spectrometry 830(2006)105

Active site

Analysis and sequencing of the active-site peptide from native and organophosphate-inactivated acetylcholinesterase by electrospray ionization, quadrupole/time-of-flight (QTOF) mass spectrometry 830(2006)105

Adefovir (PMEA)

Sensitive assay for determining plasma tenofovir concentrations by LC/MS/MS 830(2006)6

Alachlor

Quantification of six herbicide metabolites in human urine 830(2006)185

Ammonium-adduct LC–MS/MS

Simultaneous determination of three isomeric metabolites of tacrolimus (FK506) in human whole blood and plasma using high performance liquid chromatography–tandem mass spectrometry 830(2006)330

Anabolic steroid

Multi residue screening of intact testosterone esters and boldenone undecylate in bovine hair using liquid chromatography electrospray tandem mass spectrometry 830(2006)126

Anchovy

Influence of storage temperature and freezing time on histamine level in the European anchovy *Engraulis encrasicolus* (L., 1758): A study by capillary electrophoresis 830(2006)161

Angiotensin-I-converting enzyme inhibitors

Quantification of ACE inhibiting peptides in human plasma using high performance liquid chromatography–mass spectrometry 830(2006)151

Antihypertensive

Validation of HPLC analysis method of a novel antihypertensive agent MS23 in rat plasma 830(2006)13

Antimalarial

Sensitive method for the quantitative determination of proguanil and its metabolites in rat blood and plasma by liquid chromatography–mass spectrometry 830(2006)314

Apovincaminic acid

Determination of apovincaminic acid in human plasma by high-performance liquid chromatography using solid-phase extraction and ultraviolet detection 830(2006)201

Aqueous two-phase systems

Polyethyleneglycol molecular mass and polydispersivity effect on protein partitioning in aqueous two-phase systems 830(2006)286

Ascorbic acid

Rapid high-performance liquid chromatographic method for Vitamin C determination in human milk versus an enzymatic method 830(2006)41

Atrazine

Quantification of six herbicide metabolites in human urine 830(2006)185

Azithromycin

A new on-line, in-tube pre-column derivatization technique for high performance liquid chromatographic determination of azithromycin in human serum 830(2006)355

Background DNA damage

Simultaneous determination of *O*⁶-methyl-2'-deoxyguanosine, 8-oxo-7,8-dihydro-2'-deoxyguanosine, and 1,*N*⁶-etheno-2'-deoxyadenosine in DNA using on-line sample preparation by HPLC column switching coupled to ESI-MS/MS 830(2006)255

Benproperine

Identification and quantitative determination of benproperine metabolites in human plasma and urine by liquid chromatography–tandem mass spectrometry 830(2006)71

Benz[c]acridine

A liquid chromatographic–mass spectrometric evidence of dihydrosanguinarine as a first metabolite of sanguinarine transformation in rat 830(2006)165

Bioactive peptides

Quantification of ACE inhibiting peptides in human plasma using high performance liquid chromatography–mass spectrometry 830(2006)151

Bioanalysis

Standard line slopes as a measure of a relative matrix effect in quantitative HPLC–MS bioanalysis 830(2006)293

Bioanalytics

A LC–MS/MS method to quantify the novel cholesterol lowering drug ezetimibe in human serum, urine and feces in healthy subjects genotyped for SLCO1B1 830(2006)143

Biomonitoring

SPE–GC–MS for the sampling and determination of unmetabolized styrene in urine 830(2006)18

Quantification of six herbicide metabolites in human urine 830(2006)185

Bisphenol A

High-performance liquid chromatographic analysis of bisphenol A and 4-nonylphenol in serum, liver and testis tissues after oral administration to rats and its application to toxicokinetic study 830(2006)322

Blood and plasma assay

Sensitive method for the quantitative determination of proguanil and its metabolites in rat blood and plasma by liquid chromatography–mass spectrometry 830(2006)314

Boldenone

Multi residue screening of intact testosterone esters and boldenone undecylate in bovine hair using liquid chromatography electrospray tandem mass spectrometry 830(2006)126

Caco-2

Development of an on-line extraction turbulent flow chromatography tandem mass spectrometry method for cassette analysis of Caco-2 cell based bi-directional assay samples 830(2006)270

Calcium channel antagonist

Validation of HPLC analysis method of a novel antihypertensive agent MS23 in rat plasma 830(2006)13

Cancer

Determination of the heat shock protein 90 inhibitor 17-dimethylaminoethylamino-17-demethoxygeldanamycin in plasma by liquid chromatography–electrospray mass spectrometry 830(2006)35

Capillary electrophoresis

Quantitative and qualitative analysis of flavonoid markers in *Fucus aurantii* of different geographical origin by capillary electrophoresis with electrochemical detection 830(2006)224

Capillary zone electrophoresis

Influence of storage temperature and freezing time on histamine level in the European anchovy *Engraulis encrasicolus* (L., 1758): A study by capillary electrophoresis 830(2006)161

Carotenoid

Ultrasound assisted extraction in quantifying lutein from chicken liver using high-performance liquid chromatography 830(2006)158

Celecoxib

Determination of celecoxib in human plasma and breast milk by high-performance liquid chromatographic assay 830(2006)245

Central composite design

Optimisation of an extraction method for the determination of prostaglandin E₂ in plasma using experimental design and liquid chromatography tandem mass spectrometry 830(2006)212

Chicken liver

Ultrasound assisted extraction in quantifying lutein from chicken liver using high-performance liquid chromatography 830(2006)158

Chiral stationary phase

Stereoselective HPLC assay of donepezil enantiomers with UV detection and its application to pharmacokinetics in rats 830(2006)114

Chloroacetanilide

Quantification of six herbicide metabolites in human urine 830(2006)185

Chromatographic immunostaining

Detection and quantification of ginsenoside Re in ginseng samples by a chromatographic immunostaining method using monoclonal antibody against ginsenoside Re 830(2006)100

Chymotrypsin

Analysis and sequencing of the active-site peptide from native and organophosphate-inactivated acetylcholinesterase by electrospray ionization, quadrupole/time-of-flight (QTOF) mass spectrometry 830(2006)105

Ciprofloxacin

Application of solid-phase microextraction in the investigation of protein binding of pharmaceuticals 830(2006)238

Clozapine

Automated analysis of quetiapine and other antipsychotic drugs in human blood by high performance-liquid chromatography with column-switching and spectrophotometric detection 830(2006)342

Clupeid fish

Influence of storage temperature and freezing time on histamine level in the European anchovy *Engraulis encrasicolus* (L., 1758): A study by capillary electrophoresis 830(2006)161

Column switching

Column-switching high-performance liquid chromatographic method for the determination of zaltoprofen in rat plasma 830(2006)301

Automated analysis of quetiapine and other antipsychotic drugs in human blood by high performance-liquid chromatography with column-switching and spectrophotometric detection 830(2006)342

Cycloguanil

Sensitive method for the quantitative determination of proguanil and its metabolites in rat blood and plasma by liquid chromatography–mass spectrometry 830(2006)314

Cytochrome P450 3A4

Efficient high performance liquid chromatograph/ultraviolet method for determination of diclofenac and 4'-hydroxydiclofenac in rat serum 830(2006)231

2,4-D

Quantification of six herbicide metabolites in human urine 830(2006)185

Danazol

Gas chromatography/mass spectrometry characterization of urinary metabolites of danazol after oral administration in human 830(2006)178

16-Dehydropregnenolone

A sensitive and selective HPLC/ESI-MS/MS assay for the simultaneous quantification of 16-dehydropregnenolone and its major metabolites in rabbit plasma 830(2006)54

O-Desmethyltramadol

Development and validation of a rapid HPLC method for simultaneous determination of tramadol, and its two main metabolites in human plasma 830(2006)207

Determination

Specific determination of threonine in biological samples by gas chromatography with electron capture detection 830(2006)173

Diclofenac

Efficient high performance liquid chromatograph/ultraviolet method for determination of diclofenac and 4'-hydroxydiclofenac in rat serum 830(2006)231

Digestion

Analysis of microperoxidases using liquid chromatography, post-column substrate conversion and fluorescence detection 830(2006)47

Dihydrosanguinarine

A liquid chromatographic–mass spectrometric evidence of dihydrosanguinarine as a first metabolite of sanguinarine transformation in rat 830(2006)165

3,4-Dihydroxyphenylglycol

Simultaneous analysis of human plasma catecholamines by high-performance liquid chromatography with a reversed-phase triacontylsilyl silica column 830(2006)249

Direct injection

Column-switching high-performance liquid chromatographic method for the determination of zaltoprofen in rat plasma 830(2006)301

17-DMAG

Determination of the heat shock protein 90 inhibitor 17-dimethylaminoethyl-amino-17-demethoxygeldanamycin in plasma by liquid chromatography–electrospray mass spectrometry 830(2006)35

DNA adducts

Simultaneous determination of *O*⁶-methyl-2'-deoxyguanosine, 8-oxo-7,8-dihydro-2'-deoxyguanosine, and 1,*N*⁶-etheno-2'-deoxyadenosine in DNA using on-line sample preparation by HPLC column switching coupled to ESI-MS/MS 830(2006)255

Donepezil

Stereoselective HPLC assay of donepezil enantiomers with UV detection and its application to pharmacokinetics in rats 830(2006)114

Doping control

Gas chromatography/mass spectrometry characterization of urinary metabolites of danazol after oral administration in human 830(2006)178

Dual action

Validation of HPLC analysis method of a novel antihypertensive agent MS23 in rat plasma 830(2006)13

Electrochemical detection

Quantitative and qualitative analysis of flavonoid markers in *Frucus aurantii* of different geographical origin by capillary electrophoresis with electrochemical detection 830(2006)224

Electrospray

Selective quantitative bioanalysis of proteins in biological fluids by on-line immunoaffinity chromatography–protein digestion–liquid chromatography–mass spectrometry 830(2006)262

Electrospray ionization

Direct determination of the ratio of tetrahydrocortisol + allo-tetrahydrocortisol to tetrahydrocortisone in urine by LC–MS–MS 830(2006)278

Enantiomers

Stereoselective HPLC assay of donepezil enantiomers with UV detection and its application to pharmacokinetics in rats 830(2006)114

Environmental estrogens

High-performance liquid chromatographic analysis of bisphenol A and 4-nonylphenol in serum, liver and testis tissues after oral administration to rats and its application to toxicokinetic study 830(2006)322

Enzymatic method

Rapid high-performance liquid chromatographic method for Vitamin C determination in human milk versus an enzymatic method 830(2006)41

Ethisterone

Gas chromatography/mass spectrometry characterization of urinary metabolites of danazol after oral administration in human 830(2006)178

Ethyl paraoxon

Analysis and sequencing of the active-site peptide from native and organophosphate-inactivated acetylcholinesterase by electrospray ionization, quadrupole/time-of-flight (QTOF) mass spectrometry 830(2006)105

Experimental design

Optimisation of an extraction method for the determination of prostaglandin E₂ in plasma using experimental design and liquid chromatography tandem mass spectrometry 830(2006)212

Extraction

Ultrasound assisted extraction in quantifying lutein from chicken liver using high-performance liquid chromatography 830(2006)158

Ezetimibe

A LC–MS/MS method to quantify the novel cholesterol lowering drug ezetimibe in human serum, urine and feces in healthy subjects genotyped for SLCO1B1 830(2006)143

Ezetimibe glucuronide

A LC–MS/MS method to quantify the novel cholesterol lowering drug ezetimibe in human serum, urine and feces in healthy subjects genotyped for SLCO1B1 830(2006)143

Feces

A LC–MS/MS method to quantify the novel cholesterol lowering drug ezetimibe in human serum, urine and feces in healthy subjects genotyped for SLCO1B1 830(2006)143

Flavonoids

Quantitative and qualitative analysis of flavonoid markers in *Frucus aurantii* of different geographical origin by capillary electrophoresis with electrochemical detection 830(2006)224

Fluorescence detection

Analysis of microperoxidases using liquid chromatography, post-column substrate conversion and fluorescence detection 830(2006)47

Comparison of liquid chromatography with fluorescence detection to liquid chromatography–mass spectrometry for the determination of fluoxetine and norfluoxetine in human plasma 830(2006)372

Fluoxetine

Comparison of liquid chromatography with fluorescence detection to liquid chromatography–mass spectrometry for the determination of fluoxetine and norfluoxetine in human plasma 830(2006)372

FMOC-Cl

A new on-line, in-tube pre-column derivatization technique for high performance liquid chromatographic determination of azithromycin in human serum 830(2006)355

Formoterol

Ultra-sensitive determination of Formoterol in human serum by high performance liquid chromatography and electrospray tandem mass spectrometry 830(2006)25

Free ertapenem in plasma and BAL

Determination of free ertapenem in plasma and bronchoalveolar lavage by high-performance liquid chromatography with ultraviolet detection 830(2006)218

Frucus aurantii

Quantitative and qualitative analysis of flavonoid markers in *Frucus aurantii* of different geographical origin by capillary electrophoresis with electrochemical detection 830(2006)224

GABA

A novel, quantitative assay for homocarnosine in cerebrospinal fluid using stable-isotope dilution liquid chromatography–tandem mass spectrometry 830(2006)196

Gas chromatography

Specific determination of threonine in biological samples by gas chromatography with electron capture detection 830(2006)173

Gas chromatography–mass spectrometry

Simple and sensitive determination of free and total morphine in human liver and kidney using gas chromatography–mass spectrometry 830(2006)359

GC-MS

SPE-GC-MS for the sampling and determination of unmetabolized styrene in urine 830(2006)18

Ginseng

Detection and quantification of ginsenoside Re in ginseng samples by a chromatographic immunostaining method using monoclonal antibody against ginsenoside Re 830(2006)100

Ginsenoside Re

Detection and quantification of ginsenoside Re in ginseng samples by a chromatographic immunostaining method using monoclonal antibody against ginsenoside Re 830(2006)100

Glucuronide

Direct determination of glucuronide and sulfate of *p*-hydroxymethamphetamine in methamphetamine users' urine 830(2006)64

Hair

Multi residue screening of intact testosterone esters and boldenone undecylate in bovine hair using liquid chromatography electrospray tandem mass spectrometry 830(2006)126

Haloperidol

Application of solid-phase microextraction in the investigation of protein binding of pharmaceuticals 830(2006)238

Herbicide

Quantification of six herbicide metabolites in human urine 830(2006)185

High-performance liquid chromatography (HPLC)

Rapid high-performance liquid chromatographic method for Vitamin C determination in human milk versus an enzymatic method 830(2006)41

Analysis of micropoxidases using liquid chromatography, post-column substrate conversion and fluorescence detection 830(2006)47

Stereoselective HPLC assay of donepezil enantiomers with UV detection and its application to pharmacokinetics in rats 830(2006)114

Ultrasound assisted extraction in quantifying lutein from chicken liver using high-performance liquid chromatography 830(2006)158

Determination of apovincaminic acid in human plasma by high-performance liquid chromatography using solid-phase extraction and ultraviolet detection 830(2006)201

Determination of celecoxib in human plasma and breast milk by high-performance liquid chromatographic assay 830(2006)245

Standard line slopes as a measure of a relative matrix effect in quantitative HPLC-MS bioanalysis 830(2006)293

Column-switching high-performance liquid chromatographic method for the determination of zaltoprofen in rat plasma 830(2006)301

High-performance liquid chromatographic analysis of bisphenol A and 4-nonylphenol in serum, liver and testis tissues after oral administration to rats and its application to toxicokinetic study 830(2006)322

Automated analysis of quetiapine and other antipsychotic drugs in human blood by high performance-liquid chromatography with column-switching and spectrophotometric detection 830(2006)342

A new on-line, in-tube pre-column derivatization technique for high performance liquid chromatographic determination of azithromycin in human serum 830(2006)355

A rapid and sensitive microscale HPLC method for the determination of indomethacin in plasma of premature neonates with patent ductus arteriosus 830(2006)364

HILIC-MS/MS

Analysis of omeprazole and 5-OH omeprazole in human plasma using hydrophilic interaction chromatography with tandem mass spectrometry (HILIC-MS/MS)—Eliminating evaporation and reconstitution steps in 96-well liquid/liquid extraction 830(2006)135

Histamine

Influence of storage temperature and freezing time on histamine level in the European anchovy *Engraulis encrasicolus* (L., 1758): A study by capillary electrophoresis 830(2006)161

Homocarnosine

A novel, quantitative assay for homocarnosine in cerebrospinal fluid using stable-isotope dilution liquid chromatography-tandem mass spectrometry 830(2006)196

HPLC UV detection

Determination of free ertapenem in plasma and bronchoalveolar lavage by high-performance liquid chromatography with ultraviolet detection 830(2006)218

HPLC-MS/MS

Quantification of six herbicide metabolites in human urine 830(2006)185

Human blood and plasma

Simultaneous determination of three isomeric metabolites of tacrolimus (FK506) in human whole blood and plasma using high performance liquid chromatography-tandem mass spectrometry 830(2006)330

Human milk

Rapid high-performance liquid chromatographic method for Vitamin C determination in human milk versus an enzymatic method 830(2006)41

Human plasma

Liquid chromatography-mass spectrometry method for the determination of nocardipine in human plasma 830(2006)81

Comparison of liquid chromatography with fluorescence detection to liquid chromatography-mass spectrometry for the determination of fluoxetine and norfluoxetine in human plasma 830(2006)372

Human serum

Ultra-sensitive determination of Formoterol in human serum by high performance liquid chromatography and electrospray tandem mass spectrometry 830(2006)25

A LC-MS/MS method to quantify the novel cholesterol lowering drug ezetimibe in human serum, urine and feces in healthy subjects genotyped for SLCO1B1 830(2006)143

Huperzine A

Simultaneous determination of ZT-1 and its metabolite Huperzine A in plasma by high-performance liquid chromatography with ultraviolet detection 830(2006)120

4-Hydroxybenproperine

Identification and quantitative determination of benproperine metabolites in human plasma and urine by liquid chromatography-tandem mass spectrometry 830(2006)71

4-Hydroxydiclofenac

Efficient high performance liquid chromatography/ultraviolet method for determination of diclofenac and 4'-hydroxydiclofenac in rat serum 830(2006)231

***p*-Hydroxymethamphetamine**

Direct determination of glucuronide and sulfate of *p*-hydroxymethamphetamine in methamphetamine users' urine 830(2006)64

Hypolipidaemic agent

A sensitive and selective HPLC/ESI-MS/MS assay for the simultaneous quantification of 16-dehydropregnenolone and its major metabolites in rabbit plasma 830(2006)54

Immunoaffinity

Selective quantitative bioanalysis of proteins in biological fluids by on-line immunoaffinity chromatography–protein digestion–liquid chromatography–mass spectrometry 830(2006)262

Indomethacin

Determination of indomethacin in plasma by micellar electrokinetic chromatography with UV detection for premature infants with patent ducts arteriosus 830(2006)306

A rapid and sensitive microscale HPLC method for the determination of indomethacin in plasma of premature neonates with patent ductus arteriosus 830(2006)364

Ion-trap mass spectrometry

Optimisation of an extraction method for the determination of prostaglandin E₂ in plasma using experimental design and liquid chromatography tandem mass spectrometry 830(2006)212

Kidney

LC/MS/MS measurement of penicillin G in bovine plasma, urine, and biopsy samples taken from kidneys of standing animals 830(2006)91

Lamivudine

Development and validation of RP-HPLC and ultraviolet spectrophotometric methods of analysis for the quantitative estimation of antiretroviral drugs in pharmaceutical dosage forms 830(2006)349

LC/MS

Determination of the heat shock protein 90 inhibitor 17-dimethylaminoethylamino-17-demethoxygeldanamycin in plasma by liquid chromatography–electrospray mass spectrometry 830(2006)35

LC/MS/MS

Sensitive assay for determining plasma tenofovir concentrations by LC/MS/MS 830(2006)6

LCMS

Optimisation of an extraction method for the determination of prostaglandin E₂ in plasma using experimental design and liquid chromatography tandem mass spectrometry 830(2006)212

LC–MS

Quantification of ACE inhibiting peptides in human plasma using high performance liquid chromatography–mass spectrometry 830(2006)151

Selective quantitative bioanalysis of proteins in biological fluids by on-line immunoaffinity chromatography–protein digestion–liquid chromatography–mass spectrometry 830(2006)262

Sensitive method for the quantitative determination of proguanil and its metabolites in rat blood and plasma by liquid chromatography–mass spectrometry 830(2006)314

LC–MS/MS

Sensitive liquid chromatography–tandem mass spectrometry method for the determination of scutellarin in human plasma: Application to a pharmacokinetic study 830(2006)1

A LC–MS/MS method to quantify the novel cholesterol lowering drug ezetimibe in human serum, urine and feces in healthy subjects genotyped for SLCO1B1 830(2006)143

LC–MS/MS analysis

Development of an on-line extraction turbulent flow chromatography tandem mass spectrometry method for cassette analysis of Caco-2 cell based bi-directional assay samples 830(2006)270

LC–MS–MS

A sensitive and selective HPLC/ESI-MS/MS assay for the simultaneous quantification of 16-dehydropregnenolone and its major metabolites in rabbit plasma 830(2006)54

Lipid peroxidation

Simultaneous determination of *O*⁶-methyl-2'-deoxyguanosine, 8-oxo-7,8-dihydro-2'-deoxyguanosine, and 1,*N*⁶-etheno-2'-deoxyadenosine in DNA using on-line sample preparation by HPLC column switching coupled to ESI-MS/MS 830(2006)255

Liquid chromatography

Ultra-sensitive determination of Formoterol in human serum by high performance liquid chromatography and electrospray tandem mass spectrometry 830(2006)25

Quantification of tipranavir in human plasma by high-performance liquid chromatography with UV detection 830(2006)86

Multi residue screening of intact testosterone esters and boldenone undecylenate in bovine hair using liquid chromatography electrospray tandem mass spectrometry 830(2006)126

Comparison of liquid chromatography with fluorescence detection to liquid chromatography–mass spectrometry for the determination of fluoxetine and norfluoxetine in human plasma 830(2006)372

Liquid chromatography–mass spectrometry

Liquid chromatography–mass spectrometry method for the determination of nicardipine in human plasma 830(2006)81

A liquid chromatographic–mass spectrometric evidence of dihydrosanguinarine as a first metabolite of sanguinarine transformation in rat 830(2006)165

Liquid chromatography–tandem mass spectrometry

LC/MS/MS measurement of penicillin G in bovine plasma, urine, and biopsy samples taken from kidneys of standing animals 830(2006)91

Liquid/liquid extraction

Analysis of omeprazole and 5-OH omeprazole in human plasma using hydrophilic interaction chromatography with tandem mass spectrometry (HILIC–MS/MS)—Eliminating evaporation and reconstitution steps in 96-well liquid/liquid extraction 830(2006)135

Liver

A liquid chromatographic–mass spectrometric evidence of dihydrosanguinarine as a first metabolite of sanguinarine transformation in rat 830(2006)165

Lutein

Ultrasound assisted extraction in quantifying lutein from chicken liver using high-performance liquid chromatography 830(2006)158

Macrolide antibiotics

A new on-line, in-tube pre-column derivatization technique for high performance liquid chromatographic determination of azithromycin in human serum 830(2006)355

Mass spectrometry

Multi residue screening of intact testosterone esters and boldenone undecylate in bovine hair using liquid chromatography electrospray tandem mass spectrometry 830(2006)126

Simultaneous determination of *O*⁶-methyl-2'-deoxyguanosine, 8-oxo-7,8-dihydro-2'-deoxyguanosine, and 1,*N*⁶-etheno-2'-deoxyadenosine in DNA using on-line sample preparation by HPLC column switching coupled to ESI-MS/MS 830(2006)255

Direct determination of the ratio of tetrahydrocortisol + allo-tetrahydrocortisol to tetrahydrocortisone in urine by LC-MS-MS 830(2006)278

Comparison of liquid chromatography with fluorescence detection to liquid chromatography-mass spectrometry for the determination of fluoxetine and norfluoxetine in human plasma 830(2006)372

Metabolism

Efficient high performance liquid chromatograph/ultraviolet method for determination of diclofenac and 4'-hydroxydiclofenac in rat serum 830(2006)231

Direct determination of the ratio of tetrahydrocortisol + allo-tetrahydrocortisol to tetrahydrocortisone in urine by LC-MS-MS 830(2006)278

Metabolite

A liquid chromatographic-mass spectrometric evidence of dihydrosanguinarine as a first metabolite of sanguinarine transformation in rat 830(2006)165

Methamphetamine

Direct determination of glucuronide and sulfate of *p*-hydroxymethamphetamine in methamphetamine users' urine 830(2006)64

Methyl paraoxon

Analysis and sequencing of the active-site peptide from native and organophosphate-inactivated acetylcholinesterase by electrospray ionization, quadrupole/time-of-flight (QTOF) mass spectrometry 830(2006)105

Methylation

Simultaneous determination of *O*⁶-methyl-2'-deoxyguanosine, 8-oxo-7,8-dihydro-2'-deoxyguanosine, and 1,*N*⁶-etheno-2'-deoxyadenosine in DNA using on-line sample preparation by HPLC column switching coupled to ESI-MS/MS 830(2006)255

Metolachlor

Quantification of six herbicide metabolites in human urine 830(2006)185

Micellar electrokinetic chromatography

Determination of indomethacin in plasma by micellar electrokinetic chromatography with UV detection for premature infants with patent ducts arteriosus 830(2006)306

Microperoxidases

Analysis of microperoxidases using liquid chromatography, post-column substrate conversion and fluorescence detection 830(2006)47

Milk

Determination of celecoxib in human plasma and breast milk by high-performance liquid chromatographic assay 830(2006)245

Monolithic

Development and validation of a rapid HPLC method for simultaneous determination of tramadol, and its two main metabolites in human plasma 830(2006)207

Morphine

Simple and sensitive determination of free and total morphine in human liver and kidney using gas chromatography-mass spectrometry 830(2006)359

MRM

A sensitive and selective HPLC/ESI-MS/MS assay for the simultaneous quantification of 16-dehydropregnenolone and its major metabolites in rabbit plasma 830(2006)54

MS

Analysis and sequencing of the active-site peptide from native and organophosphate-inactivated acetylcholinesterase by electrospray ionization, quadrupole/time-of-flight (QTOF) mass spectrometry 830(2006)105

MS detection

Analysis of microperoxidases using liquid chromatography, post-column substrate conversion and fluorescence detection 830(2006)47

MS23

Validation of HPLC analysis method of a novel antihypertensive agent MS23 in rat plasma 830(2006)13

Naproxen

Application of solid-phase microextraction in the investigation of protein binding of pharmaceuticals 830(2006)238

***N*-Desmethyltramadol**

Development and validation of a rapid HPLC method for simultaneous determination of tramadol, and its two main metabolites in human plasma 830(2006)207

Nevirapine

Development and validation of RP-HPLC and ultraviolet spectrophotometric methods of analysis for the quantitative estimation of antiretroviral drugs in pharmaceutical dosage forms 830(2006)349

Nicardipine

Liquid chromatography-mass spectrometry method for the determination of nicardipine in human plasma 830(2006)81

NIH Image software

Detection and quantification of ginsenoside Re in ginseng samples by a chromatographic immunostaining method using monoclonal antibody against ginsenoside Re 830(2006)100

4-Nonylphenol

High-performance liquid chromatographic analysis of bisphenol A and 4-nonylphenol in serum, liver and testis tissues after oral administration to rats and its application to toxicokinetic study 830(2006)322

Norclozapine

Automated analysis of quetiapine and other antipsychotic drugs in human blood by high performance-liquid chromatography with column-switching and spectrophotometric detection 830(2006)342

Norepinephrine

Simultaneous analysis of human plasma catecholamines by high-performance liquid chromatography with a reversed-phase triacontylsilyl silica column 830(2006)249

Norfluoxetine

Comparison of liquid chromatography with fluorescence detection to liquid chromatography-mass spectrometry for the determination of fluoxetine and norfluoxetine in human plasma 830(2006)372

Nortriptyline

Application of solid-phase microextraction in the investigation of protein binding of pharmaceuticals 830(2006)238

OATP-C

A LC-MS/MS method to quantify the novel cholesterol lowering drug ezetimibe in human serum, urine and feces in healthy subjects genotyped for SLCO1B1 830(2006)143

5-OH omeprazole

Analysis of omeprazole and 5-OH omeprazole in human plasma using hydrophilic interaction chromatography with tandem mass spectrometry (HILIC-MS/MS)—Eliminating evaporation and reconstitution steps in 96-well liquid/liquid extraction 830(2006)135

Olanzapine

Automated analysis of quetiapine and other antipsychotic drugs in human blood by high performance-liquid chromatography with column-switching and spectrophotometric detection 830(2006)342

Omeprazole

Analysis of omeprazole and 5-OH omeprazole in human plasma using hydrophilic interaction chromatography with tandem mass spectrometry (HILIC-MS/MS)—Eliminating evaporation and reconstitution steps in 96-well liquid/liquid extraction 830(2006)135

On-line analysis

Selective quantitative bioanalysis of proteins in biological fluids by on-line immunoaffinity chromatography–protein digestion–liquid chromatography–mass spectrometry 830(2006)262

On-line derivatization method

A new on-line, in-tube pre-column derivatization technique for high performance liquid chromatographic determination of azithromycin in human serum 830(2006)355

On-line extraction

Development of an on-line extraction turbulent flow chromatography tandem mass spectrometry method for cassette analysis of Caco-2 cell based bi-directional assay samples 830(2006)270

Organophosphate

Analysis and sequencing of the active-site peptide from native and organophosphate-inactivated acetylcholinesterase by electrospray ionization, quadrupole/time-of-flight (QTOF) mass spectrometry 830(2006)105

Oxidation

Simultaneous determination of *O*⁶-methyl-2'-deoxyguanosine, 8-oxo-7,8-dihydro-2'-deoxyguanosine, and 1,*N*⁶-etheno-2'-deoxyadenosine in DNA using on-line sample preparation by HPLC column switching coupled to ESI-MS/MS 830(2006)255

Oxidative stress

Simultaneous determination of *O*⁶-methyl-2'-deoxyguanosine, 8-oxo-7,8-dihydro-2'-deoxyguanosine, and 1,*N*⁶-etheno-2'-deoxyadenosine in DNA using on-line sample preparation by HPLC column switching coupled to ESI-MS/MS 830(2006)255

Paclitaxel

Application of solid-phase microextraction in the investigation of protein binding of pharmaceuticals 830(2006)238

Partitioning

Polyethyleneglycol molecular mass and polydispersivity effect on protein partitioning in aqueous two-phase systems 830(2006)286

Patent ducts arteriosus

Determination of indomethacin in plasma by micellar electrokinetic chromatography with UV detection for premature infants with patent ducts arteriosus 830(2006)306

Patent ductus arteriosus

A rapid and sensitive microscale HPLC method for the determination of indomethacin in plasma of premature neonates with patent ductus arteriosus 830(2006)364

PDE4 inhibitor

Validation of HPLC analysis method of a novel antihypertensive agent MS23 in rat plasma 830(2006)13

Penicillin

LC/MS/MS measurement of penicillin G in bovine plasma, urine, and biopsy samples taken from kidneys of standing animals 830(2006)91

Peptide

Analysis and sequencing of the active-site peptide from native and organophosphate-inactivated acetylcholinesterase by electrospray ionization, quadrupole/time-of-flight (QTOF) mass spectrometry 830(2006)105

Selective quantitative bioanalysis of proteins in biological fluids by on-line immunoaffinity chromatography–protein digestion–liquid chromatography–mass spectrometry 830(2006)262

Perazine

Automated analysis of quetiapine and other antipsychotic drugs in human blood by high performance-liquid chromatography with column-switching and spectrophotometric detection 830(2006)342

Pharmacokinetic analysis

Comparison of liquid chromatography with fluorescence detection to liquid chromatography–mass spectrometry for the determination of fluoxetine and norfluoxetine in human plasma 830(2006)372

Pharmacokinetics

Sensitive liquid chromatography–tandem mass spectrometry method for the determination of scutellarin in human plasma: Application to a pharmacokinetic study 830(2006)1

Determination of the heat shock protein 90 inhibitor 17-dimethylaminoethylamino-17-demethoxygeldanamycin in plasma by liquid chromatography–electrospray mass spectrometry 830(2006)35

Stereoselective HPLC assay of donepezil enantiomers with UV detection and its application to pharmacokinetics in rats 830(2006)114

Development and validation of a rapid HPLC method for simultaneous determination of tramadol, and its two main metabolites in human plasma 830(2006)207

Determination of free ertapenem in plasma and bronchoalveolar lavage by high-performance liquid chromatography with ultraviolet detection 830(2006)218

Plasma

Sensitive assay for determining plasma tenofovir concentrations by LC/MS/MS 830(2006)6

Determination of the heat shock protein 90 inhibitor 17-dimethylaminoethylamino-17-demethoxygeldanamycin in plasma by liquid chromatography–electrospray mass spectrometry 830(2006)35

LC/MS/MS measurement of penicillin G in bovine plasma, urine, and biopsy samples taken from kidneys of standing animals 830(2006)91

Quantification of ACE inhibiting peptides in human plasma using high performance liquid chromatography–mass spectrometry 830(2006)151

A liquid chromatographic–mass spectrometric evidence of dihydrosanguinarine as a first metabolite of sanguinarine transformation in rat 830(2006)165

Development and validation of a rapid HPLC method for simultaneous determination of tramadol, and its two main metabolites in human plasma 830(2006)207

Determination of celecoxib in human plasma and breast milk by high-performance liquid chromatographic assay 830(2006)245

Determination of indomethacin in plasma by micellar electrokinetic chromatography with UV detection for premature infants with patent ducts arteriosus 830(2006)306

Plasma extraction method

Optimisation of an extraction method for the determination of prostaglandin E₂ in plasma using experimental design and liquid chromatography tandem mass spectrometry 830(2006)212

Polydispersivity

Polyethyleneglycol molecular mass and polydispersivity effect on protein partitioning in aqueous two-phase systems 830(2006)286

Polyethyleneglycol

Polyethyleneglycol molecular mass and polydispersivity effect on protein partitioning in aqueous two-phase systems 830(2006)286

Post-column derivatization

Analysis of microperoxidases using liquid chromatography, post-column substrate conversion and fluorescence detection 830(2006)47

Premature neonates

A rapid and sensitive microscale HPLC method for the determination of indomethacin in plasma of premature neonates with patent ductus arteriosus 830(2006)364

Proguanil

Sensitive method for the quantitative determination of proguanil and its metabolites in rat blood and plasma by liquid chromatography–mass spectrometry 830(2006)314

Prostaglandin E₂

Optimisation of an extraction method for the determination of prostaglandin E₂ in plasma using experimental design and liquid chromatography tandem mass spectrometry 830(2006)212

Protein

Selective quantitative bioanalysis of proteins in biological fluids by on-line immunoaffinity chromatography–protein digestion–liquid chromatography–mass spectrometry 830(2006)262

Protein binding

Application of solid-phase microextraction in the investigation of protein binding of pharmaceuticals 830(2006)238

QTOF

Analysis and sequencing of the active-site peptide from native and organophosphate-inactivated acetylcholinesterase by electrospray ionization, quadrupole/time-of-flight (QTOF) mass spectrometry 830(2006)105

Quantification

LC/MS/MS measurement of penicillin G in bovine plasma, urine, and biopsy samples taken from kidneys of standing animals 830(2006)91

Selective quantitative bioanalysis of proteins in biological fluids by on-line immunoaffinity chromatography–protein digestion–liquid chromatography–mass spectrometry 830(2006)262

Quaternary benzo[c]phenanthridine alkaloid

A liquid chromatographic–mass spectrometric evidence of dihydrosanguinarine as a first metabolite of sanguinarine transformation in rat 830(2006)165

Quetiapine

Automated analysis of quetiapine and other antipsychotic drugs in human blood by high performance-liquid chromatography with column-switching and spectrophotometric detection 830(2006)342

Quinidine

Application of solid-phase microextraction in the investigation of protein binding of pharmaceuticals 830(2006)238

Quinine

Application of solid-phase microextraction in the investigation of protein binding of pharmaceuticals 830(2006)238

Rabbit plasma

A sensitive and selective HPLC/ESI-MS/MS assay for the simultaneous quantification of 16-dehydropregnenolone and its major metabolites in rabbit plasma 830(2006)54

Rat

A liquid chromatographic–mass spectrometric evidence of dihydrosanguinarine as a first metabolite of sanguinarine transformation in rat 830(2006)165

Rat liver

Simultaneous determination of O⁶-methyl-2'-deoxyguanosine, 8-oxo-7,8-dihydro-2'-deoxyguanosine, and 1,N⁶-etheno-2'-deoxyadenosine in DNA using on-line sample preparation by HPLC column switching coupled to ESI-MS/MS 830(2006)255

Rat plasma

Column-switching high-performance liquid chromatographic method for the determination of zaltoprofen in rat plasma 830(2006)301

Rat serum and tissue

High-performance liquid chromatographic analysis of bisphenol A and 4-nonylphenol in serum, liver and testis tissues after oral administration to rats and its application to toxicokinetic study 830(2006)322

Relative matrix effect

Standard line slopes as a measure of a relative matrix effect in quantitative HPLC–MS bioanalysis 830(2006)293

Residue analysis

LC/MS/MS measurement of penicillin G in bovine plasma, urine, and biopsy samples taken from kidneys of standing animals 830(2006)91

Reverse phase chromatography

A new on-line, in-tube pre-column derivatization technique for high performance liquid chromatographic determination of azithromycin in human serum 830(2006)355

RP-HPLC

Development and validation of RP-HPLC and ultraviolet spectrophotometric methods of analysis for the quantitative estimation of antiretroviral drugs in pharmaceutical dosage forms 830(2006)349

Sanguinarine

A liquid chromatographic–mass spectrometric evidence of dihydrosanguinarine as a first metabolite of sanguinarine transformation in rat 830(2006)165

Saponification

Ultrasound assisted extraction in quantifying lutein from chicken liver using high-performance liquid chromatography 830(2006)158

Scombrod fish

Influence of storage temperature and freezing time on histamine level in the European anchovy *Engraulis encrasicolus* (L., 1758): A study by capillary electrophoresis 830(2006)161

Scutellarin

Sensitive liquid chromatography–tandem mass spectrometry method for the determination of scutellarin in human plasma: Application to a pharmacokinetic study 830(2006)1

Serum

A new on-line, in-tube pre-column derivatization technique for high performance liquid chromatographic determination of azithromycin in human serum 830(2006)355

SLCO1B1

A LC–MS/MS method to quantify the novel cholesterol lowering drug ezetimibe in human serum, urine and feces in healthy subjects genotyped for SLCO1B1 830(2006)143

Solid phase extraction

Ultra-sensitive determination of Formoterol in human serum by high performance liquid chromatography and electrospray tandem mass spectrometry 830(2006)25

Simultaneous analysis of human plasma catecholamines by high-performance liquid chromatography with a reversed-phase triacetylsilyl silica column 830(2006)249

High-performance liquid chromatographic analysis of bisphenol A and 4-nonylphenol in serum, liver and testis tissues after oral administration to rats and its application to toxicokinetic study 830(2006)322

Solid-phase microextraction

Application of solid-phase microextraction in the investigation of protein binding of pharmaceuticals 830(2006)238

SPE

SPE–GC–MS for the sampling and determination of unmetabolized styrene in urine 830(2006)18

SPME

Application of solid-phase microextraction in the investigation of protein binding of pharmaceuticals 830(2006)238

Standard line slopes

Standard line slopes as a measure of a relative matrix effect in quantitative HPLC–MS bioanalysis 830(2006)293

Stavudine

Development and validation of RP–HPLC and ultraviolet spectrophotometric methods of analysis for the quantitative estimation of antiretroviral drugs in pharmaceutical dosage forms 830(2006)349

Stereoselective

Stereoselective HPLC assay of donepezil enantiomers with UV detection and its application to pharmacokinetics in rats 830(2006)114

Steroids

Direct determination of the ratio of tetrahydrocortisol + allo-tetrahydrocortisol to tetrahydrocortisone in urine by LC–MS–MS 830(2006)278

Styrene

SPE–GC–MS for the sampling and determination of unmetabolized styrene in urine 830(2006)18

Succinic semialdehyde dehydrogenase deficiency

A novel, quantitative assay for homocarnosine in cerebrospinal fluid using stable-isotope dilution liquid chromatography–tandem mass spectrometry 830(2006)196

Sulfate

Direct determination of glucuronide and sulfate of *p*-hydroxymethamphetamine in methamphetamine users' urine 830(2006)64

Tacrolimus (FK506) metabolites

Simultaneous determination of three isomeric metabolites of tacrolimus (FK506) in human whole blood and plasma using high performance liquid chromatography–tandem mass spectrometry 830(2006)330

Tandem mass spectrometry

Ultra-sensitive determination of Formoterol in human serum by high performance liquid chromatography and electrospray tandem mass spectrometry 830(2006)25

A novel, quantitative assay for homocarnosine in cerebrospinal fluid using stable-isotope dilution liquid chromatography–tandem mass spectrometry 830(2006)196

Development of an on-line extraction turbulent flow chromatography tandem mass spectrometry method for cassette analysis of Caco-2 cell based bi-directional assay samples 830(2006)270

Tandem mass spectroscopy

Standard line slopes as a measure of a relative matrix effect in quantitative HPLC–MS bioanalysis 830(2006)293

TDM

Automated analysis of quetiapine and other antipsychotic drugs in human blood by high performance-liquid chromatography with column-switching and spectrophotometric detection 830(2006)342

Tenofovir (TNF)

Sensitive assay for determining plasma tenofovir concentrations by LC/MS/MS 830(2006)6

Testosterone ester

Multi residue screening of intact testosterone esters and boldenone undecylate in bovine hair using liquid chromatography electrospray tandem mass spectrometry 830(2006)126

Therapeutic drug monitoring

Automated analysis of quetiapine and other antipsychotic drugs in human blood by high performance-liquid chromatography with column-switching and spectrophotometric detection 830(2006)342

Threonine

Specific determination of threonine in biological samples by gas chromatography with electron capture detection 830(2006)173

Tipranavir

Quantification of tipranavir in human plasma by high-performance liquid chromatography with UV detection 830(2006)86

Total morphine

Simple and sensitive determination of free and total morphine in human liver and kidney using gas chromatography–mass spectrometry 830(2006)359

Toxicokinetics

High-performance liquid chromatographic analysis of bisphenol A and 4-nonylphenol in serum, liver and testis tissues after oral administration to rats and its application to toxicokinetic study 830(2006)322

Tramadol

Development and validation of a rapid HPLC method for simultaneous determination of tramadol, and its two main metabolites in human plasma 830(2006)207

Triacetylsilyl silica (C30)

Simultaneous analysis of human plasma catecholamines by high-performance liquid chromatography with a reversed-phase triacetylsilyl silica column 830(2006)249

Triazine

Quantification of six herbicide metabolites in human urine 830(2006)185

Trypsin digestion

Selective quantitative bioanalysis of proteins in biological fluids by on-line immunoaffinity chromatography–protein digestion–liquid chromatography–mass spectrometry 830(2006)262

Turbulent flow chromatography

Development of an on-line extraction turbulent flow chromatography tandem mass spectrometry method for cassette analysis of Caco-2 cell based bi-directional assay samples 830(2006)270

Ultra sensitive method

Ultra-sensitive determination of Formoterol in human serum by high performance liquid chromatography and electrospray tandem mass spectrometry 830(2006)25

Ultrafiltration

Determination of free ertapenem in plasma and bronchoalveolar lavage by high-performance liquid chromatography with ultraviolet detection 830(2006)218

Ultrasound

Ultrasound assisted extraction in quantifying lutein from chicken liver using high-performance liquid chromatography 830(2006)158

Ultraviolet detection

Automated analysis of quetiapine and other antipsychotic drugs in human blood by high performance-liquid chromatography with column-switching and spectrophotometric detection 830(2006)342

Urine

SPE–GC–MS for the sampling and determination of unmetabolized styrene in urine 830(2006)18

Direct determination of glucuronide and sulfate of *p*-hydroxymethamphetamine in methamphetamine users' urine 830(2006)64

LC/MS/MS measurement of penicillin G in bovine plasma, urine, and biopsy samples taken from kidneys of standing animals 830(2006)91

A LC–MS/MS method to quantify the novel cholesterol lowering drug ezetimibe in human serum, urine and feces in healthy subjects genotyped for SLCO1B1 830(2006)143

Quantification of six herbicide metabolites in human urine 830(2006)185

UV detection

Quantification of tipranavir in human plasma by high-performance liquid chromatography with UV detection 830(2006)86

UV spectrophotometry

Development and validation of RP-HPLC and ultraviolet spectrophotometric methods of analysis for the quantitative estimation of antiretroviral drugs in pharmaceutical dosage forms 830(2006)349

Validation

Validation of HPLC analysis method of a novel antihypertensive agent MS23 in rat plasma 830(2006)13

Valproic acid

Development and validation of a sensitive assay of valproic acid in human plasma by high-performance liquid chromatography without prior derivatization 830(2006)368

Vitamin C

Rapid high-performance liquid chromatographic method for Vitamin C determination in human milk versus an enzymatic method 830(2006)41

Zaltoprofen

Column-switching high-performance liquid chromatographic method for the determination of zaltoprofen in rat plasma 830(2006)301

ZT-1

Simultaneous determination of ZT-1 and its metabolite Huperzine A in plasma by high-performance liquid chromatography with ultraviolet detection 830(2006)120