


### Available online at www.sciencedirect.com



# JOURNAL OF CHROMATOGRAPHY B

Journal of Chromatography B, 831 (2006) 338-345

www.elsevier.com/locate/chromb

# Keyword Index Vol. 831

# Actinobacillus actinomycetemcomitans

Characterization of immunoaffinity purified peptidoglycan-associated lipoprotein of Actinobacillus actinomycetemcomitans 831(2006)116

#### Adsorption isotherms

Evaluation of cellulose-based biospecific adsorbents as a stationary phase for lectin affinity chromatography 831(2006)24

### Alpha1-acid glycoprotein

High-performance liquid chromatography determination of  $\alpha 1$ -acid glycoprotein in small volumes of plasma from neonates 831(2006)81

#### Amino acid release

Neurochemical analysis of amino acids, polyamines and carboxylic acids: GC-MS quantitation of tBDMS derivatives using ammonia positive chemical ionization 831(2006)313

#### Amino acids

Application of the 6-aminoquinolyl-N-hydroxysccinimidyl carbamate (AQC) reagent to the RP-HPLC determination of amino acids in infant foods 831(2006)176

Neurochemical analysis of amino acids, polyamines and carboxylic acids: GC-MS quantitation of tBDMS derivatives using ammonia positive chemical ionization 831(2006)313

# Amisulpride

Selective and sensitive determination of amisulpride in human plasma by liquid chromatography-tandem mass spectrometry with positive electrospray ionisation and multiple reaction monitoring 831(2006)132

### Ammonia PCI

Neurochemical analysis of amino acids, polyamines and carboxylic acids: GC-MS quantitation of tBDMS derivatives using ammonia positive chemical ionization 831(2006)313

## Anaesthetics

High-performance liquid chromatography determination of  $\alpha 1$ -acid glycoprotein in small volumes of plasma from neonates 831(2006)81

### Anions

Capillary electrophoresis screening of poisonous anions extracted from biological samples 831(2006)190

### Antibiotics

Analysis of antibiotics in urine and wipe samples from environmental and biological monitoring—Comparison of HPLC with UV-, single MS- and tandem MS-detection 831(2006)72

Sample stacking for the analysis of penicillins by microemulsion electrokinetic capillary chromatography 831(2006)196

### Antidoping control

Quantitation of salbutamol in human urine by liquid chromatographyelectrospray ionization mass spectrometry 831(2006)328

#### Antipeptide antibodies

Characterization of immunoaffinity purified peptidoglycan-associated lipoprotein of *Actinobacillus actinomycetemcomitans* 831(2006)116

### Antipsychotic drug

Selective and sensitive determination of amisulpride in human plasma by liquid chromatography-tandem mass spectrometry with positive electrospray ionisation and multiple reaction monitoring 831(2006)132

### Antiseptic

Determination of chlorhexidine (CHD) and nonylphenolethoxylates (NPEOn) using LC-ESI-MS method and application to hemolyzed blood 831(2006)105

#### Anti-thrombin

Determination of endogenous glycosaminoglycans derived disaccharides in human plasma by HPLC: Validation and application in a clinical study 831(2006)156

### Apomorphine

Improved assay for R(-)-apomorphine with application to clinical pharmacokinetic studies in Parkinson's disease 831(2006)1

### AQC

Application of the 6-aminoquinolyl-N-hydroxysccinimidyl carbamate (AQC) reagent to the RP-HPLC determination of amino acids in infant foods 831(2006)176

### Atractylenolide III

Quantitative determination of atractylenolide III in rat plasma by liquid chromatography electrospray ionization mass spectrometry 831(2006)36

### Azo

High-pressure liquid chromatographic analysis for identification of in vitro and in vivo metabolites of 4-phenethyl-5-[4-(1-(2-hydroxyethyl)-3, 5-dimethyl-4-pyrazolylazo)phenyl]-2,4-dihydro-3H-1,2,4-triazole-3-thione in rats 831(2006)184

### Benzamide derivative

Selective and sensitive determination of amisulpride in human plasma by liquid chromatography-tandem mass spectrometry with positive electrospray ionisation and multiple reaction monitoring 831(2006)132

# Biomarkers

Determination of endogenous glycosaminoglycans derived disaccharides in human plasma by HPLC: Validation and application in a clinical study 831(2006)156

### Biospecific adsorbents

Evaluation of cellulose-based biospecific adsorbents as a stationary phase for lectin affinity chromatography 831(2006)24

#### Blood

Determination of chlorhexidine (CHD) and nonylphenolethoxylates (NPEOn) using LC-ESI-MS method and application to hemolyzed blood 831(2006)105

Capillary electrophoresis screening of poisonous anions extracted from biological samples 831(2006)190

#### **Blood spot**

Method for the quantification of underivatized amino acids on dry blood spots from newborn screening by HPLC-ESI-MS/MS 831(2006)267

#### **Buyang Huanwu decoction**

On-line identification of the constituents of Buyang Huanwu decoction in pig serum using combined HPLC–DAD–MS techniques 831(2006)288

#### Cancer models

Thalidomide enantiomers: Determination in biological samples by HPLC and vancomycin-CSP 831(2006)48

#### Capillary electrophoresis

Determination of diffended hydrochloride by capillary electrophoresis with electrochemiluminescence detection 831(2006)17

Capillary electrophoresis screening of poisonous anions extracted from biological samples 831(2006)190

Sample stacking for the analysis of penicillins by microemulsion electrokinetic capillary chromatography 831(2006)196

### Cardiolipin

Analysis of cardiolipin in human muscle biopsy 831(2006)63

## Chlorhexidine

Determination of chlorhexidine (CHD) and nonylphenolethoxylates (NPEOn) using LC-ESI-MS method and application to hemolyzed blood 831(2006)105

### Column switching

Use of microbore LC-MS/MS for the quantification of oxcarbazepine and its active metabolite in rat brain microdialysis samples 831(2006)205

Sensitive column-switching high-performance liquid chromatography method for determination of propiverine in human plasma 831(2006)230

### Concanavalin A

Evaluation of cellulose-based biospecific adsorbents as a stationary phase for lectin affinity chromatography 831(2006)24

# Coptisine

Simultaneous determination of four active alkaloids from a traditional chinese medicine *Corydalis saxicola* Bunting. (Yanhuanglian) in plasma and urine samples by LC-MS-MS 831(2006)140

# Corydalis saxicola Bunting.

Simultaneous determination of four active alkaloids from a traditional chinese medicine *Corydalis saxicola* Bunting. (Yanhuanglian) in plasma and urine samples by LC–MS–MS 831(2006)140

### p-Coumaric acid

Estimation of p-coumaric acid as metabolite of E-6-O-p-coumaroyl scandoside methyl ester in rat plasma by HPLC and its application to a pharmacokinetic study 831(2006)303

### Dansylhydrazine

Determination of succinylacetone in dried blood spots and liquid urine as a dansylhydrazone by liquid chromatography tandem mass spectrometry 831(2006)274

#### Dehydroapocavidine

Simultaneous determination of four active alkaloids from a traditional chinese medicine *Corydalis saxicola* Bunting. (Yanhuanglian) in plasma and urine samples by LC–MS–MS 831(2006)140

#### Dehydrocavidine

Simultaneous determination of four active alkaloids from a traditional chinese medicine *Corydalis saxicola* Bunting. (Yanhuanglian) in plasma and urine samples by LC–MS–MS 831(2006)140

#### **Denaturing HPLC**

Optimized PCR fragments for heteroduplex analysis of the whole human mitochondrial genome with denaturing HPLC 831(2006)236

#### Derivatization

Quantitative analysis of trimethylsilyl derivative of hydroxyurea in plasma by gas chromatography-mass spectrometry 831(2006)42

## **Deuterated biotin**

Quantification of biotin in feed, food, tablets, and premixes using HPLC-MS/MS 831(2006)8

#### 2.3-DHBA

The salicylate trapping method: Is oxidation of salicylic acid solution oxygen and time dependent and metal catalysed? 831(2006)320

### 2,5-DHBA

The salicylate trapping method: Is oxidation of salicylic acid solution oxygen and time dependent and metal catalysed? 831(2006)320

#### dHPLC

Optimized PCR fragments for heteroduplex analysis of the whole human mitochondrial genome with denaturing HPLC 831(2006)236

### Dialkylphosphates

Simultaneous determination of six dialkylphosphates in urine by liquid chromatography tandem mass spectrometry 831(2006)223

### Die

Longitudinal profiling of urinary steroids by gas chromatography/combustion/ isotope ratio mass spectrometry: Diet change may result in carbon isotopic variations 831(2006)324

# Difenidol hydrochloride

Determination of diffended hydrochloride by capillary electrophoresis with electrochemiluminescence detection 831(2006)17

### 10,11-Dihydro-10-hydroxycarbamazepine

Use of microbore LC-MS/MS for the quantification of oxcarbazepine and its active metabolite in rat brain microdialysis samples 831(2006)205

# Dipeptides

Neurochemical analysis of amino acids, polyamines and carboxylic acids: GC-MS quantitation of tBDMS derivatives using ammonia positive chemical ionization 831(2006)313

### Disaccharides

Determination of endogenous glycosaminoglycans derived disaccharides in human plasma by HPLC: Validation and application in a clinical study 831(2006)156

### Disinfectant

Determination of chlorhexidine (CHD) and nonylphenolethoxylates (NPEOn) using LC-ESI-MS method and application to hemolyzed blood 831(2006)105

#### DNA methyltransferase inhibitor

Quantitative determination of zebularine (NSC 309132), a DNA methyltransferase inhibitor, and three metabolites in murine plasma by high-performance liquid chromatography coupled with on-line radioactivity detection 831(2006)147

#### **Doping control**

Longitudinal profiling of urinary steroids by gas chromatography/combustion/isotope ratio mass spectrometry: Diet change may result in carbon isotopic variations 831(2006)324

### E-6-O-p-Coumaroyl scandoside methyl ester

Estimation of p-coumaric acid as metabolite of E-6-O-p-coumaroyl scandoside methyl ester in rat plasma by HPLC and its application to a pharmacokinetic study 831(2006)303

#### Electrochemical detection

Determination of lactate dehydrogenase isoenzymes in single rat glioma cells by capillary electrophoresis with electrochemical detection 831(2006)57

#### Electrochemiluminescence

Determination of difenidol hydrochloride by capillary electrophoresis with electrochemiluminescence detection 831(2006)17

### Electrospray tandem mass spectrometry (LC-ESI-MS/MS)

Determination of lapatinib (GW572016) in human plasma by liquid chromatography electrospray tandem mass spectrometry (LC-ESI-MS/MS) 831(2006)169

#### **Enantioselective pharmacology**

Thalidomide enantiomers: Determination in biological samples by HPLC and vancomycin-CSP 831(2006)48

### **Environment**

Selected ion monitoring in quantitative gas—liquid chromatographic – mass spectrometric detection of fatty acid methyl esters from environmental samples 831(2006)281

### **Environmental and biological monitoring**

Analysis of antibiotics in urine and wipe samples from environmental and biological monitoring—Comparison of HPLC with UV-, single MS- and tandem MS-detection 831(2006)72

# Equilibrium-dialysis

Liquid chromatography-electrospray mass spectrometry determination of free and total concentrations of ropivacaine in human plasma 831(2006)91

### Fatty acids

Selected ion monitoring in quantitative gas—liquid chromatographic – mass spectrometric detection of fatty acid methyl esters from environmental samples 831(2006)281

### Feed

Quantification of biotin in feed, food, tablets, and premixes using HPLC-MS/MS 831(2006)8

# Fluorescent derivatization

Analysis of cardiolipin in human muscle biopsy 831(2006)63

### Fluoroquinolones

Analysis of antibiotics in urine and wipe samples from environmental and biological monitoring—Comparison of HPLC with UV-, single MS- and tandem MS-detection 831(2006)72

### Food

Quantification of biotin in feed, food, tablets, and premixes using HPLC-MS/MS 831(2006)8

#### Forensic medicine

Determination of chlorhexidine (CHD) and nonylphenolethoxylates (NPEOn) using LC-ESI-MS method and application to hemolyzed blood 831(2006)105

#### Forensic science

Determination of chlorhexidine (CHD) and nonylphenolethoxylates (NPEOn) using LC-ESI-MS method and application to hemolyzed blood 831(2006)105

# Gas chromatography/mass spectrometry-positive chemical ionization

Simultaneous measurement of urinary polyols using gas chromatography/mass spectrometry 831(2006)126

#### Gas chromatography-mass spectrometry

Quantitative analysis of trimethylsilyl derivative of hydroxyurea in plasma by gas chromatography-mass spectrometry 831(2006)42

#### GC-MS

Neurochemical analysis of amino acids, polyamines and carboxylic acids: GC-MS quantitation of tBDMS derivatives using ammonia positive chemical ionization 831(2006)313

# GLC-MS

Selected ion monitoring in quantitative gas—liquid chromatographic – mass spectrometric detection of fatty acid methyl esters from environmental samples 831(2006)281

### Glucose

Simultaneous measurement of urinary polyols using gas chromatography/mass spectrometry 831(2006)126

#### Glucose oxidase

Evaluation of cellulose-based biospecific adsorbents as a stationary phase for lectin affinity chromatography 831(2006)24

### Glycosaminoglycans

Determination of endogenous glycosaminoglycans derived disaccharides in human plasma by HPLC: Validation and application in a clinical study 831(2006)156

### Hemoglobin

Determination of diffended hydrochloride by capillary electrophoresis with electrochemiluminescence detection 831(2006)17

# Hepatorenal tyrosinemia

Determination of succinylacetone in dried blood spots and liquid urine as a dansylhydrazone by liquid chromatography tandem mass spectrometry 831(2006)274

### Heteroduplex analysis

Optimized PCR fragments for heteroduplex analysis of the whole human mitochondrial genome with denaturing HPLC 831(2006)236

### Heteroplasmy

Optimized PCR fragments for heteroduplex analysis of the whole human mitochondrial genome with denaturing HPLC 831(2006)236

# High-performance liquid chromatography (HPLC)

Improved solid-phase extraction and HPLC measurement of torasemide and its important metabolites 831(2006)31

Analysis of cardiolipin in human muscle biopsy 831(2006)63

High-performance liquid chromatography determination of  $\alpha 1$ -acid glycoprotein in small volumes of plasma from neonates 831(2006)81

Simultaneous determination of four active alkaloids from a traditional chinese medicine *Corydalis saxicola* Bunting. (Yanhuanglian) in plasma and urine samples by LC–MS–MS 831(2006)140

High-pressure liquid chromatographic analysis for identification of in vitro and in vivo metabolites of 4-phenethyl-5-[4-(1-(2-hydroxyethyl)-3, 5-dimethyl-4-pyrazolylazo)phenyl]-2,4-dihydro-3H-1,2,4-triazole-3-thione in rats 831(2006)184

Sensitive column-switching high-performance liquid chromatography method for determination of propiverine in human plasma 831(2006)230

### HIV non-nucleoside reverse transcriptase inhibitors

Simultaneous determination of 16 anti-HIV drugs in human plasma by high-performance liquid chromatography 831(2006)258

### HIV nucleoside reverse transcriptase inhibitors

Simultaneous determination of 16 anti-HIV drugs in human plasma by high-performance liquid chromatography 831(2006)258

#### **HIV** protease inhibitors

Simultaneous determination of 16 anti-HIV drugs in human plasma by high-performance liquid chromatography 831(2006)258

#### hPBMC

Quantitation of zidovudine triphosphate concentrations from human peripheral blood mononuclear cells by anion exchange solid phase extraction and liquid chromatography-tandem mass spectroscopy; an indirect quantitation methodology 831(2006)248

#### HPLC/MS

Stochastic resonance is applied to quantitative analysis for weak chromatographic signal of roxithromycin in beagle dog plasma 831(2006)307

#### HPLC/UV

Stochastic resonance is applied to quantitative analysis for weak chromatographic signal of roxithromycin in beagle dog plasma 831(2006)307

### HPLC-DAD-MS

On-line identification of the constituents of Buyang Huanwu decoction in pig serum using combined HPLC–DAD–MS techniques 831(2006)288

### HPLC-ESI-MS/MS

Method for the quantification of underivatized amino acids on dry blood spots from newborn screening by HPLC-ESI-MS/MS 831(2006)267

# HPLC-MS/MS

Quantification of biotin in feed, food, tablets, and premixes using HPLC-MS/MS 831(2006)8

### HPLC-UV

Simultaneous determination of 16 anti-HIV drugs in human plasma by high-performance liquid chromatography 831(2006)258

### Human

Analysis of cardiolipin in human muscle biopsy 831(2006)63

Determination of chlorhexidine (CHD) and nonylphenolethoxylates (NPEOn) using LC-ESI-MS method and application to hemolyzed blood 831(2006)105

### Human plasma

Selective and sensitive determination of amisulpride in human plasma by liquid chromatography-tandem mass spectrometry with positive electrospray ionisation and multiple reaction monitoring 831(2006)132

### Hydroxyurea

Quantitative analysis of trimethylsilyl derivative of hydroxyurea in plasma by gas chromatography-mass spectrometry 831(2006)42

### Hyperoxia

The salicylate trapping method: Is oxidation of salicylic acid solution oxygen and time dependent and metal catalysed? 831(2006)320

#### Immunoaffinity chromatography

Characterization of immunoaffinity purified peptidoglycan-associated lipoprotein of *Actinobacillus actinomycetemcomitans* 831(2006)116

#### Infant foods

Application of the 6-aminoquinolyl-*N*-hydroxysccinimidyl carbamate (AQC) reagent to the RP-HPLC determination of amino acids in infant foods 831(2006)176

#### Intestinal contents

Capillary electrophoresis screening of poisonous anions extracted from biological samples 831(2006)190

#### Ion-pair

Ion-pair reversed-phase HPLC: Assay validation of sodium tanshinone IIA sulfonate in mouse plasma 831(2006)163

### Isoenzyme

Determination of lactate dehydrogenase isoenzymes in single rat glioma cells by capillary electrophoresis with electrochemical detection 831(2006)57

### Isotope ratio mass spectrometry (IRMS)

Longitudinal profiling of urinary steroids by gas chromatography/combustion/isotope ratio mass spectrometry: Diet change may result in carbon isotopic variations 831(2006)324

#### **β-Lactames**

Analysis of antibiotics in urine and wipe samples from environmental and biological monitoring—Comparison of HPLC with UV-, single MS- and tandem MS-detection 831(2006)72

## Lactate dehydrogenase

Determination of lactate dehydrogenase isoenzymes in single rat glioma cells by capillary electrophoresis with electrochemical detection 831(2006)57

# Lactobacillus plantarum

Quantification of biotin in feed, food, tablets, and premixes using HPLC-MS/MS 831(2006)8

# Laptinib (GW572016)

Determination of lapatinib (GW572016) in human plasma by liquid chromatography electrospray tandem mass spectrometry (LC-ESI-MS/MS) 831(2006)169

# LC/MS/MS

A 96-well single-pot protein precipitation, liquid chromatography/tandem mass spectrometry (LC/MS/MS) method for the determination of muraglitazar, a novel diabetes drug, in human plasma 831(2006)213

### LC-ESI

Determination of chlorhexidine (CHD) and nonylphenolethoxylates (NPEOn) using LC-ESI-MS method and application to hemolyzed blood 831(2006)105

### LC-ESI-MS

Determination of chlorhexidine (CHD) and nonylphenolethoxylates (NPEOn) using LC-ESI-MS method and application to hemolyzed blood 831(2006)105

### LC-MS

Quantitative determination of atractylenolide III in rat plasma by liquid chromatography electrospray ionization mass spectrometry 831(2006)36

Sensitive quantification of omeprazole and its metabolites in human plasma by liquid chromatography—mass spectrometry 831(2006)85

### LC-MS-MS

Simultaneous determination of four active alkaloids from a traditional chinese medicine *Corydalis saxicola* Bunting. (Yanhuanglian) in plasma and urine samples by LC–MS–MS 831(2006)140

Quantitation of zidovudine triphosphate concentrations from human peripheral blood mononuclear cells by anion exchange solid phase extraction and liquid chromatography-tandem mass spectroscopy; an indirect quantitation methodology 831(2006)248

### Lectin affinity chromatography

Evaluation of cellulose-based biospecific adsorbents as a stationary phase for lectin affinity chromatography 831(2006)24

### Liquid chromatography

Selective and sensitive determination of amisulpride in human plasma by liquid chromatography-tandem mass spectrometry with positive electrospray ionisation and multiple reaction monitoring 831(2006)132

Determination of lapatinib (GW572016) in human plasma by liquid chromatography electrospray tandem mass spectrometry (LC-ESI-MS/MS) 831(2006)169

Simultaneous determination of six dialkylphosphates in urine by liquid chromatography tandem mass spectrometry 831(2006)223

### Liquid chromatography-mass spectrometry

Analysis of antibiotics in urine and wipe samples from environmental and biological monitoring—Comparison of HPLC with UV-, single MS- and tandem MS-detection 831(2006)72

Quantitation of salbutamol in human urine by liquid chromatographyelectrospray ionization mass spectrometry 831(2006)328

### Liquid extraction

Quantitative analysis of trimethylsilyl derivative of hydroxyurea in plasma by gas chromatography–mass spectrometry 831(2006)42

### Local anaesthetics

Liquid chromatography-electrospray mass spectrometry determination of free and total concentrations of ropivacaine in human plasma 831(2006)91

### Loop type diuretics

Improved solid-phase extraction and HPLC measurement of torasemide and its important metabolites 831(2006)31

### Metabolism

Quantitative determination of zebularine (NSC 309132), a DNA methyltransferase inhibitor, and three metabolites in murine plasma by high-performance liquid chromatography coupled with on-line radioactivity detection 831(2006)147

High-pressure liquid chromatographic analysis for identification of in vitro and in vivo metabolites of 4-phenethyl-5-[4-(1-(2-hydroxyethyl)-3, 5-dimethyl-4-pyrazolylazo)phenyl]-2,4-dihydro-3H-1,2,4-triazole-3-thione in rats 831(2006)184

### Metabolites

Sensitive quantification of omeprazole and its metabolites in human plasma by liquid chromatography—mass spectrometry 831(2006)85

On-line identification of the constituents of Buyang Huanwu decoction in pig serum using combined HPLC-DAD-MS techniques 831(2006)288

Estimation of p-coumaric acid as metabolite of E-6-O-p-coumaroyl scandoside methyl ester in rat plasma by HPLC and its application to a pharmacokinetic study 831(2006)303

### Metal catalysis

The salicylate trapping method: Is oxidation of salicylic acid solution oxygen and time dependent and metal catalysed? 831(2006)320

#### Microbiological assay

Quantification of biotin in feed, food, tablets, and premixes using HPLC-MS/MS 831(2006)8

# Microbore LC-MS/MS

Use of microbore LC-MS/MS for the quantification of oxcarbazepine and its active metabolite in rat brain microdialysis samples 831(2006)205

### Microemulsion electrokinetic chromatography

Sample stacking for the analysis of penicillins by microemulsion electrokinetic capillary chromatography 831(2006)196

#### Mitochondria

Analysis of cardiolipin in human muscle biopsy 831(2006)63

#### Mitochondrial disease

Optimized PCR fragments for heteroduplex analysis of the whole human mitochondrial genome with denaturing HPLC 831(2006)236

### Mitochondrial DNA

Optimized PCR fragments for heteroduplex analysis of the whole human mitochondrial genome with denaturing HPLC 831(2006)236

#### Muraglitazar

A 96-well single-pot protein precipitation, liquid chromatography/tandem mass spectrometry (LC/MS/MS) method for the determination of muraglitazar, a novel diabetes drug, in human plasma 831(2006)213

#### Murine

Quantitative determination of zebularine (NSC 309132), a DNA methyltransferase inhibitor, and three metabolites in murine plasma by high-performance liquid chromatography coupled with on-line radioactivity detection 831(2006)147

### **Mutation discovery**

Optimized PCR fragments for heteroduplex analysis of the whole human mitochondrial genome with denaturing HPLC 831(2006)236

# Neonates

 $High-performance\ liquid\ chromatography\ determination\ of\ \alpha 1-acid\ glycoprotein$  in small volumes of plasma from neonates 831(2006)81

### Newborn screening

Method for the quantification of underivatized amino acids on dry blood spots from newborn screening by HPLC-ESI-MS/MS 831(2006)267

Determination of succinylacetone in dried blood spots and liquid urine as a dansylhydrazone by liquid chromatography tandem mass spectrometry 831(2006)274

# Nonylphenolethoxylates

Determination of chlorhexidine (CHD) and nonylphenolethoxylates (NPEOn) using LC-ESI-MS method and application to hemolyzed blood 831(2006)105

### Oacic®

A simple and fast extraction method for organochlorine pesticides and polychlorinated biphenyls in small volumes of avian serum 831(2006)99

# Occupational exposure

Analysis of antibiotics in urine and wipe samples from environmental and biological monitoring—Comparison of HPLC with UV-, single MS- and tandem MS-detection 831(2006)72

### Omeprazole

Sensitive quantification of omeprazole and its metabolites in human plasma by liquid chromatography—mass spectrometry 831(2006)85

#### Organochlorine pesticides

A simple and fast extraction method for organochlorine pesticides and polychlorinated biphenyls in small volumes of avian serum 831(2006)99

#### Organophosphorus pesticides

Simultaneous determination of six dialkylphosphates in urine by liquid chromatography tandem mass spectrometry 831(2006)223

#### Oxcarbazepine

Use of microbore LC-MS/MS for the quantification of oxcarbazepine and its active metabolite in rat brain microdialysis samples 831(2006)205

#### Oxygen

The salicylate trapping method: Is oxidation of salicylic acid solution oxygen and time dependent and metal catalysed? 831(2006)320

#### Parkinson's disease

Improved assay for R(-)-apomorphine with application to clinical pharmacokinetic studies in Parkinson's disease 831(2006)1

#### Penicillins

Sample stacking for the analysis of penicillins by microemulsion electrokinetic capillary chromatography 831(2006)196

### Peptidoglycan-associated lipoprotein

Characterization of immunoaffinity purified peptidoglycan-associated lipoprotein of *Actinobacillus actinomycetemcomitans* 831(2006)116

#### Pharmacodynamics

Determination of endogenous glycosaminoglycans derived disaccharides in human plasma by HPLC: Validation and application in a clinical study 831(2006)156

### **Pharmacokinetics**

Improved solid-phase extraction and HPLC measurement of torasemide and its important metabolites 831(2006)31

Quantitative determination of atractylenolide III in rat plasma by liquid chromatography electrospray ionization mass spectrometry 831(2006)36

Thalidomide enantiomers: Determination in biological samples by HPLC and vancomycin-CSP  $\,\,$  831(2006)48

Simultaneous determination of four active alkaloids from a traditional chinese medicine *Corydalis saxicola* Bunting. (Yanhuanglian) in plasma and urine samples by LC–MS–MS 831(2006)140

Ion-pair reversed-phase HPLC: Assay validation of sodium tanshinone IIA sulfonate in mouse plasma 831(2006)163

Estimation of p-coumaric acid as metabolite of E-6-O-p-coumaroyl scandoside methyl ester in rat plasma by HPLC and its application to a pharmacokinetic study 831(2006)303

### Plasma

Improved assay for R(-)-apomorphine with application to clinical pharmacokinetic studies in Parkinson's disease 831(2006)1

Liquid chromatography–electrospray mass spectrometry determination of free and total concentrations of ropivacaine in human plasma 831(2006)91

High-performance liquid chromatography determination of  $\alpha 1$ -acid glycoprotein in small volumes of plasma from neonates 831(2006)81

Determination of lapatinib (GW572016) in human plasma by liquid chromatography electrospray tandem mass spectrometry (LC–ESI-MS/MS) 831(2006)169

Capillary electrophoresis screening of poisonous anions extracted from biological samples 831(2006)190

#### Poison

Capillary electrophoresis screening of poisonous anions extracted from biological samples 831(2006)190

### **Polyamines**

Neurochemical analysis of amino acids, polyamines and carboxylic acids: GC-MS quantitation of tBDMS derivatives using ammonia positive chemical ionization 831(2006)313

#### Polychlorinated biphenyls

A simple and fast extraction method for organochlorine pesticides and polychlorinated biphenyls in small volumes of avian serum 831(2006)99

#### Polyol-pathway

Simultaneous measurement of urinary polyols using gas chromatography/mass spectrometry 831(2006)126

#### Positive electrospray ionisation

Selective and sensitive determination of amisulpride in human plasma by liquid chromatography-tandem mass spectrometry with positive electrospray ionisation and multiple reaction monitoring 831(2006)132

#### Preconcentration

Sample stacking for the analysis of penicillins by microemulsion electrokinetic capillary chromatography 831(2006)196

### Propiverine

Sensitive column-switching high-performance liquid chromatography method for determination of propiverine in human plasma 831(2006)230

### 1-Pyrenyldiazomethane

Analysis of cardiolipin in human muscle biopsy 831(2006)63

### Quantitation

Quantitative analysis of trimethylsilyl derivative of hydroxyurea in plasma by gas chromatography-mass spectrometry 831(2006)42

### Quantitation LC-ESI-MS

Liquid chromatography-electrospray mass spectrometry determination of free and total concentrations of ropivacaine in human plasma 831(2006)91

## Quantitative biotin analysis

Quantification of biotin in feed, food, tablets, and premixes using HPLC-MS/MS 831(2006)8

### Radioactivity

Quantitative determination of zebularine (NSC 309132), a DNA methyltransferase inhibitor, and three metabolites in murine plasma by high-performance liquid chromatography coupled with on-line radioactivity detection 831(2006)147

# Rat brain microdialysis

Use of microbore LC-MS/MS for the quantification of oxcarbazepine and its active metabolite in rat brain microdialysis samples 831(2006)205

# Reversed-phase HPLC

Ion-pair reversed-phase HPLC: Assay validation of sodium tanshinone IIA sulfonate in mouse plasma 831(2006)163

# Ropivacaine

Liquid chromatography–electrospray mass spectrometry determination of free and total concentrations of ropivacaine in human plasma 831(2006)91

### Roxithromycin

Stochastic resonance is applied to quantitative analysis for weak chromatographic signal of roxithromycin in beagle dog plasma 831(2006)307

#### RP-HPLC

Application of the 6-aminoquinolyl-N-hydroxysccinimidyl carbamate (AQC) reagent to the RP-HPLC determination of amino acids in infant foods 831(2006)176

#### Salbutamol

Quantitation of salbutamol in human urine by liquid chromatography-electrospray ionization mass spectrometry 831(2006)328

#### Salicylate trapping method

The salicylate trapping method: Is oxidation of salicylic acid solution oxygen and time dependent and metal catalysed? 831(2006)320

#### **SCAN**

Selected ion monitoring in quantitative gas—liquid chromatographic – mass spectrometric detection of fatty acid methyl esters from environmental samples 831(2006)281

#### Screening

Capillary electrophoresis screening of poisonous anions extracted from biological samples 831(2006)190

#### Serum

A simple and fast extraction method for organochlorine pesticides and polychlorinated biphenyls in small volumes of avian serum 831(2006)99

#### Serum containing drug

On-line identification of the constituents of Buyang Huanwu decoction in pig serum using combined HPLC–DAD–MS techniques 831(2006)288

#### Sickle cell disease

Quantitative analysis of trimethylsilyl derivative of hydroxyurea in plasma by gas chromatography–mass spectrometry 831(2006)42

### SIM

Selected ion monitoring in quantitative gas—liquid chromatographic – mass spectrometric detection of fatty acid methyl esters from environmental samples 831(2006)281

### Single-cell analysis

Determination of lactate dehydrogenase isoenzymes in single rat glioma cells by capillary electrophoresis with electrochemical detection 831(2006)57

# Single-pot protein precipitation

A 96-well single-pot protein precipitation, liquid chromatography/tandem mass spectrometry (LC/MS/MS) method for the determination of muraglitazar, a novel diabetes drug, in human plasma 831(2006)213

# Skeletal muscle

Analysis of cardiolipin in human muscle biopsy 831(2006)63

### Sodium tanshinone IIA sulfonate (STS)

Ion-pair reversed-phase HPLC: Assay validation of sodium tanshinone IIA sulfonate in mouse plasma 831(2006)163

### Solid phase extraction

Improved assay for R(-)-apomorphine with application to clinical pharmacokinetic studies in Parkinson's disease 831(2006)1

Improved solid-phase extraction and HPLC measurement of torasemide and its important metabolites 831(2006)31

### Sorbitol

Simultaneous measurement of urinary polyols using gas chromatography/mass spectrometry 831(2006)126

# SPE

A simple and fast extraction method for organochlorine pesticides and polychlorinated biphenyls in small volumes of avian serum 831(2006)99

#### Steroids

Longitudinal profiling of urinary steroids by gas chromatography/combustion/ isotope ratio mass spectrometry: Diet change may result in carbon isotopic variations 831(2006)324

#### Stochastic resonance

Stochastic resonance is applied to quantitative analysis for weak chromatographic signal of roxithromycin in beagle dog plasma 831(2006)307

### Succinylacetone

Determination of succinylacetone in dried blood spots and liquid urine as a dansylhydrazone by liquid chromatography tandem mass spectrometry 831(2006)274

#### Suicide

Determination of chlorhexidine (CHD) and nonylphenolethoxylates (NPEOn) using LC-ESI-MS method and application to hemolyzed blood 831(2006)105

#### Sulfonamides

Analysis of antibiotics in urine and wipe samples from environmental and biological monitoring—Comparison of HPLC with UV-, single MS- and tandem MS-detection 831(2006)72

#### Sulfur amino acids

Neurochemical analysis of amino acids, polyamines and carboxylic acids: GC-MS quantitation of tBDMS derivatives using ammonia positive chemical ionization 831(2006)313

#### Sulpiride

Selective and sensitive determination of amisulpride in human plasma by liquid chromatography-tandem mass spectrometry with positive electrospray ionisation and multiple reaction monitoring 831(2006)132

### Tandem mass spectrometry

Selective and sensitive determination of amisulpride in human plasma by liquid chromatography-tandem mass spectrometry with positive electrospray ionisation and multiple reaction monitoring 831(2006)132

Simultaneous determination of six dialkylphosphates in urine by liquid chromatography tandem mass spectrometry 831(2006)223

Determination of succinylacetone in dried blood spots and liquid urine as a dansylhydrazone by liquid chromatography tandem mass spectrometry 831(2006)274

### tBDMS

Neurochemical analysis of amino acids, polyamines and carboxylic acids: GC–MS quantitation of tBDMS derivatives using ammonia positive chemical ionization 831(2006)313

# Tetradehydroscoulerine

Simultaneous determination of four active alkaloids from a traditional chinese medicine *Corydalis saxicola* Bunting. (Yanhuanglian) in plasma and urine samples by LC-MS-MS 831(2006)140

### Thalidomide stereoisomers

Thalidomide enantiomers: Determination in biological samples by HPLC and vancomycin-CSP 831(2006)48

### Therapeutic drug monitoring

Simultaneous determination of 16 anti-HIV drugs in human plasma by high-performance liquid chromatography 831(2006)258

### Torasemide

Improved solid-phase extraction and HPLC measurement of torasemide and its important metabolites 831(2006)31

### Toxicology

Determination of chlorhexidine (CHD) and nonylphenolethoxylates (NPEOn) using LC-ESI-MS method and application to hemolyzed blood 831(2006)105

#### Trimethyl tin

Neurochemical analysis of amino acids, polyamines and carboxylic acids: GC-MS quantitation of tBDMS derivatives using ammonia positive chemical ionization 831(2006)313

#### **Tyrosine**

Determination of succinylacetone in dried blood spots and liquid urine as a dansylhydrazone by liquid chromatography tandem mass spectrometry 831(2006)274

#### Underivatized amino acids

Method for the quantification of underivatized amino acids on dry blood spots from newborn screening by HPLC-ESI-MS/MS 831(2006)267

#### Urea

A simple and fast extraction method for organochlorine pesticides and polychlorinated biphenyls in small volumes of avian serum 831(2006)99

Neurochemical analysis of amino acids, polyamines and carboxylic acids: GC-MS quantitation of tBDMS derivatives using ammonia positive chemical ionization 831(2006)313

#### Urine

Analysis of antibiotics in urine and wipe samples from environmental and biological monitoring—Comparison of HPLC with UV-, single MS- and tandem MS-detection 831(2006)72

Simultaneous measurement of urinary polyols using gas chromatography/mass spectrometry 831(2006)126

Capillary electrophoresis screening of poisonous anions extracted from biological samples 831(2006)190

Simultaneous determination of six dialkylphosphates in urine by liquid chromatography tandem mass spectrometry 831(2006)223

Quantitation of salbutamol in human urine by liquid chromatographyelectrospray ionization mass spectrometry 831(2006)328

#### **UV** detection

Capillary electrophoresis screening of poisonous anions extracted from biological samples 831(2006)190

### Weak signal

Stochastic resonance is applied to quantitative analysis for weak chromatographic signal of roxithromycin in beagle dog plasma 831(2006)307

#### Wipe Samples

Analysis of antibiotics in urine and wipe samples from environmental and biological monitoring—Comparison of HPLC with UV-, single MS- and tandem MS-detection 831(2006)72

#### Zebularine

Quantitative determination of zebularine (NSC 309132), a DNA methyltransferase inhibitor, and three metabolites in murine plasma by high-performance liquid chromatography coupled with on-line radioactivity detection 831(2006)147

#### Zidovudine-triphosphate

Quantitation of zidovudine triphosphate concentrations from human peripheral blood mononuclear cells by anion exchange solid phase extraction and liquid chromatography–tandem mass spectroscopy; an indirect quantitation methodology 831(2006)248