


Available online at www.sciencedirect.com



JOURNAL OF CHROMATOGRAPHY B

Journal of Chromatography B, 832 (2006) 325–332

www.elsevier.com/locate/chromb

Keyword Index Vol. 832

Acrosol

Chiral separation of salbutamol and bupivacaine by capillary electrophoresis using dual neutral cyclodextrins as selectors and its application to pharmaceutical preparations and rat blood samples assay 832(2006)90

Affinity depletion

Efficient removal of albumin from human serum by monosize dye-affinity beads 832(2006)216

Agmatine

Determination of agmatine in biological samples by capillary electrophoresis with chemiluminescence detection 832(2006)52

Albumin

Protein depletion from blood plasma using a volatile buffer 832(2006)41

Albumin removal

Efficient removal of albumin from human serum by monosize dye-affinity beads 832(2006)216

Allantoin

Improved HPLC method for the simultaneous determination of allantoin, uric acid and creatinine in cattle urine 832(2006)134

apABG

Simple method for the quantitative analysis of endogenous folate catabolites p-aminobenzoylglutamate (pABG) and its acetamido (apABG) derivative in human serum and urine by liquid chromatography-tandem mass spectrometry 832(2006)9

APCI

A fast LC-APCI/MS method for analyzing benzodiazepines in whole blood using monolithic support 832(2006)249

Assay optimization

A practical approach to optimization and validation of a HPLC assay for analysis of polyribosyl-ribitol phosphate in complex combination vaccines 832(2006)208

Assay validation

A practical approach to optimization and validation of a HPLC assay for analysis of polyribosyl-ribitol phosphate in complex combination vaccines 832(2006)208

Bait acceptance

Liquid chromatography-electrospray ionization mass spectrometry for direct identification and quantification of iophenoxic acid in serum 832(2006)144

Basic pharmaceutical

Chiral separation of salbutamol and bupivacaine by capillary electrophoresis using dual neutral cyclodextrins as selectors and its application to pharmaceutical preparations and rat blood samples assay 832(2006)90

Benzodiazepines

A fast LC-APCI/MS method for analyzing benzodiazepines in whole blood using monolithic support 832(2006)249

Bioanalysi

Application of microbore HPLC in combination with tandem MS for the quantification of rosuvastatin in human plasma 832(2006)191

Bioequivalence study

A rapid high performance liquid chromatographic determination of methyldopa in human serum with fluorescence detection and alumina extraction: Application to a bioequivalence study 832(2006)197

Biological monitoring

Simultaneous determination of urinary dialkylphosphate metabolites of organophosphorus pesticides using gas chromatography-mass spectrometry 832(2006)58

Blood spot

Dried blood spot liquid chromatography assay for therapeutic drug monitoring of metformin 832(2006)202

Breath

Analysis of expired air of fasting male monks at Mount Athos 832(2006)274

Capillary electrophoresis

The role of emerging techniques in the investigation of prolidase deficiency: From diagnosis to the development of a possible therapeutical approach 832(2006)1

Determination of agmatine in biological samples by capillary electrophoresis with chemiluminescence detection 832(2006)52

Chiral separation of salbutamol and bupivacaine by capillary electrophoresis using dual neutral cyclodextrins as selectors and its application to pharmaceutical preparations and rat blood samples assay 832(2006)90

Determination of ranitidine in urine by capillary electrophoresis-electrochemiluminescent detection 832(2006)236

Capsular polysaccharide

Purification of capsular polysaccharide from *Neisseria meningitidis* serogroup C by liquid chromatography 832(2006)262

Cattle

Detection of sulphamethazine residues in cattle and pig hair by HPLC-DAD 832(2006)121

Cefalexin

Liquid chromatographic method for the simultaneous determination of cefalexin and trimethoprim in dog plasma and application to the pharmacokinetic studies of a coformulated preparation 832(2006)307

Cell

A new simple HPLC assay for the quantification of ertapenem in human plasma, lung tissue, and broncho-alveolar lavage fluid 832(2006)231

Chemiluminescence detection

Determination of agmatine in biological samples by capillary electrophoresis with chemiluminescence detection 832(2006)52

Chiral separation

Chiral separation of salbutamol and bupivacaine by capillary electrophoresis using dual neutral cyclodextrins as selectors and its application to pharmaceutical preparations and rat blood samples assay 832(2006)90

Cibacron Blue F3GA

Efficient removal of albumin from human serum by monosize dye-affinity beads 832(2006)216

CNS

Determination of St. John's wort flavonoid-metabolites in rat brain through high performance liquid chromatography coupled with fluorescence detection 832(2006)109

Combination vaccine

A practical approach to optimization and validation of a HPLC assay for analysis of polyribosyl-ribitol phosphate in complex combination vaccines 832(2006)208

Creatinine

Improved HPLC method for the simultaneous determination of allantoin, uric acid and creatinine in cattle urine 832(2006)134

CYP2C19

Sensitive determination of omeprazole and its two main metabolites in human plasma by column-switching high-performance liquid chromatography: Application to pharmacokinetic study in relation to CYP2C19 genotypes 832(2006)241

Delayed extraction matrix-assisted laser desorption ionization time-of-flight mass spectrometry

Quantitative evaluation of sphingolipids using delayed extraction matrix-assisted laser desorption ionization time-of-flight mass spectrometry with sphingosylphosphorylcholine as an internal standard. Practical application to cardiac valves from a patient with Fabry disease 832(2006)97

Design of experiment

A practical approach to optimization and validation of a HPLC assay for analysis of polyribosyl-ribitol phosphate in complex combination vaccines 832(2006)208

Diagnosis

The role of emerging techniques in the investigation of prolidase deficiency: From diagnosis to the development of a possible therapeutical approach 832(2006)1

Dialkylphosphates

Simultaneous determination of urinary dialkylphosphate metabolites of organophosphorus pesticides using gas chromatography-mass spectrometry 832(2006)58

Disulfide glutathione

Liquid chromatography-tandem mass spectrometry assay of reduced and oxidized glutathione and main precursors in mice liver 832(2006)67

Dog plasma

Determination of helicidum and its metabolites in dog plasma by LC/UV/MS/MS and its application to pharmacokinetic studies 832(2006)185

Liquid chromatographic method for the simultaneous determination of cefalexin and trimethoprim in dog plasma and application to the pharmacokinetic studies of a coformulated preparation 832(2006)307

Drugs of abuse

Determination of drugs of abuse and their metabolites in human plasma by liquid chromatography-mass spectrometry. An application to 156 road fatalities 832(2006)81

DUID

Determination of drugs of abuse and their metabolites in human plasma by liquid chromatography-mass spectrometry. An application to 156 road fatalities 832(2006)81

Dye-ligand chromatography

Efficient removal of albumin from human serum by monosize dye-affinity beads 832(2006)216

Earthquake

Analysis of expired air of fasting male monks at Mount Athos 832(2006)274

Electrochemiluminescence

Determination of ranitidine in urine by capillary electrophoresis-electrochemiluminescent detection 832(2006)236

Electrospray ionization

Liquid chromatography-electrospray ionization mass spectrometry for direct identification and quantification of iophenoxic acid in serum 832(2006)144

Determination of platinum derived from cisplatin in human tissues using electrospray ionization mass spectrometry 832(2006)286

Electrospray ionization mass spectrometry (ESI)

Assay of ochratoxin A in grape by high-pressure liquid chromatography coupled on line with an ESI-mass spectrometry 832(2006)127

Enantiomer separation

Enantioselective assay for the determination of perhexiline enantiomers in human plasma by liquid chromatography 832(2006)114

Enantiomers

Chiral evaluation of fluvastatin in human plasma by high-performance liquid chromatography electrospray mass spectrometry 832(2006)256

Ertapenem

A new simple HPLC assay for the quantification of ertapenem in human plasma, lung tissue, and broncho-alveolar lavage fluid 832(2006)231

Expired air

Analysis of expired air of fasting male monks at Mount Athos 832(2006)274

External standard

Quantitative determination of 20-hydroxyecdysone in methanolic extract of twigs from *Vitex polygama* Cham. 832(2006)36

Fabry disease

Quantitative evaluation of sphingolipids using delayed extraction matrix-assisted laser desorption ionization time-of-flight mass spectrometry with sphingosylphosphorylcholine as an internal standard. Practical application to cardiac valves from a patient with Fabry disease 832(2006)97

Fasting

Analysis of expired air of fasting male monks at Mount Athos 832(2006)274

Flavonoids

Determination of St. John's wort flavonoid-metabolites in rat brain through high performance liquid chromatography coupled with fluorescence detection 832(2006)109

9-Fluorenylmethoxycarbonyl hydrazine

New method for HPLC separation and fluorescence detection of malonal dehyde in normal human plasma 832(2006)103

Fluorescence detection

New method for HPLC separation and fluorescence detection of malonaldehyde in normal human plasma 832(2006)103

Fluvastatin

Chiral evaluation of fluvastatin in human plasma by high-performance liquid chromatography electrospray mass spectrometry 832(2006)256

Folate

Simple method for the quantitative analysis of endogenous folate catabolites *p*-aminobenzoylglutamate (pABG) and its acetamido (apABG) derivative in human serum and urine by liquid chromatography-tandem mass spectrometry 832(2006)9

Folate catabolite

Simple method for the quantitative analysis of endogenous folate catabolites *p*-aminobenzoylglutamate (pABG) and its acetamido (apABG) derivative in human serum and urine by liquid chromatography-tandem mass spectrometry 832(2006)9

Food poisoning

Determination of tetrodotoxin in human urine and blood using C18 cartridge column, ultrafiltration and LC-MS 832(2006)75

Gas chromatograpy

Determination of quinalphos in blood and urine by direct solid-phase microextraction combined with gas chromatography-mass spectrometry 832(2006)162

GC/MS

A GC/MS validated method for the nanomolar range determination of succinylacetone in amniotic fluid and plasma: An analytical tool for tyrosinemia type I 832(2006)24

Simultaneous determination of urinary dialkylphosphate metabolites of organophosphorus pesticides using gas chromatography-mass spectrometry 832(2006)58

Glucuronidase

Purification of the crude solution from *Helix pomatia* for use as β -glucuronidase and aryl sulfatase in phytoestrogen assays 832(2006)158

β-Glucosidase

Stability of glufosfamide in phosphate buffers and in biological samples 832(2006)224

β-Glucuronidase

Stability of glufosfamide in phosphate buffers and in biological samples 832(2006)224

Glufosfamide

Stability of glufosfamide in phosphate buffers and in biological samples 832(2006)224

Glutathione

Liquid chromatography-tandem mass spectrometry assay of reduced and oxidized glutathione and main precursors in mice liver 832(2006)67

Glutathione precursors

Liquid chromatography-tandem mass spectrometry assay of reduced and oxidized glutathione and main precursors in mice liver 832(2006)67

Grape

Assay of ochratoxin A in grape by high-pressure liquid chromatography coupled on line with an ESI-mass spectrometry 832(2006)127

Hair analysis

Detection of sulphamethazine residues in cattle and pig hair by HPLC-DAD 832(2006)121

Helicidum

Determination of helicidum and its metabolites in dog plasma by LC/UV/MS/MS and its application to pharmacokinetic studies 832(2006) 185

Helix pomatia

Purification of the crude solution from *Helix pomatia* for use as β -glucuronidase and aryl sulfatase in phytoestrogen assays 832(2006)158

Hepatitis C

Sensitive and specific LC–MS/MS method for the simultaneous measurements of viramidine and ribavirin in human plasma 832(2006)17

High performance liquid chromatography

Quantitative determination of latrunculins A and B in the Red Sea sponge Negombata magnifica by high performance liquid chromatography 832(2006)47

An HPLC method for the determination of ng mifepristone in human plasma 832(2006)181

HPLC

Determination of St. John's wort flavonoid-metabolites in rat brain through high performance liquid chromatography coupled with fluorescence detection 832(2006)109

Enantioselective assay for the determination of perhexiline enantiomers in human plasma by liquid chromatography 832(2006)114

Detection of sulphamethazine residues in cattle and pig hair by HPLC-DAD 832(2006)121

Validation of the measurement of low concentrations of 5-hydroxytryptamine in plasma using high performance liquid chromatography 832(2006)173

High-performance liquid chromatography spectrometric analysis of *trans*-resveratrol in rat plasma 832(2006)177

A rapid high performance liquid chromatographic determination of methyldopa in human serum with fluorescence detection and alumina extraction: Application to a bioequivalence study 832(2006)197

Dried blood spot liquid chromatography assay for therapeutic drug monitoring of metformin 832(2006)202

A practical approach to optimization and validation of a HPLC assay for analysis of polyribosyl-ribitol phosphate in complex combination vaccines 832(2006)208

A new simple HPLC assay for the quantification of ertapenem in human plasma, lung tissue, and broncho-alveolar lavage fluid 832(2006)231

Sensitive determination of omeprazole and its two main metabolites in human plasma by column-switching high-performance liquid chromatography: Application to pharmacokinetic study in relation to CYP2C19 genotypes 832(2006)241

Fast and reliable determination of the antifungal drug voriconazole in plasma using monolithic silica rod liquid chromatography 832(2006)313

HPLC/UV/ESI-ITMS

Determination of helicidum and its metabolites in dog plasma by LC/UV/MS/MS and its application to pharmacokinetic studies 832(2006)185

HPLC-MS/MS

Liquid chromatography-tandem mass spectrometry assay of reduced and oxidized glutathione and main precursors in mice liver 832(2006)67

Quantitative analysis of Variolin analog (PM01218) in mouse and rat plasma by high-performance liquid chromatography/electrospray ionization tandem mass spectrometry 832(2006)268

5-HT

Validation of the measurement of low concentrations of 5-hydroxytryptamine in plasma using high performance liquid chromatography 832(2006)173

Human

Quantification of 31 volatile organic compounds in whole blood using solid-phase microextraction and gas chromatography—mass spectrometry 832(2006)292

Human plasma

Application of microbore HPLC in combination with tandem MS for the quantification of rosuvastatin in human plasma 832(2006)191

Determination of the active metabolite of prulifloxacin in human plasma by liquid chromatography-tandem mass spectrometry 832(2006)280

Quantification of isosorbide 5-mononitrate in human plasma by liquid chromatography-tandem mass spectrometry using atmospheric pressure photoionization 832(2006)302

5-Hydroxyomeprazole

Sensitive determination of omeprazole and its two main metabolites in human plasma by column-switching high-performance liquid chromatography: Application to pharmacokinetic study in relation to CYP2C19 genotypes 832(2006)241

Hypericum perforatum

Determination of St. John's wort flavonoid-metabolites in rat brain through high performance liquid chromatography coupled with fluorescence detection 832(2006)109

Imidodipeptides

The role of emerging techniques in the investigation of prolidase deficiency: From diagnosis to the development of a possible therapeutical approach 832(2006)1

Immunoaffinity depletion

Protein depletion from blood plasma using a volatile buffer 832(2006)41

Immunoglobulin G

Protein depletion from blood plasma using a volatile buffer 832(2006)41

Ion mobility spectrometry

Analysis of expired air of fasting male monks at Mount Athos 832(2006)274

Ion pair HPLC

Determination of the novel non-peptidic HIV-protease inhibitor tipranavir by HPLC-UV after solid-phase extraction 832(2006)138

Ionhenovic acid

Liquid chromatography-electrospray ionization mass spectrometry for direct identification and quantification of iophenoxic acid in serum 832(2006)144

Isoflavones

Purification of the crude solution from *Helix pomatia* for use as β -glucuronidase and aryl sulfatase in phytoestrogen assays 832(2006)158

Isosorbide 5-mononitrate

Quantification of isosorbide 5-mononitrate in human plasma by liquid chromatography-tandem mass spectrometry using atmospheric pressure photoionization 832(2006)302

Latrunculin A

Quantitative determination of latrunculins A and B in the Red Sea sponge *Negombata magnifica* by high performance liquid chromatography 832(2006)47

Latrunculin B

Quantitative determination of latrunculins A and B in the Red Sea sponge Negombata magnifica by high performance liquid chromatography 832(2006)47

Lavage fluid

A new simple HPLC assay for the quantification of ertapenem in human plasma, lung tissue, and broncho-alveolar lavage fluid 832(2006)231

LC/MS/MS

Purification of the crude solution from *Helix pomatia* for use as β -glucuronidase and aryl sulfatase in phytoestrogen assays 832(2006)158

LC-MS

Determination of tetrodotoxin in human urine and blood using C18 cartridge column, ultrafiltration and LC-MS 832(2006)75

Determination of drugs of abuse and their metabolites in human plasma by liquid chromatography-mass spectrometry. An application to 156 road fatalities 832(2006)81

Liquid chromatography-electrospray ionization mass spectrometry for direct identification and quantification of iophenoxic acid in serum 832(2006)144

A fast LC-APCI/MS method for analyzing benzodiazepines in whole blood using monolithic support 832(2006)249

LC-MS-MS

Chiral evaluation of fluvastatin in human plasma by high-performance liquid chromatography electrospray mass spectrometry 832(2006)256

Lignan

Purification of the crude solution from *Helix pomatia* for use as β -glucuronidase and aryl sulfatase in phytoestrogen assays 832(2006)158

Liposome

The role of emerging techniques in the investigation of prolidase deficiency: From diagnosis to the development of a possible therapeutical approach 832(2006)1

Liquid chromatography

Liquid chromatographic method for the simultaneous determination of cefalexin and trimethoprim in dog plasma and application to the pharmacokinetic studies of a coformulated preparation 832(2006)307

Liquid chromatography-tandem mass spectrometry

Determination of zolmitriptan in human plasma by liquid chromatography-tandem mass spectrometry method: Application to a pharmacokinetic study 832(2006)30

Determination of the active metabolite of prulifloxacin in human plasma by liquid chromatography-tandem mass spectrometry 832(2006)280

Live

Liquid chromatography-tandem mass spectrometry assay of reduced and oxidized glutathione and main precursors in mice liver 832(2006)67

LLI

A new simple HPLC assay for the quantification of ertapenem in human plasma, lung tissue, and broncho-alveolar lavage fluid 832(2006)231

Location

Quantitative determination of latrunculins A and B in the Red Sea sponge *Negombata magnifica* by high performance liquid chromatography 832(2006)47

Luminol

Determination of agmatine in biological samples by capillary electrophoresis with chemiluminescence detection 832(2006)52

Malonaldehyde

New method for HPLC separation and fluorescence detection of malonaldehyde in normal human plasma 832(2006)103

Mass spectrometry

Quantification of 31 volatile organic compounds in whole blood using solid-phase microextraction and gas chromatography-mass spectrometry 832(2006)292

Mass spectrometry Diethyldithiocarbamate

Determination of platinum derived from cisplatin in human tissues using electrospray ionization mass spectrometry 832(2006)286

Measurement

Sensitive and specific LC-MS/MS method for the simultaneous measurements of viramidine and ribavirin in human plasma 832(2006)17

Metabolite

Determination of helicidum and its metabolites in dog plasma by LC/UV/MS/MS and its application to pharmacokinetic studies 832(2006)185

Metformin

Dried blood spot liquid chromatography assay for therapeutic drug monitoring of metformin 832(2006)202

Methyldopa

A rapid high performance liquid chromatographic determination of methyldopa in human serum with fluorescence detection and alumina extraction: Application to a bioequivalence study 832(2006)197

Mice

Liquid chromatography–tandem mass spectrometry assay of reduced and oxidized glutathione and main precursors in mice liver 832(2006)67

Microbore HPLC

Application of microbore HPLC in combination with tandem MS for the quantification of rosuvastatin in human plasma 832(2006)191

Mifepristone

An HPLC method for the determination of ng mifepristone in human plasma 832(2006)181

Mixtures of neutral cyclodextrin

Chiral separation of salbutamol and bupivacaine by capillary electrophoresis using dual neutral cyclodextrins as selectors and its application to pharmaceutical preparations and rat blood samples assay 832(2006)90

Monolithic column

A fast LC-APCI/MS method for analyzing benzodiazepines in whole blood using monolithic support 832(2006)249

Monolithic columns

Fast and reliable determination of the antifungal drug voriconazole in plasma using monolithic silica rod liquid chromatography 832(2006)313

Monosize beads

Efficient removal of albumin from human serum by monosize dye-affinity beads 832(2006)216

Multiple affinity removal system

Protein depletion from blood plasma using a volatile buffer 832(2006)41

Mycotoxin

Assay of ochratoxin A in grape by high-pressure liquid chromatography coupled on line with an ESI-mass spectrometry 832(2006)127

Nano-HPLC

Assay of ochratoxin A in grape by high-pressure liquid chromatography coupled on line with an ESI-mass spectrometry 832(2006)127

Negative ion monitoring

Liquid chromatography-electrospray ionization mass spectrometry for direct identification and quantification of iophenoxic acid in serum 832(2006)144

Negombata magnifica

Quantitative determination of latrunculins A and B in the Red Sea sponge *Negombata magnifica* by high performance liquid chromatography 832(2006)47

Neisseria meningitidis

Purification of capsular polysaccharide from *Neisseria meningitidis* serogroup C by liquid chromatography 832(2006)262

NTBC

A GC/MS validated method for the nanomolar range determination of succinylacetone in amniotic fluid and plasma: An analytical tool for tyrosine-mia type I 832(2006)24

Ochratoxin A

Assay of ochratoxin A in grape by high-pressure liquid chromatography coupled on line with an ESI-mass spectrometry 832(2006)127

Omeprazole

Sensitive determination of omeprazole and its two main metabolites in human plasma by column-switching high-performance liquid chromatography: Application to pharmacokinetic study in relation to CYP2C19 genotypes 832(2006)241

Omeprazole sulfone

Sensitive determination of omeprazole and its two main metabolites in human plasma by column-switching high-performance liquid chromatography: Application to pharmacokinetic study in relation to CYP2C19 genotypes 832(2006)241

Organophosphorus insecticide

Simultaneous determination of urinary dialkylphosphate metabolites of organophosphorus pesticides using gas chromatography-mass spectrometry 832(2006)58

pABG

Simple method for the quantitative analysis of endogenous folate catabolites p-aminobenzoylglutamate (pABG) and its acetamido (apABG) derivative in human serum and urine by liquid chromatography-tandem mass spectrometry 832(2006)9

Penicillium and Aspergillus

Assay of ochratoxin A in grape by high-pressure liquid chromatography coupled on line with an ESI-mass spectrometry 832(2006)127

Perhexiline

Enantioselective assay for the determination of perhexiline enantiomers in human plasma by liquid chromatography 832(2006)114

Pharmacokinetics

Determination of zolmitriptan in human plasma by liquid chromatography-tandem mass spectrometry method: Application to a pharmacokinetic study 832(2006)30

Rapid determination of valsartan in human plasma by protein precipitation and high-performance liquid chromatography 832(2006)169

Determination of helicidum and its metabolites in dog plasma by LC/UV/MS/MS and its application to pharmacokinetic studies 832(2006)185

Chiral evaluation of fluvastatin in human plasma by high-performance liquid chromatography electrospray mass spectrometry 832(2006)256

Quantitative analysis of Variolin analog (PM01218) in mouse and rat plasma by high-performance liquid chromatography/electrospray ionization tandem mass spectrometry 832(2006)268

Photospray

Quantification of isosorbide 5-mononitrate in human plasma by liquid chromatography-tandem mass spectrometry using atmospheric pressure photoionization 832(2006)302

Phytoestrogens

Purification of the crude solution from *Helix pomatia* for use as β -glucuronidase and aryl sulfatase in phytoestrogen assays 832(2006)158

Pig

Detection of sulphamethazine residues in cattle and pig hair by HPLC-DAD 832(2006)121

Plasma

New method for HPLC separation and fluorescence detection of malonaldehyde in normal human plasma 832(2006)103

Determination of drugs of abuse and their metabolites in human plasma by liquid chromatography—mass spectrometry. An application to 156 road fatalities 832(2006)81

Validation of the measurement of low concentrations of 5-hydroxytryptamine in plasma using high performance liquid chromatography 832(2006)173

A new simple HPLC assay for the quantification of ertapenem in human plasma, lung tissue, and broncho-alveolar lavage fluid 832(2006)231

Plasma concentration

High-performance liquid chromatography spectrometric analysis of *trans*-resveratrol in rat plasma 832(2006)177

Plasma profiling

Protein depletion from blood plasma using a volatile buffer 832(2006)41

Platinum

Determination of platinum derived from cisplatin in human tissues using electrospray ionization mass spectrometry 832(2006)286

PM01218

Quantitative analysis of Variolin analog (PM01218) in mouse and rat plasma by high-performance liquid chromatography/electrospray ionization tandem mass spectrometry 832(2006)268

Poly(GMA)

Efficient removal of albumin from human serum by monosize dye-affinity beads 832(2006)216

Polypodine A

Quantitative determination of 20-hydroxyecdysone in methanolic extract of twigs from *Vitex polygama* Cham. 832(2006)36

Prolidase deficiency

The role of emerging techniques in the investigation of prolidase deficiency: From diagnosis to the development of a possible therapeutical approach 832(2006)1

Protease inhibitors

Determination of the novel non-peptidic HIV-protease inhibitor tipranavir by HPLC-UV after solid-phase extraction 832(2006)138

Protein precipitation

Rapid determination of valsartan in human plasma by protein precipitation and high-performance liquid chromatography 832(2006)169

Proteomics

Protein depletion from blood plasma using a volatile buffer 832(2006)41

PRP

A practical approach to optimization and validation of a HPLC assay for analysis of polyribosyl-ribitol phosphate in complex combination vaccines 832(2006)208

Prulifloxacin

Determination of the active metabolite of prulifloxacin in human plasma by liquid chromatography-tandem mass spectrometry 832(2006)280

Purification by liquid chromatography

Purification of capsular polysaccharide from *Neisseria meningitidis* serogroup C by liquid chromatography 832(2006)262

Purine derivatives

Improved HPLC method for the simultaneous determination of allantoin, uric acid and creatinine in cattle urine 832(2006)134

Quercetin

Determination of St. John's wort flavonoid-metabolites in rat brain through high performance liquid chromatography coupled with fluorescence detection 832(2006)109

Quinalphos

Determination of quinalphos in blood and urine by direct solid-phase microextraction combined with gas chromatography-mass spectrometry 832(2006)162

Ranitidine

Determination of ranitidine in urine by capillary electrophoresis-electrochemiluminescent detection 832(2006)236

Rat

High-performance liquid chromatography spectrometric analysis of trans-resveratrol in rat plasma 832(2006)177

Red Sea

Quantitative determination of latrunculins A and B in the Red Sea sponge Negombata magnifica by high performance liquid chromatography 832(2006)47

Resveratrol

High-performance liquid chromatography spectrometric analysis of trans-resveratrol in rat plasma 832(2006)177

Reverse phase chromatography

A rapid high performance liquid chromatographic determination of methyldopa in human serum with fluorescence detection and alumina extraction: Application to a bioequivalence study 832(2006)197

Ribavirin

Sensitive and specific LC-MS/MS method for the simultaneous measurements of viramidine and ribavirin in human plasma 832(2006)17

Rosuvastatin

Application of microbore HPLC in combination with tandem MS for the quantification of rosuvastatin in human plasma 832(2006)191

Season

Quantitative determination of latrunculins A and B in the Red Sea sponge *Negombata magnifica* by high performance liquid chromatography 832(2006)47

Sensitivity

Sensitive and specific LC-MS/MS method for the simultaneous measurements of viramidine and ribavirin in human plasma 832(2006)17

Serum

Liquid chromatography-electrospray ionization mass spectrometry for direct identification and quantification of iophenoxic acid in serum 832(2006)144

A new simple HPLC assay for the quantification of ertapenem in human plasma, lung tissue, and broncho-alveolar lavage fluid 832(2006)231

Silver

Determination of platinum derived from cisplatin in human tissues using electrospray ionization mass spectrometry 832(2006)286

Solid phase extraction

Purification of the crude solution from *Helix pomatia* for use as β -glucuronidase and aryl sulfatase in phytoestrogen assays 832(2006)158

Solid-phase extraction

Quantitative determination of 20-hydroxyecdysone in methanolic extract of twigs from *Vitex polygama* Cham. 832(2006)36

Determination of the novel non-peptidic HIV-protease inhibitor tipranavir by HPLC–UV after solid-phase extraction 832(2006)138

Solid-phase microextraction

Determination of quinalphos in blood and urine by direct solid-phase microextraction combined with gas chromatography—mass spectrometry 832(2006)162

Quantification of 31 volatile organic compounds in whole blood using solidphase microextraction and gas chromatography–mass spectrometry 832(2006)292

Specificity

Sensitive and specific LC–MS/MS method for the simultaneous measurements of viramidine and ribavirin in human plasma 832(2006)17

Sphingolipid

Quantitative evaluation of sphingolipids using delayed extraction matrix-assisted laser desorption ionization time-of-flight mass spectrometry with sphingosylphosphorylcholine as an internal standard. Practical application to cardiac valves from a patient with Fabry disease 832(2006)97

St. John's wort

Determination of St. John's wort flavonoid-metabolites in rat brain through high performance liquid chromatography coupled with fluorescence detection 832(2006)109

Stability

Stability of glufosfamide in phosphate buffers and in biological samples 832(2006)224

Standard addition

Quantitative determination of 20-hydroxyecdysone in methanolic extract of twigs from *Vitex polygama* Cham. 832(2006)36

Succinylacetone

A GC/MS validated method for the nanomolar range determination of succinylacetone in amniotic fluid and plasma: An analytical tool for tyrosinemia type I 832(2006)24

Sulfatase

Purification of the crude solution from *Helix pomatia* for use as β -glucuronidase and aryl sulfatase in phytoestrogen assays 832(2006)158

Sulphamethazine

Detection of sulphamethazine residues in cattle and pig hair by HPLC-DAD 832(2006)121

Tandem mass spectrometry

Simple method for the quantitative analysis of endogenous folate catabolites *p*-aminobenzoylglutamate (pABG) and its acetamido (apABG) derivative in human serum and urine by liquid chromatography-tandem mass spectrometry 832(2006)9

Tarumã

Quantitative determination of 20-hydroxyecdysone in methanolic extract of twigs from *Vitex polygama* Cham. 832(2006)36

TD-GC-MS

Analysis of expired air of fasting male monks at Mount Athos 832(2006)274

Tetrodotoxin

Determination of tetrodotoxin in human urine and blood using C18 cartridge column, ultrafiltration and LC-MS 832(2006)75

Therapeutic drug monitoring

Determination of the novel non-peptidic HIV-protease inhibitor tipranavir by HPLC-UV after solid-phase extraction 832(2006)138

Dried blood spot liquid chromatography assay for therapeutic drug monitoring of metformin 832(2006)202

Fast and reliable determination of the antifungal drug voriconazole in plasma using monolithic silica rod liquid chromatography 832(2006)313

Tipranavir

Determination of the novel non-peptidic HIV-protease inhibitor tipranavir by HPLC-UV after solid-phase extraction 832(2006)138

A simple high performance liquid chromatography assay for monitoring plasma concentrations of tipranavir in HIV infected patients 832(2006)317

Tissua

A new simple HPLC assay for the quantification of ertapenem in human plasma, lung tissue, and broncho-alveolar lavage fluid 832(2006)231

Tissue samples

Determination of agmatine in biological samples by capillary electrophoresis with chemiluminescence detection 832(2006)52

Trimethoprim

Liquid chromatographic method for the simultaneous determination of cefalexin and trimethoprim in dog plasma and application to the pharmacokinetic studies of a coformulated preparation 832(2006)307

Triptan

Determination of zolmitriptan in human plasma by liquid chromatography-tandem mass spectrometry method: Application to a pharmacokinetic study 832(2006)30

Tyrosinemia

A GC/MS validated method for the nanomolar range determination of succinylacetone in amniotic fluid and plasma: An analytical tool for tyrosinemia type I 832(2006)24

Ulifloxacin

Determination of the active metabolite of prulifloxacin in human plasma by liquid chromatography-tandem mass spectrometry 832(2006)280

Uric acid

Improved HPLC method for the simultaneous determination of allantoin, uric acid and creatinine in cattle urine 832(2006)134

Urinary metabolite

Simultaneous determination of urinary dialkylphosphate metabolites of organophosphorus pesticides using gas chromatography-mass spectrometry 832(2006)58

Urine

The role of emerging techniques in the investigation of prolidase deficiency: From diagnosis to the development of a possible therapeutical approach 832(2006)1

UV

A new simple HPLC assay for the quantification of ertapenem in human plasma, lung tissue, and broncho-alveolar lavage fluid 832(2006)231

Validation

Validation of the measurement of low concentrations of 5-hydroxytryptamine in plasma using high performance liquid chromatography 832(2006)173

A fast LC-APCI/MS method for analyzing benzodiazepines in whole blood using monolithic support 832(2006)249

Valsartan

Rapid determination of valsartan in human plasma by protein precipitation and high-performance liquid chromatography 832(2006)169

Verbenaceae

Quantitative determination of 20-hydroxyecdysone in methanolic extract of twigs from *Vitex polygama* Cham. 832(2006)36

Viramidine

Sensitive and specific LC-MS/MS method for the simultaneous measurements of viramidine and ribavirin in human plasma 832(2006)17

VOC

Quantification of 31 volatile organic compounds in whole blood using solid-phase microextraction and gas chromatography—mass spectrometry 832(2006)292

VOCs

Analysis of expired air of fasting male monks at Mount Athos 832(2006) 274

Volatile buffer

Protein depletion from blood plasma using a volatile buffer 832(2006)41

Volatile organic compound

Quantification of 31 volatile organic compounds in whole blood using solid-phase microextraction and gas chromatography-mass spectrometry 832(2006)292

Voriconazole

Fast and reliable determination of the antifungal drug voriconazole in plasma using monolithic silica rod liquid chromatography 832(2006)313

Whole blood

Quantification of 31 volatile organic compounds in whole blood using solid-phase microextraction and gas chromatography-mass spectrometry 832(2006)292

Zolmitriptan

Determination of zolmitriptan in human plasma by liquid chromatographytandem mass spectrometry method: Application to a pharmacokinetic study 832(2006)30