

Available online at www.sciencedirect.com



JOURNAL OF CHROMATOGRAPHY B

Journal of Chromatography B, 833 (2006) 268-272

www.elsevier.com/locate/chromb

Keyword Index Vol. 833

Acidosis

A rapid LC–MS method for determination of plasma anion profiles of acidotic patients 833(2006)179

Affinity chromatography

Identification and characterization of digestive serine proteases from inhibitorresistant *Helicoverpa zea* larval midgut 833(2006)26

Agarose microspheres

Preparation and characterization of magnetic microspheres for the purification of interferon α -2b 833(2006)236

AKF-PD

Determination of AKF-PD in whole blood of rat by HPLC-UV 833(2006)257

Altrenogest

Detection of altrenogest and its metabolites in post administration horse urine using liquid chromatography tandem mass spectrometry—increased sensitivity by chemical derivatisation of the glucuronic acid conjugate 833(2006)245

Alzheimer's disease

Redox proteomics identification of oxidatively modified proteins in Alzheimer's disease brain and in vivo and in vitro models of AD centered around $A\beta(1-42)$ 833(2006)3

Aminoquinoline

Sensitive fluorescence HPLC assay for AQ-13, a candidate aminoquinoline antimalarial, that also detects chloroquine and *N*-dealkylated metabolites 833(2006)122

Anion gap

A rapid LC-MS method for determination of plasma anion profiles of acidotic patients 833(2006)179

Anti-HIV drug determination

Determination of anti-HIV drug concentration in human plasma by MALDI-TOF/TOF 833(2006)109

APE1/Ref-1

Differential proteomic analysis of nuclear extracts from thyroid cell lines 833(2006)41

Aphanizomenon flos-aquae

Purification and characterization of phycocyanin from the blue-green alga Aphanizomenon flos-aquae 833(2006)12

AQ-13

Sensitive fluorescence HPLC assay for AQ-13, a candidate aminoquinoline antimalarial, that also detects chloroquine and N-dealkylated metabolites 833(2006)122

Aqueous two-phase system

Aqueous two-phase systems extraction of α -toxin from Clostridium perfringens type A 833(2006)135

Arabidopsis thaliana

A 2-D liquid-phase chromatography for proteomic analysis in plant tissues 833(2006)91

Automation

High throughput metabolic stability screen for lead optimization in drug discovery 833(2006)165

Bacterial reduction

Identification of bilirubin reduction products formed by *Clostridium perfringens* isolated from human neonatal fecal flora 833(2006)149

Berberine

Interaction study between double-stranded DNA and berberine using capillary zone electrophoresis 833(2006)158

Bile pigments

Identification of bilirubin reduction products formed by *Clostridium perfringens* isolated from human neonatal fecal flora 833(2006)149

Bilirubin

Identification of bilirubin reduction products formed by *Clostridium perfringens* isolated from human neonatal fecal flora 833(2006)149

Bioinformatics

Decoding 2D-PAGE complex maps: Relevance to proteomics 833(2006)51

Biological fluids

Determination of excitatory amino acids in biological fluids by capillary electrophoresis with optical fiber light-emitting diode induced fluorescence detection 833(2006)129

Biops

Simultaneous quantification of methamphetamine, cocaine, codeine, and metabolites in skin by positive chemical ionization gas chromatography–mass spectrometry 833(2006)210

Biuret reaction

Observation of the complex formation between Cu(II) and protein by capillary electrophoretic system incorporating an UV/CL dual detector 833(2006)174

Brain white matter

Proteomic studies on the white matter of human brain 833(2006)80

Capillary electrophoresis

Determination of excitatory amino acids in biological fluids by capillary electrophoresis with optical fiber light-emitting diode induced fluorescence detection 833(2006)129

Observation of the complex formation between Cu(II) and protein by capillary electrophoretic system incorporating an UV/CL dual detector 833(2006)174

doi:10.1016/S1570-0232(06)00217-0

Capillary electrophoresis enantioselective separation of vigabatrin enantiomers by precolumn derivatization with dehydroabietylisothiocyante and UV-vis detection 833(2006)186

Capillary zone electrophoresis

Interaction study between double-stranded DNA and berberine using capillary zone electrophoresis 833(2006)158

Cellulose microspheres

Preparation and characterization of magnetic microspheres for the purification of interferon α -2b 833(2006)236

Cerebrospinal fluid

Quantification of Gluten Exorphin A5 in cerebrospinal fluid by liquid chromatography-mass spectrometry 833(2006)204

Chemiluminescence

Observation of the complex formation between Cu(II) and protein by capillary electrophoretic system incorporating an UV/CL dual detector 833(2006)174

Chemometric methods

Decoding 2D-PAGE complex maps: Relevance to proteomics 833(2006)51

Chinese medicine plant

Determination of four water-soluble compounds in *Salvia miltiorrhiza Bunge* by high-performance liquid chromatography with a coulometric electrode array system 833(2006)260

Chloroquine

Sensitive fluorescence HPLC assay for AQ-13, a candidate aminoquinoline antimalarial, that also detects chloroquine and N-dealkylated metabolites 833(2006)122

Cocaine

Simultaneous quantification of methamphetamine, cocaine, codeine, and metabolites in skin by positive chemical ionization gas chromatography–mass spectrometry 833(2006)210

Codeine

Simultaneous quantification of methamphetamine, cocaine, codeine, and metabolites in skin by positive chemical ionization gas chromatography–mass spectrometry 833(2006)210

Comparative proteomics

A 2-D liquid-phase chromatography for proteomic analysis in plant tissues 833(2006)91

Conjugate

Detection of altrenogest and its metabolites in post administration horse urine using liquid chromatography tandem mass spectrometry—increased sensitivity by chemical derivatisation of the glucuronic acid conjugate 833(2006)245

Cu(II)-human serum protein complex

Observation of the complex formation between Cu(II) and protein by capillary electrophoretic system incorporating an UV/CL dual detector 833(2006)174

Cyanobacteria

Purification and characterization of phycocyanin from the blue-green alga Aphanizomenon flos-aquae 833(2006)12

Dehydroabiety lisothio cyante

Capillary electrophoresis enantioselective separation of vigabatrin enantiomers by precolumn derivatization with dehydroabietylisothiocyante and UV-vis detection 833(2006)186

Derivatisation

Detection of altrenogest and its metabolites in post administration horse urine using liquid chromatography tandem mass spectrometry—increased sensitivity by chemical derivatisation of the glucuronic acid conjugate 833(2006)245

Differential proteomics

Differential proteomic analysis of nuclear extracts from thyroid cell lines 833(2006)41

Differentiation

Differential proteomic analysis of nuclear extracts from thyroid cell lines 833(2006)41

DNA

Interaction study between double-stranded DNA and berberine using capillary zone electrophoresis 833(2006)158

DNA annealing

Interaction study between double-stranded DNA and berberine using capillary zone electrophoresis 833(2006)158

Doping control

Detection of altrenogest and its metabolites in post administration horse urine using liquid chromatography tandem mass spectrometry—increased sensitivity by chemical derivatisation of the glucuronic acid conjugate 833(2006)245

Drug discovery

Liquid chromatography-mass spectrometry/mass spectrometry method development for drug metabolism studies: Examining lipid matrix ionization effects in plasma 833(2006)219

Dual detector

Observation of the complex formation between Cu(II) and protein by capillary electrophoretic system incorporating an UV/CL dual detector 833(2006)174

Dynamic range

Reducing protein concentration range of biological samples using solid-phase ligand libraries 833(2006)33

Electrochemical detector

Determination of four water-soluble compounds in *Salvia miltiorrhiza Bunge* by high-performance liquid chromatography with a coulometric electrode array system 833(2006)260

Electrophoresis

Reducing protein concentration range of biological samples using solid-phase ligand libraries 833(2006)33

2D electrophoresis

Proteomic studies on the white matter of human brain 833(2006)80

Electrospray mass spectrometry

Liquid chromatography-mass spectrometry/mass spectrometry method development for drug metabolism studies: Examining lipid matrix ionization effects in plasma 833(2006)219

Enantiomer separation

Capillary electrophoresis enantioselective separation of vigabatrin enantiomers by precolumn derivatization with dehydroabietylisothiocyante and UV-vis detection 833(2006)186

Excitatory amino acids

Determination of excitatory amino acids in biological fluids by capillary electrophoresis with optical fiber light-emitting diode induced fluorescence detection 833(2006)129

Fluorescence HPLC

Sensitive fluorescence HPLC assay for AQ-13, a candidate aminoquinoline antimalarial, that also detects chloroquine and N-dealkylated metabolites 833(2006)122

Fractional design

Aqueous two-phase systems extraction of α -toxin from Clostridium perfringens type A 833(2006)135

Fractionation

Reducing protein concentration range of biological samples using solid-phase ligand libraries 833(2006)33

Fractionation techniques

Quasi-isoelectric buffers for protein analysis in a fast alternative to conventional capillary zone electrophoresis 833(2006)19

Glucuronide

Detection of altrenogest and its metabolites in post administration horse urine using liquid chromatography tandem mass spectrometry—increased sensitivity by chemical derivatisation of the glucuronic acid conjugate 833(2006)245

Gluten Exorphin A5

Quantification of Gluten Exorphin A5 in cerebrospinal fluid by liquid chromatography-mass spectrometry 833(2006)204

Glycerophosphocholines

Liquid chromatography—mass spectrometry/mass spectrometry method development for drug metabolism studies: Examining lipid matrix ionization effects in plasma 833(2006)219

Goat

Assessment of population structure by single nucleotide polymorphisms (SNPs) in goat breeds 833(2006)117

Gradient HPLC

A simple and rapid HPLC method for quantitation of interferon-α2b in dosage forms and delivery systems 833(2006)199

Gut

Identification and characterization of digestive serine proteases from inhibitorresistant *Helicoverpa zea* larval midgut 833(2006)26

Helicoverpa zea

Identification and characterization of digestive serine proteases from inhibitorresistant *Helicoverpa zea* larval midgut 833(2006)26

High throughput

High throughput metabolic stability screen for lead optimization in drug discovery 833(2006)165

Horse urine

Detection of altrenogest and its metabolites in post administration horse urine using liquid chromatography tandem mass spectrometry—increased sensitivity by chemical derivatisation of the glucuronic acid conjugate 833(2006)245

HPLC

A simple and rapid HPLC method for quantitation of interferon- α 2b in dosage forms and delivery systems 833(2006)199

Determination of AKF-PD in whole blood of rat by HPLC-UV 833(2006)257

Determination of four water-soluble compounds in *Salvia miltiorrhiza Bunge* by high-performance liquid chromatography with a coulometric electrode array system 833(2006)260

Human brain

Proteomic studies on the white matter of human brain 833(2006)80

Human plasma

Determination of anti-HIV drug concentration in human plasma by MALDI-TOF/TOF 833(2006)109

Immunomagnetic separation

Preparation and characterization of magnetic microspheres for the purification of interferon α -2b 833(2006)236

Immunoproteomic

Comparative proteomics and immunoproteomics of *Helicobacter pylori* related to different gastric pathologies 833(2006)63

Interaction

Interaction study between double-stranded DNA and berberine using capillary zone electrophoresis 833(2006)158

Interferon \alpha-2b

Preparation and characterization of magnetic microspheres for the purification of interferon α -2b 833(2006)236

Interferon- α 2b

A simple and rapid HPLC method for quantitation of interferon- $\alpha 2b$ in dosage forms and delivery systems 833(2006)199

Intermediatry metabolism

A rapid LC–MS method for determination of plasma anion profiles of acidotic patients 833(2006)179

Intestinal microflora

Identification of bilirubin reduction products formed by *Clostridium perfringens* isolated from human neonatal fecal flora 833(2006)149

Ion-pairing chromatography

Determination of rutin deca(H-) sulfate sodium in rat plasma using ionpairing liquid chromatography after ion-pairing solid-phase extraction 833(2006)231

Ion-pairing solid-phase extraction

Determination of rutin deca(H-) sulfate sodium in rat plasma using ion-pairing liquid chromatography after ion-pairing solid-phase extraction 833(2006)231

Isoelectric buffer

Quasi-isoelectric buffers for protein analysis in a fast alternative to conventional capillary zone electrophoresis 833(2006)19

Krebs cycle

A rapid LC–MS method for determination of plasma anion profiles of acidotic patients 833(2006)179

LC-MS/MS

Detection of altrenogest and its metabolites in post administration horse urine using liquid chromatography tandem mass spectrometry—increased sensitivity by chemical derivatisation of the glucuronic acid conjugate 833(2006)245

Liquid chromatography—mass spectrometry/mass spectrometry method development for drug metabolism studies: Examining lipid matrix ionization effects in plasma 833(2006)219

Lecithin

Liquid chromatography—mass spectrometry/mass spectrometry method development for drug metabolism studies: Examining lipid matrix ionization effects in plasma 833(2006)219

Ligand library

Reducing protein concentration range of biological samples using solid-phase ligand libraries 833(2006)33

Light-emitting diode

Determination of excitatory amino acids in biological fluids by capillary electrophoresis with optical fiber light-emitting diode induced fluorescence detection 833(2006)129

Liquid chromatography

A rapid LC–MS method for determination of plasma anion profiles of acidotic patients 833(2006)179

Liquid chromatography-mass spectrometry

Quantification of Gluten Exorphin A5 in cerebrospinal fluid by liquid chromatography-mass spectrometry 833(2006)204

Liquid chromatography-tandem mass spectrometry

Simultaneous quantitation of 7-methyl- and O^6 -methylguanine adducts in DNA by liquid chromatography–positive electrospray tandem mass spectrometry 833(2006)141

Malaria

Sensitive fluorescence HPLC assay for AQ-13, a candidate aminoquinoline antimalarial, that also detects chloroquine and *N*-dealkylated metabolites 833(2006)122

MALDI-ToF fingerprinting

Proteomic study of muscle sarcoplasmic proteins using AUT-PAGE/SDS-PAGE as two-dimensional gel electrophoresis 833(2006)101

MALDI-TOF/TOF

Determination of anti-HIV drug concentration in human plasma by MALDI-TOF/TOF 833(2006)109

Mass spectrometry

Reducing protein concentration range of biological samples using solid-phase ligand libraries 833(2006)33

Proteomic studies on the white matter of human brain 833(2006)80

A rapid LC-MS method for determination of plasma anion profiles of acidotic patients 833(2006)179

Matrix effects

Liquid chromatography-mass spectrometry/mass spectrometry method development for drug metabolism studies: Examining lipid matrix ionization effects in plasma 833(2006)219

Matrix suppression

Liquid chromatography-mass spectrometry/mass spectrometry method development for drug metabolism studies: Examining lipid matrix ionization effects in plasma 833(2006)219

Metabolic stability

High throughput metabolic stability screen for lead optimization in drug discovery 833(2006)165

Metabolism

Detection of altrenogest and its metabolites in post administration horse urine using liquid chromatography tandem mass spectrometry—increased sensitivity by chemical derivatisation of the glucuronic acid conjugate 833(2006)245

Methamphetamine

Simultaneous quantification of methamphetamine, cocaine, codeine, and metabolites in skin by positive chemical ionization gas chromatography–mass spectrometry 833(2006)210

7-Methyl- and O^6 -methylguanine adducts

Simultaneous quantitation of 7-methyl- and O^6 -methylguanine adducts in DNA by liquid chromatography–positive electrospray tandem mass spectrometry 833(2006)141

Neomycin sulphate

Analysis of neomycin using an improved liquid chromatographic method combined with pulsed electrochemical detection 833(2006)191

Nucleus

Differential proteomic analysis of nuclear extracts from thyroid cell lines 833(2006)41

Optical fiber

Determination of excitatory amino acids in biological fluids by capillary electrophoresis with optical fiber light-emitting diode induced fluorescence detection 833(2006)129

Oxidative stress

Redox proteomics identification of oxidatively modified proteins in Alzheimer's disease brain and in vivo and in vitro models of AD centered around $A\beta(1-42)$ 833(2006)3

Patients

A rapid LC-MS method for determination of plasma anion profiles of acidotic patients 833(2006)179

PEG/phosphate

Aqueous two-phase systems extraction of α -toxin from Clostridium perfringens type A 833(2006)135

Pharmaceutical analysis

Liquid chromatography—mass spectrometry/mass spectrometry method development for drug metabolism studies: Examining lipid matrix ionization effects in plasma 833(2006)219

Pharmacokinetics

Determination of AKF-PD in whole blood of rat by HPLC-UV 833(2006)257

Phospholipids

Liquid chromatography-mass spectrometry/mass spectrometry method development for drug metabolism studies: Examining lipid matrix ionization effects in plasma 833(2006)219

Phycocyanin

Purification and characterization of phycocyanin from the blue-green alga Aphanizomenon flos-aquae 833(2006)12

Phycocyanobilin

Purification and characterization of phycocyanin from the blue-green alga *Aphanizomenon flos-aquae* 833(2006)12

Plasma

A rapid LC–MS method for determination of plasma anion profiles of acidotic patients 833(2006)179

Determination of rutin deca(H-) sulfate sodium in rat plasma using ionpairing liquid chromatography after ion-pairing solid-phase extraction 833(2006)231

Liquid chromatography—mass spectrometry/mass spectrometry method development for drug metabolism studies: Examining lipid matrix ionization effects in plasma 833(2006)219

Population structure

Assessment of population structure by single nucleotide polymorphisms (SNPs) in goat breeds 833(2006)117

Protease inhibitor

Identification and characterization of digestive serine proteases from inhibitorresistant *Helicoverpa zea* larval midgut 833(2006)26

protein assay

A simple and rapid HPLC method for quantitation of interferon- $\alpha 2b$ in dosage forms and delivery systems 833(2006)199

Protein crude extracts

A 2-D liquid-phase chromatography for proteomic analysis in plant tissues 833(2006)91

Protein oxidation

Redox proteomics identification of oxidatively modified proteins in Alzheimer's disease brain and in vivo and in vitro models of AD centered around $A\beta(1-42)$ 833(2006)3

Proteomics

Reducing protein concentration range of biological samples using solid-phase ligand libraries 833(2006)33

Proteomic studies on the white matter of human brain 833(2006)80

Pulsed electrochemical detection

Analysis of neomycin using an improved liquid chromatographic method combined with pulsed electrochemical detection 833(2006)191

Purification

Purification and characterization of phycocyanin from the blue-green alga Aphanizomenon flos-aquae 833(2006)12

Aqueous two-phase systems extraction of α -toxin from Clostridium perfringens type A 833(2006)135

Purity testing

Analysis of neomycin using an improved liquid chromatographic method combined with pulsed electrochemical detection 833(2006)191

PVA microspheres

Preparation and characterization of magnetic microspheres for the purification of interferon α -2b 833(2006)236

Quantitation

Simultaneous quantitation of 7-methyl- and O⁶-methylguanine adducts in DNA by liquid chromatography–positive electrospray tandem mass spectrometry 833(2006)141

Redox proteomics

Redox proteomics identification of oxidatively modified proteins in Alzheimer's disease brain and in vivo and in vitro models of AD centered around $A\beta(1-42)$ 833(2006)3

Rutin deca(H-) sulfate sodium

Determination of rutin deca(H-) sulfate sodium in rat plasma using ion-pairing liquid chromatography after ion-pairing solid-phase extraction 833(2006)231

Salvia miltiorrhiza Bunge

Determination of four water-soluble compounds in *Salvia miltiorrhiza Bunge* by high-performance liquid chromatography with a coulometric electrode array system 833(2006)260

Sarcoplasmic proteins

Proteomic study of muscle sarcoplasmic proteins using AUT-PAGE/SDS-PAGE as two-dimensional gel electrophoresis 833(2006)101

Selective capture

Reducing protein concentration range of biological samples using solid-phase ligand libraries 833(2006)33

Skin

Simultaneous quantification of methamphetamine, cocaine, codeine, and metabolites in skin by positive chemical ionization gas chromatography-mass spectrometry 833(2006)210

SNP

Assessment of population structure by single nucleotide polymorphisms (SNPs) in goat breeds 833(2006)117

Spot overlapping

Decoding 2D-PAGE complex maps: Relevance to proteomics 833(2006)51

Sulfate

Detection of altrenogest and its metabolites in post administration horse urine using liquid chromatography tandem mass spectrometry—increased sensitivity by chemical derivatisation of the glucuronic acid conjugate 833(2006)245

Thyroid

Differential proteomic analysis of nuclear extracts from thyroid cell lines 833(2006)41

Tissue

Simultaneous quantification of methamphetamine, cocaine, codeine, and metabolites in skin by positive chemical ionization gas chromatography–mass spectrometry 833(2006)210

α-Toxin

Aqueous two-phase systems extraction of α -toxin from Clostridium perfringens type A 833(2006)135

Transcriptional regulation

Differential proteomic analysis of nuclear extracts from thyroid cell lines 833(2006)41

Trypsin

Identification and characterization of digestive serine proteases from inhibitorresistant *Helicoverpa zea* larval midgut 833(2006)26

Two-dimensional AUT-PAGE/SDS-PAGE

Proteomic study of muscle sarcoplasmic proteins using AUT-PAGE/SDS-PAGE as two-dimensional gel electrophoresis 833(2006)101

Two-dimensional liquid chromatography

A 2-D liquid-phase chromatography for proteomic analysis in plant tissues 833(2006)91

Two-dimensional maps

Decoding 2D-PAGE complex maps: Relevance to proteomics 833(2006)51

Ultrafiltrate

A rapid LC–MS method for determination of plasma anion profiles of acidotic patients 833(2006)179

Ultra-narrow-pH ampholytes cuts

Quasi-isoelectric buffers for protein analysis in a fast alternative to conventional capillary zone electrophoresis 833(2006)19

Uncoated-capillary CZE

Quasi-isoelectric buffers for protein analysis in a fast alternative to conventional capillary zone electrophoresis 833(2006)19

Urobilinoids

Identification of bilirubin reduction products formed by *Clostridium perfringens* isolated from human neonatal fecal flora 833(2006)149

Vigabatrin

Capillary electrophoresis enantioselective separation of vigabatrin enantiomers by precolumn derivatization with dehydroabietylisothiocyante and UV-vis detection 833(2006)186