

Keyword Index Vol. 834

ACE

Determination of angiotensin converting enzyme inhibitory activity by high-performance liquid chromatography/electrospray-mass spectrometry 834(2006)48

Adipose tissue

Distribution of the UV filter 3-benzylidene camphor in rat following topical application 834(2006)117

Affinity

Measurement of the free concentration of octylphenol in biological samples with negligible depletion-solid phase microextraction (nd-SPME): Analysis of matrix effects 834(2006)35

Affinity membrane

Evaluation of IDA-PEVA hollow fiber membrane metal ion affinity chromatography for purification of a histidine-tagged human proinsulin 834(2006)68

Agaritine

Analysis of agaritine in mushrooms and in agaritine-administered mice using liquid chromatography–tandem mass spectrometry 834(2006)55

Albumin

Measurement of the free concentration of octylphenol in biological samples with negligible depletion-solid phase microextraction (nd-SPME): Analysis of matrix effects 834(2006)35

All-trans lycophyll

Purification of synthetic all-*E* lycophyll (ψ,ψ -carotene-16,16'-diol) 834(2006)208

Alpha-amylase

The mechanism of action of α -amylase from *Lactobacillus fermentum* on malto-oligosaccharides 834(2006)42

Alprazolam

Determination of methadone, 2-ethylidene-1,5-dimethyl-3,3-diphenylpyrrolidine and alprazolam in human plasma by liquid chromatography–electrospray ionization mass spectrometry 834(2006)188

BAY 11-7082

Shortcomings of protein removal prior to high performance liquid chromatographic analysis—A case study using method development for BAY 11-7082 834(2006)93

BAY 11-7085

Shortcomings of protein removal prior to high performance liquid chromatographic analysis—A case study using method development for BAY 11-7082 834(2006)93

Brain

Distribution of the UV filter 3-benzylidene camphor in rat following topical application 834(2006)117

Bupivacaine

Simultaneous determination of three local anesthetic drugs from the pipercoloxylidide group in human serum by high-performance liquid chromatography 834(2006)213

Capillary electrophoresis

Simultaneous analysis of microsatellite instability and loss of heterozygosity by capillary electrophoresis with a homemade kit 834(2006)122

Lactulose and mannitol intestinal permeability detected by capillary electrophoresis 834(2006)183

Capillary zone electrophoresis

Simultaneous determination of key bioactive components in *Hedyotis diffusa* by capillary electrophoresis 834(2006)195

Carotenoids

Purification of synthetic all-*E* lycophyll (ψ,ψ -carotene-16,16'-diol) 834(2006)208

Catalytic efficiency

The mechanism of action of α -amylase from *Lactobacillus fermentum* on malto-oligosaccharides 834(2006)42

Catechins

Determination of green tea catechins in human plasma using liquid chromatography–electrospray ionization mass spectrometry 834(2006)26

Cefdinir

Selective method for the determination of cefdinir in human plasma using liquid chromatography electrospray ionization tandem mass spectrometry 834(2006)163

4-Chloro-7-nitrobenzofurazan

Determination of tianeptine in human plasma using high-performance liquid chromatography with fluorescence detection 834(2006)62

Chondroitin sulfate

Electrophoretic approaches to the analysis of complex polysaccharides (Review) 834(2006)1

Clotiazepam

Quantification of clotiazepam in human plasma by gas chromatography–mass spectrometry 834(2006)128

Clozapine

High throughput therapeutic drug monitoring of clozapine and metabolites in serum by on-line coupling of solid phase extraction with liquid chromatography–mass spectrometry 834(2006)98

Clozapine-N-oxide

High throughput therapeutic drug monitoring of clozapine and metabolites in serum by on-line coupling of solid phase extraction with liquid chromatography–mass spectrometry 834(2006)98

***p*-Coumaric acid**

Simultaneous determination of key bioactive components in *Hedyotis diffusa* by capillary electrophoresis 834(2006)195

CYP2E1

Validation of a HPLC method for the determination of *p*-nitrophenol hydroxylase activity in rat hepatic microsomes 834(2006)199

Deltamethrin

Rapid determination of the synthetic pyrethroid insecticide, deltamethrin, in rat plasma and tissues by HPLC 834(2006)141

Deproteinizing

Determination of green tea catechins in human plasma using liquid chromatography–electrospray ionization mass spectrometry 834(2006)26

Dermatan sulfate

Electrophoretic approaches to the analysis of complex polysaccharides (Review) 834(2006)1

Desmethylozapine

High throughput therapeutic drug monitoring of clozapine and metabolites in serum by on-line coupling of solid phase extraction with liquid chromatography–mass spectrometry 834(2006)98

Dihydrouracil

High-performance liquid chromatographic assay with UV detection for measurement of dihydrouracil/uracil ratio in plasma 834(2006)170

Doping

Detection of hydroxyethylstarch (HES) in human urine by liquid chromatography–mass spectrometry 834(2006)217

DPD activity

High-performance liquid chromatographic assay with UV detection for measurement of dihydrouracil/uracil ratio in plasma 834(2006)170

Drug residues

Hair analysis for veterinary drug monitoring in livestock production (Review) 834(2006)14

Electrophoresis

Electrophoretic approaches to the analysis of complex polysaccharides (Review) 834(2006)1

Estrogenic effect

Distribution of the UV filter 3-benzylidene camphor in rat following topical application 834(2006)117

Fouling

Measurement of the free concentration of octylphenol in biological samples with negligible depletion-solid phase microextraction (nd-SPME): Analysis of matrix effects 834(2006)35

Gas chromatography–mass spectrometry

Quantification of clonazepam in human plasma by gas chromatography–mass spectrometry 834(2006)128

Urinalysis of 4-hydroxynonal, a marker of oxidative stress, using stir bar sorptive extraction–thermal desorption–gas chromatography/mass spectrometry 834(2006)134

GC–MS

Measurement of the free concentration of octylphenol in biological samples with negligible depletion-solid phase microextraction (nd-SPME): Analysis of matrix effects 834(2006)35

Geniposidic acid

Simultaneous determination of key bioactive components in *Hedyotis diffusa* by capillary electrophoresis 834(2006)195

Genotoxic

Analysis of agaritine in mushrooms and in agaritine-administered mice using liquid chromatography–tandem mass spectrometry 834(2006)55

Glucose

Detection of hydroxyethylstarch (HES) in human urine by liquid chromatography–mass spectrometry 834(2006)217

Glycosaminoglycans

Electrophoretic approaches to the analysis of complex polysaccharides (Review) 834(2006)1

Green tea

Determination of green tea catechins in human plasma using liquid chromatography–electrospray ionization mass spectrometry 834(2006)26

Hair analysis

Hair analysis for veterinary drug monitoring in livestock production (Review) 834(2006)14

Hedyotis diffusa

Simultaneous determination of key bioactive components in *Hedyotis diffusa* by capillary electrophoresis 834(2006)195

Heparin

Electrophoretic approaches to the analysis of complex polysaccharides (Review) 834(2006)1

HES

Detection of hydroxyethylstarch (HES) in human urine by liquid chromatography–mass spectrometry 834(2006)217

High throughput

High throughput therapeutic drug monitoring of clozapine and metabolites in serum by on-line coupling of solid phase extraction with liquid chromatography–mass spectrometry 834(2006)98

High-performance liquid chromatography (HPLC)

Determination of tianeptine in human plasma using high-performance liquid chromatography with fluorescence detection 834(2006)62

Hippuric acid

Determination of angiotensin converting enzyme inhibitory activity by high-performance liquid chromatography/electrospray-mass spectrometry 834(2006)48

Hippuryl-glycyl-glycine

Determination of angiotensin converting enzyme inhibitory activity by high-performance liquid chromatography/electrospray-mass spectrometry 834(2006)48

Hippuryl-histidyl-leucine

Determination of angiotensin converting enzyme inhibitory activity by high-performance liquid chromatography/electrospray-mass spectrometry 834(2006)48

HPLC

Rapid determination of the synthetic pyrethroid insecticide, deltamethrin, in rat plasma and tissues by HPLC 834(2006)141

High-performance liquid chromatographic assay with UV detection for measurement of dihydrouracil/uracil ratio in plasma 834(2006)170

Validation of a HPLC method for the determination of *p*-nitrophenol hydroxylase activity in rat hepatic microsomes 834(2006)199

HPLC analysis

Purification of synthetic all-*E* lycophyll (ψ,ψ -carotene-16,16'-diol) 834(2006)208

HPLC-ELSD

Determination of spectinomycin hydrochloride and its related substances by HPLC-ELSD and HPLC-MSⁿ 834(2006)178

HPLC-ESI-MS

Determination of angiotensin converting enzyme inhibitory activity by high-performance liquid chromatography/electrospray-mass spectrometry 834(2006)48

HPLC-MS-MS

Shortcomings of protein removal prior to high performance liquid chromatographic analysis—A case study using method development for BAY 11-7082 834(2006)93

Determination of L-threonate in human plasma and urine by high performance liquid chromatography-tandem mass spectrometry 834(2006)155

HPLC-MSⁿ

Determination of spectinomycin hydrochloride and its related substances by HPLC-ELSD and HPLC-MSⁿ 834(2006)178

Human plasma

Determination of green tea catechins in human plasma using liquid chromatography-electrospray ionization mass spectrometry 834(2006)26

Selective method for the determination of cefdinir in human plasma using liquid chromatography electrospray ionization tandem mass spectrometry 834(2006)163

Human whole blood

Liquid chromatography-tandem mass spectrometry validated method for the estimation of indapamide in human whole blood 834(2006)149

4-Hydroxynonenal

Urinalysis of 4-hydroxynonenal, a marker of oxidative stress, using stir bar sorptive extraction-thermal desorption-gas chromatography/mass spectrometry 834(2006)134

IMAC

Evaluation of IDA-PEVA hollow fiber membrane metal ion affinity chromatography for purification of a histidine-tagged human proinsulin 834(2006)68

Immobilized human serum albumin-HPLC

Measurement of drug-protein binding by immobilized human serum albumin-HPLC and comparison with ultrafiltration 834(2006)108

Impurities

Determination of spectinomycin hydrochloride and its related substances by HPLC-ELSD and HPLC-MSⁿ 834(2006)178

In vivo

Distribution of the UV filter 3-benzylidene camphor in rat following topical application 834(2006)117

Indapamide

Liquid chromatography-tandem mass spectrometry validated method for the estimation of indapamide in human whole blood 834(2006)149

Intestinal permeability

Lactulose and mannitol intestinal permeability detected by capillary electrophoresis 834(2006)183

K4 polysaccharide

Electrophoretic approaches to the analysis of complex polysaccharides (Review) 834(2006)1

K5 polysaccharide

Electrophoretic approaches to the analysis of complex polysaccharides (Review) 834(2006)1

Kinetics

Measurement of the free concentration of octylphenol in biological samples with negligible depletion-solid phase microextraction (nd-SPME): Analysis of matrix effects 834(2006)35

Lactobacillus fermentum

The mechanism of action of α -amylase from *Lactobacillus fermentum* on maltooligosaccharides 834(2006)42

Lactulose

Lactulose and mannitol intestinal permeability detected by capillary electrophoresis 834(2006)183

LC

Selective method for the determination of cefdinir in human plasma using liquid chromatography electrospray ionization tandem mass spectrometry 834(2006)163

LC-ESIMS

Determination of green tea catechins in human plasma using liquid chromatography-electrospray ionization mass spectrometry 834(2006)26

LC-MS plasma

Determination of methadone, 2-ethylidene-1,5-dimethyl-3,3-diphenylpyrrolidine and alprazolam in human plasma by liquid chromatography-electrospray ionization mass spectrometry 834(2006)188

LC-MS/MS

Liquid chromatography-tandem mass spectrometry validated method for the estimation of indapamide in human whole blood 834(2006)149

LC-MS-MS

Analysis of agaritine in mushrooms and in agaritine-administered mice using liquid chromatography-tandem mass spectrometry 834(2006)55

Lipopolysaccharide

Electrophoretic approaches to the analysis of complex polysaccharides (Review) 834(2006)1

Liquid chromatography

Detection of hydroxyethylstarch (HES) in human urine by liquid chromatography-mass spectrometry 834(2006)217

Liquid chromatography-mass spectrometry

High throughput therapeutic drug monitoring of clozapine and metabolites in serum by on-line coupling of solid phase extraction with liquid chromatography-mass spectrometry 834(2006)98

Liver

Distribution of the UV filter 3-benzylidene camphor in rat following topical application 834(2006)117

Livestock

Hair analysis for veterinary drug monitoring in livestock production (Review) 834(2006)14

Local anaesthetic drug

Simultaneous determination of three local anesthetic drugs from the pipercolonylidide group in human serum by high-performance liquid chromatography 834(2006)213

Loss of heterozygosity

Simultaneous analysis of microsatellite instability and loss of heterozygosity by capillary electrophoresis with a homemade kit 834(2006)122

Lycophyll

Purification of synthetic all-*E* lycophyll (ψ,ψ -carotene-16,16'-diol) 834(2006)208

Lycophyll isomers

Purification of synthetic all-*E* lycophyll (ψ,ψ -carotene-16,16'-diol) 834(2006)208

Maltooligosaccharide hydrolysis kinetics

The mechanism of action of α -amylase from *Lactobacillus fermentum* on maltooligosaccharides 834(2006)42

Maltooligosaccharides

The mechanism of action of α -amylase from *Lactobacillus fermentum* on maltooligosaccharides 834(2006)42

Mannitol

Lactulose and mannitol intestinal permeability detected by capillary electrophoresis 834(2006)183

Mass spectrometry

Distribution of the UV filter 3-benzylidene camphor in rat following topical application 834(2006)117

Detection of hydroxyethylstarch (HES) in human urine by liquid chromatography–mass spectrometry 834(2006)217

Matrix effects

Measurement of the free concentration of octylphenol in biological samples with negligible depletion–solid phase microextraction (nd-SPME): Analysis of matrix effects 834(2006)35

MDR1

Improvement and validation of an HPLC method for examining the effects of the *MDR1* gene polymorphism on sparfloxacin pharmacokinetics 834(2006)84

Mepivacaine

Simultaneous determination of three local anesthetic drugs from the pipercolonylidide group in human serum by high-performance liquid chromatography 834(2006)213

6-Mercaptopurine

Determination of thiopurine *S*-methyltransferase (TPMT) activity by comparing various normalization factors: Reference values for Estonian population using HPLC-UV assay 834(2006)77

Metabolism

Validation of a HPLC method for the determination of *p*-nitrophenol hydroxylase activity in rat hepatic microsomes 834(2006)199

Metabolite

Determination of methadone, 2-ethylidene-1,5-dimethyl-3,3-diphenylpyrrolidine and alprazolam in human plasma by liquid chromatography–electrospray ionization mass spectrometry 834(2006)188

Methadone

Determination of methadone, 2-ethylidene-1,5-dimethyl-3,3-diphenylpyrrolidine and alprazolam in human plasma by liquid chromatography–electrospray ionization mass spectrometry 834(2006)188

Method validation

Selective method for the determination of cefdinir in human plasma using liquid chromatography electrospray ionization tandem mass spectrometry 834(2006)163

Microsatellite instability

Simultaneous analysis of microsatellite instability and loss of heterozygosity by capillary electrophoresis with a homemade kit 834(2006)122

Microsomes

Validation of a HPLC method for the determination of *p*-nitrophenol hydroxylase activity in rat hepatic microsomes 834(2006)199

Mitiglinide

Determination of mitiglinide in rat plasma by high-performance liquid chromatography with UV detection 834(2006)204

MRM

Determination of L-threonate in human plasma and urine by high performance liquid chromatography–tandem mass spectrometry 834(2006)155

MS/MS

Selective method for the determination of cefdinir in human plasma using liquid chromatography electrospray ionization tandem mass spectrometry 834(2006)163

Muscle

Distribution of the UV filter 3-benzylidene camphor in rat following topical application 834(2006)117

Mushroom

Analysis of agaritine in mushrooms and in agaritine-administered mice using liquid chromatography–tandem mass spectrometry 834(2006)55

nd-SPME

Measurement of the free concentration of octylphenol in biological samples with negligible depletion–solid phase microextraction (nd-SPME): Analysis of matrix effects 834(2006)35

***p*-Nitrophenol**

Validation of a HPLC method for the determination of *p*-nitrophenol hydroxylase activity in rat hepatic microsomes 834(2006)199

Normalization

Determination of thiopurine *S*-methyltransferase (TPMT) activity by comparing various normalization factors: Reference values for Estonian population using HPLC-UV assay 834(2006)77

Octylphenol

Measurement of the free concentration of octylphenol in biological samples with negligible depletion–solid phase microextraction (nd-SPME): Analysis of matrix effects 834(2006)35

Organic modifier

Simultaneous determination of key bioactive components in *Hedyotis diffusa* by capillary electrophoresis 834(2006)195

Oxidative stress

Urinalysis of 4-hydroxynonenal, a marker of oxidative stress, using stir bar sorptive extraction–thermal desorption–gas chromatography/mass spectrometry 834(2006)134

Pharmacokinetic study

Determination of tianeptine in human plasma using high-performance liquid chromatography with fluorescence detection 834(2006)62

Pharmacokinetics

Improvement and validation of an HPLC method for examining the effects of the *MDR1* gene polymorphism on sparfloxacin pharmacokinetics 834(2006)84

Quantification of clonazepam in human plasma by gas chromatography–mass spectrometry 834(2006)128

Determination of mitiglinide in rat plasma by high-performance liquid chromatography with UV detection 834(2006)204

Phenylhydrazine

Analysis of agaritine in mushrooms and in agaritine-administered mice using liquid chromatography–tandem mass spectrometry 834(2006)55

Plasma

Distribution of the UV filter 3-benzylidene camphor in rat following topical application 834(2006)117

Rapid determination of the synthetic pyrethroid insecticide, deltamethrin, in rat plasma and tissues by HPLC 834(2006)141

Plasma protein binding

Measurement of drug–protein binding by immobilized human serum albumin–HPLC and comparison with ultrafiltration 834(2006)108

Proinsulin-(His)₆

Evaluation of IDA-PEVA hollow fiber membrane metal ion affinity chromatography for purification of a histidine-tagged human proinsulin 834(2006)68

Protein precipitation

Shortcomings of protein removal prior to high performance liquid chromatographic analysis—A case study using method development for BAY 11-7082 834(2006)93

Purification

Evaluation of IDA-PEVA hollow fiber membrane metal ion affinity chromatography for purification of a histidine-tagged human proinsulin 834(2006)68

Pyrethroid insecticide

Rapid determination of the synthetic pyrethroid insecticide, deltamethrin, in rat plasma and tissues by HPLC 834(2006)141

Quercetin

Simultaneous determination of key bioactive components in *Hedyotis diffusa* by capillary electrophoresis 834(2006)195

Ropivacaine

Simultaneous determination of three local anesthetic drugs from the pipercoloxylidide group in human serum by high-performance liquid chromatography 834(2006)213

Semi-preparative chromatography

Purification of synthetic all-*E* lycophyll (ψ,ψ -carotene-16,16'-diol) 834(2006)208

Serum

High throughput therapeutic drug monitoring of clozapine and metabolites in serum by on-line coupling of solid phase extraction with liquid chromatography–mass spectrometry 834(2006)98

Solid phase extraction

High throughput therapeutic drug monitoring of clozapine and metabolites in serum by on-line coupling of solid phase extraction with liquid chromatography–mass spectrometry 834(2006)98

Sparfloxacin

Improvement and validation of an HPLC method for examining the effects of the *MDR1* gene polymorphism on sparfloxacin pharmacokinetics 834(2006)84

Spectinomycin hydrochloride

Determination of spectinomycin hydrochloride and its related substances by HPLC–ELSD and HPLC–MSⁿ 834(2006)178

SRM

Liquid chromatography–tandem mass spectrometry validated method for the estimation of indapamide in human whole blood 834(2006)149

Stir bar sorptive extraction

Urinalysis of 4-hydroxynonenal, a marker of oxidative stress, using stir bar sorptive extraction–thermal desorption–gas chromatography/mass spectrometry 834(2006)134

Sunscreen

Distribution of the UV filter 3-benzylidene camphor in rat following topical application 834(2006)117

Testis

Distribution of the UV filter 3-benzylidene camphor in rat following topical application 834(2006)117

Therapeutic drug monitoring

High throughput therapeutic drug monitoring of clozapine and metabolites in serum by on-line coupling of solid phase extraction with liquid chromatography–mass spectrometry 834(2006)98

Thiopurine S-methyltransferase

Determination of thiopurine S-methyltransferase (TPMT) activity by comparing various normalization factors: Reference values for Estonian population using HPLC–UV assay 834(2006)77

L-Threonate

Determination of L-threonate in human plasma and urine by high performance liquid chromatography–tandem mass spectrometry 834(2006)155

Tianeptine

Determination of tianeptine in human plasma using high-performance liquid chromatography with fluorescence detection 834(2006)62

Tissues

Rapid determination of the synthetic pyrethroid insecticide, deltamethrin, in rat plasma and tissues by HPLC 834(2006)141

Ultrafiltration

Shortcomings of protein removal prior to high performance liquid chromatographic analysis—A case study using method development for BAY 11-7082 834(2006)93

Measurement of drug–protein binding by immobilized human serum albumin–HPLC and comparison with ultrafiltration 834(2006)108

Uracil

High-performance liquid chromatographic assay with UV detection for measurement of dihydrouracil/uracil ratio in plasma 834(2006)170

Urine

Lactulose and mannitol intestinal permeability detected by capillary electrophoresis 834(2006)183

Detection of hydroxyethylstarch (HES) in human urine by liquid chromatography–mass spectrometry 834(2006)217

Urine samples

Urinalysis of 4-hydroxynonenal, a marker of oxidative stress, using stir bar sorptive extraction–thermal desorption–gas chromatography/mass spectrometry 834(2006)134

Ursolic acid

Simultaneous determination of key bioactive components in *Hedyotis diffusa* by capillary electrophoresis 834(2006)195

Validation

Validation of a HPLC method for the determination of *p*-nitrophenol hydroxylase activity in rat hepatic microsomes 834(2006)199

Veterinary drugs

Hair analysis for veterinary drug monitoring in livestock production (Review) 834(2006)14