

Available online at www.sciencedirect.com



Journal of Chromatography B, 835 (2006) 145-148

JOURNAL OF CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Keyword Index Vol. 835

Alcohol metabolites

Direct and simultaneous analysis of loxoprofen and its diastereometric alcohol metabolites in human serum by on-line column switching liquid chromatography and its application to a pharmacokinetic study 835(2006)27

Amperometric detection

Determination of monoamines in urine by capillary electrophoresis with fieldamplified sample stacking and amperometric detection 835(2006)55

Amphetamine

A validated gas chromatographic–electron impact ionization mass spectrometric method for methylenedioxymethamphetamine (MDMA), methamphetamine and metabolites in oral fluid 835(2006)90

Aqueous two-phase systems

Direct comparison between ion-exchange chromatography and aqueous two-phase processes for the partial purification of penicillin acylase produced by *E. coli* 835(2006)77

Biomonitoring

Automated solid-phase extraction method for measuring urinary polycyclic aromatic hydrocarbon metabolites in human biomonitoring using isotope-dilution gas chromatography high-resolution mass spectrometry 835(2006)47

Capillary electrophoresis

Determination of monoamines in urine by capillary electrophoresis with fieldamplified sample stacking and amperometric detection 835(2006)55

Simultaneous electrochemiluminescence determination of sulpiride and tiapride by capillary electrophoresis with cyclodextrin additives 835(2006)84

Carboxyethylphosphoramide mustard

Rapid quantitation of cyclophosphamide metabolites in plasma by liquid chromatography-mass spectrometry 835(2006)105

Celecoxib

Simple and rapid high-performance liquid chromatographic method for determination of celecoxib in plasma using UV detection: Application in pharmacokinetic studies 835(2006)100

CEPM

Rapid quantitation of cyclophosphamide metabolites in plasma by liquid chromatography-mass spectrometry 835(2006)105

Chiral drug assay

Determination of the enantiomeric composition of a new insulin sensitizer in plasma samples from non-clinical and clinical investigations using chiral HPLC with electrospray tandem mass spectrometric detection 835(2006)40

Chloride adduct

Rapid quantitation of cyclophosphamide metabolites in plasma by liquid chromatography-mass spectrometry 835(2006)105

β-Cyclodextrin

Simultaneous electrochemiluminescence determination of sulpiride and tiapride by capillary electrophoresis with cyclodextrin additives 835(2006)84

dFdU

High-performance liquid chromatographic method for the determination of gemcitabine and 2',2'-difluorodeoxyuridine in plasma and tissue culture media 835(2006)136

Dinitrate

Simultaneous determination of nitroglycerin and dinitrate metabolites in metabolism studies using liquid chromatography-mass spectrometry with electrospray ionization 835(2006)21

Drug targeting

Rapid quantitation of cyclophosphamide metabolites in plasma by liquid chromatography-mass spectrometry 835(2006)105

Ecstasy

A validated gas chromatographic–electron impact ionization mass spectrometric method for methylenedioxymethamphetamine (MDMA), methamphetamine and metabolites in oral fluid 835(2006)90

Efavirenz

Simple and rapid liquid chromatography method for determination of efavirenz in plasma 835(2006)131

Electrochemiluminescence

Simultaneous electrochemiluminescence determination of sulpiride and tiapride by capillary electrophoresis with cyclodextrin additives 835(2006)84

Electrospray

Liquid chromatography electrospray ionization mass spectrometry analysis of the ocular metabolites from a short interfering RNA duplex 835(2006)62

ESI

Liquid chromatography electrospray ionization mass spectrometry analysis of the ocular metabolites from a short interfering RNA duplex 835(2006)62

Evaporative light scattering detection

Rapid determination of solanesol in tobacco by high-performance liquid chromatography with evaporative light scattering detection following microwave-assisted extraction 835(2006)119

Field-amplified sample injection

Determination of monoamines in urine by capillary electrophoresis with fieldamplified sample stacking and amperometric detection 835(2006)55

9-Fluorenylmethyl chloroformate

Sensitive high-performance liquid chromatographic quantitation of gabapentin in human serum using liquid–liquid extraction and pre-column derivatization with 9-fluorenylmethyl chloroformate 835(2006)123

146

Keyword Index Vol. 835

FMOC-Cl

Sensitive high-performance liquid chromatographic quantitation of gabapentin in human serum using liquid–liquid extraction and pre-column derivatization with 9-fluorenylmethyl chloroformate 835(2006)123

Gabapentin

Sensitive high-performance liquid chromatographic quantitation of gabapentin in human serum using liquid–liquid extraction and pre-column derivatization with 9-fluorenylmethyl chloroformate 835(2006)123

Gadocoletate trisodium

High-performance liquid chromatographic determination of the magnetic resonance imaging contrast agent Gadocoletate ion in human plasma, urine and faeces 835(2006)1

Gadolinium complex

High-performance liquid chromatographic determination of the magnetic resonance imaging contrast agent Gadocoletate ion in human plasma, urine and faeces 835(2006)1

Gas chromatography

A validated gas chromatographic–electron impact ionization mass spectrometric method for methylenedioxymethamphetamine (MDMA), methamphetamine and metabolites in oral fluid 835(2006)90

Gemcitabine

High-performance liquid chromatographic method for the determination of gemcitabine and 2',2'-difluorodeoxyuridine in plasma and tissue culture media 835(2006)136

Glitazones

Determination of the enantiomeric composition of a new insulin sensitizer in plasma samples from non-clinical and clinical investigations using chiral HPLC with electrospray tandem mass spectrometric detection 835(2006)40

High performance liquid chromatography

Quantitative determination of MCC-555, a novel insulin sensitizer in beagle dog plasma by high-performance liquid chromatography with fluorescence detection 835(2006)35

Rapid determination of solanesol in tobacco by high-performance liquid chromatography with evaporative light scattering detection following microwave-assisted extraction 835(2006)119

HPLC

Development and validation of isomer specific RP-HPLC method for quantification of cefpodoxime proxetil 835(2006)16

Liquid chromatography electrospray ionization mass spectrometry analysis of the ocular metabolites from a short interfering RNA duplex 835(2006)62

Simple and rapid high-performance liquid chromatographic method for determination of celecoxib in plasma using UV detection: Application in pharmacokinetic studies 835(2006)100

Sensitive high-performance liquid chromatographic quantitation of gabapentin in human serum using liquid–liquid extraction and pre-column derivatization with 9-fluorenylmethyl chloroformate 835(2006)123

Validation of liquid/liquid extraction method coupled with HPLC-UV for measurement of ribavirin plasma levels in HCV-positive patients 835(2006)127

Simple and rapid liquid chromatography method for determination of efavirenz in plasma 835(2006)131

High-performance liquid chromatographic method for the determination of gemcitabine and 2',2'-difluorodeoxyuridine in plasma and tissue culture media 835(2006)136

HPLC analysis

High-performance liquid chromatographic determination of the magnetic resonance imaging contrast agent Gadocoletate ion in human plasma, urine and faeces 835(2006)1

Human vascular smooth muscle cells

Simultaneous determination of nitroglycerin and dinitrate metabolites in metabolism studies using liquid chromatography-mass spectrometry with electrospray ionization 835(2006)21

Hydroxycyclophosphamide

Rapid quantitation of cyclophosphamide metabolites in plasma by liquid chromatography-mass spectrometry 835(2006)105

Hydroxylated PAH

Automated solid-phase extraction method for measuring urinary polycyclic aromatic hydrocarbon metabolites in human biomonitoring using isotope-dilution gas chromatography high-resolution mass spectrometry 835(2006)47

ICP-AES

High-performance liquid chromatographic determination of the magnetic resonance imaging contrast agent Gadocoletate ion in human plasma, urine and faeces 835(2006)1

In vitro bioreactor cell culture

High-performance liquid chromatographic method for the determination of gemcitabine and 2',2'-difluorodeoxyuridine in plasma and tissue culture media 835(2006)136

Interconversion

Determination of the enantiomeric composition of a new insulin sensitizer in plasma samples from non-clinical and clinical investigations using chiral HPLC with electrospray tandem mass spectrometric detection 835(2006)40

Ionspray

Determination of the enantiomeric composition of a new insulin sensitizer in plasma samples from non-clinical and clinical investigations using chiral HPLC with electrospray tandem mass spectrometric detection 835(2006)40

LCMS

Rapid quantitation of cyclophosphamide metabolites in plasma by liquid chromatography-mass spectrometry 835(2006)105

LC-MS

Simultaneous determination of nitroglycerin and dinitrate metabolites in metabolism studies using liquid chromatography-mass spectrometry with electrospray ionization 835(2006)21

Liquid chromatography electrospray ionization mass spectrometry analysis of the ocular metabolites from a short interfering RNA duplex 835(2006)62

Liquid chromatography

Development and validation of isomer specific RP-HPLC method for quantification of cefpodoxime proxetil 835(2006)16

Liquid chromatography-tandem mass spectrometry

Validated LC–MS–MS method for determination of *m*-nisoldipine polymorphs in rat plasma and its application to pharmacokinetic studies 835(2006)71

Liquid/liquid

Validation of liquid/liquid extraction method coupled with HPLC-UV for measurement of ribavirin plasma levels in HCV-positive patients 835(2006)127

LLC-PK1 cells

Simultaneous determination of nitroglycerin and dinitrate metabolites in metabolism studies using liquid chromatography-mass spectrometry with electrospray ionization 835(2006)21

Loxoprofen

Direct and simultaneous analysis of loxoprofen and its diastereometric alcohol metabolites in human serum by on-line column switching liquid chromatography and its application to a pharmacokinetic study 835(2006)27

Mass spectrometry

Liquid chromatography electrospray ionization mass spectrometry analysis of the ocular metabolites from a short interfering RNA duplex 835(2006)62

A validated gas chromatographic–electron impact ionization mass spectrometric method for methylenedioxymethamphetamine (MDMA), methamphetamine and metabolites in oral fluid 835(2006)90

MCC-555

Quantitative determination of MCC-555, a novel insulin sensitizer in beagle dog plasma by high-performance liquid chromatography with fluorescence detection 835(2006)35

Metabolism

Simultaneous determination of nitroglycerin and dinitrate metabolites in metabolism studies using liquid chromatography-mass spectrometry with electrospray ionization 835(2006)21

Metabolites

Liquid chromatography electrospray ionization mass spectrometry analysis of the ocular metabolites from a short interfering RNA duplex 835(2006)62

Methamphetamine

A validated gas chromatographic–electron impact ionization mass spectrometric method for methylenedioxymethamphetamine (MDMA), methamphetamine and metabolites in oral fluid 835(2006)90

Method development

Automated solid-phase extraction method for measuring urinary polycyclic aromatic hydrocarbon metabolites in human biomonitoring using isotopedilution gas chromatography high-resolution mass spectrometry 835(2006)47

Methylenedioxymethamphetamine

A validated gas chromatographic–electron impact ionization mass spectrometric method for methylenedioxymethamphetamine (MDMA), methamphetamine and metabolites in oral fluid 835(2006)90

Microwave-assisted extraction

Rapid determination of solanesol in tobacco by high-performance liquid chromatography with evaporative light scattering detection following microwave-assisted extraction 835(2006)119

m-Nisoldipine

Validated LC–MS–MS method for determination of *m*-nisoldipine polymorphs in rat plasma and its application to pharmacokinetic studies 835(2006)71

Monoamines

Determination of monoamines in urine by capillary electrophoresis with field-amplified sample stacking and amperometric detection 835(2006)55

Monolithic column

Simple and rapid high-performance liquid chromatographic method for determination of celecoxib in plasma using UV detection: Application in pharmacokinetic studies 835(2006)100

MRI

High-performance liquid chromatographic determination of the magnetic resonance imaging contrast agent Gadocoletate ion in human plasma, urine and faeces 835(2006)1

Nitroglycerin

Simultaneous determination of nitroglycerin and dinitrate metabolites in metabolism studies using liquid chromatography-mass spectrometry with electrospray ionization 835(2006)21

Oligonucleotides

Liquid chromatography electrospray ionization mass spectrometry analysis of the ocular metabolites from a short interfering RNA duplex 835(2006)62

On-line column switching

Direct and simultaneous analysis of loxoprofen and its diastereometric alcohol metabolites in human serum by on-line column switching liquid chromatography and its application to a pharmacokinetic study 835(2006)27

Oral fluid

A validated gas chromatographic–electron impact ionization mass spectrometric method for methylenedioxymethamphetamine (MDMA), methamphetamine and metabolites in oral fluid 835(2006)90

PAH

Automated solid-phase extraction method for measuring urinary polycyclic aromatic hydrocarbon metabolites in human biomonitoring using isotope-dilution gas chromatography high-resolution mass spectrometry 835(2006)47

Penicillin acylase recovery

Direct comparison between ion-exchange chromatography and aqueous twophase processes for the partial purification of penicillin acylase produced by *E. coli* 835(2006)77

Pharmacokinetics

Quantitative determination of MCC-555, a novel insulin sensitizer in beagle dog plasma by high-performance liquid chromatography with fluorescence detection 835(2006)35

Phenylhydrazine

Rapid quantitation of cyclophosphamide metabolites in plasma by liquid chromatography-mass spectrometry 835(2006)105

Plasma

Simple and rapid high-performance liquid chromatographic method for determination of celecoxib in plasma using UV detection: Application in pharmacokinetic studies 835(2006)100

Simple and rapid liquid chromatography method for determination of efavirenz in plasma 835(2006)131

Plasma analysis

Rapid quantitation of cyclophosphamide metabolites in plasma by liquid chromatography-mass spectrometry 835(2006)105

Polycyclic aromatic hydrocarbon

Automated solid-phase extraction method for measuring urinary polycyclic aromatic hydrocarbon metabolites in human biomonitoring using isotope-dilution gas chromatography high-resolution mass spectrometry 835(2006)47

Polymorphs

Validated LC–MS–MS method for determination of *m*-nisoldipine polymorphs in rat plasma and its application to pharmacokinetic studies 835(2006)71

Process comparison

Direct comparison between ion-exchange chromatography and aqueous two-phase processes for the partial purification of penicillin acylase produced by *E. coli* 835(2006)77

R, S-enantiomers

Development and validation of isomer specific RP-HPLC method for quantification of cefpodoxime proxetil 835(2006)16

Racemic cefpodoxime proxetil

Development and validation of isomer specific RP-HPLC method for quantification of cefpodoxime proxetil 835(2006)16

Rat plasma

Simultaneous determination of nitroglycerin and dinitrate metabolites in metabolism studies using liquid chromatography-mass spectrometry with electrospray ionization 835(2006)21

Reverse phase chromatography

Sensitive high-performance liquid chromatographic quantitation of gabapentin in human serum using liquid–liquid extraction and pre-column derivatization with 9-fluorenylmethyl chloroformate 835(2006)123

Reversed-phase

Development and validation of isomer specific RP-HPLC method for quantification of cefpodoxime proxetil 835(2006)16

Ribavirin

Validation of liquid/liquid extraction method coupled with HPLC-UV for measurement of ribavirin plasma levels in HCV-positive patients 835(2006)127

RNAi

Liquid chromatography electrospray ionization mass spectrometry analysis of the ocular metabolites from a short interfering RNA duplex 835(2006)62

Scutellarin

Determination of scutellarin in mouse plasma and different tissues by highperformance liquid chromatography 835(2006)114

Separation of isomers

Development and validation of isomer specific RP-HPLC method for quan tification of cefpodoxime proxetil 835(2006)16

Serum

Sensitive high-performance liquid chromatographic quantitation of gabapentin in human serum using liquid–liquid extraction and pre-column derivatization with 9-fluorenylmethyl chloroformate 835(2006)123

Simultaneous determination

Simultaneous electrochemiluminescence determination of sulpiride and tiapride by capillary electrophoresis with cyclodextrin additives 835(2006)84

siRNA

Keyword Index Vol. 835

Liquid chromatography electrospray ionization mass spectrometry analysis of the ocular metabolites from a short interfering RNA duplex 835(2006)62

Solanesol

Rapid determination of solanesol in tobacco by high-performance liquid chromatography with evaporative light scattering detection following microwave-assisted extraction 835(2006)119

Sulpiride

Simultaneous electrochemiluminescence determination of sulpiride and tiapride by capillary electrophoresis with cyclodextrin additives 835(2006)84

Tiapride

Simultaneous electrochemiluminescence determination of sulpiride and tiapride by capillary electrophoresis with cyclodextrin additives 835(2006)84

Tobacco

Rapid determination of solanesol in tobacco by high-performance liquid chromatography with evaporative light scattering detection following microwave-assisted extraction 835(2006)119

Urinary metabolite

Automated solid-phase extraction method for measuring urinary polycyclic aromatic hydrocarbon metabolites in human biomonitoring using isotope-dilution gas chromatography high-resolution mass spectrometry 835(2006)47

Urine

Determination of monoamines in urine by capillary electrophoresis with field-amplified sample stacking and amperometric detection 835(2006)55

UV

High-performance liquid chromatographic method for the determination of gemcitabine and 2',2'-difluorodeoxyuridine in plasma and tissue culture media 835(2006)136

UV method

Validation of liquid/liquid extraction method coupled with HPLC-UV for measurement of ribavirin plasma levels in HCV-positive patients 835(2006)127

VEGF

Liquid chromatography electrospray ionization mass spectrometry analysis of the ocular metabolites from a short interfering RNA duplex 835(2006)62

148