

Keyword Index Vol. 836

Acid hydrolysis

Development and validation of a RP-HPLC method for quantification of isoflavone aglycones in hydrolyzed soy dry extracts 836(2006)74

Aglycones

Development and validation of a RP-HPLC method for quantification of isoflavone aglycones in hydrolyzed soy dry extracts 836(2006)74

Amiodarone

Determination of amiodarone and desethylamiodarone in horse plasma and urine by high-performance liquid chromatography combined with UV detection and electrospray ionization mass spectrometry 836(2006)47

Amphetamine-type substances

A demonstration of the use of ultra-performance liquid chromatography–mass spectrometry [UPLC/MS] in the determination of amphetamine-type substances and ketamine for forensic and toxicological analysis 836(2006)111

Apolipoproteins

Tandem purification of two HDL-associated partner proteins in human plasma, paraoxonase (PON1) and phosphate binding protein (HPBP) using hydroxyapatite chromatography 836(2006)15

Atraton

Identification of a metabolite of atrazine, *N*-ethyl-6-methoxy-*N'*-(1-methylethyl)-1,3,5-triazine-2,4-diamine, upon incubation with rat liver microsomes 836(2006)129

Atrazine

Identification of a metabolite of atrazine, *N*-ethyl-6-methoxy-*N'*-(1-methylethyl)-1,3,5-triazine-2,4-diamine, upon incubation with rat liver microsomes 836(2006)129

Biointeraction studies

Studies by biointeraction chromatography of binding by phenytoin metabolites to human serum albumin 836(2006)83

Capillary column gas chromatography

Resolution of common dietary sugars from probe sugars for test of intestinal permeability using capillary column gas chromatography 836(2006)63

Carbidopa

Modified high-performance liquid chromatography with electrochemical detection method for plasma measurement of levodopa, 3-*O*-methyldopa, dopamine, carbidopa and 3,4-dihydroxyphenyl acetic acid 836(2006)120

Cationic dye

Analysis of veterinary drug residues in shrimp: A multi-class method by liquid chromatography–quadrupole ion trap mass spectrometry 836(2006)22

Chromatography

High sensitive determination of sufentanil in human plasma of parturients and neonates following patient-controlled epidural analgesia (PCEA) 836(2006)98

Confirmatory

Analysis of veterinary drug residues in shrimp: A multi-class method by liquid chromatography–quadrupole ion trap mass spectrometry 836(2006)22

Daidzein

Development and validation of a RP-HPLC method for quantification of isoflavone aglycones in hydrolyzed soy dry extracts 836(2006)74

Desethylamiodarone

Determination of amiodarone and desethylamiodarone in horse plasma and urine by high-performance liquid chromatography combined with UV detection and electrospray ionization mass spectrometry 836(2006)47

Differential LC–LC gradient

Screening for basic drugs in equine urine using direct-injection differential-gradient LC–LC coupled to hybrid tandem MS/MS 836(2006)1

Direct injection

Screening for basic drugs in equine urine using direct-injection differential-gradient LC–LC coupled to hybrid tandem MS/MS 836(2006)1

DOPAC (3,4-dihydroxyphenyl acetic acid)

Modified high-performance liquid chromatography with electrochemical detection method for plasma measurement of levodopa, 3-*O*-methyldopa, dopamine, carbidopa and 3,4-dihydroxyphenyl acetic acid 836(2006)120

Dopamine

Modified high-performance liquid chromatography with electrochemical detection method for plasma measurement of levodopa, 3-*O*-methyldopa, dopamine, carbidopa and 3,4-dihydroxyphenyl acetic acid 836(2006)120

Doping

Doping control for metandienone using hair analyzed by gas chromatography–tandem mass spectrometry 836(2006)124

Drug testing

Screening for basic drugs in equine urine using direct-injection differential-gradient LC–LC coupled to hybrid tandem MS/MS 836(2006)1

Endogenous testosterone

Determination of endogenous testosterone in rat tissues following fetal alcohol exposure using HPLC with UV detection 836(2006)69

ESI

High sensitive determination of sufentanil in human plasma of parturients and neonates following patient-controlled epidural analgesia (PCEA) 836(2006)98

Fetal alcohol exposure

Determination of endogenous testosterone in rat tissues following fetal alcohol exposure using HPLC with UV detection 836(2006)69

Fluoroquinolone

Analysis of veterinary drug residues in shrimp: A multi-class method by liquid chromatography–quadrupole ion trap mass spectrometry 836(2006)22

FOXE1 gene

FOXE1 gene mutation screening by multiplex PCR/DHPLC in CHARGE syndrome and syndromic and non-syndromic cleft palate 836(2006)39

Fructose

Resolution of common dietary sugars from probe sugars for test of intestinal permeability using capillary column gas chromatography 836(2006)63

Genistein

Development and validation of a RP-HPLC method for quantification of isoflavone aglycones in hydrolyzed soy dry extracts 836(2006)74

Glycitein

Development and validation of a RP-HPLC method for quantification of isoflavone aglycones in hydrolyzed soy dry extracts 836(2006)74

Hair

Doping control for metandienone using hair analyzed by gas chromatography–tandem mass spectrometry 836(2006)124

High performance affinity chromatography

Studies by biointeraction chromatography of binding by phenytoin metabolites to human serum albumin 836(2006)83

High throughput

Analysis of veterinary drug residues in shrimp: A multi-class method by liquid chromatography–quadrupole ion trap mass spectrometry 836(2006)22

High-performance liquid chromatography

Determination of amiodarone and desethylamiodarone in horse plasma and urine by high-performance liquid chromatography combined with UV detection and electrospray ionization mass spectrometry 836(2006)47

HPLC

Determination of endogenous testosterone in rat tissues following fetal alcohol exposure using HPLC with UV detection 836(2006)69

Application of L-Amino acid in determination of Huperzine A by high performance liquid chromatography 836(2006)108

Modified high-performance liquid chromatography with electrochemical detection method for plasma measurement of levodopa, 3-*O*-methyldopa, dopamine, carbidopa and 3,4-dihydroxyphenyl acetic acid 836(2006)120

Human phosphate binding protein

Tandem purification of two HDL-associated partner proteins in human plasma, paraoxonase (PON1) and phosphate binding protein (HPBP) using hydroxyapatite chromatography 836(2006)15

Human plasma

HPLC analysis of the second-generation antidepressant sertraline and its main metabolite *N*-desmethylsertraline in human plasma 836(2006)116

Human serum albumin

Studies by biointeraction chromatography of binding by phenytoin metabolites to human serum albumin 836(2006)83

Huperzine A

Application of L-Amino acid in determination of Huperzine A by high performance liquid chromatography 836(2006)108

1-Hydroxypyrene

Fast simultaneous determination of urinary 1-hydroxypyrene and 3-hydroxybenzo[*a*]pyrene by liquid chromatography–tandem mass spectrometry 836(2006)92

3-Hydroxybenzo[*a*]pyrene

Fast simultaneous determination of urinary 1-hydroxypyrene and 3-hydroxybenzo[*a*]pyrene by liquid chromatography–tandem mass spectrometry 836(2006)92

Hydroxyapatite

Tandem purification of two HDL-associated partner proteins in human plasma, paraoxonase (PON1) and phosphate binding protein (HPBP) using hydroxyapatite chromatography 836(2006)15

IMIPs

Preparation of inorganic molecularly imprinted polymers with higher adsorption and selectivity by sol–gel method 836(2006)57

Inorganic molecularly imprinted polymers

Preparation of inorganic molecularly imprinted polymers with higher adsorption and selectivity by sol–gel method 836(2006)57

Intestinal permeability

Resolution of common dietary sugars from probe sugars for test of intestinal permeability using capillary column gas chromatography 836(2006)63

Isoflavones

Development and validation of a RP-HPLC method for quantification of isoflavone aglycones in hydrolyzed soy dry extracts 836(2006)74

Ketamine

A demonstration of the use of ultra-performance liquid chromatography–mass spectrometry [UPLC/MS] in the determination of amphetamine-type substances and ketamine for forensic and toxicological analysis 836(2006)111

Lactose

Resolution of common dietary sugars from probe sugars for test of intestinal permeability using capillary column gas chromatography 836(2006)63

Lactulose

Resolution of common dietary sugars from probe sugars for test of intestinal permeability using capillary column gas chromatography 836(2006)63

LC/MS/MS

Identification of a metabolite of atrazine, *N*-ethyl-6-methoxy-*N'*-(1-methylethyl)-1,3,5-triazine-2,4-diamine, upon incubation with rat liver microsomes 836(2006)129

LC–MS/MS

High sensitive determination of sufentanil in human plasma of parturients and neonates following patient-controlled epidural analgesia (PCEA) 836(2006)98

Levodopa

Modified high-performance liquid chromatography with electrochemical detection method for plasma measurement of levodopa, 3-*O*-methyldopa, dopamine, carbidopa and 3,4-dihydroxyphenyl acetic acid 836(2006)120

Liquid chromatography

HPLC analysis of the second-generation antidepressant sertraline and its main metabolite *N*-desmethylsertraline in human plasma 836(2006)116

Liquid chromatography/electrospray ionization tandem mass spectrometry

Determination of amiodarone and desethylamiodarone in horse plasma and urine by high-performance liquid chromatography combined with UV detection and electrospray ionization mass spectrometry 836(2006)47

Liquid chromatography–tandem mass spectrometry

Fast simultaneous determination of urinary 1-hydroxypyrene and 3-hydroxybenzo[*a*]pyrene by liquid chromatography–tandem mass spectrometry 836(2006)92

Development and validation of a rapid 96-well format based liquid–liquid extraction and liquid chromatography–tandem mass spectrometry analysis method for ondansetron in human plasma 836(2006)79

Mannitol

Resolution of common dietary sugars from probe sugars for test of intestinal permeability using capillary column gas chromatography 836(2006)63

Mass spectrometry

A demonstration of the use of ultra-performance liquid chromatography–mass spectrometry [UPLC/MS] in the determination of amphetamine-type substances and ketamine for forensic and toxicological analysis 836(2006)111

MDMA

A demonstration of the use of ultra-performance liquid chromatography–mass spectrometry [UPLC/MS] in the determination of amphetamine-type substances and ketamine for forensic and toxicological analysis 836(2006)111

Metabolites

Fast simultaneous determination of urinary 1-hydroxypyrene and 3-hydroxybenzo[*a*]pyrene by liquid chromatography–tandem mass spectrometry 836(2006)92

Identification of a metabolite of atrazine, *N*-ethyl-6-methoxy-*N'*-(1-methylethyl)-1,3,5-triazine-2,4-diamine, upon incubation with rat liver microsomes 836(2006)129

Metandienone

Doping control for metandienone using hair analyzed by gas chromatography–tandem mass spectrometry 836(2006)124

Methamphetamine

A demonstration of the use of ultra-performance liquid chromatography–mass spectrometry [UPLC/MS] in the determination of amphetamine-type substances and ketamine for forensic and toxicological analysis 836(2006)111

3-*O*-Methyldopa

Modified high-performance liquid chromatography with electrochemical detection method for plasma measurement of levodopa, 3-*O*-methyldopa, dopamine, carbidopa and 3,4-dihydroxyphenyl acetic acid 836(2006)120

MS–MS

Doping control for metandienone using hair analyzed by gas chromatography–tandem mass spectrometry 836(2006)124

Multi-class

Analysis of veterinary drug residues in shrimp: A multi-class method by liquid chromatography–quadrupole ion trap mass spectrometry 836(2006)22

Multiplex PCR/DHPLC

FOXE1 gene mutation screening by multiplex PCR/DHPLC in CHARGE syndrome and syndromic and non-syndromic cleft palate 836(2006)39

Multi-residue

Analysis of veterinary drug residues in shrimp: A multi-class method by liquid chromatography–quadrupole ion trap mass spectrometry 836(2006)22

***N*-desmethylsertraline**

HPLC analysis of the second-generation antidepressant sertraline and its main metabolite *N*-desmethylsertraline in human plasma 836(2006)116

Ondansetron

Development and validation of a rapid 96-well format based liquid–liquid extraction and liquid chromatography–tandem mass spectrometry analysis method for ondansetron in human plasma 836(2006)79

Oral clefting

FOXE1 gene mutation screening by multiplex PCR/DHPLC in CHARGE syndrome and syndromic and non-syndromic cleft palate 836(2006)39

Organophosphates

Tandem purification of two HDL-associated partner proteins in human plasma, paraoxonase (PON1) and phosphate binding protein (HPBP) using hydroxyapatite chromatography 836(2006)15

Oxytetracycline

Analysis of veterinary drug residues in shrimp: A multi-class method by liquid chromatography–quadrupole ion trap mass spectrometry 836(2006)22

Paraoxonase

Tandem purification of two HDL-associated partner proteins in human plasma, paraoxonase (PON1) and phosphate binding protein (HPBP) using hydroxyapatite chromatography 836(2006)15

PCEA

High sensitive determination of sufentanil in human plasma of parturients and neonates following patient-controlled epidural analgesia (PCEA) 836(2006)98

Pharmacokinetic

Development and validation of a rapid 96-well format based liquid–liquid extraction and liquid chromatography–tandem mass spectrometry analysis method for ondansetron in human plasma 836(2006)79

Phenytoin metabolites

Studies by biointeraction chromatography of binding by phenytoin metabolites to human serum albumin 836(2006)83

Plasma

Determination of amiodarone and desethylamiodarone in horse plasma and urine by high-performance liquid chromatography combined with UV detection and electrospray ionization mass spectrometry 836(2006)47

Plasma measurements

Modified high-performance liquid chromatography with electrochemical detection method for plasma measurement of levodopa, 3-*O*-methyldopa, dopamine, carbidopa and 3,4-dihydroxyphenyl acetic acid 836(2006)120

Polycyclic aromatic hydrocarbons

Fast simultaneous determination of urinary 1-hydroxypyrene and 3-hydroxybenzo[*a*]pyrene by liquid chromatography–tandem mass spectrometry 836(2006)92

Quantification

Determination of amiodarone and desethylamiodarone in horse plasma and urine by high-performance liquid chromatography combined with UV detection and electrospray ionization mass spectrometry 836(2006)47

Quinolone

Analysis of veterinary drug residues in shrimp: A multi-class method by liquid chromatography–quadrupole ion trap mass spectrometry 836(2006)22

RP-HPLC

Development and validation of a RP-HPLC method for quantification of isoflavone aglycones in hydrolyzed soy dry extracts 836(2006)74

Sequence variant analysis

FOXE1 gene mutation screening by multiplex PCR/DHPLC in CHARGE syndrome and syndromic and non-syndromic cleft palate 836(2006)39

Sertraline

HPLC analysis of the second-generation antidepressant sertraline and its main metabolite *N*-desmethylsertraline in human plasma 836(2006)116

Shrimp

Analysis of veterinary drug residues in shrimp: A multi-class method by liquid chromatography–quadrupole ion trap mass spectrometry 836(2006)22

Sol–gel

Preparation of inorganic molecularly imprinted polymers with higher adsorption and selectivity by sol–gel method 836(2006)57

Solid phase extraction

HPLC analysis of the second-generation antidepressant sertraline and its main metabolite *N*-desmethylsertraline in human plasma 836(2006)116

Sufentanil

High sensitive determination of sufentanil in human plasma of parturients and neonates following patient-controlled epidural analgesia (PCEA) 836(2006)98

Sulfonamide

Analysis of veterinary drug residues in shrimp: A multi-class method by liquid chromatography–quadrupole ion trap mass spectrometry 836(2006)22

Tandem hybrid mass spectrometry

Screening for basic drugs in equine urine using direct-injection differential-gradient LC–LC coupled to hybrid tandem MS/MS 836(2006)1

Tandem mass spectrometry

High sensitive determination of sufentanil in human plasma of parturients and neonates following patient-controlled epidural analgesia (PCEA) 836(2006)98

Template

Preparation of inorganic molecularly imprinted polymers with higher adsorption and selectivity by sol–gel method 836(2006)57

Toltrazuril sulfone

Analysis of veterinary drug residues in shrimp: A multi-class method by liquid chromatography–quadrupole ion trap mass spectrometry 836(2006)22

Ultra-performance liquid chromatography

A demonstration of the use of ultra-performance liquid chromatography–mass spectrometry [UPLC/MS] in the determination of amphetamine-type substances and ketamine for forensic and toxicological analysis 836(2006)111

UPLC

A demonstration of the use of ultra-performance liquid chromatography–mass spectrometry [UPLC/MS] in the determination of amphetamine-type substances and ketamine for forensic and toxicological analysis 836(2006)111

Urine

Determination of amiodarone and desethylamiodarone in horse plasma and urine by high-performance liquid chromatography combined with UV detection and electrospray ionization mass spectrometry 836(2006)47

Fast simultaneous determination of urinary 1-hydroxypyrene and 3-hydroxy-benzo[*a*]pyrene by liquid chromatography–tandem mass spectrometry 836(2006)92

UV

Determination of endogenous testosterone in rat tissues following fetal alcohol exposure using HPLC with UV detection 836(2006)69

Validation

Determination of amiodarone and desethylamiodarone in horse plasma and urine by high-performance liquid chromatography combined with UV detection and electrospray ionization mass spectrometry 836(2006)47

Veterinary drug

Analysis of veterinary drug residues in shrimp: A multi-class method by liquid chromatography–quadrupole ion trap mass spectrometry 836(2006)22

96-well plates

Development and validation of a rapid 96-well format based liquid–liquid extraction and liquid chromatography–tandem mass spectrometry analysis method for ondansetron in human plasma 836(2006)79