

Available online at www.sciencedirect.com



JOURNAL OF CHROMATOGRAPHY B

Journal of Chromatography B, 837 (2006) 157-160

www.elsevier.com/locate/chromb

Keyword Index Vol. 837

Adrenocortical carcinoma

A new simple HPLC method for measuring mitotane and its two principal metabolites. Tests in animals and mitotane-treated patients 837(2006)69

Adsorption kinetics

Screening anion-exchange chromatographic matrices for isolation of oncoretroviral vectors 837(2006)59

Alpha-1 antitrypsin

Features of the milk whey protein partitioning in polyethyleneglycol-sodium citrate aqueous two-phase systems with the goal of isolating human alpha-1 antitrypsin expressed in bovine milk 837(2006)18

Anion-exchange chromatography

Screening anion-exchange chromatographic matrices for isolation of oncoretroviral vectors 837(2006)59

Artificial Calculus Bovis

Determination of three bile acids in artificial *Calculus Bovis* and its medicinal preparations by micellar electrokinetic capillary electrophoresis 837(2006)11

Atmospheric pressure photoionization

Identification of conjugated linoleic acid elongation and β -oxidation products by coupled silver-ion HPLC APPI-MS 837(2006)147

Bile acids

Determination of three bile acids in artificial *Calculus Bovis* and its medicinal preparations by micellar electrokinetic capillary electrophoresis 837(2006)11

Binding studies

Chromatographic analysis of carbamazepine binding to human serum albumin. II. Comparison of the Schiff base and N-hydroxysuccinimide immobilization methods 837(2006)138

Bioactive lipids

Identification of conjugated linoleic acid elongation and β -oxidation products by coupled silver-ion HPLC APPI-MS 837(2006)147

Bio-Ge

Size-exclusion chromatography of heparin oligosaccharides at high and low pressure 837(2006)76

Capillary electrophoresis

Determination of three bile acids in artificial *Calculus Bovis* and its medicinal preparations by micellar electrokinetic capillary electrophoresis 837(2006)11

Carbamazepine

Chromatographic analysis of carbamazepine binding to human serum albumin. II. Comparison of the Schiff base and N-hydroxysuccinimide immobilization methods 837(2006)138

Cisplatin

Specific determination of intact cisplatin and monohydrated cisplatin in human plasma and culture medium ultrafiltrates using HPLC on-line with inductively coupled plasma mass spectrometry 837(2006)29

4-Chloro-7-nitrobenzofurazan

Sensitive microanalysis of gabapentin by high-performance liquid chromatography in human serum using pre-column derivatization with 4-chloro-7-nitrobenzofurazan: Application to a bioequivalence study 837(2006)24

Clioquinol

Determination of 5-chloro-7-iodo-8-quinolinol (clioquinol) in plasma and tissues of hamsters by high-performance liquid chromatography and electrochemical detection 837(2006)87

Conjugated linoleic acids

Identification of conjugated linoleic acid elongation and β -oxidation products by coupled silver-ion HPLC APPI-MS 837(2006)147

Cyclodextrin-based CSPs

HPLC resolution of thioridazine enantiomers from pharmaceutical dosage form using cyclodextrin-based chiral stationary phase 837(2006)133

DCA

A GC-MS/MS method for the quantitative analysis of low levels of the tyrosine metabolites maleylacetone, succinylacetone, and the tyrosine metabolism inhibitor dichloroacetate in biological fluids and tissues 837(2006)125

DDA

A new simple HPLC method for measuring mitotane and its two principal metabolites. Tests in animals and mitotane-treated patients 837(2006)69

DDE

A new simple HPLC method for measuring mitotane and its two principal metabolites. Tests in animals and mitotane-treated patients 837(2006)69

DDT

A new simple HPLC method for measuring mitotane and its two principal metabolites. Tests in animals and mitotane-treated patients 837(2006)69

Deamidation

Characterization of the stability of a fully human monoclonal IgG after prolonged incubation at elevated temperature 837(2006)35

D-threo-PPMP

Liquid chromatography method for quantifying D-threo-1-phenyl-2-palmitoy-lamino-3-morpholino-1-propanol (D-threo-PPMP) in mouse plasma and liver 837(2006)44

Electrochemical detection

Determination of 5-chloro-7-iodo-8-quinolinol (clioquinol) in plasma and tissues of hamsters by high-performance liquid chromatography and electrochemical detection 837(2006)87

Electrospray ionization mass spectrometry

Isolation of lipids from photosystem I complex and its characterization with high performance liquid chromatography/electrospray ionization mass spectrometry 837(2006)101

Enantiomeric separation

HPLC resolution of thioridazine enantiomers from pharmaceutical dosage form using cyclodextrin-based chiral stationary phase 837(2006)133

Enfuvirtide

Development and validation of a quantitative assay for the measurement of two HIV-fusion inhibitors, enfuvirtide and tifuvirtide, and one metabolite of enfuvirtide (M-20) in human plasma by liquid chromatography—tandem mass spectrometry 837(2006)49

Fatty acid metabolism

Identification of conjugated linoleic acid elongation and β -oxidation products by coupled silver-ion HPLC APPI-MS 837(2006)147

1-Furan-2-yl-3-pyridin-2-yl-propenone (FPP-3)

Determination of 1-furan-2-yl-3-pyridin-2-yl-propenone, an anti-inflammatory propenone compound, by high performance liquid chromatography with ultraviolet spectrometry 837(2006)108

Gabapentin

Sensitive microanalysis of gabapentin by high-performance liquid chromatography in human serum using pre-column derivatization with 4-chloro-7-nitrobenzofurazan: Application to a bioequivalence study 837(2006)24

GC-ECNCI-MS

A GC-MS/MS method for the quantitative analysis of low levels of the tyrosine metabolites maleylacetone, succinylacetone, and the tyrosine metabolism inhibitor dichloroacetate in biological fluids and tissues 837(2006)125

Gene therapy

Screening anion-exchange chromatographic matrices for isolation of oncoretroviral vectors 837(2006)59

Hamsters

Determination of 5-chloro-7-iodo-8-quinolinol (clioquinol) in plasma and tissues of hamsters by high-performance liquid chromatography and electrochemical detection 837(2006)87

Heparan sulfate proteoglycans

Size-exclusion chromatography of heparin oligosaccharides at high and low pressure 837(2006)76

Heparin oligosaccharides

Size-exclusion chromatography of heparin oligosaccharides at high and low pressure 837(2006)76

Heparinase

Size-exclusion chromatography of heparin oligosaccharides at high and low pressure 837(2006)76

Heparin-binding proteins

Size-exclusion chromatography of heparin oligosaccharides at high and low pressure 837(2006)76

High-performance affinity chromatography

Chromatographic analysis of carbamazepine binding to human serum albumin. II. Comparison of the Schiff base and *N*-hydroxysuccinimide immobilization methods 837(2006)138

High-performance liquid chromatography

Determination of omeprazole in rat plasma by high-performance liquid chromatography without solvent extraction 837(2006)112

HIV-fusion inhibitor

Development and validation of a quantitative assay for the measurement of two HIV-fusion inhibitors, enfuvirtide and tifuvirtide, and one metabolite of enfuvirtide (M-20) in human plasma by liquid chromatography–tandem mass spectrometry 837(2006)49

HPLC

Quantification of uric acid, xanthine and hypoxanthine in human serum by HPLC for pharmacodynamic studies 837(2006)1

Sensitive microanalysis of gabapentin by high-performance liquid chromatography in human serum using pre-column derivatization with 4-chloro-7-nitrobenzofurazan: Application to a bioequivalence study 837(2006)24

Liquid chromatography method for quantifying D-threo-1-phenyl-2-palmitoy-lamino-3-morpholino-1-propanol (D-threo-PPMP) in mouse plasma and liver 837(2006)44

A new simple HPLC method for measuring mitotane and its two principal metabolites. Tests in animals and mitotane-treated patients 837(2006)69

Determination of 5-chloro-7-iodo-8-quinolinol (clioquinol) in plasma and tissues of hamsters by high-performance liquid chromatography and electrochemical detection 837(2006)87

Human plasma

First LC-MS/MS electrospray ionization validated method for the quantification of perindopril and its metabolite perindoprilat in human plasma and its application to bioequivalence study 837(2006)92

Human serum

Quantification of uric acid, xanthine and hypoxanthine in human serum by HPLC for pharmacodynamic studies 837(2006)1

Human serum albumin

Chromatographic analysis of carbamazepine binding to human serum albumin. II. Comparison of the Schiff base and N-hydroxysuccinimide immobilization methods 837(2006)138

Inductively coupled plasma mass spectrometry

Specific determination of intact cisplatin and monohydrated cisplatin in human plasma and culture medium ultrafiltrates using HPLC on-line with inductively coupled plasma mass spectrometry 837(2006)29

Kinetics

Determination of 1-furan-2-yl-3-pyridin-2-yl-propenone, an anti-inflammatory propenone compound, by high performance liquid chromatography with ultraviolet spectrometry 837(2006)108

LC-MS/MS

Development and validation of a quantitative assay for the measurement of two HIV-fusion inhibitors, enfuvirtide and tifuvirtide, and one metabolite of enfuvirtide (M-20) in human plasma by liquid chromatography–tandem mass spectrometry 837(2006)49

First LC-MS/MS electrospray ionization validated method for the quantification of perindopril and its metabolite perindoprilat in human plasma and its application to bioequivalence study 837(2006)92

Determination of a prostaglandin D_2 antagonist and its acyl glucuronide metabolite in human plasma by high performance liquid chromatography with tandem mass spectrometric detection—A lack of MS/MS selectivity between a glucuronide conjugate and a phase I metabolite 837(2006)116

Lipids

Isolation of lipids from photosystem I complex and its characterization with high performance liquid chromatography/electrospray ionization mass spectrometry 837(2006)101

MA

A GC-MS/MS method for the quantitative analysis of low levels of the tyrosine metabolites maleylacetone, succinylacetone, and the tyrosine metabolism inhibitor dichloroacetate in biological fluids and tissues 837(2006)125

Mass spectrometry

Size-exclusion chromatography of heparin oligosaccharides at high and low pressure 837(2006)76

Identification of conjugated linoleic acid elongation and β -oxidation products by coupled silver-ion HPLC APPI-MS 837(2006)147

Metabolites

Determination of 1-furan-2-yl-3-pyridin-2-yl-propenone, an anti-inflammatory propenone compound, by high performance liquid chromatography with ultraviolet spectrometry 837(2006)108

Milk whey proteins

Features of the milk whey protein partitioning in polyethyleneglycol-sodium citrate aqueous two-phase systems with the goal of isolating human alpha-1 antitrypsin expressed in bovine milk 837(2006)18

Mitotane

A new simple HPLC method for measuring mitotane and its two principal metabolites. Tests in animals and mitotane-treated patients 837(2006)69

Monohydrated cisplatin

Specific determination of intact cisplatin and monohydrated cisplatin in human plasma and culture medium ultrafiltrates using HPLC on-line with inductively coupled plasma mass spectrometry 837(2006)29

NBD-Cl

Sensitive microanalysis of gabapentin by high-performance liquid chromatography in human serum using pre-column derivatization with 4-chloro-7-nitrobenzofurazan: Application to a bioequivalence study 837(2006)24

N-Hydroxysuccinimide method

Chromatographic analysis of carbamazepine binding to human serum albumin. II. Comparison of the Schiff base and N-hydroxysuccinimide immobilization methods 837(2006)138

Omeprazole

Determination of omeprazole in rat plasma by high-performance liquid chromatography without solvent extraction 837(2006)112

Peptide

Development and validation of a quantitative assay for the measurement of two HIV-fusion inhibitors, enfuvirtide and tifuvirtide, and one metabolite of enfuvirtide (M-20) in human plasma by liquid chromatography–tandem mass spectrometry 837(2006)49

Peptide mapping

Characterization of the stability of a fully human monoclonal IgG after prolonged incubation at elevated temperature 837(2006)35

Perindopril

First LC-MS/MS electrospray ionization validated method for the quantification of perindopril and its metabolite perindoprilat in human plasma and its application to bioequivalence study 837(2006)92

Perindoprilat

First LC-MS/MS electrospray ionization validated method for the quantification of perindopril and its metabolite perindoprilat in human plasma and its application to bioequivalence study 837(2006)92

PFB-Br

A GC-MS/MS method for the quantitative analysis of low levels of the tyrosine metabolites maleylacetone, succinylacetone, and the tyrosine metabolism inhibitor dichloroacetate in biological fluids and tissues 837(2006)125

Pharmacodynamic biomarkers

Quantification of uric acid, xanthine and hypoxanthine in human serum by HPLC for pharmacodynamic studies 837(2006)1

Photosystem I

Isolation of lipids from photosystem I complex and its characterization with high performance liquid chromatography/electrospray ionization mass spectrometry 837(2006)101

Prostaglandin D2 antagonist

Determination of a prostaglandin D_2 antagonist and its acyl glucuronide metabolite in human plasma by high performance liquid chromatography with tandem mass spectrometric detection—A lack of MS/MS selectivity between a glucuronide conjugate and a phase I metabolite 837(2006)116

Protein isolation

Features of the milk whey protein partitioning in polyethyleneglycol-sodium citrate aqueous two-phase systems with the goal of isolating human alpha-1 antitrypsin expressed in bovine milk 837(2006)18

Purification

Screening anion-exchange chromatographic matrices for isolation of oncoretroviral vectors 837(2006)59

Pyroglutamate

Characterization of the stability of a fully human monoclonal IgG after prolonged incubation at elevated temperature 837(2006)35

Rat

Determination of 1-furan-2-yl-3-pyridin-2-yl-propenone, an anti-inflammatory propenone compound, by high performance liquid chromatography with ultraviolet spectrometry 837(2006)108

Rat plasma

Determination of omeprazole in rat plasma by high-performance liquid chromatography without solvent extraction 837(2006)112

Recombinant monoclonal antibody

Characterization of the stability of a fully human monoclonal IgG after prolonged incubation at elevated temperature 837(2006)35

Retroviral vectors

Screening anion-exchange chromatographic matrices for isolation of oncoretroviral vectors 837(2006)59

Reversed-phase high performance liquid chromatography

Isolation of lipids from photosystem I complex and its characterization with high performance liquid chromatography/electrospray ionization mass spectrometry 837(2006)101

RP-HPLC

HPLC resolution of thioridazine enantiomers from pharmaceutical dosage form using cyclodextrin-based chiral stationary phase 837(2006)133

SA

A GC-MS/MS method for the quantitative analysis of low levels of the tyrosine metabolites maleylacetone, succinylacetone, and the tyrosine metabolism inhibitor dichloroacetate in biological fluids and tissues 837(2006)125

Schiff base method

Chromatographic analysis of carbamazepine binding to human serum albumin. II. Comparison of the Schiff base and *N*-hydroxysuccinimide immobilization methods 837(2006)138

Serum

Sensitive microanalysis of gabapentin by high-performance liquid chromatography in human serum using pre-column derivatization with 4-chloro-7-nitrobenzofurazan: Application to a bioequivalence study 837(2006)24

Silver-ion HPLC

Identification of conjugated linoleic acid elongation and β -oxidation products by coupled silver-ion HPLC APPI-MS 837(2006)147

Size-exclusion chromatography

Size-exclusion chromatography of heparin oligosaccharides at high and low pressure 837(2006)76

SRM

First LC-MS/MS electrospray ionization validated method for the quantification of perindopril and its metabolite perindoprilat in human plasma and its application to bioequivalence study 837(2006)92

Superdex

Size-exclusion chromatography of heparin oligosaccharides at high and low pressure 837(2006)76

Thioridiazine

HPLC resolution of thioridazine enantiomers from pharmaceutical dosage form using cyclodextrin-based chiral stationary phase 837(2006)133

Tifuvirtide

Development and validation of a quantitative assay for the measurement of two HIV-fusion inhibitors, enfuvirtide and tifuvirtide, and one metabolite of enfuvirtide (M-20) in human plasma by liquid chromatography–tandem mass spectrometry 837(2006)49

Transgenic milk

Features of the milk whey protein partitioning in polyethyleneglycol-sodium citrate aqueous two-phase systems with the goal of isolating human alpha-1 antitrypsin expressed in bovine milk 837(2006)18

Tyrosine metabolites

A GC-MS/MS method for the quantitative analysis of low levels of the tyrosine metabolites maleylacetone, succinylacetone, and the tyrosine metabolism inhibitor dichloroacetate in biological fluids and tissues 837(2006)125

Uric acid

Quantification of uric acid, xanthine and hypoxanthine in human serum by HPLC for pharmacodynamic studies 837(2006)1

van Deemter plot

Size-exclusion chromatography of heparin oligosaccharides at high and low pressure 837(2006)76

Xanthine oxidase inhibitor

Quantification of uric acid, xanthine and hypoxanthine in human serum by HPLC for pharmacodynamic studies 837(2006)1