

# Available online at www.sciencedirect.com



JOURNAL OF CHROMATOGRAPHY B

Journal of Chromatography B, 839 (2006) 132-134

www.elsevier.com/locate/chromb

# Keyword Index Vol. 839

### Acetonitrile

Determination of free amino acids and related compounds in amniotic fluid by capillary electrophoresis with contactless conductivity detection 839(2006)12

#### Amino acid

Determination of free amino acids and related compounds in amniotic fluid by capillary electrophoresis with contactless conductivity detection 839(2006)12

#### Amniotic fluid

Determination of free amino acids and related compounds in amniotic fluid by capillary electrophoresis with contactless conductivity detection 839(2006)12

#### Canine plasma

Optimization and validation of a high-performance liquid chromatographic method with UV detection for the determination of ketoconazole in canine plasma 839(2006)62

### Canrenone

Development and validation of an HPLC method for the determination of spironolactone and its metabolites in paediatric plasma samples 839(2006)36

# Capillary electrophoresis

Direct analysis of bromide in human serum by capillary electrophoresis 839(2006)2

On-line coupling of size exclusion chromatography and capillary electrophoresis via solid-phase extraction and a Tee-split interface 839(2006)30

# Capillary zone electrophoresis

High sensitivity analysis of oxprenolol in urine by capillary electrophoresis with C18 packed on-line preconcentrator 839(2006)6

Profiling preparations of recombinant birch pollen allergen Bet v 1a with capillary zone electrophoresis in pentamine modified fused-silica capillaries 839(2006)19

Optimization of a capillary zone electrophoresis method by using a central composite factorial design for the determination of codeine and paracetamol in pharmaceuticals 839(2006)95

# Central composite design

Optimization of a capillary zone electrophoresis method by using a central composite factorial design for the determination of codeine and paracetamol in pharmaceuticals 839(2006)95

# Cerebrospinal fluid

On-line coupling of size exclusion chromatography and capillary electrophoresis via solid-phase extraction and a Tee-split interface 839(2006)30

# Children

Development and validation of an HPLC method for the determination of spironolactone and its metabolites in paediatric plasma samples 839(2006)36

#### Codeine

Optimization of a capillary zone electrophoresis method by using a central composite factorial design for the determination of codeine and paracetamol in pharmaceuticals 839(2006)95

### Contactless conductivity detection

Determination of free amino acids and related compounds in amniotic fluid by capillary electrophoresis with contactless conductivity detection 839(2006)12

# Derivatization

RP-HPLC method with fluorescence detection for determination of small quantities of triamcinolone in plasma in presence of endogenous steroids after derivatization with 9-anthroyl nitrile; pharmacokinetic studies 839(2006)54

#### Diclofenac

Sensitive quantification of chosen drugs by reversed-phase chromatography with electrochemical detection at a glassy carbon electrode 839(2006)102

# 5,6-Dihydrouracil

Liquid chromatography—tandem mass spectrometric assay for the analysis of uracil, 5,6-dihydrouracil and  $\beta$ -ureidopropionic acid in urine for the measurement of the activities of the pyrimidine catabolic enzymes 839(2006)45

# **Direct injection**

Direct determination of verapamil in urine and serum samples by micellar liquid chromatography and fluorescence detection 839(2006)89

# Dynamic coating with tetraethylenepentamine

Profiling preparations of recombinant birch pollen allergen Bet v 1a with capillary zone electrophoresis in pentamine modified fused-silica capillaries 839(2006)19

# **Endogenous steroid metabolites**

RP-HPLC method with fluorescence detection for determination of small quantities of triamcinolone in plasma in presence of endogenous steroids after derivatization with 9-anthroyl nitrile; pharmacokinetic studies 839(2006)54

# Enkephalin

On-line coupling of size exclusion chromatography and capillary electrophoresis via solid-phase extraction and a Tee-split interface 839(2006)30

# Enzyme

HPLC in reversed phase mode: Tool for investigation of kinetics of blackcurrant seed oil lipolysis in supercritical carbon dioxide 839(2006)80

# Epilepsy

Direct analysis of bromide in human serum by capillary electrophoresis 839(2006)2

# **ESI-Q-TOF-MS**

Profiling preparations of recombinant birch pollen allergen Bet v 1a with capillary zone electrophoresis in pentamine modified fused-silica capillaries 839(2006)19

#### Glutathione

Analysis of glutathione and glutathione disulfide in human saliva using hydrophilic interaction chromatography with mass spectrometry 839(2006)74

#### Glutathione disulfide

Analysis of glutathione and glutathione disulfide in human saliva using hydrophilic interaction chromatography with mass spectrometry 839(2006)74

### High sensitivity

High sensitivity analysis of oxprenolol in urine by capillary electrophoresis with C18 packed on-line preconcentrator 839(2006)6

#### HPL C

Development and validation of an HPLC method for the determination of spironolactone and its metabolites in paediatric plasma samples 839(2006)36

Development of an HPLC method for the determination of nifedipine in human plasma by solid-phase extraction 839(2006)85

#### HPLC-MS/MS

Pharmacokinetic study of orphenadrine using high-performance liquid chromatography-tandem mass spectrometry (HPLC-MS/MS) 839(2006)118

Determination of iohexol clearance by high-performance liquid chromatographytandem mass spectrometry (HPLC-MS/MS) 839(2006)124

### Hydrochlorothiazide

Sensitive quantification of chosen drugs by reversed-phase chromatography with electrochemical detection at a glassy carbon electrode 839(2006)102

### Hydrophilic interaction chromatography

Analysis of glutathione and glutathione disulfide in human saliva using hydrophilic interaction chromatography with mass spectrometry 839(2006)74

# **Imipramine**

Sensitive quantification of chosen drugs by reversed-phase chromatography with electrochemical detection at a glassy carbon electrode 839(2006)102

# Interaction

RP-HPLC method with fluorescence detection for determination of small quantities of triamcinolone in plasma in presence of endogenous steroids after derivatization with 9-anthroyl nitrile; pharmacokinetic studies 839(2006)54

# Iohexol clearance

Determination of iohexol clearance by high-performance liquid chromatography-tandem mass spectrometry (HPLC-MS/MS) 839(2006)124

# Isotachophoresis-zone electrophoresis

Selective protein removal and desalting using microchip CE 839(2006)68

# Ketoconazole

Optimization and validation of a high-performance liquid chromatographic method with UV detection for the determination of ketoconazole in canine plasma 839(2006)62

# LC-MSMS

Liquid chromatography–tandem mass spectrometric assay for the analysis of uracil, 5,6-dihydrouracil and  $\beta$ -ureidopropionic acid in urine for the measurement of the activities of the pyrimidine catabolic enzymes 839(2006)45

# Liquid-liquid extraction

Liquid chromatography–tandem mass spectrometric assay for the analysis of uracil, 5,6-dihydrouracil and  $\beta$ -ureidopropionic acid in urine for the measurement of the activities of the pyrimidine catabolic enzymes 839(2006)45

# Mass spectrometry

Analysis of glutathione and glutathione disulfide in human saliva using hydrophilic interaction chromatography with mass spectrometry 839(2006)74

#### Metoclopramide

Sensitive quantification of chosen drugs by reversed-phase chromatography with electrochemical detection at a glassy carbon electrode 839(2006)102

#### Micellar mobile phase

Direct determination of verapamil in urine and serum samples by micellar liquid chromatography and fluorescence detection 839(2006)89

#### 2D microfluidic device

Selective protein removal and desalting using microchip CE 839(2006)68

#### Nifedipine

Development of an HPLC method for the determination of nifedipine in human plasma by solid-phase extraction 839(2006)85

# **NMR**

HPLC in reversed phase mode: Tool for investigation of kinetics of blackcurrant seed oil lipolysis in supercritical carbon dioxide 839(2006)80

#### Oil hydrolysis

HPLC in reversed phase mode: Tool for investigation of kinetics of blackcurrant seed oil lipolysis in supercritical carbon dioxide 839(2006)80

# On chip sample pretreatment

Selective protein removal and desalting using microchip CE 839(2006)68

# On-line preconcentrator

High sensitivity analysis of oxprenolol in urine by capillary electrophoresis with C18 packed on-line preconcentrator 839(2006)6

### Orphenadrine

Pharmacokinetic study of orphenadrine using high-performance liquid chromatography-tandem mass spectrometry (HPLC-MS/MS) 839(2006)118

# Oxprenolol

High sensitivity analysis of oxprenolol in urine by capillary electrophoresis with C18 packed on-line preconcentrator 839(2006)6

# Paracetamol

Optimization of a capillary zone electrophoresis method by using a central composite factorial design for the determination of codeine and paracetamol in pharmaceuticals 839(2006)95

# Partial filling

Capillary electrophoresis of peptides and proteins with plug of Pluronic gel 839(2006)112

# Peptide

Capillary electrophoresis of peptides and proteins with plug of Pluronic gel 839(2006)112

# Pharmaceuticals

Optimization of a capillary zone electrophoresis method by using a central composite factorial design for the determination of codeine and paracetamol in pharmaceuticals 839(2006)95

# Pharmacokinetic

Pharmacokinetic study of orphenadrine using high-performance liquid chromatography-tandem mass spectrometry (HPLC-MS/MS) 839(2006)118

# Pharmacokinetic profile

Optimization and validation of a high-performance liquid chromatographic method with UV detection for the determination of ketoconazole in canine plasma 839(2006)62

# **Pharmacokinetics**

Development and validation of an HPLC method for the determination of spironolactone and its metabolites in paediatric plasma samples 839(2006)36

Sensitive quantification of chosen drugs by reversed-phase chromatography with electrochemical detection at a glassy carbon electrode 839(2006)102

#### Pluronic

Capillary electrophoresis of peptides and proteins with plug of Pluronic gel 839(2006)112

### Potassium bromide therapy

Direct analysis of bromide in human serum by capillary electrophoresis 839(2006)2

#### **Proteins**

Capillary electrophoresis of peptides and proteins with plug of Pluronic gel 839(2006)112

# Proteins and peptides

Selective protein removal and desalting using microchip CE 839(2006)68

### **Pyrimidines**

Liquid chromatography-tandem mass spectrometric assay for the analysis of uracil, 5,6-dihydrouracil and  $\beta$ -ureidopropionic acid in urine for the measurement of the activities of the pyrimidine catabolic enzymes 839(2006)45

# Recombinant allergens

Profiling preparations of recombinant birch pollen allergen Bet v 1a with capillary zone electrophoresis in pentamine modified fused-silica capillaries 839(2006)19

#### RP-HPLC

HPLC in reversed phase mode: Tool for investigation of kinetics of blackcurrant seed oil lipolysis in supercritical carbon dioxide 839(2006)80

# RP-HPLC with UV detection

Optimization and validation of a high-performance liquid chromatographic method with UV detection for the determination of ketoconazole in canine plasma 839(2006)62

# RP-HPLC/ECD

Sensitive quantification of chosen drugs by reversed-phase chromatography with electrochemical detection at a glassy carbon electrode 839(2006)102

# Saliva

Analysis of glutathione and glutathione disulfide in human saliva using hydrophilic interaction chromatography with mass spectrometry 839(2006)74

# Sample depletion

Selective protein removal and desalting using microchip CE 839(2006)68

# Serum

Direct determination of verapamil in urine and serum samples by micellar liquid chromatography and fluorescence detection 839(2006)89

# Serum bromide analysis

Direct analysis of bromide in human serum by capillary electrophoresis 839(2006)2

# Size exclusion chromatography

On-line coupling of size exclusion chromatography and capillary electrophoresis via solid-phase extraction and a Tee-split interface 839(2006)30

# Solid-phase extraction

On-line coupling of size exclusion chromatography and capillary electrophoresis via solid-phase extraction and a Tee-split interface 839(2006)30

RP-HPLC method with fluorescence detection for determination of small quantities of triamcinolone in plasma in presence of endogenous steroids after derivatization with 9-anthroyl nitrile; pharmacokinetic studies 839(2006)54

Development of an HPLC method for the determination of nifedipine in human plasma by solid-phase extraction 839(2006)85

#### **Spironolactone**

Development and validation of an HPLC method for the determination of spironolactone and its metabolites in paediatric plasma samples 839(2006)36

### Supercritical carbon dioxide

HPLC in reversed phase mode: Tool for investigation of kinetics of blackcurrant seed oil lipolysis in supercritical carbon dioxide 839(2006)80

#### **Tablets**

RP-HPLC method with fluorescence detection for determination of small quantities of triamcinolone in plasma in presence of endogenous steroids after derivatization with 9-anthroyl nitrile; pharmacokinetic studies 839(2006)54

# Tee-split interface

On-line coupling of size exclusion chromatography and capillary electrophoresis via solid-phase extraction and a Tee-split interface 839(2006)30

### $7\alpha$ -Thiomethylspirolactone

Development and validation of an HPLC method for the determination of spironolactone and its metabolites in paediatric plasma samples 839(2006)36

### Triamcinolone free alcohol form

RP-HPLC method with fluorescence detection for determination of small quantities of triamcinolone in plasma in presence of endogenous steroids after derivatization with 9-anthroyl nitrile; pharmacokinetic studies 839(2006)54

# Uracil

Liquid chromatography–tandem mass spectrometric assay for the analysis of uracil, 5,6-dihydrouracil and  $\beta$ -ureidopropionic acid in urine for the measurement of the activities of the pyrimidine catabolic enzymes 839(2006)45

# **β-Ureidopropionic acid**

Liquid chromatography—tandem mass spectrometric assay for the analysis of uracil, 5,6-dihydrouracil and  $\beta$ -ureidopropionic acid in urine for the measurement of the activities of the pyrimidine catabolic enzymes 839(2006)45

# Urine

High sensitivity analysis of oxprenolol in urine by capillary electrophoresis with C18 packed on-line preconcentrator 839(2006)6

Direct determination of verapamil in urine and serum samples by micellar liquid chromatography and fluorescence detection 839(2006)89

# Validation

Profiling preparations of recombinant birch pollen allergen Bet v 1a with capillary zone electrophoresis in pentamine modified fused-silica capillaries 839(2006)19

RP-HPLC method with fluorescence detection for determination of small quantities of triamcinolone in plasma in presence of endogenous steroids after derivatization with 9-anthroyl nitrile; pharmacokinetic studies 839(2006)54

# Verapamil

Direct determination of verapamil in urine and serum samples by micellar liquid chromatography and fluorescence detection 839(2006)89