

## Keyword Index Vol. 843

### **Abiraterone**

A validated liquid chromatographic–tandem mass spectroscopy method for the quantification of abiraterone acetate and abiraterone in human plasma 843(2006)262

### **Activity stabilizer**

Effect of  $\text{CaCl}_2$  as activity stabilizer on purification of heparinase I from *Flavobacterium heparinum* 843(2006)209

### **Amikacin**

Determination of amikacin in body fluid by high-performance liquid-chromatography with chemiluminescence detection 843(2006)20

### **Amperometric detection**

Development of a high-performance liquid chromatography method for the determination of caspofungin with amperometric detection and its application to in vitro microdialysis experiments 843(2006)142

### **Amphetamine**

Stability studies of amphetamine and ephedrine derivatives in urine 843(2006)84

### **Anion-exchange chromatography**

High-performance anion-exchange chromatography using on-line electrolytic eluent generation for the determination of more than 25 intermediates from energy metabolism of mammalian cells in culture 843(2006)216

### **Anticholinergic drug**

Determination of penehyclidine by gas chromatographic–mass spectrometry and its application to pharmacokinetics in humans, rabbits and mice 843(2006)234

### **Antidepressants**

Quantitative determination of forty-eight antidepressants and antipsychotics in human serum by HPLC tandem mass spectrometry: A multi-level, single-sample approach 843(2006)100

### **Antipsychotics**

Quantitative determination of forty-eight antidepressants and antipsychotics in human serum by HPLC tandem mass spectrometry: A multi-level, single-sample approach 843(2006)100

### **APCI**

Measurement and stability of FTY720 in human whole blood by high-performance liquid chromatography–atmospheric pressure chemical ionization–tandem mass spectrometry 843(2006)157

### **Avian embryos**

Neural stem cell separation from the embryonic avian olfactory epithelium by sedimentation field-flow fractionation 843(2006)175

### **Bacillus**

Small protein biomarkers of culture in *Bacillus* spores detected using capillary liquid chromatography coupled with matrix assisted laser desorption/ionization mass spectrometry 843(2006)25

### **Botulinum neurotoxin**

Capillary electrophoresis laser-induced fluorescence for screening combinatorial peptide libraries in assays of botulinum neurotoxin A 843(2006)240

### **Butyrylcholinesterase**

Silica-immobilized enzyme reactors; application to cholinesterase-inhibition studies 843(2006)310

### **$\text{CaCl}_2$**

Effect of  $\text{CaCl}_2$  as activity stabilizer on purification of heparinase I from *Flavobacterium heparinum* 843(2006)209

### **Capillary electrophoresis**

Solid phase extraction—Non-aqueous capillary electrophoresis for determination of metformin, phenformin and glyburide in human plasma 843(2006)94

Site-specific sampling of taurine from rat brain followed by on-line sample pre-concentration, throughout in-capillary derivatization and capillary electrophoresis 843(2006)194

Capillary electrophoresis laser-induced fluorescence for screening combinatorial peptide libraries in assays of botulinum neurotoxin A 843(2006)240

### **Capillary liquid chromatography**

Small protein biomarkers of culture in *Bacillus* spores detected using capillary liquid chromatography coupled with matrix assisted laser desorption/ionization mass spectrometry 843(2006)25

### **Capillary zone electrophoresis**

Structural features in carrageenan that interact with a heparin-binding hematopoietic growth factor and modulate its biological activity 843(2006)114

### **Carrageenan**

Structural features in carrageenan that interact with a heparin-binding hematopoietic growth factor and modulate its biological activity 843(2006)114

### **Carvedilol enantiomers**

Enantioselective and highly sensitive determination of carvedilol in human plasma and whole blood after administration of the racemate using normal-phase high-performance liquid chromatography 843(2006)73

### **Caspofungin**

Development of a high-performance liquid chromatography method for the determination of caspofungin with amperometric detection and its application to in vitro microdialysis experiments 843(2006)142

### **Ce(IV)**

Determination of quinolones residues in prawn using high-performance liquid chromatography with  $\text{Ce(IV)}\text{--Ru(bpy)}_3^{2+}\text{--HNO}_3$  chemiluminescence detection 843(2006)1

**Cell separation**

Neural stem cell separation from the embryonic avian olfactory epithelium by sedimentation field-flow fractionation 843(2006)175

**Ceramides**

Liquid chromatography–tandem mass spectrometric determination of ceramides and related lipid species in cellular extracts 843(2006)327

**Chemiluminescence**

Determination of quinolones residues in prawn using high-performance liquid chromatography with Ce(IV)–Ru(bpy)<sub>3</sub><sup>2+</sup>–HNO<sub>3</sub> chemiluminescence detection 843(2006)1

Determination of amikacin in body fluid by high-performance liquid chromatography with chemiluminescence detection 843(2006)20

**Cholinesterase inhibitors**

Silica-immobilized enzyme reactors; application to cholinesterase-inhibition studies 843(2006)310

**Colloidal gas aphrons**

An insight into the mechanism of protein separation by colloidal gas aphrons (CGA) generated from ionic surfactants 843(2006)317

**Column-switching**

Determination of *N*<sup>G</sup>,*N*<sup>G</sup>-dimethyl-L-arginine in rat plasma and dimethylarginine dimethylaminohydrolase activity in rat kidney using a monolithic silica column 843(2006)170

**Combinatorial peptide libraries**

Capillary electrophoresis laser-induced fluorescence for screening combinatorial peptide libraries in assays of botulinum neurotoxin A 843(2006)240

**Competitive adsorption**

An insight into the mechanism of protein separation by colloidal gas aphrons (CGA) generated from ionic surfactants 843(2006)317

**Coprostanol**

Faecal sterols determination in wastewater and surface water 843(2006)120

**CSH**

High performance liquid chromatography analysis of 2-mercaptoethylamine (cysteamine) in biological samples by derivatization with *N*-(1-pyrenyl) maleimide (NPM) using fluorescence detection 843(2006)57

**Cyclovirobuxine D**

Sensitive HPLC–APCI–MS method for the determination of cyclovirobuxine D in human plasma 843(2006)78

**Cysteamine**

High performance liquid chromatography analysis of 2-mercaptoethylamine (cysteamine) in biological samples by derivatization with *N*-(1-pyrenyl) maleimide (NPM) using fluorescence detection 843(2006)57

**Cystinosis**

High performance liquid chromatography analysis of 2-mercaptoethylamine (cysteamine) in biological samples by derivatization with *N*-(1-pyrenyl) maleimide (NPM) using fluorescence detection 843(2006)57

**Dialkyl phosphate metabolites**

Measurement of human urinary organophosphate pesticide metabolites by automated solid-phase extraction, post extraction derivatization, and gas chromatography–tandem mass spectrometry 843(2006)34

**Differential display**

Small protein biomarkers of culture in *Bacillus* spores detected using capillary liquid chromatography coupled with matrix assisted laser desorption/ionization mass spectrometry 843(2006)25

**Dimethylarginine dimethylaminohydrolase (DDAH)**

Determination of *N*<sup>G</sup>,*N*<sup>G</sup>-dimethyl-L-arginine in rat plasma and dimethylarginine dimethylaminohydrolase activity in rat kidney using a monolithic silica column 843(2006)170

**Doping control**

Stability studies of amphetamine and ephedrine derivatives in urine 843(2006)84

**Echinocandin**

Development of a high-performance liquid chromatography method for the determination of caspofungin with amperometric detection and its application to in vitro microdialysis experiments 843(2006)142

**Edible goldfish**

Determination of malachite green and leucomalachite green in edible goldfish muscle by liquid chromatography–ion trap mass spectrometry 843(2006)247

**Enantiomeric separation**

Enantiomeric separation of norgestrel by reversed phase high-performance liquid chromatography using eluents containing hydroxypropyl-beta-cyclodextrin in stereoselective skin permeation study 843(2006)289

**EO–hemoglobin adduct**

Determination of ethylene oxide–hemoglobin adduct by silylation and gas chromatography–electron impact-mass spectrometry 843(2006)202

**Ephedrine**

Stability studies of amphetamine and ephedrine derivatives in urine 843(2006)84

**Erythropoietin (EPO)**

Efficient purification and preconcentration of erythropoietin in human urine by reusable immunoaffinity column 843(2006)125

**Eserine**

Analysis of hydrolytic activity of phospholipase C $\alpha$  from porcine retina on retinyl ester and phosphatidylcholine using non-denaturing two-dimensional electrophoresis and mass spectrometry 843(2006)42

**24-Ethylcoprostanol**

Faecal sterols determination in wastewater and surface water 843(2006)120

**Extraction methods**

Evaluation of automated micro solid phase extraction tips ( $\mu$ -SPE) for the validation of a LC–MS/MS bioanalytical method 843(2006)275

**Faecal pollution**

Faecal sterols determination in wastewater and surface water 843(2006)120

**Faeces**

Determination of zearalenone and its metabolites in urine, plasma and faeces of horses by HPLC–APCI–MS 843(2006)252

**Flavobacterial heparinum**

Effect of CaCl<sub>2</sub> as activity stabilizer on purification of heparinase I from *Flavobacterium heparinum* 843(2006)209

**4-Fluoro-7-nitro-2,1,3-benzoxadiazole (NBD-F)**

Determination of *N*<sup>G</sup>,*N*<sup>G</sup>-dimethyl-L-arginine in rat plasma and dimethylarginine dimethylaminohydrolase activity in rat kidney using a monolithic silica column 843(2006)170

**Flour**

Development of an analytical method for organotin compounds in fortified flour samples using microwave-assisted extraction and normal-phase HPLC with UV detection 843(2006)268

**Flow**

Utilisation of controlled pore topology for the separation of bioparticles in a mixed-glass beads column 843(2006)63

**Fluorescence**

Determination of  $N^G, N^G$ -dimethyl-L-arginine in rat plasma and dimethylarginine dimethylaminohydrolase activity in rat kidney using a monolithic silica column 843(2006)170

Capillary electrophoresis laser-induced fluorescence for screening combinatorial peptide libraries in assays of botulinum neurotoxin A 843(2006)240

An insight into the mechanism of protein separation by colloidal gas aphrons (CGA) generated from ionic surfactants 843(2006)317

**Fluvoxamine isomers**

Simultaneous determination of fluvoxamine isomers and quetiapine in human plasma by means of high-performance liquid chromatography 843(2006)227

**Forensic samples**

Liquid chromatography–electrospray mass spectrometry determination of ibogaine and noribogaine in human plasma and whole blood. Application to a poisoning involving *Tabernanthe iboga* root 843(2006)131

**FTY720**

Measurement and stability of FTY720 in human whole blood by high-performance liquid chromatography–atmospheric pressure chemical ionization–tandem mass spectrometry 843(2006)157

**GC–EI–MS**

Determination of ethylene oxide–hemoglobin adduct by silylation and gas chromatography–electron impact–mass spectrometry 843(2006)202

**GC–MS/SIM**

Determination of penicillidone by gas chromatographic–mass spectrometry and its application to pharmacokinetics in humans, rabbits and mice 843(2006)234

**Glyburide**

Solid phase extraction—Non-aqueous capillary electrophoresis for determination of metformin, phenformin and glyburide in human plasma 843(2006)94

**Glycolysis**

High-performance anion-exchange chromatography using on-line electrolytic eluent generation for the determination of more than 25 intermediates from energy metabolism of mammalian cells in culture 843(2006)216

**Granulocyte colony-stimulating factor**

Structural features in carrageenan that interact with a heparin-binding hematopoietic growth factor and modulate its biological activity 843(2006)114

**Heparinase I**

Effect of  $\text{CaCl}_2$  as activity stabilizer on purification of heparinase I from *Flavobacterium heparinum* 843(2006)209

**High-performance liquid chromatography**

Development of a high-performance liquid chromatography method for the determination of caspofungin with amperometric detection and its application to in vitro microdialysis experiments 843(2006)142

**HL-60 cells**

Liquid chromatography–tandem mass spectrometric determination of ceramides and related lipid species in cellular extracts 843(2006)327

**Horse**

Determination of zearalenone and its metabolites in urine, plasma and faeces of horses by HPLC–APCI–MS 843(2006)252

**HPLC**

Determination of quinolones residues in prawn using high-performance liquid chromatography with  $\text{Ce(IV)}\text{--Ru(bpy)}_3^{2+}\text{--HNO}_3$  chemiluminescence detection 843(2006)1

High performance liquid chromatography analysis of 2-mercaptoethylamine (cysteamine) in biological samples by derivatization with *N*-(1-pyrenyl) maleimide (NPM) using fluorescence detection 843(2006)57

Enantioselective and highly sensitive determination of carvedilol in human plasma and whole blood after administration of the racemate using normal-phase high-performance liquid chromatography 843(2006)73

Measurement and stability of FTY720 in human whole blood by high-performance liquid chromatography–atmospheric pressure chemical ionization–tandem mass spectrometry 843(2006)157

High-performance liquid chromatographic method for the determination of pioglitazone in human plasma using ultraviolet detection and its application to a pharmacokinetic study 843(2006)164

Development of an analytical method for organotin compounds in fortified flour samples using microwave-assisted extraction and normal-phase HPLC with UV detection 843(2006)268

Enantiomeric separation of norgestrel by reversed phase high-performance liquid chromatography using eluents containing hydroxypropyl-beta-cyclodextrin in stereoselective skin permeation study 843(2006)289

Determination of the 4-monohydroxy metabolites of perhexiline in human plasma, urine and liver microsomes by liquid chromatography 843(2006)302

A simple and rapid liquid chromatography method for simultaneous determination of zidovudine and nevirapine in plasma 843(2006)339

**HPLC–APCI–MS**

Sensitive HPLC–APCI–MS method for the determination of cyclovirobuxine D in human plasma 843(2006)78

**HPLC–DAD**

A rapid reversed phase high-performance liquid chromatographic method for determination of sophoridine in rat plasma and its application to pharmacokinetics studies 843(2006)10

**Human plasma**

Investigation of high-throughput ultrafiltration for the determination of an unbound compound in human plasma using liquid chromatography and tandem mass spectrometry with electrospray ionization 843(2006)47

Solid phase extraction—Non-aqueous capillary electrophoresis for determination of metformin, phenformin and glyburide in human plasma 843(2006)94

Enantioselective and highly sensitive determination of carvedilol in human plasma and whole blood after administration of the racemate using normal-phase high-performance liquid chromatography 843(2006)73

Simultaneous determination of fluvoxamine isomers and quetiapine in human plasma by means of high-performance liquid chromatography 843(2006)227

**Human plasma and urine samples**

Determination of amikacin in body fluid by high-performance liquid chromatography with chemiluminescence detection 843(2006)20

**Human whole blood**

Enantioselective and highly sensitive determination of carvedilol in human plasma and whole blood after administration of the racemate using normal-phase high-performance liquid chromatography 843(2006)73

**Hydroxyethylvaline**

Determination of ethylene oxide–hemoglobin adduct by silylation and gas chromatography–electron impact–mass spectrometry 843(2006)202

**Hydroxypropyl-beta-cyclodextrin**

Enantiomeric separation of norgestrel by reversed phase high-performance liquid chromatography using eluents containing hydroxypropyl-beta-cyclodextrin in stereoselective skin permeation study 843(2006)289

**Ibogaine**

Liquid chromatography–electrospray mass spectrometry determination of ibogaine and noribogaine in human plasma and whole blood. Application to a poisoning involving *Tabernanthe iboga* root 843(2006)131

**Immobilized enzyme reactor**

Silica-immobilized enzyme reactors; application to cholinesterase-inhibition studies 843(2006)310

**Immunoaffinity column (IAC)**

Efficient purification and preconcentration of erythropoietin in human urine by reusable immunoaffinity column 843(2006)125

**Immunosuppressant drug**

Measurement and stability of FTY720 in human whole blood by high-performance liquid chromatography–atmospheric pressure chemical ionization–tandem mass spectrometry 843(2006)157

**Impurity profiling**

Micellar electrokinetic chromatography–electrospray ionization mass spectrometry for the identification of drug impurities 843(2006)283

**Inborn errors**

Diagnosing AICA-ribosiduria by capillary electrophoresis 843(2006)15

**Interaction**

Structural features in carrageenan that interact with a heparin-binding hematopoietic growth factor and modulate its biological activity 843(2006)114

**Ionic surfactants**

An insight into the mechanism of protein separation by colloidal gas aphrons (CGA) generated from ionic surfactants 843(2006)317

**LC-ESI-MS**

Liquid chromatography–electrospray mass spectrometry determination of ibogaine and noribogaine in human plasma and whole blood. Application to a poisoning involving *Tabernanthe iboga* root 843(2006)131

**LC-hyphenated techniques**

Characterization and quantification of eight water-soluble constituents in tubers of *Pinellia ternata* and in tea granules from the Chinese multiherb remedy Xiaochaihu-tang 843(2006)183

**LC-ion trap MS**

Determination of malachite green and leucomalachite green in edible goldfish muscle by liquid chromatography–ion trap mass spectrometry 843(2006)247

**LC-MS/MS**

Investigation of high-throughput ultrafiltration for the determination of an unbound compound in human plasma using liquid chromatography and tandem mass spectrometry with electrospray ionization 843(2006)47

Quantitative determination of forty-eight antidepressants and antipsychotics in human serum by HPLC tandem mass spectrometry: A multi-level, single-sample approach 843(2006)100

Evaluation of automated micro solid phase extraction tips ( $\mu$ -SPE) for the validation of a LC-MS/MS bioanalytical method 843(2006)275

Liquid chromatography–tandem mass spectrometric determination of ceramides and related lipid species in cellular extracts 843(2006)327

**LC-MS-MS**

Liquid chromatography–tandem mass spectrometric determination of tenofovir-diphosphate in human peripheral blood mononuclear cells 843(2006)147

**Leucomalachite green**

Determination of malachite green and leucomalachite green in edible goldfish muscle by liquid chromatography–ion trap mass spectrometry 843(2006)247

**Leukemia cells**

Structural features in carrageenan that interact with a heparin-binding hematopoietic growth factor and modulate its biological activity 843(2006)114

**Liquid chromatography**

Simultaneous determination of fluvoxamine isomers and quetiapine in human plasma by means of high-performance liquid chromatography 843(2006)227

**Liquid chromatography–mass spectrometry**

Determination of zearalenone and its metabolites in urine, plasma and faeces of horses by HPLC–APCI–MS 843(2006)252

**Liquid chromatography–tandem mass spectrometry**

A validated liquid chromatographic–tandem mass spectroscopy method for the quantification of abiraterone acetate and abiraterone in human plasma 843(2006)262

**Liver microsomes**

Determination of the 4-monohydroxy metabolites of perhexiline in human plasma, urine and liver microsomes by liquid chromatography 843(2006)302

**Malachite green**

Determination of malachite green and leucomalachite green in edible goldfish muscle by liquid chromatography–ion trap mass spectrometry 843(2006)247

**MALDI mass spectrometry**

Small protein biomarkers of culture in *Bacillus* spores detected using capillary liquid chromatography coupled with matrix assisted laser desorption/ionization mass spectrometry 843(2006)25

**Mammalian cells**

High-performance anion-exchange chromatography using on-line electrolytic eluent generation for the determination of more than 25 intermediates from energy metabolism of mammalian cells in culture 843(2006)216

**Mass spectrometry (MS)**

Measurement and stability of FTY720 in human whole blood by high-performance liquid chromatography–atmospheric pressure chemical ionization–tandem mass spectrometry 843(2006)157

Micellar electrokinetic chromatography–electrospray ionization mass spectrometry for the identification of drug impurities 843(2006)283

**2-Mercaptoethylamine**

High performance liquid chromatography analysis of 2-mercaptoethylamine (cysteamine) in biological samples by derivatization with *N*-(1-pyrenyl) maleimide (NPM) using fluorescence detection 843(2006)57

**Metabolism**

Diagnosing AICA-ribosiduria by capillary electrophoresis 843(2006)15

High-performance anion-exchange chromatography using on-line electrolytic eluent generation for the determination of more than 25 intermediates from energy metabolism of mammalian cells in culture 843(2006)216

**Metabolites**

Determination of zearalenone and its metabolites in urine, plasma and faeces of horses by HPLC–APCI–MS 843(2006)252

Determination of the 4-monohydroxy metabolites of perhexiline in human plasma, urine and liver microsomes by liquid chromatography 843(2006)302

**Metformin**

Solid phase extraction—Non-aqueous capillary electrophoresis for determination of metformin, phenformin and glyburide in human plasma 843(2006)94

**Methamphetamine**

Stability studies of amphetamine and ephedrine derivatives in urine 843(2006)84

**3,4-Methylenedioxyamphetamine (MDA)**

Stability studies of amphetamine and ephedrine derivatives in urine 843(2006)84

**3,4-Methylenedioxymethamphetamine (MDMA)**

Stability studies of amphetamine and ephedrine derivatives in urine 843(2006)84

**Methylephedrine**

Stability studies of amphetamine and ephedrine derivatives in urine 843(2006)84

**Micellar electrokinetic chromatography**

Capillary electrophoresis laser-induced fluorescence for screening combinatorial peptide libraries in assays of botulinum neurotoxin A 843(2006)240

**Micellar electrokinetic chromatography (MEKC)**

Micellar electrokinetic chromatography–electrospray ionization mass spectrometry for the identification of drug impurities 843(2006)283

**Microdialysis**

Development of a high-performance liquid chromatography method for the determination of caspofungin with amperometric detection and its application to in vitro microdialysis experiments 843(2006)142

**Microwave-assisted extraction**

Development of an analytical method for organotin compounds in fortified flour samples using microwave-assisted extraction and normal-phase HPLC with UV detection 843(2006)268

**Milk**

Development and validation of a HPLC method for the quantitation of ochratoxins in plasma and raw milk 843(2006)295

**Models**

Utilisation of controlled pore topology for the separation of bioparticles in a mixed-glass beads column 843(2006)63

**Monolithic silica column**

Determination of  $N^G, N^G$ -dimethyl-L-arginine in rat plasma and dimethylarginine dimethylaminohydrolase activity in rat kidney using a monolithic silica column 843(2006)170

**Neural stem cells**

Neural stem cell separation from the embryonic avian olfactory epithelium by sedimentation field-flow fractionation 843(2006)175

**Nevirapine**

A simple and rapid liquid chromatography method for simultaneous determination of zidovudine and nevirapine in plasma 843(2006)339

 **$N^G, N^G$ -Dimethyl-L-arginine (ADMA)**

Determination of  $N^G, N^G$ -dimethyl-L-arginine in rat plasma and dimethylarginine dimethylaminohydrolase activity in rat kidney using a monolithic silica column 843(2006)170

**Non-aqueous buffer**

Solid phase extraction—Non-aqueous capillary electrophoresis for determination of metformin, phenformin and glyburide in human plasma 843(2006)94

**Norephedrine**

Stability studies of amphetamine and ephedrine derivatives in urine 843(2006)84

**Norgestrel**

Enantiomeric separation of norgestrel by reversed phase high-performance liquid chromatography using eluents containing hydroxypropyl-beta-cyclodextrin in stereoselective skin permeation study 843(2006)289

**Noribogaine**

Liquid chromatography–electrospray mass spectrometry determination of ibogaine and noribogaine in human plasma and whole blood. Application to a poisoning involving *Tabernaemontana iboga* root 843(2006)131

**Norpseudoephedrine**

Stability studies of amphetamine and ephedrine derivatives in urine 843(2006)84

**NPM**

High performance liquid chromatography analysis of 2-mercaptoethylamine (cysteamine) in biological samples by derivatization with *N*-(1-pyrenyl) maleimide (NPM) using fluorescence detection 843(2006)57

**Nucleotides**

High-performance anion-exchange chromatography using on-line electrolytic eluent generation for the determination of more than 25 intermediates from energy metabolism of mammalian cells in culture 843(2006)216

**Ochratoxins**

Development and validation of a HPLC method for the quantitation of ochratoxins in plasma and raw milk 843(2006)295

**Olfactory epithelium**

Neural stem cell separation from the embryonic avian olfactory epithelium by sedimentation field-flow fractionation 843(2006)175

**OMIX**

Evaluation of automated micro solid phase extraction tips ( $\mu$ -SPE) for the validation of a LC–MS/MS bioanalytical method 843(2006)275

**On-line eluent generation**

High-performance anion-exchange chromatography using on-line electrolytic eluent generation for the determination of more than 25 intermediates from energy metabolism of mammalian cells in culture 843(2006)216

**On-line pre-concentration**

Site-specific sampling of taurine from rat brain followed by on-line sample pre-concentration, throughout in-capillary derivatization and capillary electrophoresis 843(2006)194

**Organic acids**

High-performance anion-exchange chromatography using on-line electrolytic eluent generation for the determination of more than 25 intermediates from energy metabolism of mammalian cells in culture 843(2006)216

**Organophosphorous pesticides**

Measurement of human urinary organophosphate pesticide metabolites by automated solid-phase extraction, post extraction derivatization, and gas chromatography–tandem mass spectrometry 843(2006)34

**Organotin compounds**

Development of an analytical method for organotin compounds in fortified flour samples using microwave-assisted extraction and normal-phase HPLC with UV detection 843(2006)268

**Oxidative stress**

High performance liquid chromatography analysis of 2-mercaptoethylamine (cysteamine) in biological samples by derivatization with *N*-(1-pyrenyl) maleimide (NPM) using fluorescence detection 843(2006)57

**Packard liquid handling system**

Investigation of high-throughput ultrafiltration for the determination of an unbound compound in human plasma using liquid chromatography and tandem mass spectrometry with electrospray ionization 843(2006)47

**Particle shape**

Utilisation of controlled pore topology for the separation of bioparticles in a mixed-glass beads column 843(2006)63

**Penheyclidine**

Determination of penheyclidine by gas chromatographic–mass spectrometry and its application to pharmacokinetics in humans, rabbits and mice 843(2006)234

**Perhexiline**

Determination of the 4-monohydroxy metabolites of perhexiline in human plasma, urine and liver microsomes by liquid chromatography 843(2006)302

**Peripheral blood mononuclear cells**

Liquid chromatography–tandem mass spectrometric determination of tenofovir-diphosphate in human peripheral blood mononuclear cells 843(2006)147

**Pharmacokinetics**

High-performance liquid chromatographic method for the determination of pioglitazone in human plasma using ultraviolet detection and its application to a pharmacokinetic study 843(2006)164

Determination of penheyclidine by gas chromatographic–mass spectrometry and its application to pharmacokinetics in humans, rabbits and mice 843(2006)234

Determination of the 4-monohydroxy metabolites of perhexiline in human plasma, urine and liver microsomes by liquid chromatography 843(2006)302

**Phenformin**

Solid phase extraction—Non-aqueous capillary electrophoresis for determination of metformin, phenformin and glyburide in human plasma 843(2006)94

**Phosphatidylcholine**

Analysis of hydrolytic activity of phospholipase C $\alpha$  from porcine retina on retinyl ester and phosphatidylcholine using non-denaturing two-dimensional electrophoresis and mass spectrometry 843(2006)42

**Phosphodiester oligodeoxynucleotide**

Single-based resolution for oligodeoxynucleotides and their phosphorothioate modifications by replaceable capillary gel electrophoresis 843(2006)334

**Phospholipase C $\alpha$** 

Analysis of hydrolytic activity of phospholipase C $\alpha$  from porcine retina on retinyl ester and phosphatidylcholine using non-denaturing two-dimensional electrophoresis and mass spectrometry 843(2006)42

**Phospholipase C $\delta$** 

Analysis of hydrolytic activity of phospholipase C $\alpha$  from porcine retina on retinyl ester and phosphatidylcholine using non-denaturing two-dimensional electrophoresis and mass spectrometry 843(2006)42

**Phosphorothioate modified oligodeoxynucleotide**

Single-based resolution for oligodeoxynucleotides and their phosphorothioate modifications by replaceable capillary gel electrophoresis 843(2006)334

***Pinellia ternate***

Characterization and quantification of eight water-soluble constituents in tubers of *Pinellia ternata* and in tea granules from the Chinese multiherb remedy Xiaochaihu-tang 843(2006)183

**Pioglitazone**

High-performance liquid chromatographic method for the determination of pioglitazone in human plasma using ultraviolet detection and its application to a pharmacokinetic study 843(2006)164

**Plasma**

Determination of zearalenone and its metabolites in urine, plasma and faeces of horses by HPLC–APCI–MS 843(2006)252

Development and validation of a HPLC method for the quantitation of ochratoxins in plasma and raw milk 843(2006)295

A simple and rapid liquid chromatography method for simultaneous determination of zidovudine and nevirapine in plasma 843(2006)339

**Plasma and whole blood**

Liquid chromatography–electrospray mass spectrometry determination of ibogaine and noribogaine in human plasma and whole blood. Application to a poisoning involving *Tabernanthe iboga* root 843(2006)131

**Pore topology**

Utilisation of controlled pore topology for the separation of bioparticles in a mixed-glass beads column 843(2006)63

**Porous media**

Utilisation of controlled pore topology for the separation of bioparticles in a mixed-glass beads column 843(2006)63

**Posaconazole**

Evaluation of automated micro solid phase extraction tips ( $\mu$ -SPE) for the validation of a LC–MS/MS bioanalytical method 843(2006)275

**Prawn**

Determination of quinolones residues in prawn using high-performance liquid chromatography with Ce(IV)–Ru(bpy) $_3^{2+}$ –HNO $_3$  chemiluminescence detection 843(2006)1

**Preclinical studies**

Evaluation of automated micro solid phase extraction tips ( $\mu$ -SPE) for the validation of a LC–MS/MS bioanalytical method 843(2006)275

**Preconcentration**

Efficient purification and preconcentration of erythropoietin in human urine by reusable immunoaffinity column 843(2006)125

**Prostate cancer**

A validated liquid chromatographic–tandem mass spectroscopy method for the quantification of abiraterone acetate and abiraterone in human plasma 843(2006)262

**Protein–surfactant interactions**

An insight into the mechanism of protein separation by colloidal gas aphanes (CGA) generated from ionic surfactants 843(2006)317

**Pseudoephedrine**

Stability studies of amphetamine and ephedrine derivatives in urine 843(2006)84

**Purification**

Efficient purification and preconcentration of erythropoietin in human urine by reusable immunoaffinity column 843(2006)125

Effect of CaCl $_2$  as activity stabilizer on purification of heparinase I from *Flavobacterium heparinum* 843(2006)209

**Purines**

Diagnosing AICA-ribosiduria by capillary electrophoresis 843(2006)15

**Quantification**

High-performance liquid chromatographic method for the determination of pioglitazone in human plasma using ultraviolet detection and its application to a pharmacokinetic study 843(2006)164

Determination of penehyclidine by gas chromatographic–mass spectrometry and its application to pharmacokinetics in humans, rabbits and mice 843(2006)234

**Quantitation**

Liquid chromatography–electrospray mass spectrometry determination of ibogaine and noribogaine in human plasma and whole blood. Application to a poisoning involving *Tabernanthe iboga* root 843(2006)131

**Quetiapine**

Simultaneous determination of fluvoxamine isomers and quetiapine in human plasma by means of high-performance liquid chromatography 843(2006)227

**Quinolones**

Determination of quinolones residues in prawn using high-performance liquid chromatography with Ce(IV)–Ru(bpy)<sub>3</sub><sup>2+</sup>–HNO<sub>3</sub> chemiluminescence detection 843(2006)1

**Rat brain**

Site-specific sampling of taurine from rat brain followed by on-line sample pre-concentration, throughout in-capillary derivatization and capillary electrophoresis 843(2006)194

**Rat plasma**

A rapid reversed phase high-performance liquid chromatographic method for determination of sophoridine in rat plasma and its application to pharmacokinetics studies 843(2006)10

**Replaceable capillary gel electrophoresis**

Single-based resolution for oligodeoxynucleotides and their phosphorothioate modifications by replaceable capillary gel electrophoresis 843(2006)334

**Retinyl palmitate**

Analysis of hydrolytic activity of phospholipase C $\alpha$  from porcine retina on retinyl ester and phosphatidylcholine using non-denaturing two-dimensional electrophoresis and mass spectrometry 843(2006)42

**Reversed-phase chromatography**

Determination of amikacin in body fluid by high-performance liquid chromatography with chemiluminescence detection 843(2006)20

High-performance liquid chromatographic method for the determination of pioglitazone in human plasma using ultraviolet detection and its application to a pharmacokinetic study 843(2006)164

**Ru(bpy)<sub>3</sub><sup>2+</sup>**

Determination of quinolones residues in prawn using high-performance liquid chromatography with Ce(IV)–Ru(bpy)<sub>3</sub><sup>2+</sup>–HNO<sub>3</sub> chemiluminescence detection 843(2006)1

**Screening**

Diagnosing AICA-ribosiduria by capillary electrophoresis 843(2006)15

**SdFFF**

Neural stem cell separation from the embryonic avian olfactory epithelium by sedimentation field-flow fractionation 843(2006)175

**Separation**

Utilisation of controlled pore topology for the separation of bioparticles in a mixed-glass beads column 843(2006)63

**Silica-encapsulation**

Silica-immobilized enzyme reactors; application to cholinesterase-inhibition studies 843(2006)310

**Silylation**

Determination of ethylene oxide–hemoglobin adduct by silylation and gas chromatography–electron impact-mass spectrometry 843(2006)202

**Single-based resolution**

Single-based resolution for oligodeoxynucleotides and their phosphorothioate modifications by replaceable capillary gel electrophoresis 843(2006)334

**Small proteins**

Small protein biomarkers of culture in *Bacillus* spores detected using capillary liquid chromatography coupled with matrix assisted laser desorption/ionization mass spectrometry 843(2006)25

**Solid phase extraction**

Solid phase extraction—Non-aqueous capillary electrophoresis for determination of metformin, phenformin and glyburide in human plasma 843(2006)94

High-performance liquid chromatographic method for the determination of pioglitazone in human plasma using ultraviolet detection and its application to a pharmacokinetic study 843(2006)164

Simultaneous determination of fluvoxamine isomers and quetiapine in human plasma by means of high-performance liquid chromatography 843(2006)227

Evaluation of automated micro solid phase extraction tips ( $\mu$ -SPE) for the validation of a LC–MS/MS bioanalytical method 843(2006)275

**Sophoridine**

A rapid reversed phase high-performance liquid chromatographic method for determination of sophoridine in rat plasma and its application to pharmacokinetics studies 843(2006)10

**SPE**

Evaluation of automated micro solid phase extraction tips ( $\mu$ -SPE) for the validation of a LC–MS/MS bioanalytical method 843(2006)275

**Speciation analysis**

Development of an analytical method for organotin compounds in fortified flour samples using microwave-assisted extraction and normal-phase HPLC with UV detection 843(2006)268

**Sphingolipid**

Liquid chromatography–tandem mass spectrometric determination of ceramides and related lipid species in cellular extracts 843(2006)327

**Spores**

Small protein biomarkers of culture in *Bacillus* spores detected using capillary liquid chromatography coupled with matrix assisted laser desorption/ionization mass spectrometry 843(2006)25

**Stability**

Stability studies of amphetamine and ephedrine derivatives in urine 843(2006)84

**Sterols**

Faecal sterols determination in wastewater and surface water 843(2006)120

**Sugar nucleotides**

High-performance anion-exchange chromatography using on-line electrolytic eluent generation for the determination of more than 25 intermediates from energy metabolism of mammalian cells in culture 843(2006)216

**Sugar phosphates**

High-performance anion-exchange chromatography using on-line electrolytic eluent generation for the determination of more than 25 intermediates from energy metabolism of mammalian cells in culture 843(2006)216

**Surface water**

Faecal sterols determination in wastewater and surface water 843(2006)120

**Taurine**

Site-specific sampling of taurine from rat brain followed by on-line sample pre-concentration, throughout in-capillary derivatization and capillary electrophoresis 843(2006)194

**Tenofovir-diphosphate**

Liquid chromatography–tandem mass spectrometric determination of tenofovir-diphosphate in human peripheral blood mononuclear cells 843(2006)147

**Therapeutic drug monitoring**

Quantitative determination of forty-eight antidepressants and antipsychotics in human serum by HPLC tandem mass spectrometry: A multi-level, single-sample approach 843(2006)100

**Thiols**

High performance liquid chromatography analysis of 2-mercaptoethylamine (cysteamine) in biological samples by derivatization with *N*-(1-pyrenyl) maleimide (NPM) using fluorescence detection 843(2006)57

**Throughout in-capillary derivatization**

Site-specific sampling of taurine from rat brain followed by on-line sample pre-concentration, throughout in-capillary derivatization and capillary electrophoresis 843(2006)194

**Time segments**

Determination of malachite green and leucomalachite green in edible goldfish muscle by liquid chromatography–ion trap mass spectrometry 843(2006)247

**Tricarboxylic acid cycle**

High-performance anion-exchange chromatography using on-line electrolytic eluent generation for the determination of more than 25 intermediates from energy metabolism of mammalian cells in culture 843(2006)216

**Ultracel-PPB 96-well plate**

Investigation of high-throughput ultrafiltration for the determination of an unbound compound in human plasma using liquid chromatography and tandem mass spectrometry with electrospray ionization 843(2006)47

**Ultrafiltration**

Investigation of high-throughput ultrafiltration for the determination of an unbound compound in human plasma using liquid chromatography and tandem mass spectrometry with electrospray ionization 843(2006)47

**Unbound drug**

Investigation of high-throughput ultrafiltration for the determination of an unbound compound in human plasma using liquid chromatography and tandem mass spectrometry with electrospray ionization 843(2006)47

**Urine**

Stability studies of amphetamine and ephedrine derivatives in urine 843(2006)84

Determination of zearalenone and its metabolites in urine, plasma and faeces of horses by HPLC–APCI–MS 843(2006)252

**Validation**

High-performance liquid chromatographic method for the determination of pioglitazone in human plasma using ultraviolet detection and its application to a pharmacokinetic study 843(2006)164

A validated liquid chromatographic–tandem mass spectroscopy method for the quantification of abiraterone acetate and abiraterone in human plasma 843(2006)262

**Wastewater**

Faecal sterols determination in wastewater and surface water 843(2006)120

**Whey proteins**

An insight into the mechanism of protein separation by colloidal gas apheresis (CGA) generated from ionic surfactants 843(2006)317

**Xiaochaihu-tang**

Characterization and quantification of eight water-soluble constituents in tubers of *Pinellia ternata* and in tea granules from the Chinese multiherb remedy Xiaochaihu-tang 843(2006)183

**Zearalenone**

Determination of zearalenone and its metabolites in urine, plasma and faeces of horses by HPLC–APCI–MS 843(2006)252

**Zidovudine**

A simple and rapid liquid chromatography method for simultaneous determination of zidovudine and nevirapine in plasma 843(2006)339

**MAIN-ENTRY:z-Potential**

An insight into the mechanism of protein separation by colloidal gas apheresis (CGA) generated from ionic surfactants 843(2006)317