



## Addition/Correction

## NMR Tube Filter Reactor for Solid-Phase Synthesis and Gel-Phase F NMR Spectroscopy (*J. Comb. Chem.* 2006, *8*, 150–152)

Fredrik K. Wallner, and Mikael Elofsson

J. Comb. Chem., 2006, 8 (3), 440-440 DOI: 10.1021/cc060043x • Publication Date (Web): 22 April 2006

Downloaded from http://pubs.acs.org on March 22, 2009

## **More About This Article**

Additional resources and features associated with this article are available within the HTML version:

- Supporting Information
- Links to the 1 articles that cite this article, as of the time of this article download
- Access to high resolution figures
- Links to articles and content related to this article
- Copyright permission to reproduce figures and/or text from this article

View the Full Text HTML



## Additions and Corrections

**Fredrik K. Wallner and Mikael Elofsson\*:** NMR Tube Filter Reactor for Solid-Phase Synthesis and Gel-Phase <sup>19</sup>F NMR Spectroscopy

(J. Comb. Chem. 2006, 8, 150-152)

In the solid-phase synthesis, *N*-Fmoc-*p*-fluoro-L-phenylalanine was used, and the stereochemistry of the structures in Scheme 1 should, therefore, be the opposite.

CC060043X

10.1021/cc060043x Published on Web 04/22/2006